

## DAFTAR PUSTAKA

- Ahmad, IW, Rahmawati, LD & Wardhana, TH 2018, 'Demographic Profile, Clinical and Analysis of Osteoarthritis Patients in Surabaya', *Biomolecular and Health Science Journal*, vol.1, no.01, April 2018, diakses 13 April 2019.  
<https://e-journal.unair.ac.id/BHSJ/article/view/8208/4927>
- Allan Webb, C 2012, 'Platelet-Rich Plasma Update: Clinical Use in Musculoskeletal Care', *Journal of Musculoskeletal Medicine*, vol.29, Mei 2012, diakses 27 Mei 2019.  
<https://www.rheumatologynetwork.com/articles/platelet-rich-plasmaupdate-clinical-use-musculoskeletal-care>
- Allen, KD & Golightly, YM 2015, 'Epidemiology of osteoarthritis: state of the evidence', *Current Opinion in Rheumatology*, vol.27, no.3, Mei 2015, diakses 19 September 2018.  
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4405030/>
- Arthritis* 2018, diakses 17 April 2019,  
<https://www.versusarthritis.org/about-arthritis/conditions/arthritis/Barber>
- Badan Penelitian dan Pengembangan Kesehatan 2013, *Riset Kesehatan Dasar (Riskesdas) 2013*, Badan Litbang Kesehatan, Jakarta.
- Barber-Westin, SD & Noyes, FR 2017, 'Rating of Athletic and Daily Functional Activities', *Noyes' Knee Disorders: Surgery, Rehabilitation, Clinical Outcomes*, diakses 18 Februari 2019.  
<https://musculoskeletalkey.com/rating-of-athletic-and-daily-functional-activities-after-knee-injuries-and-operative-procedures/>
- Bennell, KL, Hunter, DJ & Paterson, KL 2017, 'Platelet-Rich Plasma for the Management of Hip and Knee Osteoarthritis', *Current Rheumatology Reports*, vol.19, no.5, April 2017, diakses 17 November 2018.  
<https://www.ncbi.nlm.nih.gov/pubmed/28386761>
- Braun, HJ, Kim, HJ, Chu, CR & Dragoo, JL 2014, 'The Effect of Platelet-Rich Plasma Formulations and Blood Products on Human Synoviocytes', *The American Journal of Sports Medicine*, vol.42, no.5, Maret 2014, diakses 18 November 2018.  
<https://www.ncbi.nlm.nih.gov/pubmed/24634448>
- Bruyère, O, Cooper, C, Arden, N, Branco, J, Brandi, ML, Herrero-Beaumont, G, Berenbaum, F, Dennison, E, Devogelaer, JP, Hochberg, M, Kanis, J, Laslop, A, McAlindon, T, Reiter, S, Richette, P, Rizzoli, R, & Reginster,

JY 2015, 'Can We Identify Patients with High Risk of Osteoarthritis Progression Who Will Respond to Treatment? A Focus on Epidemiology and Phenotype of Osteoarthritis', *Drugs & Aging*, vol.32, no.3, Februari 2015, diakses 8 November 2018.

<https://www.ncbi.nlm.nih.gov/pubmed/25701074>

Cook, CS & Smith, PA 2018, 'Clinical Update: Why PRP Should Be Your First Choice for Injection Therapy in Treating Osteoarthritis of the Knee', *Current Reviews in Musculoskeletal Medicine*, vol.11, no.4, Oktober 2018, diakses 16 November 2018.

<https://www.ncbi.nlm.nih.gov/pubmed/30350299>

Dahlan, S 2015, *Statistik untuk Kedokteran dan Kesehatan: Deskriptif, Bivariat, dan Multivariat*, Epidemiologi Indonesia, Jakarta.

DeLong, JM, Russell, RP, & Mazzocca, AD 2012, 'Platelet-Rich Plasma: The PAW Classification System', *Arthroscopy: The Journal of Arthroscopic & Related Surgery*. Elsevier Inc., vol.28, no.7, April 2012, diakses 19 November 2018.

<https://www.ncbi.nlm.nih.gov/pubmed/22738751>

Dernek, B, Kesiktas, FN, Duymus, TM, Aydin, T, Isiksacan, N, Diracoglu, D, & Aksoy, C 2017, 'Effect of platelet concentration on clinical improvement in treatment of early stage-knee osteoarthritis with platelet-rich plasma concentrations', *Journal of Physical Therapy Science*, vol.29, no.5, Februari 2017, diakses 21 September 2018.

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5462694/>

Dhurat, R & Sukesh, M 2014, 'Principles and methods of preparation of platelet-rich plasma: A review and author's perspective', *Journal of Cutaneous and Aesthetic Surgery*, vol.7, no.4, Oktober-Desember 2014, diakses 21 Januari 2019.

<https://www.ncbi.nlm.nih.gov/pubmed/25722595>

Dugrillon, A, Eichler, H, Kern, S, & Klüter, H 2002, 'Autologous concentrated platelet-rich plasma (cPRP) for local application in bone regeneration', *International Journal of Oral and Maxillofacial Surgery*, vol.31, no.6, diakses 24 April 2019.

<https://www.ncbi.nlm.nih.gov/pubmed/12521317>

Filardo, G, Kon, E, Pereira Ruiz, MT, Vaccaro, F, Guitaldi, R, Di Martino, A, Cenacchi, A, Fornasari, PM, & Marcacci, M 2012, 'Platelet-rich plasma intra-articular injections for cartilage degeneration and osteoarthritis: single-versus double-spinning approach', *Knee Surgery, Sports Traumatology, Arthroscopy*, vol.20, no.10, diakses 16 November 2018.

<https://www.ncbi.nlm.nih.gov/pubmed/22203046>

- Forogh, B, Mianehsaz, E, Shoaee, S, Ahadi, T, Raissi, GR, & Sajadi, S 2016, 'Effect of single injection of platelet-rich plasma in comparison with corticosteroid on knee osteoarthritis: a double-blind randomized clinical trial.', *The Journal of sports medicine and physical fitness*, vol.56, no.7–8, diakses 17 November 2018.  
<https://www.ncbi.nlm.nih.gov/pubmed/26173792>
- Gandek, B 2015, 'Measurement properties of the Western Ontario and McMaster Universities Osteoarthritis Index: A systematic review', *Arthritis Care and Research*, vol.67, no.2, Februari 2015, diakses 23 Oktober 2018.  
<https://www.ncbi.nlm.nih.gov/pubmed/25048451>
- Gato-Calvo, L, Magalhaes, J, Ruiz-Romero, C, Blanco, FJ, & Burguera, EF 2019, 'Platelet-rich plasma in osteoarthritis treatment: review of current evidence', *Therapeutic Advances in Chronic Disease*, vol.10, no.6, diakses 10 Juni 2019.  
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6383098/>
- Glyn-Jones, S, Palmer, AJ, Agricola, R, Price, AJ, Vincent, TL, Weinans, H, & Carr, AJ 2015, 'Osteoarthritis', *The Lancet*, vol.386, Juli 2015, diakses 19 September 2018.  
[https://www.thelancet.com/journals/lancet/article/PIIS0140-6736\(14\)60802-3/fulltext](https://www.thelancet.com/journals/lancet/article/PIIS0140-6736(14)60802-3/fulltext)
- Görmeli, G, Görmeli, CA, Ataoglu, B, Çolak, C, Aslantürk, O, & Ertem, K 2015, 'Multiple PRP injections are more effective than single injections and hyaluronic acid in knees with early osteoarthritis: a randomized, double-blind, placebo-controlled trial', *Knee Surgery, Sports Traumatology, Arthroscopy*, vol.25, no.3, Agustus 2015, diakses 18 November 2018.  
<https://www.ncbi.nlm.nih.gov/pubmed/26233594>
- Hame, SL & Alexander, RA 2013, 'Knee osteoarthritis in women', *Current Reviews in Musculoskeletal Medicine*, vol.6, no.2, Maret 2013, diakses 12 April 2019.  
<https://www.ncbi.nlm.nih.gov/pubmed/23471773>
- Hamid, MSA 2018, 'Cost Effectiveness of a Platelet-rich Plasma Preparation Technique for Clinical Use', *Wounds*, vol.30, no.7, Mei 2018, diakses 18 April 2019.  
<https://www.ncbi.nlm.nih.gov/pubmed/30059343>
- Huang, CC, Chen, WS, Tsai, MW & Wang, WTJ 2017, 'Comparing the Chinese versions of two knee-specific questionnaires (IKDC and KOOS): reliability, validity, and responsiveness', *Health and Quality of Life Outcomes*, vol.15, no.1, diakses 23 Oktober 2018.  
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5717837/>

Indonesian Rheumatology Association 2014, *Rekomendasi IRA untuk Diagnosis dan Penatalaksanaan Osteoarthritis*, Indonesian Rheumatology Association, Jakarta.

Kanakamedala, AC, Anderson, AF, & Irrgang, JJ 2016 ‘IKDC Subjective Knee Form and Marx Activity Rating Scale are suitable to evaluate all orthopaedic sports medicine knee conditions: a systematic review’, *Journal of ISAKOS: Joint Disorders & Orthopaedic Sports Medicine*, vol.1, no.1, diakses 19 November 2018.  
<https://jisakos.bmj.com/content/1/1/25>

Kaneko, H, Ishijima, M, Futami, I, Tomikawa-Ichikawa, N, Kosaki, K, Sadatsuki, R, Yamada, Y, Kurosawa, H, Kaneko, K, & Arikawa-Hirasawa, E 2013, ‘Synovial perlecan is required for osteophyte formation in knee osteoarthritis’, *Matrix Biology*, vol.32, no.3–4, April 2013, hlm. 178–187. doi: 10.1016/j.matbio.2013.01.004.

Kaur, R, Ghosh, A, & Singh, A 2018, ‘Prevalence of knee osteoarthritis and its determinants in 30–60 years old women of Gurdaspur, Punjab’, *International Journal of Medical Science and Public Health*, vol.7, no.11, diakses 13 April 2019.  
<https://www.ejmanager.com/fulltextpdf.php?mno=299397>

Kohn, MD, Sasoon, AA, Fernando, ND 2016, ‘Classifications in Brief: Kellgren-Lawrence Classification of Osteoarthritis’, *Clinical Orthopaedics and Related Research®*. Springer US, vol.474, no.8, Februari 2016, diakses 13 November 2018.  
<https://www.ncbi.nlm.nih.gov/pubmed/26872913>

Le, ADK, Enweze, L, DeBaun, MR, & Dragoo, JL 2018, ‘Current Clinical Recommendations for Use of Platelet-Rich Plasma’, *Current Reviews in Musculoskeletal Medicine*. Current Reviews in Musculoskeletal Medicine, vol.11, no.4, diakses 23 April 2019.  
<https://www.ncbi.nlm.nih.gov/pubmed/30353479>

Litwic, A Edwards, MH, Dennison, EM, & Cooper, C 2013, ‘Epidemiology and burden of osteoarthritis’, *British Medical Bulletin*, vol.105, no.1, Juli 2013, diakses 19 September 2018.  
<https://www.ncbi.nlm.nih.gov/pubmed/23337796>

Man, G & Mologhianu, G 2014, ‘Osteoarthritis pathogenesis – a complex process that involves the entire joint’, *Journal of Medicine and Life*, vol.7, no.1, Januari-Maret 2014, diakses 11 November 2018.  
<https://www.ncbi.nlm.nih.gov/pubmed/24653755>

McCance, KL & Huether, SE 2015, *Pathophysiology: The Biologic Basis for Disease in Adults and Children*, Edisi 7, Mosby, Missouri.

McKenzie, SB & Williams, L 2015, *Clinical Laboratory Hematology*. Edisi 3, Pearson, United States.

Meheux, CJ, McCulloch, PC, Lintner, DM, Varner, KE, & Harris, JD 2016, 'Efficacy of Intra-articular Platelet-Rich Plasma Injections in Knee Osteoarthritis: A Systematic Review', *Arthroscopy - Journal of Arthroscopic and Related Surgery*. Arthroscopy Association of North America, vol.32, no.3, diakses 23 April 2019.  
<https://www.ncbi.nlm.nih.gov/pubmed/26432430>

Mescher, AL 2013, *Junqueira's Basic Histology*, Edisi 13, McGraw-Hill Education, New York.

Nugraha, HK, Muljanti, M, Hernaningsih, Y, & Nugraha, J 2017, 'Platelet Rich Plasma Preparation Protocols: a Preliminary Study', *Indonesian Journal of Tropical and Infectious Disease*, vol.3, no.2, diakses 19 April 2019.  
<https://e-journal.unair.ac.id/IJTID/article/view/216>

Raeissadat, SA, Rayegani, SM, Babaee, M, & Ghorbani, E 2013, 'The effect of platelet-rich plasma on pain, function, and quality of life of patients with knee osteoarthritis', *Pain Research and Treatment*, diakses 10 Juni 2019.  
<https://www.ncbi.nlm.nih.gov/pubmed/24386565>

Raeissadat, SA, Rayegani, SM, Hassanabadi, H, Fathi, M, Ghorbani, E, Babaee, M, & Azma, K 2015, 'Knee osteoarthritis injection choices: Platelet-rich plasma (PRP) versus hyaluronic acid (A one-year randomized clinical trial)', *Clinical Medicine Insights: Arthritis and Musculoskeletal Disorders*, vol.8, diakses 23 Oktober 2018.  
<https://www.ncbi.nlm.nih.gov/pubmed/25624776>

Richmond, RS, Carlson, CS, Register, TC, Shanker, G, & Loeser, RF 2000, 'Functional estrogen receptors in adult articular cartilage: Estrogen replacement therapy increases chondrocyte synthesis of proteoglycans and insulin-like growth factor binding protein 2', *Arthritis & Rheumatism*, vol.43, no.9, diakses 13 April 2019.  
<https://www.ncbi.nlm.nih.gov/pubmed/11014360>

Roffi, A, Filardo, G, Assirelli, E, Cavallo, C, Cenacchi, A, Facchini, A, Grigolo, B, Kon, E, Mariani, E, Pratelli, L, Pulsatelli, L, & Marcacci, M 2014, 'Does platelet-rich plasma freeze-thawing influence growth factor release and their effects on chondrocytes and synoviocytes?', *BioMed Research International*, 2014, diakses 21 Januari 2019.  
<https://www.hindawi.com/journals/bmri/2014/692913/>

Sastroasmoro, S 2018, *Dasar-Dasar Metodologi Penelitian Klinis*, Sagung Seto, Jakarta.

Simental-Mendía, M, Vílchez-Cavazos, JF, Peña-Martínez, VM, Said-Fernández, S, Lara-Arias, J, & Martínez-Rodríguez, HG 2016, ‘Leukocyte-poor platelet-rich plasma is more effective than the conventional therapy with acetaminophen for the treatment of early knee osteoarthritis’, *Archives of Orthopaedic and Trauma Surgery*, vol.136, no.12, Agustus 2016, diakses 17 November 2018.

<https://www.ncbi.nlm.nih.gov/pubmed/27506585>

Solomon, L, Warwick, D, & Nayagam, S 2012, *Apley's System of Orthopaedics and Fractures*, Edisi 9, CRC Press, Boca Raton.

Sundman, EA, Cole, BJ, Fortier, LA 2011, ‘Growth factor and catabolic cytokine concentrations are influenced by the cellular composition of platelet-rich plasma’, *American Journal of Sports Medicine*, vol.39, no.10, diakses 1 November 2018.

<https://www.ncbi.nlm.nih.gov/pubmed/21846925>

Supartono, B, Rarasati, T, Wiyono, S, & Suciati, Y 2016, ‘Effectiveness of Platelet-Rich Plasma in Osteoarthritis of The Knee Joint’, *British Journal of Sports Medicine*, vol.50, no.1, diakses 19 September 2018.

[https://bjsm.bmjjournals.com/content/50/Suppl\\_1/A2.2](https://bjsm.bmjjournals.com/content/50/Suppl_1/A2.2)

Supartono, B, Gamma' R, Wiyono, S, & Yuli, S 2016, *The influence of scoliosis towards secondary osteoarthritis of the knee joint in athletes*, *British Journal of Sports Medicine*, vol.50, no.1, diakses 18 Januari 2019.

[https://bjsm.bmjjournals.com/content/50/Suppl\\_1/A33.1](https://bjsm.bmjjournals.com/content/50/Suppl_1/A33.1)

Supartono, B 2016, *Penyembuhan Pengapuran Sendi Lutut*, Robbani Press, Jakarta.

Supartono, B 2017, *Bunga Rampai Kedokteran Olahraga*, Robbani Press, Jakarta.

Supartono, B 2018, *Teknik Rekayasa Jaringan untuk Penyembuhan Penyakit Muskuloskeletal*, Robbani Press, Jakarta.

Supartono, B Amalia, R, Satya, I, & Wiyono, S 2018, ‘Relation Between Osteoarthritis Grading Scale with Cartilage Ultrasonographic in Knee Osteoarthritis Patient at RSU Al Fauzan Period of 2016-2017’, *Journal of Medical - Clinical Research & Reviews*, vol.2, no.6, diakses 26 November 2018.

<http://scivisionpub.com/pdfs/relation-between-osteoarthritis-grading-scale-with-cartilage-ultrasonographic-in-knee-osteoarthritis-patient-at-rsu-al-fauzan-peri-552.pdf>

Sutton, KM & Bullock, JM 2013, ‘Anterior Cruciate Ligament Rupture: Differences Between Males and Females’, *Journal of the American Academy of Orthopaedic Surgeons*, vol.21, no.1, diakses 12 April 2019.

<https://www.ncbi.nlm.nih.gov/pubmed/23281470>

- Taniguchi, Y, Yoshioka, T, Sugaya, H, Gosho, M, Aoto, K, Kanamori, A, & Yamazaki, M 2019, 'Growth factor levels in leukocyte-poor platelet-rich plasma and correlations with donor age, gender, and platelets in the Japanese population', *Journal of Experimental Orthopaedics*. Journal of Experimental Orthopaedics, vol.6, no.1, diakses 24 April 2019.  
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6359998/>
- Tortora, G & Derrickson, B 2014, *Principles of Anatomy & Physiology*, Edisi 13, Wiley-Blackwell, New Jersey.
- Weibrich, G, Kleis, WK, Hafner, G, & Hitzler, WE 2002, 'Growth factor levels in platelet-rich plasma and correlations with donor age, sex, and platelet count', *Journal of Cranio-Maxillofacial Surgery*, vol.30, no.2, diakses 24 April 2019.  
<https://www.ncbi.nlm.nih.gov/pubmed/12069512>
- Wilkie, R, Hay, EM, Croft, P, & Pransky, G 2015, 'Exploring how pain leads to productivity loss in primary care consulters for osteoarthritis: A prospective cohort study', *PLoS ONE*, vol.10, no.4, April 2015, diakses 21 September 2018.  
<https://www.ncbi.nlm.nih.gov/pubmed/25849594>
- Wittenauer, R, Smith, L, & Aden, K 2013, 'Osteoarthritis', *SpringerReference*, diakses 13 April 2019.  
[https://www.who.int/medicines/areas/priority\\_medicines/BP6\\_12Osteo.pdf](https://www.who.int/medicines/areas/priority_medicines/BP6_12Osteo.pdf)
- WHO 2018, *World health statistics 2018: monitoring health for the SDGs, sustainable development goals*, World Health Organization, Geneva.
- Yin, W, Qi, X, Zhang, Y, Sheng, J, Xu, Z, Tao, S, Xie, X, Li, X, & Zhang, C 2016, 'Advantages of pure platelet-rich plasma compared with leukocyte- and platelet-rich plasma in promoting repair of bone defects', *Journal of Translational Medicine*, vol.14, no.1, April 2016, diakses 23 September 2018.  
<https://www.ncbi.nlm.nih.gov/pubmed/26980293>