

DAFTAR PUSTAKA

- Aji, dimas setiyo kusuma, Wati, erna kusuma and Rahardjo, S. (2016) ‘Analisis Faktor-faktor Yang Berpengaruh Terhadap Pola Asuh Ibu Balita di Kabupaten Banyumas’, *Jurnal Kesmas Indonesia*, 8(1), pp. 1–15.
- Asiegbu, I. F., Powei Daubry M and Iruka, C. (2012) ‘Consumer Attitude: Some Reflections on Its Concept, Trilogy, Relationship with Consumer Behavior, and Marketing Implications’, *European Journal of Business and Management*, 4(13), pp. 38–50. Available at: <http://www.iiste.org/Journals/index.php/EJBM/article/viewFile/2702/2726>
- Aulia, D. (2016) ‘Determinan Stunting Pada Anak Usia 24-59 Bulan Di Kelurahan Cimahpar, Kecamatan Bogor Utara’, pp. 1–67.
- BAPPENAS and UNICEF (2017) ‘Laporan Baseline SDG tentang Anak-Anak di Indonesia’, *Kementerian Perencanaan Pembangunan Nasional (Bappenas) dan United Nations Children’s Fund*, pp. 1–105. Available at: https://www.unicef.org/indonesia/id/SDG_Baseline_report.pdf.
- Bella, F. D., Fajar, N. A. and Misnaniarti, M. (2020) ‘Hubungan pola asuh dengan kejadian stunting balita dari keluarga miskin di Kota Palembang’, *Jurnal Gizi Indonesia*, 8(1), p. 31. doi: 10.14710/jgi.8.1.31-39.
- Boulom, S. et al. (2020) ‘Factors associated with child malnutrition in mountainous ethnic minority communities in Lao PDR’, *Global Health Action*. Taylor & Francis, 13(sup2). doi: 10.1080/16549716.2020.1785736.
- Depkes RI. BADAN PENELITIAN DAN PENGEMBANGAN (2007) ‘Pedoman pengukuran dan pemeriksaan’, *Riset Kesehatan Dasar*, pp. 22–23.
- Direktorat Kesehatan et al. (2018) ‘Pencegahan Stunting dan Pembangunan Sumber Daya Manusia’, *Buletin Jendela Data dan Informasi Kesehatan*, 53(9), pp. 38–43. doi: 10.1017/CBO9781107415324.004.
- Fadilah, S. N. N., Ningtyas, F. W. and Sulistiyani (2020) ‘Tinggi badan orang tua, pola asuh, dan kejadian diare sebagai faktor risiko kejadian stunting pada balita di Kabupaten Bondowoso’, *Ilmu Gizi Indonesia*, 53(9), pp. 1689–1699.
- Fauziah, R. (2020) ‘Hubungan Pola Pemberian Makan Dengan Kejadian Stunting Pada Balita’.

- Frozanfar, M. K. *et al.* (2016) ‘Acute Malnutrition Among under-five children in Faryab, Afghanistan: prevalence and causes’, *Indian Journal of Otology* file:///Users/nia/Downloads/2186-3326-78-0041.pdf, 78(1), pp. 41–53. Available at: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4767513/pdf/2186-3326-78-0041.pdf>.
- Girma, A. *et al.* (2019) ‘Undernutrition and associated factors among urban children aged 24-59 months in Northwest Ethiopia: A community based cross sectional study’, *BMC Pediatrics*. BMC Pediatrics, 19(1), pp. 1–11. doi: 10.1186/s12887-019-1595-3.
- Hanani, Z. and Susilo, R. (2020) ‘Hubungan Praktik Pemberian Makan dan Konsumsi Pangan Keluarga dengan Kejadian Stunting Balita di Wilayah Kerja Puskesmas Kalibagor’. doi: 10.23917/jk.v13i2.11734.
- Hardianty, R. (2019) *Hubungan Pola Asuh Dengan Kejadian Stunting Anak Usia 24-59 Bulan di Kecamatan Jelbuk Kabupaten Jember*.
- Ikatan Dokter Anak Indonesia (2019) ‘Rekomendasi Praktik Pemberian Makan Berbasis Bukti pada Bayi dan Batita di Indonesia untuk Mencegah Malnutrisi’, *Journal of Chemical Information and Modeling*, 53(9), pp. 1689–1699. doi: 10.1017/CBO9781107415324.004.
- Indah Nurdin, S. S., Octaviani Katili, D. N. and Ahmad, Z. F. (2019) ‘Faktor ibu, pola asuh anak, dan MPASI terhadap kejadian stunting di kabupaten Gorontalo’, *Jurnal Riset Kebidanan Indonesia*, 3(2), pp. 74–81. doi: 10.32536/jrki.v3i2.57.
- Izwardy, D. (2019) ‘Kebijakan dan Strategi Penanggulangan Stunting di Indonesia’, *Germas*, pp. 3–60.
- Jonah, C. M. P., Sambu, W. C. and May, J. D. (2018) ‘A comparative analysis of socioeconomic inequities in stunting: A case of three middle-income African countries’, *Archives of Public Health*. Archives of Public Health, 76(1), pp. 1–15. doi: 10.1186/s13690-018-0320-2.
- Juliani, U. (2018) ‘Hubungan Pola Asuh Orang Tua Dengan Kejadian Stunting Pada Balita di PAUD Al Fitrah Kecamatan Sei Rampah Kabupaten Serdang Bedagai Tahun 2018’.
- Kementerian Kesehatan Republik Indonesia (2014) ‘Peraturan Menteri Kesehatan Republik Indonesia Nomor 41 Tahun 2014’, pp. 1–96.
- Kementerian Kesehatan RI (2014) ‘Pedoman Gizi Seimbang’, *Pedoman Gizi Seimbang*, pp. 1–99.
- Loya, R. R. P. and Nuryanto (2017) ‘Pola Asuh Pemberian Makan Pada Balita

- Stunting Usia 6-12 Bulan di Kabupaten Sumba Tengah Nusa Tenggara Timur’, *Journal of Nutrition College*, 6(1), pp. 83–95. doi: 10.14710/jnc.v6i1.16897.
- Manggala, A. K. et al. (2018) ‘Risk factors of stunting in children aged 24-59 months’, *Paediatrica Indonesiana*, 58(5), pp. 205–12. doi: 10.14238/pi58.5.2018.205-12.
- Mediana, S. and Pratiwi, R. (2016) ‘Hubungan Jumlah Konsumsi Susu Formula Standar Terhadap Kejadian Stunting Pada Anak Usia 2-5 Tahun’, *Jurnal Kedokteran Diponegoro*, 5(4), pp. 1743–1751.
- Megantari, S. H., Abbas, H. H. and Ikhtiar, M. (2020) ‘KARAKTERITIK DETERMINAN KEJADIAN STUNTING PADA ANAK BALITA USIA 24-59 BULAN DI KAWASAN KUMUH KECAMATAN BONTOALA KOTA MAKASSAR’, *Jurnal Keperawatan Padjadjaran*, 8(3), pp. 404–413. Available at: <https://doi.org/10.1016/j.cegh.2019.09.011>.
- Meshram, I. I. et al. (2019) ‘Infant and young child feeding practices, sociodemographic factors and their association with nutritional status of children aged <3 years in India: Findings of the National Nutrition Monitoring Bureau survey, 2011-2012’, *Public Health Nutrition*, 22(1), pp. 104–114. doi: 10.1017/S136898001800294X.
- Moola, S. et al. (2017) ‘Checklist for Analytical Cross Sectional Studies’, *Joanna Briggs Institute Reviewer’s Manual*, p. 6. doi: 10.17221/96/2009-CJGPB.
- Mundagowa, P. T. et al. (2019) ‘Determinants of exclusive breastfeeding among mothers of infants aged 6 to 12 months in Gwanda District, Zimbabwe’, *International Breastfeeding Journal*. International Breastfeeding Journal, 14(1), pp. 1–8. doi: 10.1186/s13006-019-0225-x.
- Ningsih, H. S., Baheram, M. and Natuna, D. A. (2015) ‘Budaya Pengasuhan Anak dalam Keluarga di Kelurahan Kampung Dagang Kecamatan Rengat’.
- Oktaviani, A. C., Pratiwi, R. and Rahmadi, F. A. (2018) ‘Asupan Protein Hewani Sebagai Faktor Risiko Perawakan Pendek Anak Umur 2-4 Tahun’, *Diponegoro Medical Journal (Jurnal Kedokteran Diponegoro)*, 7(2), pp. 977–989.
- Olofin, I. et al. (2013) ‘Associations of Suboptimal Growth with All-Cause and Cause-Specific Mortality in Children under Five Years: A Pooled Analysis of Ten Prospective Studies’, *PLoS ONE*, 8(5). doi: 10.1371/journal.pone.0064636.
- de Onis, M. and Branca, F. (2016) ‘Childhood stunting: A global perspective’, *Maternal and Child Nutrition*, 12, pp. 12–26. doi: 10.1111/mcn.12231.

- Par'i, H. M. *et al.* (2017) 'Penilaian Status Gizi', 1(1), p. 310. doi: 10.16309/j.cnki.issn.1007-1776.2003.03.004.
- Polmann, H. *et al.* (2019) 'Association between sleep bruxism and anxiety symptoms in adults: A systematic review', *Journal of Oral Rehabilitation*, 46(5), pp. 482–491. doi: 10.1111/joor.12785.
- Power, T. G. (2013) 'Parenting Dimensions and Styles: A Brief History and Recommendations for Future Research', p. 9. doi: 10.1089/chi.2013.0034.
- Rahayu, L. (2011) 'Pengaruh BBLR (Berat Badan Lahir Rendah) dan pemberian ASI eksklusif terhadap perubahan status stunting pada balita di Kota dan Kabupaten Tangerang', ... *Seminar Nasional Peran* ..., (April 2011), pp. 160–169. Available at: http://journal.unsil.ac.id/jurnal/prosiding/9/leni_19.pdf.pdf.
- Rahmayana, Ibrahim, I. A. and Darmayati, D. S. (2014) 'Hubungan Pola Asuh Ibu Dengan Kejadian Stunting Anak Usia 24-59 Bulan Di Posyandu Asoka II Wilayah Pesisir Kelurahan Ba- rompong Kecamatan Tamalate Kota Makassar Tahun 2014', *Public Health Science Journal*, VI(2), pp. 424–436.
- Rode, S. (2015) 'Child Malnutrition and Low Access to Health Care Facilities in Mumbai Metropolitan Region', 15(2), pp. 49–59. Available at: about:newtab.
- Rosales, A. *et al.* (2019) 'Behavior change communication model enhancing parental practices for improved early childhood growth and development outcomes in rural Armenia – A quasi-experimental study', *Preventive Medicine Reports*. Elsevier, 14(December 2018), p. 100820. doi: 10.1016/j.pmedr.2019.100820.
- Santrock, J. . . (2011) *Masa Perkembangan Anak*. Jakarta: Salemba Humanika.
- Sartika, R. A. D. (2017) 'Analisis Pemanfaatan Program Pelayanan Kesehatan Status Gizi Balita', *Jurnal Kesehatan Masyarakat Nasional*, 5(2), pp. 76–83.
- Sawadogo, P. S. *et al.* (2006) 'An infant and child feeding index is associated with the nutritional status of 6- to 23-month-old children in rural Burkina Faso', *Journal of Nutrition*, 136(3), pp. 656–663. doi: 10.1093/jn/136.3.656.
- Shamseer, L. *et al.* (2015) 'Preferred reporting items for systematic review and meta-analysis protocols (prisma-p) 2015: Elaboration and explanation', *BMJ (Online)*, 349(January), pp. 1–25. doi: 10.1136/bmj.g7647.
- Silas, L. *et al.* (2018) 'The Factors Affecting Stunting Child under Five Years in Sub Province Mimika', *International Journal of Science and Healthcare*

- Research (www.ijshr.com), 3(2), p. 99.*
- Siswanto, S. (2012) ‘Systematic Review Sebagai Metode Penelitian Untuk Mensintesis Hasil-Hasil Penelitian (Sebuah Pengantar)’, *Buletin Penelitian Sistem Kesehatan*, 13(4 Okt). doi: 10.22435/bpsk.v13i4.
- Starkweather, C. et al. (2020) ‘An interpersonal nutrition campaign and maternal knowledge and childhood feeding practices : a case study from mothers in rural Indonesia’. *Archives of Public Health*, 9, pp. 1–6. doi: 10.1186/s13690-020-004444-9.
- Stewart, C. P. et al. (2013) ‘Contextualising complementary feeding in a broader framework for stunting prevention’, *Maternal and Child Nutrition*, 9(S2), pp. 27–45. doi: 10.1111/mcn.12088.
- Subekti, S. and Yulia, C. (2012) ‘Gizi Kurang Di Kelurahan Pasteur Kecamatan’, *Invotec*, VIII, No.1.
- Tewabe, T. and Belachew, A. (2020) ‘Determinants of Nutritional Status in School-Aged Children in Mecha, Northwest Ethiopia’, *Current Therapeutic Research - Clinical and Experimental*. Elsevier Inc., 93, p. 100598. doi: 10.1016/j.curtheres.2020.100598.
- Tim Nasional Percepatan Penanggulangan Kemiskinan (2017) ‘100 Kabupaten/Kota Prioritas untuk Intervensi Anak Kerdil (Stunting)’, (1), pp. 6–8. doi: 10.16309/j.cnki.issn.1007-1776.2003.03.004.
- Titaley, C. R. et al. (2019) ‘Determinants of the stunting of children under two years old in Indonesia: A multilevel analysis of the 2013 Indonesia basic health survey’, *Nutrients*, 11(5), pp. 1–13. doi: 10.3390/nu11051106.
- UNICEF Indonesia (2012) ‘Ringkasan Kajian Gizi Ibu & Anak’. Available at: <https://bulelengkab.go.id/assets/instansikab/126/bankdata/ringkasan-kajian-gizi-ibu-dan-anak-12.pdf>.
- Virasiri, S., Yunibhand, J. and Chaiyawat, W. (2011) ‘Parenting: What are the critical attributes?’, *Journal of the Medical Association of Thailand*, 94(9), pp. 1109–1116.
- Wang, A. et al. (2017) ‘The dietary diversity and stunting prevalence in minority children under 3 years old: A cross-sectional study in forty-two counties of Wfile:///Users/nia/Desktop/SKRIPSI ICLOUD/SR/BISMILLAH/pencarian/insyaallah bisa/127-Article Text-2091-1-10-20201027.pdf’, *British Journal of Nutrition*, 118(10), pp. 840–848. doi: 10.1017/S0007114517002720.
- Welasasih, B. D. and Wirjatmadi, R. B. (2012) ‘Beberapa Faktor yang Berhubungan dengan Status Gizi Balita Stunting’, *European University*

Institute, 8(2), pp. 2–5.

WHO (2010) ‘Interpretation Guide.’, *Nutrition landscape information system (NLIS) Country Profile*, p. 50. Available at: www.who.int/nutrition.

WHO (2018) *Reducing Stunting*. Available at: <https://www.who.int/nutrition/publications/severemalnutrition/reducing-stunting-children-equity/en/> (diakses pada tanggal 31 Maret 2020).

Who, W. H. O. (2011) ‘Guidelines on optimal feeding of low birth-weight infants in low-and middle-income countries.’, *Geneva: WHO*, pp. 16–45.

Widyaningsih, N. N., Kusnandar, K. and Anantanyu, S. (2018) ‘Keragaman pangan, pola asuh makan dan kejadian stunting pada balita usia 24-59 bulan’, *Jurnal Gizi Indonesia (The Indonesian Journal of Nutrition)*, 7(1), pp. 22–29. doi: 10.14710/jgi.7.1.22-29.