

HUBUNGAN ANTARA SPIRITUALITAS TERHADAP TINGKAT KECEMASAN PERAWAT DALAM MERAWAT PASIEN HEMODIALISIS DENGAN COVID-19

Tri Andhika Dessy Wahyuni

Abstrak

Tingkat kecemasan perawat pada masa pandemi ini penting terutama perawat hemodialisis yang menangani pasien hemodialisis dengan Covid-19 dimana perawat lebih beresiko kontak langsung dengan cairan tubuh pasien sehingga tingkat kekhawatiran terhadap resiko penularan juga tinggi. Tujuan penelitian ini ingin menganalisa hubungan antara spiritualitas terhadap tingkat kecemasan perawat karena spiritualitas ini merupakan salah satu faktor yang mempengaruhi tingkat kecemasan selain dukungan keluarga dan dukungan sosial. Oleh karena itu, penelitian ini dilakukan dengan tujuan menganalisa hubungan antara spiritualitas terhadap tingkat kecemasan perawat dalam merawat pasien hemodialisis dengan Covid-19 di RSUD Koja Jakarta Utara. Penelitian ini menggunakan desain penelitian *cross-sectional* yang dilakukan kepada 19 perawat hemodialisis Covid-19 dengan metode *total sampling*. Pengumpulan data dilakukan dengan menggunakan dua kuesioner yaitu kuesioner spiritualitas dengan *The Spiritual Well-Being Scale* (TSWBS) dan kuesioner tingkat kecemasan dengan *Beck Anxiety Inventory* (BAI). Hasil analisa didapatkan bahwa tidak adanya hubungan antara spiritualitas dengan tingkat kecemasan yang diukur secara subjektif menggunakan kuesioner dengan nilai $p = 0,340$ pada perawat dalam merawat pasien hemodialisis dengan Covid-19 di RSUD Koja Jakarta Utara. Untuk peneliti selanjutnya sebaiknya melakukan perluasan jumlah sampel dan menganalisis faktor lain yang mempengaruhi tingkat kecemasan perawat terutama di masa pandemi seperti dukungan keluarga

Kata kunci: Spiritualitas, tingkat kecemasan, hemodialisis, Covid-19

CORRELATION BETWEEN SPIRITUALITY AGAINST ANXIETY LEVEL OF NURSES IN CARING FOR HEMODIALYSIS PATIENTS WITH COVID-19

Tri Andhika Dessy Wahyuni

Abstract

The anxiety level of nurses during this pandemic is important, especially hemodialysis nurses who handle hemodialysis patients with Covid-19 which are more at risk of direct contact with patient body fluids. The purpose of this research was to analyze the correlation between spirituality and nurses' anxiety levels. Therefore, this study was conducted with the aim of analyzing the relationship between spirituality and the anxiety level of nurses treating hemodialysis patients with Covid-19 at Koja Hospital, North Jakarta. This study used a cross-sectional study design that was conducted on 19 Covid-19 hemodialysis nurses with the total sampling method. Data was collected using two questionnaires, namely the spirituality questionnaire with The Spiritual Well-Being Scale (TSWBS) and the anxiety level questionnaire with the Beck Anxiety Inventory (BAI). The results of the analysis showed that there was no relationship between spirituality and the level of anxiety measured subjectively using a questionnaire with p value = 0.340 for nurses in treating hemodialysis patients with Covid-19 at the Koja Hospital, North Jakarta. For further researchers, it is better to expand the number of samples and analyze other factors that affect nurses' anxiety levels such as family support.

Keywords: Spirituality, anxiety level, hemodialysis, Covid-19