

DAFTAR PUSTAKA

- Abeysekara, S. *et al.* 2012, ‘A Pulse-based Diet is Effective for Reducing Total and LDL-cholesterol in Older Adults’, *British Journal of Nutrition*, vol.108, no.s1, pp. S103–S110. doi: 10.1017/S0007114512000748.
- American Public Health Association, American Water Works Association and Water Environment Federation 2017, ‘Phenols’, *Standard Methods for The Examination of Water and Wastewater 23rd Edition*, (5530), pp. 1–4. doi: <https://doi.org/10.21.2105/SMWW.2882.107>.
- Andarwulan, N., Kusnadar, F. and Herawati, D. 2010, *Analisis Pangan*, Universitas Terbuka, Jakarta.
- Andri, Harahap, R. P. and Tribudi, Y. A. 2020, ‘Estimasi dan Validasi Asam Amino Metionin, Lysin, dan Threonin dari Pakan Bijian Sebagai Sumber Protein Nabati’, *Jurnal Nutrisi Ternak Tropis*, vol. 3, no.1, pp. 18–22. doi: 10.21776/ub.jnt.2020.003.01.4.
- Anies 2015, *Kolesterol & Penyakit Jantung Koroner*. Edited by Andin, Ar-Ruzz Media, Yogyakarta.
- Association of Official Analytical Chemist (AOAC) 2005, *Official Methods of Analysis*. 18th Ed, AOAC International, Maryland: USA.
- Association of Official Analytical Chemist (AOAC) 2012, *Official Methods of Analysis*. 19th Ed, AOAC International, Maryland: USA.
- Apirattananusorn, S. *et al.* 2008, ‘Chemical, Molecular, and Structural Characterization of Alkali Extractable Nonstarch Polysaccharides from Job’s Tears’, *Journal of Agricultural and Food Chemistry*, vol.56, no.18, pp. 8549–8557. doi: 10.1021/jf801231y.
- Arsana, P. M. *et al.* 2015, *Panduan Pengelolaan Dislipidemia di Indonesia*, Pb. Perkeni, Jakarta.
- Astawan, M. *et al.* 2013, ‘Karakteristik Fisikokimia dan Sifat Fungsional Tempe yang Dihasilkan dari Berbagai Varietas Kedelai’, *Jurnal Pangan*, vol.22, no.3, pp. 241–252.
- Badan Pengawas Obat dan Makanan Republik Indonesia (BPOM RI) 2016, *Peraturan Kepala Badan Pengawas Obat dan Makanan Republik Indonesia Nomor 13 Tahun 2016 Tentang Pengawasan Klaim pada Label dan Iklan Pangan Olahan*, Jakarta.

Badan Pengawas Obat dan Makanan Republik Indonesia (BPOM RI) 2019,
Peraturan Badan Pengawas Obat dan Makanan Nomor 22 Tahun 2019 tentang Informasi Nilai Gizi pada Label Pangan Olahan, Jakarta.

Badan Standardisasi Nasional (BSN) 2006, *Petunjuk Pengujian Organoleptik dan atau Sensori*, BSN, Jakarta.

Badan Standarisasi Nasional (BSN) (2009) *Tempe kedelai*. SNI 3144:2, BSN, Jakarta.

Badan Standarisasi Nasional (BSN) (2015) *Tempe Kedelai*. SNI 3144:2, BSN, Jakarta.

Besten, G. den *et al.* 2013, ‘The Role of Short-chain Fatty Acids in The Interplay Between Diet, Gut Microbiota, and Host Energy Metabolism’, *Journal of Lipid Research*, vol.54, no.9, pp. 2325–2340. doi: 10.1194/jlr.R036012.

Bhandari, S. R. *et al.* 2012, ‘Evaluation of Phytonutrients in Adlay (*Coix lacryma-jobi* L.) Seeds’, *African Journal of Biotechnology*, vol.1, no.8, pp. 1872–1878. doi: 10.5897/ajb11.2416.

Chen, C. *et al.* 2016, ‘Identification and Anti-tumour Activities of Phenolic Compounds Isolated from Defatted Adlay (*Coix lachryma-jobi* L. var. *Ma-yuen* Stapf)’, *Journal of Functional Foods*. Elsevier Ltd, vol.26, pp. 394–405. doi: 10.1016/j.jff.2016.08.016.

Chhabra, D. and Gupta, R. K. 2015, ‘Formulation and Phytochemical Evaluation of Nutritional Product Containing Job’s Tears (*Coix lachryma-jobi* L.)’, *Journal of Pharmacognosy and Phytochemistry*, vol.4, no.3, pp. 291–298.

Chioldo, S. G. *et al.* 2010, ‘The Inactivation of Lipid Peroxide Radical by Quercetin. A Theoretical Insight’, *Physical Chemistry Chemical Physics*, vol.12, no.27, pp. 7662–7670. doi: 10.1039/b924521a.

Cummings, J. H. *et al.* 1979, ‘The Digestion of Pectin in the Human Gut and Its Effect on Calcium Absorption and Large Bowel Function’, *British Journal of Nutrition*, vol.41, no.3, pp. 477–485. doi: 10.1079/bjn19790062.

Devaraj, R. D., Jeppipalli, S. P. K. and Xu, B. 2020, ‘Phytochemistry and Health Promoting Effects of Job’s Tears (*Coix lacryma-jobi*) - A Critical Review’, *Food Bioscience*. Elsevier Ltd, vol.34, pp. 1-10. doi: 10.1016/j.fbio.2020.100537.

Dewanti, F. K. and Rahayuni, A. 2013, ‘Substitusi Inulin Umbi Gembili (*Dioscorea esculenta*) pada Produk Es Krim Sebagai Alternatif Produk Makanan Tinggi Serat dan Rendah Lemak’, *Journal of Nutrition College*, vol.2, no.4, pp. 474–482. doi: 10.14710/jnc.v2i4.3729.

- Dewi, I. W. R., Anam, C. and Widowati, E. 2014, ‘Karakteristik Sensoris, Nilai Gizi dan Aktivitas Antioksidan Tempe Kacang Gude (*Cajanus cajan*) dan Tempe Kacang Tunggak (*Vigna unguiculata*) dengan Berbagai Variasi Waktu Fermentasi’, *Biofarmasi*, vol.12, no.2, pp. 73–82. doi: 10.13057/biofar/f120204.
- Edwards, C. H. et al. 2015, ‘Manipulation of Starch Bioaccessibility in Wheat Endosperm to Regulate Starch Digestion, Postprandial Glycemia, Insulinemia, and Gut Hormone Responses: A Randomized Controlled Trial in Healthy Ileostomy Participants’, *American Journal of Clinical Nutrition*, vol.102, no.4, pp. 791–800. doi: 10.3945/ajcn.114.106203.
- Ekawati, F. F. 2018, ‘Upaya Mencegah Penyakit Jantung dengan Olahraga’, *Jurnal Ilmiah Kesehatan*, pp. 257–266.
- Etiosa, O. R., Chika, N. B. and Benedicta, A. 2018, ‘Mineral and Proximate Composition of Soya Bean’, *Asian Journal of Physical and Chemical Sciences*, vol.4, no.3, pp. 1–6. doi: 10.9734/ajopacs/2017/38530.
- Firani, N. K. 2017, *Metabolisme Karbohidrat: Tinjauan Biokimia dan Patofisiologi*, UB Press, Malang.
- Fuster, V., Walsh, R. and Harrington, R. 2010, *Hurst’s The Heart*. 13TH Ed, : The McGraw-Hill, China.
- Haliza, W., Kailaku, S. I. and Yuliani, S. 2017, ‘Penggunaan Mixture Response Surface Methodology pada Optimasi Formula Brownies Berbasis Tepung Talas Banten (*Xanthosoma undipes* K. Koch) Sebagai Alternatif Pangan Sumber Serat’, *Jurnal Penelitian Pascapanen Pertanian*, vol.9, no.2, pp. 96–106. doi: 10.21082/jpasca.v9n2.2012.96-106.
- Handajani, S., Nurhartadi, E. and Hikmah, I. N. 2011, ‘Kajian Karakteristik Kimia dan Sensori Tempe Kedelai (*Glycine max*) dengan Variasi Penambahan Berbagai Jenis Bahan Pengisi (Kulit Ari Kedelai, Millet (*Pennisetum spp.*), dan Sorgum (*Sorghum bicolor*))’, *Jurnal Teknologi Hasil Pertanian*, vol. 4, no.2, pp. 135–142.
- Handayani, F., Sumarmiyati and Rahayu, S. P. 2019, ‘Karakterisasi Morfologi Jelai (*Coix lacryma-jobi*) Lokal Kalimantan Timur’, *Pros Sem Nas Masy Biodiv Indon*, vol.5, no.2, pp. 228–233. doi: 10.13057/psnmbi/m050215.
- Hargrove, R. L. et al. 2001, ‘Low Fat and High Monounsaturated Fat Diets Decrease Human Low Density Lipoprotein Oxidative Susceptibility in Vitro’, *Journal of Nutrition*, vol.131, no.6, pp. 1758–1763. doi: 10.1093/jn/131.6.1758.
- Harini, S. et al. 2015, ‘Antihyperlipidemic Activity of Chickpea Sprouts Supplementation in Ovariectomy-induced Dyslipidemia in Rats’, *Journal of*

- Ayurveda and Integrative Medicine*, vol.6, no.2, pp. 104–110. doi: 10.4103/0975-9476.146546.
- Hasanah, H., Jannah, A. and Fasya, A. G. 2013, ‘Pengaruh Lama Fermentasi Terhadap Kadar Alkohol Tape Singkong (*Manihot utilissima* Pohl).’, *Alchemy*, vol.2, no.1, pp. 68–79. doi: 10.18860/al.v0i0.2294.
- Herawati *et al.* 2013, ‘Perbaikan Parameter Lipid Darah Mencit Hipercolesterolemia dengan Suplemen Pangan Bekatul’, *Majalah Kedokteran Bandung*, vol.45, no.1, pp. 1–9. doi: 10.15395/mkb.v45n1.93.
- Hoelz, L. *et al.* 2010, ‘Quantitative Structure-activity Relationships of Antioxidant Phenolic Compounds’, *Journal of Chemical Pharmaceutical Research*, vol.2, no.5, pp. 291–306. Available at: <http://jocpr.com/vol2-iss4-2010/JCPR-2-4-671-679.pdf> <http://scholar.google.com/scholar?hl=en&btnG=Search&q=intitle:Quantitative+structure-activity+relationships+of+antioxidant+phenolic+compounds#7>.
- Holloway, D. ., Tasman-Jones, C. and S.P, L. 1978, ‘Digestion of Certain Fiber in Humans’, *The American Journal of Clinical Nutrition*, vol.31, pp. 927–930.
- Huang, D. W. *et al.* 2014, ‘Application of The Solvent Extraction Technique to Investigation of The Anti-inflammatory Activity of Adlay Bran’, *Food Chemistry*. Elsevier Ltd, vol.145, pp. 445–453. doi: 10.1016/j.foodchem.2013.08.071.
- Kalman, D. 2014, ‘Amino Acid Composition of an Organic Brown Rice Protein Concentrate and Isolate Compared to Soy and Whey Concentrates and Isolates’, *Foods*, vol.3, no.3, pp. 394–402. doi: 10.3390/foods3030394.
- Kementerian Kesehatan Republik Indonesia (Kemenkes RI) 2014a, *Peraturan Menteri Kesehatan Republik Indonesia Nomor 41 Tahun 2014 Tentang Pedoman Gizi Seimbang*, Jakarta.
- Kementerian Kesehatan Republik Indonesia (Kemenkes RI) 2014b, *Pusat Data dan Informasi Situasi Kesehatan Jantung*. Jakarta.
- Kementerian Kesehatan Republik Indonesia (Kemenkes RI) 2017, *Tabel komposisi Pangan Indonesia (TKPI)*, Jakarta.
- Kementerian Kesehatan Republik Indonesia (Kemenkes RI) 2018, *Hasil Utama Riset Kesehatan Dasar (Rskesdas)*, Jakarta.
- Kim, J. Y., Son, B. K. and Lee, S. S. 2012, ‘Effects of Adlay, Buckwheat, and Barley on Transit Time and The Antioxidative System in Obesity Induced Rats’, *Nutrition Research and Practice*, vol.6, no.3, pp. 208–212. doi: 10.4162/nrp.2012.6.3.208.

- Kurniawan, H. 2014, *Hanjeli dan Potensinya sebagai Bahan Pangan*, accessed 15 September 2020, available at: <http://biogen.litbang.pertanian.go.id/?p=57097>.
- Kusnandar, F. 2019, *Kimia Pangan Komponen Makro*. Edited by L. I. Darojah, Bumi Aksara, Jakarta.
- Lestari, S. and Susilawati, P. N. 2015, ‘Uji Organoleptik Mie Basah Berbahan Dasar Tepung Talas Beneng (*Xantoshoma undipes*) untuk Meningkatkan Nilai Tambah Bahan Pangan Lokal Banten’, *Pros Sem Nas Masy Biodiv Indon*, vol.1, no.4, pp. 941–946. doi: 10.13057/psnmbi/m010451.
- Liu, L. et al. 2019, ‘Exploitation of Job’s Tears in Paleolithic and Neolithic China: Methodological Problems and Solutions’, *Quaternary International*. INQUA, vol.529, pp. 25–37. doi: 10.1016/j.quaint.2018.11.019.
- Lockyer, S. et al. 2016, ‘Impact of Phenolic-rich Olive Leaf Extract on Blood Pressure, Plasma Lipids and Inflammatory Markers:Aa Randomised Controlled Trial’, *European Journal of Nutrition*. Springer Berlin Heidelberg, vol.56, no.4, pp. 1421–1432. doi: 10.1007/s00394-016-1188-y.
- Ma’rufi, R. and Rosita, L. 2014, ‘Hubungan Dislipidemia dan Kejadian Penyakit Jantung Koroner’, *Jurnal Kedokteran dan Kesehatan Indonesia*, vol.6, no.1, pp. 47–53. doi: 10.20885/jkki.vol6.iss1.art7.
- Malunga, L. N. and Beta, T. 2015, ‘Antioxidant Capacity of Water-Extractable Arabinoxylan from Commercial Barley, Wheat, and Wheat Fractions’, *Cereal Chemistry*, vol.92, no.1, pp. 29–36. doi: 10.1094/CCHEM-11-13-0247-R.
- Marimin and Maghfiroh, N. 2010, *Aplikasi Teknik Pengambilan Keputusan dalam Manajemen Rantai Pasok*, IPB Press, Bogor.
- Maryanto, S., Fatimah, S. and Marsono, Y. 2013, ‘Efek Pemberian Buah Jambu Biji Merah Terhadap Produksi SCFA dan Kolesterol dalam Caecum Tikus Hipertolesterolemia’, *Agritech*, vol.33, no.3, pp. 334–339. doi: 10.22146/agritech.9556.
- Minatel, I. O. et al. 2017, *Phenolic Compounds: Functional Properties, Impact of Processing and Bioavailability*. IntechOpen, London.
- Muchthadi, T. R. and Ayustaningworno, F. 2010, *Teknologi Proses Pengolahan Pangan*, Alfabeta, Bogor.
- Naisali, H. and Wulan, S. N. 2020, ‘Karakteristik Sensori Tempe Kacang Tunggak Hitam dan Tempe Kedelai’, *Jurnal Pangan dan Agroindustri*, vol.8, no.1, pp. 29–35.

- Nugraha, A. A., Kawiji and Atmaka, W. 2015, ‘Kadar Kurkuminoid, Total Fenol dan Aktivitas Oleoresi Temulawak (*Curcuma xanthorrhiza* Roxb) dengan Variasi Teknik Pengeringan dan Warna Kain Penutup’, *Biofarmasi*, vol.13, no.1, pp. 6–14. doi: 10.13057/biofar/f130102.
- Nuraya, R. S., Wiradimadja, R. and Rusmana, D. 2016, ‘Pengaruh Dosis dan Waktu Fermentasi Kulit Kopi (*Coffea arabica*) Menggunakan *Rhizopus oryzae* dan *Saccharomyces cerevisiae* Terhadap Kandungan Protein Kasar dan Serat Kasar’, *Students e-Journal*, vol.5, no.3. Available at: <http://journal.unpad.ac.id/ejournal/article/view/9663>.
- Nurmala, T. 2010, ‘Potensi dan Prospek Pengembangan Hanjeli (*Coix lacryma-jobi* L) sebagai Pangan Bergizi Kaya Lemak untuk Mendukung Diversifikasi Pangan Menuju Ketahanan Pangan Mandiri’, *Pangan*, vol.20, no.1, pp. 41–48.
- Priastiti, D. A. and Puruhita, N. ,2013, ‘Perbedaan Kadar Kolesterol LDL Penderita Dislipidemia pada Pemberian Tempe Kedelai Hitam dan Tempe Kedelai Kuning’, *Journal of Nutrition College*, vol.2, no.2, pp. 262–276. Available at: <http://ejournal-s1.undip.ac.id/index.php/jnc>.
- Primiani, C. N. and Pujiati 2016, ‘Leguminoceae Kacang Gude (*Cajanus cajan*) dan Manfaatnya untuk Kesehatan’, *Prosiding Seminar Nasional Hasil Penelitian*, pp. 31–35.
- Purwati, N. P. R. and Mulyati, T. 2012, ‘Pengaruh Pemberian Nata De Coco Terhadap Kadar Kolesterol Total pada Wanita Hiperkolesterolemia’, *Journal of Nutrition College*, vol.1, no.1, pp. 249–257.
- Radiati, A. and Sumarto 2016, ‘Analisis Sifat Fisik , Sifat Organoleptik , dan Kandungan Gizi pada Produk Tempe dari Kacang Non-Kedelai’, *Jurnal Aplikasi Teknologi Pangan*, vol.5, no.1, pp. 16–22.
- Raharjo, D. S., Bhuja, P. and Amalo, D. 2019, ‘The Effect of Fermentation on Protein Content and Fat Content of Tempeh Gude (*Cajanus cajan*)’, *Jurnal Biotropikal Sains*, vol.16, no.3, pp. 55–63.
- Rahmi, Y. and Kususma, T. S. 2020, *Ilmu Bahan Makanan*, UB Press, Malang.
- Retno, T., Wdyastuti, S. and Suarsana, N. 2012, ‘Pengaruh Pemberian Isoflavon Terhadap Peroksidasi Lipid pada Hati Tikus Normal’, *Indonesia Medicus Veterinus*, vo.1, no.4, pp. 483–491.
- Ruminta, R., Yuwariah, Y. and Sabrina, N. 2017, ‘Respon Pertumbuhan dan Hasil Tanaman Hanjeli (*Coix lacryma-jobi* L.) Terhadap Jarak Tanam dan Pupuk Pelengkap Cair’, *Agrikultura*, vol.28, no.2, pp. 82–89. doi: 10.24198/agrikultura.v28i2.14958.

Rusilanti and Kusharto, C. M. 2007, *Sehat dengan Makanan Berserat*, AgroMedia Pustaka, Jakarta.

Sample Registration System (SRS) 2014. Indonesia Sample Registration System - Deaths 2014, accessed 10 Agustus 2020, available at: <http://ghdx.healthdata.org/record/indonesia-sample-registration-system-deaths-2014>.

Sarwono, B. 2010, *Usaha Membuat Tempe dan Oncom*, Penebar Swadaya, Jakarta.

Setiarto, R. H. B. and Widhyastuti, N. 2016, 'Reduction of Tannin and Phytic Acid on Sorghum Flour by Using Fermentation of *Rhizopus oligosporus*, *Lactobacillus plantarum* and *Saccharomyces cerevisiae*', *Jurnal Ilmu-ilmu Hayati*, vol.15, no.2, pp. 107–206. doi: 10.1016/j.amjcard.2005.03.104.

Setyani, S. and Nurdjanah, S. 2017 'Evaluasi Sifat Kimia dan Sensori Tempe Kedelai-Jagung dengan Berbagai Konsentrasi Ragi Raprima dan berbagai Formulasi', *Jurnal Teknologi Industri & Hasil Pertanian*, vol.22, no.2, pp. 85–98.

Setyoko, Anggraini, M. T. and Huda, U. 2016, 'Dislipidemia Sebagai Faktor Resiko Penyakit Jantung Iskemik di RSUD Tugurejo Semarang', *Fakultas Kedokteran Unimus*, vol.1, no.5, pp. 1–6.

Shaliha, L. A., Abduh, S. B. M. and Hintono, A. 2017, 'Aktivitas Antioksidan, Tekstur dan Kecerahan Ubi Jalar Ungu (*Ipomoea batatas*) yang Dikukus pada Berbagai Lama Waktu Pemanasan', *Jurnal Aplikasi Teknologi Pangan*, vol.6, no.4, pp. 141–144.

Shurtleff, W. and Akiko Aoyagi 2001, *The Book of Tempeh: A Cultured Soyfood*, Ten Speed Press, California.

Sine, Y. and Soetarto, E. S. 2018, 'Perubahan Kadar Vitamin dan Mineral pada Fermentasi Tempe Gude (*Cajanus cajan L.*)', *Jurnal Saintek Lahan Kering*, vol.1, no.1, pp. 1–3. doi: 10.32938/slk.v1i1.414.

Stevenson, D. G. et al. 2006, 'Structures and Functional Properties of Starch from Seeds of Three Soybean (*Glycine max (L.) Merr.*) Varieties', *InterScience*, vol.58, no.10, pp. 509–519. doi: 10.1002/star.200600534.

Sundari, D., Almasyhuri and Lamid, A. 2015, 'Pengaruh Proses Pemasakan Terhadap Komposisi Zat Gizi Bahan Pangan Sumber Protein', *Media litbangkes*, vol.25, no.4, pp. 235–242.

Susilawati, E., Ketut Adyana, I. and Kusuma D, E. 2015, 'Aktivitas Antidiabetes Diekstrak Etanol Biji Hanjeli (*Coix Lacryma-jobi*) pada Mencit Galur Swiss Webster yang Diinduksi Aloksan', *Jurnal Farmasi Galenika*, vol.2, no.2, pp.

77–82.

- Syahputri, D. A. and Wardani, A. K. 2015, ‘Pengaruh Fermentasi Jali (*Coix lacryma-jobi*-L) pada Proses Pembuatan Tepung Terhadap Karakteristik Fisik dan Kimia Cookies dan Roti Tawar’, *Jurnal Pangan dan Argoindustri*, vol.3, no.3, pp. 984–995.
- Tessari, P., Lante, A. and Mosca, G. 2016, ‘Essential Amino Acids: Master Regulators of Nutrition and Environmental Footprint?’, *Scientific Reports*. Nature Publishing Group, vol.6, no.26074, pp. 1–13. doi: 10.1038/srep26074.
- Tillman, A. D. et al. 1998, *Ilmu Makanan Ternak Dasar*. Cetakan Keenam, Gadjah Mada University Press, Yogyakarta.
- Tominaga, Y. and Tsujisak, Y. 1981, ‘Investigation of The Structure of *Rhizophorus* Cell Wall with Lytic Enzymes’, *Agricultural and Biological Chemistry*, vol.45, no.7), pp. 1669–1674. doi: 10.1080/00021369.1981.10864749.
- Tong, L. T. et al. 2014, ‘Effects of Dietary Wheat Bran Arabinoxylans on Cholesterol Metabolism of Hypercholesterolemic Hamsters’, *Carbohydrate Polymers*. Elsevier Ltd., vol.112, pp. 1–5. doi: 10.1016/j.carbpol.2014.05.061.
- Torres, A. et al. 2006, ‘Fermented Pigeon Pea (*Cajanus cajan*) Ingredients in Pasta Products’, *Journal of Agricultural and Food Chemistry*, vol.54, no.18, pp. 6685–6691. doi: 10.1021/jf0606095.
- Utari, D. M. et al. 2011, ‘Potensi Asam Amino pada Tempe untuk Memperbaiki Profil Lipid dan Diabetes Mellitus’, *National Public Health Journal*, vol.5, no.4, p. 166. doi: 10.21109/kesmas.v5i4.137.
- Uto-Kondo, H. et al. 2010, ‘Coffee Consumption Enhances High-density Lipoprotein-Mediated Cholesterol Efflux in Macrophages’, *Circulation Research*, vol.106, no.4, pp. 779–787. doi: 10.1161/CIRCRESAHA.109.206615.
- Wang, J. et al. 2020, ‘Cereal-derived Arabinoxylans: Structural Features and Structure–Activity Correlations’, *Trends in Food Science and Technology*. Elsevier, vol.96, pp. 157–165. doi: 10.1016/j.tifs.2019.12.016.
- Wang, L. et al. 2016, ‘Structural Characterization of Phenolic Compounds and Antioxidant Activity of the Phenolic-Rich Fraction from Defatted Adlay (*Coix lachryma-jobi* L. var. *ma-yuen* Stapf) Seed Meal’, *Food Chemistry*. Elsevier Ltd, vol.196, pp. 509–517. doi: 10.1016/j.foodchem.2015.09.083.
- Watanabe, M., Kato, M. and Ayugase, J. 2012, ‘Anti-Diabetic Effects of Adlay Protein in Type 2 Diabetic db/db Mice’, *Food Science and Technology Research*, vol.18, no.3, pp. 383–390. doi: 10.3136/fstr.18.383.

- Wibowo, A., Hamzah, F. and Johan, V. S. 2014, ‘Pemanfaatan Wortel (*Daucus carota* L) dalam Meningkatkan Mutu Nugget Tempe’, *Jurnal Sagu*, vol.13, no.2, pp. 27–34.
- Wihandini, D. A., Arsanti, L. and Wijanarka, A. 2012, ‘Sifat Fisik, Kadar Protein, dan Uji Organoleptik Tempe Kedelai Hitam dan Tempe Kedelai Kuning dengan Berbagai Metode Pemasakan’, *Jurnal Nutrisia*, vol.14, no.1, pp.35-44.
- Wihastuti, T. A., Andatini, S. and Heriansyah, T. 2016, *Patofisiologi Dasar Keperawatan Penyakit Jantung Koroner: Inflamasi Vaskular*, UB Press, Malang.
- Wistiana, D. and Zubaidah, E. 2015, ‘Karakteristik Kimiawi dan Mikrobiologi Kombucha dari Berbagai Daun Tinggi Fenol Selama Fermentasi’, *Jurnal Pangan dan Agro Industri*, vol.3, no.4, pp. 1446–1457.
- World Health Organization (WHO) 2016, ‘The Top 10 Causes of Death’. Available at: <https://www.who.int/news-room/fact-sheets/detail/the-top-10-causes-of-death>.
- Yaakob, H. *et al.* 2011, ‘Optimization of Isoflavone Production from Fermented Soybean Using Response Surface Methodology’, *Food Science and Biotechnology*, vol.20, no.6, pp. 1525–1531. doi: 10.1007/s10068-011-0211-6.
- Yu, F. *et al.* 2015, ‘Dietary Chinese Herbs’, *Dietary Chinese Herbs*. doi: 10.1007/978-3-211-99448-1.
- Zhang, L. *et al.* 2016, ‘Impacts of Lignocellulose-Derived Inhibitors on L-lactic Acid Fermentation by *Rhizopus oryzae*’, *Bioresource Technology*. Elsevier Ltd, vol.203, pp. 173–180. doi: 10.1016/j.biortech.2015.12.014.