

## DAFTAR PUSTAKA

- Abbas, A. (2012). *Cellular and Molecular Immunology* (7th ed.). Elsevier.
- Aboody, M. S. Al, & Mickymaray, S. (2020). Anti-fungal efficacy and mechanisms of flavonoids. *Antibiotics*, 9(2).  
<https://doi.org/10.3390/antibiotics9020045>
- Afrianti, L. (2010). *Macam Buah-buahan untuk Kesehatan*. Alfabeta.
- Agusta, A. (2000). *Minyak Atsiri Tumbuhan Tropika Indonesia*. ITB.
- Ali, F., & Al-Janabi, J. (2017). Phenotypic and Molecular Identification of *T. rubrum* and *Microsporum gypseum* of Dermatophytosis. *Journal of Global Pharma Technology*, 10(9), 103–111.
- Ancillo, G., & Medina, A. (2015). *Botanical monographs CITRUS*.  
[http://www.jardibotanic.org/fotos/pdf/publicacion\\_3\\_84\\_CITRUS-ENGLISH.pdf](http://www.jardibotanic.org/fotos/pdf/publicacion_3_84_CITRUS-ENGLISH.pdf)
- Anttila, A., Pirttila, A., Haggman, H., Harju, A., Venalainen, M., Haapala, A., Holmbom, B., & Julkunen-Titto, R. (2013). 'Condensed conifer tannins as antifungal agents in liquid culture. *Holzforschung*, 67(7), 825–832.
- Apsari, A. S., & Adiguna, M. S. (2013). Resistensi Antijamur Dan Strategi Untuk Mengatasi. *Journal of Media Dermato-Venerologica Indonesia*, 40(2), 89–95.
- Bhatia, V. K., & Sharma, P. C. (2014). Epidemiological studies on dermatophytosis in human patients in Himachal Pradesh, India. *SpringerPlus*, 3(1), 1–7. <https://doi.org/10.1186/2193-1801-3-134>
- Bongomin, F., Gago, S., Oladele, R. O., & Denning, D. W. (2017). Global and multi-national prevalence of fungal diseases—estimate precision. *Journal of Fungi*, 3(4). <https://doi.org/10.3390/jof3040057>
- Chusniah, I., & Muhtadi, A. (2017). Review artikel : Aktivitas jeruk nipis (*Citrus aurantifolia*) sebagai antibakteri, antivirus, antifungal, larvasida dan athelmintik. *Farmaka*, 15(2), 9–22.
- Chutia, M., Deka Bhuyan, P., Pathak, M. G., Sarma, T. C., & Boruah, P. (2009). Antifungal activity and chemical composition of *Citrus reticulata* Blanco

- essential oil against phytopathogens from North East India. *LWT - Food Science and Technology*, 42(3), 777–780. <https://doi.org/10.1016/j.lwt.2008.09.015>
- Dalimartha, S. (2006). *Atlas tumbuhan obat Indonesia*. Trubus Agriwidya.
- Davis, W. W., & Stout, T. R. (1971). Disc plate method of microbiological antibiotic assay. II. Novel procedure offering improved accuracy. *Applied Microbiology*, 22(4), 666–670. <https://doi.org/10.1128/aem.22.4.666-670.1971>
- De Oliveira Pereira, F., Mendes, J. M., & De Oliveira Lima, E. (2013). Investigation on mechanism of antifungal activity of eugenol against *T. rubrum*. *Medical Mycology*, 51(5), 507–513. <https://doi.org/10.3109/13693786.2012.742966>
- Departemen Kesehatan RI. (2000). Parameter Standar Umum Ekstrak Tanaman Obat. In *Departemen Kesehatan RI. Hal* (Vol. 1, pp. 10–11).
- DIRGANTARA, D. T. (2020). UJI EFEKTIVITAS EKSTRAK BUAH TERONG BELANDA (*Solanum betaceum* Cav.) TERHADAP PERTUMBUHAN *T. rubrum* SECARA in vitro. *FK UPN VETERAN JAKARTA*.
- Djuanda, A. (2010). *Ilmu Penyakit Kulit dan Kelamin*. Fakultas Kedokteran Universitas Indonesia.
- Dwiyanti, R., Nailah, H., Muhsin, H., & Lutpiyatina, L. (2018). Efektivitas Air Perasan Jeruk Nipis (*Citrus aurantifolia*) dalam Menghambat Pertumbuhan *Escherichia coli*. *Jurnal Skala Kesehatan*, 9(2).
- Enejoh, O. S., Ogunyemi, I. O., Bala, M. S., Oruene, I. S., Suleiman, M. M., & Ambali, S. F. (2015). Ethnomedical Importance of Citrus Aurantifolia (Christm) Swingle. *The Pharma Innovation Journal*, 4(8), 1–6. [www.thepharmajournal.com](http://www.thepharmajournal.com)
- Fisher, K., & Phillips, C. (2008). Potencial antimicrobial uses of essential oils in food: Is citrus the answer? *Trends in Food Science and Technology*, 19(3), 156–164.
- Halawa, C., Mendoza, E., & Lubis, Y. (2019). Uji Efektivitas Antijamur Ekstrak Kulit Jeruk Purut (*Citrus Hystrix*) Terhadap Pertumbuhan Jamur *Aspergillus niger* Dan *Candida albicans* Secara In Vitro. *Jurnal Biosains*, 5(1), 38–44.

- Huang, Q., Liu, X., Zhao, G., Hu, T., & Wang, Y. (2018). Potential and challenges of tannins as an alternative to in-feed antibiotics for farm animal production. *Animal Nutrition*, 4(2), 137–150. <https://doi.org/10.1016/j.aninu.2017.09.004>
- Huda, Z. (2018). Efektivitas Ekstrak Jeruk Nipis (*Citrus aurantifolia*) Terhadap Kumbang Beras (*Sitophilus sp*) dan Kualitas Nasi. *Skripsi, Fakultas Tarbiyah Dan Keguruan, Universitas Islam Negeri Raden Intan, Lampung*.
- Kadhim, S., Al-Janabi, J., & Al-Hamadani, A. (2015). In vitro, determination of optimal conditions of growth and proteolytic activity of clinical isolates of *T. rubrum*. *J Contemp Med Sci*, 1(3), 9–19.
- Kar, B., Patel, P., & Stephen, J. (2019). *T. rubrum* LysM proteins bind to fungal cell wall chitin and to the N-linked oligosaccharides present on human skin glycoproteins. *PLoS ONE*, 14(4), 1–19. <https://doi.org/10.1371/journal.pone.0215034>
- Koksal, F. (2009). Causative Agents of Superficial Mycoses in Istanbul. In *Mycopathologia*.
- Kumar, S., & Pandey, A. (2013). Chemistry and Biological Activities of Flavonoids: An Overview. *The Scientific World Journal*, 1–6.
- LakshmiPathy, D., & Kannabiran, K. (2010). Review on dermatomycosis: pathogenesis and treatment. *Natural Science*, 2(7), 726–731.
- Lin, L.-Y., Chuang, C.-H., Chen, H.-C., & Yang, K.-M. (2019). 'Lime (*Citrus aurantifolia* (Christm.) Swingle) Essential Oils: Volatile Compounds, Antioxidant Capacity, and Hypolipidemic Effect. In *Foods*.
- Liu, T., Xu, X., Leng, W., Xue, Y., Dong, J., & Jin, Q. (2014). Analysis of gene expression changes in *T. rubrum* after skin interaction', Journal of Medical Microbiology. *Journal of Medical Microbiology*, 63, 642–648.
- Martins, M. P., Silva, L. G., Rossi, A., Sanches, P. R., Souza, L. D. R., & Martinez-Rossi, N. M. (2019). Global Analysis of Cell Wall Genes Revealed Putative Virulence Factors in the Dermatophyte *T. rubrum*. *Frontiers in Microbiology*, 10(September), 1–11. <https://doi.org/10.3389/fmicb.2019.02168>
- Moghimipour, E., Sadaghi-Nejad, B., Handali, S., Ameri, A., Ramezani, Z., &

- Azemi, M. (2014). In vitro screening of anti-Candida activity of saponins extracted from Glycyrrhiza glabra and Quillaja saponaria. *Asian Journal of Pharmaceutical and Clinical Research*, 7(1), 160–162.
- Muhlisah, F. (2007). *Tanaman Obat Keluarga (TOGA)*. PT Seri Agri Sehat.
- Othman, S., Hassan, M., Nahar, L., Basar, N., Jamil, S., & Sarker, S. (2016). Essential Oils from the Malaysian Citrus (Rutaceae) Medicinal Plants. *Medicines*, 3(2), 13.
- Pasaribu, S. M. H., Wardenaar, E., & Wahdina. (2015). UJI AKTIVITAS ANTI JAMUR EKSTRAK MINYAK ATSIRI KULIT JERUK CITRUS NOBILIS VAR.MICROCARPA TERHADAP PERTUMBUHAN JAMUR SCHIZOPHYLLUM COMMUNE FRIES. *Jurnal Hutan Lestari*, 3(2), 259–264.
- Porsche, F. M., Molitor, D., Beyer, M., Charton, S., André, C., & Kollar, A. (2018). Antifungal activity of saponins from the fruit pericarp of sapindus mukorossi against venturia inaequalis and botrytis cinerea. *Plant Disease*, 102(5), 991–1000. <https://doi.org/10.1094/PDIS-06-17-0906-RE>
- Prastiwi, S., & Ferdiansyah, F. (2017). Review Artikel: Kandungan Dan Aktivitas Farmakologi Jeruk Nipis (*Citrus Aurantifolia* S.). *Farmaka Supl*, 15(2), 991–1000.
- Pratiwi, S. (2008). *Mikrobiologi Farmasi*. Erlangga.
- Pravitasari, D., Hidayatullah, T., Nuzula, A., & Puspita, R. (2019). Profil Dermatofitosis Superfisialis Periode Januari – Desember 2017 Di Rumah Sakit Islam Aisyiyah Malang. *Jurnal Saintika Medika*, 15(1), 25–32.
- prof. Dr. R.S. Siregar, S. K. (2004). *Saripati penyakit kulit*. ECG.
- Razak, A., Djamal, A., & Revilla, G. (2013). Uji Daya Hambat Air Perasan Buah Jeruk Nipis (*Citrus aurantifolia* s.) Terhadap Pertumbuhan Bakteri *Staphylococcus Aureus* Secara In Vitro. *Jurnal Kesehatan Andalas*, 2(1), 05. <https://doi.org/10.25077/jka.v2i1.54>
- Reynalzi, Y. M., & Ridhwati. (2013). Pola kepekaan Candida albicans Terhadap Flukonazol dan Itrakonazol secara In Vitro. *Mikologi Dan Parasitologi*, 20, 13–25.
- Riani, E. (2014). Hubungan antara Karakteristik Demografi, Gaya Hidup dan

- Perilaku Pasien Puskesmas di Jakarta Selatan dengan Dermatofitosis. *EJournal Kedokteran Indonesia*, 2(2), 3–7. <https://doi.org/10.23886/ejki.2.4014>.
- Rosita, C., & Kurniati. (2008). Etiopatogenesis Dermatofitosis ( Etiopathogenesis of Dermatophytoses ). *Berkala Ilmu Kesehatan Kulit Dan Kelamin*, 20(318), 243–250.
- Salim, F. S. (2014). EFEK ANTIFUNGSI EKSTRAK ETANOL DAUN LIDAH BUAYA (*Aloe vera* L.) TERHADAP PERTUMBUHAN *T. rubrum* SECARA IN VITRO. *FAKULTAS KEDOKTERAN UNIVERSITAS SEBELAS MARET Surakarta*, 39412.
- Sarwono, B. (2006). *Khasiat dan manfaat jeruk nipis*. Agromedia Pustaka.
- Setiari, N., Ristiani, N., & Warpala, I. (2019). Aktivitas Antifungi Kombinasi Ekstrak Daun Sirih (*Piper Betle*) Dan Ekstrak Kulit Buah Jeruk (*Citrus Reticulata*) Untuk Menghambat Pertumbuhan *Candida albicans*. *Jurnal Pendidikan Biologi Undiksha*, 6(2), 72–82.
- Silvia, D. (2018). Uji Aktivitas Antifungi Ekstrak Kulit Buah Jeruk Nipis (*Citrus aurantifolia*) Terhadap Jamur *Candida albicans*. *Universitas Islam Negeri Sunan Ampel*, 57–84.
- Sruthi, D. ., & Indira, G. (2016). A comparative evaluation of maceration, soxhlation and ultra sound assisted extraction for the phytochemical screening of the leaves of *Nephelium lappaceum*. L. (Sapindaceae) . *Journal of Pharmacognosy and Phytochemistry*, 5(5), 386–389.
- Suciani. (2013). Pengaruh Ekstrak Daun Jeruk Nipis *Citrus Aurantifolia* (Christm.) Swingle Terhadap Perkembangan Larva Nyamuk *Aedes Aegypti* L. *Universitas Islam Negeri Alauddin Makassar*.
- Tjitrosoepomo, G. (2010). *Taksonomi Tumbuhan (Spermatophyta)*. Gadjah Mada University Press.
- Vajriana, E. (2013). Aktivitas Antibakteri Minyak Atsiri Kulit Buah Jeruk Nipis (*Citrus aurantifolia*) terhadap Isolat *Staphylococcus aureus* secara In Vitro. *Skripsi, Fakultas Kedokteran, Universitas Syiah Kuala*.
- Wardani, R., Jekti, D., & Sedijani, P. (2019). Uji Aktivitas Antibakteri Ekstrak Kulit Buah Jeruk Nipis (*Citrus aurantifolia* Swingle) terhadap Pertumbuhan

- Bakteri Isolat Klinis. *Jurnal Pendidikan Penelitian IPA*, 5(1), 10–17.
- Yeung, C. K., & Chan, H. H. L. (2016). Tinea faciei: An easily missed diagnosis in children. *Hong Kong Journal of Dermatology and Venereology*, 24(4), 192–195.
- Yossela, T. (2015). Diagnosis and treatment of tinea cruris. *J Majority*, 4(2), 122–128.
- Yue, X., Li, Q., Wang, H., Sun, Y., Wang, A., Zhang, Q., & Zhang, C. (2015). An ultrastructural study of *T. rubrum* induced onychomycosis. *BMC Infectious Diseases*, 15(1), 1–8. <https://doi.org/10.1186/s12879-015-1240-1>
- Yuliana, E., & Ervianti, E. (2015). Sindrom Dermatofitosis Kronis. *Berkala Ilmu Kesehatan Kulit Dan Kelamin*, 4(2), 225–231.
- Yunita, W., Marlisa, L., & Miliawati, R. (2016). Karakteristik Tinea Korporis dan Tinea Kruris di RSUD Ciamis Jawa Barat. *Berkala Ilmu Kesehatan Kulit Dan Kelamin*, 28(2), 42–51.
- Zuraida, Z., Sulistiyan, S., Sajuthi, D., & Suparto, I. H. (2017). FENOL, FLAVONOID, DAN AKTIVITAS ANTIOKSIDAN PADA EKSTRAK KULIT BATANG PULAI (*Alstonia scholaris* R.Br). *Jurnal Penelitian Hasil Hutan*, 35(3), 211–219. <https://doi.org/10.20886/jphh.2017.35.3.211-219>