

DAFTAR PUSTAKA

- Adharini, RI *et al.* 2019, ‘A comparison of nutritional values of Kappaphycus alvarezii, Kappaphycus striatum, and Kappaphycus spinosum from the farming sites in Gorontalo Province, Sulawesi, Indonesia’, *Journal of Applied Phycology*, 31(1), pp. 725–730. doi: 10.1007/s10811-018-1540-0.
- Adiari, NWL, *et al.* 2017, ‘Pengembangan pangan fungsional berbasis tepung okara dan tepung beras hitam (*Oryza sativa L. indica*) sebagai makanan selingan bagi remaja obesitas’, *Jurnal Gizi Indonesia (The Indonesian Journal of Nutrition)*, 6(1), pp. 51–57. doi: 10.14710/jgi.6.1.51-57.
- Ali, R & Nuryani, N 2018, ‘Sosial Ekonomi, Konsumsi Fast Food Dan Riwayat Obesitas Sebagai Faktor Risiko Obesitas Remaja’, *Media Gizi Indonesia*, 13(2), p. 123. doi: 10.20473/mgi.v13i2.123-132.
- Aly, ME. *et al.* 2016, ‘Chemical composition and biological activities of Pouteria campechiana (Kunth) Baehni’, *Journal of Medicinal Plants Research*, 10(16), pp. 209–215. doi: 10.5897/jmpr2015.6031.
- AOAC 2012, *Official Methods of Analysis, 19th Edition*. Washington DC, USA: Association of Analytical Chemists.
- Apak, R *et al.* 2016, ‘Antioxidant activity/capacity measurement. 1. Classification, physicochemical principles, mechanisms, and electron transfer (ET)-based assays’, *Journal of Agricultural and Food Chemistry*, 64(5), pp. 997–1027. doi: 10.1021/acs.jafc.5b04739.
- Apak, R 2019, ‘Current Issues in Antioxidant Measurement’, *Journal of Agricultural and Food Chemistry*, 67(33), pp. 9187–9202. doi: 10.1021/acs.jafc.9b03657.
- Arbuckle, W 1986, *Ice Cream*. Fourth. College Park, Maryland: Springer Science+Business Media, LLC, USA.
- Arrasyid, HH & Wulan, S N 2019, ‘Pembuatan Velva Kombinasi Jambu Biji Dan Belimbing Manis (Kajian Proporsi Buah Dan Konsentrasi Gum Arab)’, *Jurnal Pangan dan Agroindustri*, 7(2), pp. 24–36. doi: 10.21776/ub.jpa.2019.007.02.3.
- Aryani, T & Mu’awanah, IAU 2019, ‘Aktivitas Antioksidan dan Kadar Vitamin C Daging Buah dan Sirup Buah Naga (*Hylocereus costaricensis*)’, *Jurnal Biomedika*, 12(02), pp. 149–157.
- Aseervatham, GSB. *et al.* 2019, ‘Free radical scavenging potential and

- antihaemolytic activity of methanolic extract of Pouteria campechiana (Kunth) Baehni. and Tricosanthes tricuspidata Linn', *Biocatalysis and Agricultural Biotechnology*, 18(February). doi: 10.1016/j.bcab.2019.101031.
- Asri, W 2014 'Peran Antioksidan Bagi Kesehatan', *Jurnal Biomedik Medisiana Indonesia*, 3(2), pp. 59–68.
- Astika WD et al. 2019, 'Uji Aktivitas Antioksidan Pada Ekstrak Kulit Buah Naga Merah (Hylocereus polyrhizus) Dengan Metode DPPH', *Jurnal Analis Farmasi*, 4(2), pp. 117–121. Available at: <http://www.ejurnalmalahayati.ac.id/index.php/analisfarmasi/article/view/2240>.
- Awang-kanak, F et al. 2018, 'Canistel — Pouteria campechiana (Kunth) Baehni', in *Exotic Fruits Reference Guide*. Elsevier Inc., pp. 107–111. doi: 10.1016/B978-0-12-803138-4.00015-0.
- Bozzetto, L. et al. 2018 'Dietary fibre as a unifying remedy for the whole spectrum of obesity-associated cardiovascular risk', *Nutrients*, 10(7). doi: 10.3390/nu10070943.
- [BPOM] Badan Pengawas Obat dan Makanan 2020, 'Peraturan Badan Pengawas Obat Dan Makanan Nomor 16 Tahun 2020 Tentang Pencantuman Informasi Nilai Gizi Untuk Pangan Olahan Yang Diproduksi Oleh Usaha Mikro Dan Usaha Kecil'.
- Cahyadi, W & Widiantara, T 2018, 'Penambahan Konsentrasi Bahan Penstabil Dan Sukrosa Terhadap Karakteristik Sorbet Murbei Hitam', *Pasundan Food Technology Journal*, 4(3), p. 218. doi: 10.23969/pftj.v4i3.649.
- Chin, YX. et al. 2019, 'A pilot study on anti-obesity mechanisms of kappaphycus alvarezii: The role of native κ-carrageenan and the leftover sans-carrageenan fraction', *Nutrients*, 11(5). doi: 10.3390/nu11051133.
- Christensen, E 2019, *How to Make Sorbet with Any Fruit*. Available at: <https://www.thekitchn.com/how-to-make-sorbet-with-any-fruit-cooking-lessons-from-the-kitchn-205746> (Accessed: 23 February 2021).
- Christiani, N 2019, 'Ekstrak Rumput Laut Merah (Kappaphycus alvarezii) Mengurangi Peningkatan Berat Badan dan Berat Lemak Abdominal Tikus (Rattus norvegicus) Wistar Jantan yang diberi Diet Tinggi Karbohidrat dan Lemak', *Media Sains*, 3(1), pp. 14–19.
- Cruz-Requena, M et al. 2016, 'Dietary fiber: An ingredient against obesity', *Emirates Journal of Food and Agriculture*, 28(8), pp. 522–530. doi: 10.9755/ejfa.2015-07-521.

- Dewi, SR *et al.* 2018, ‘Kandungan Flavonoid dan Aktivitas Antioksidan Ekstrak Pleurotus ostreatus’, *Rona Teknik Pertanian*, 11(1), pp. 1–10. doi: 10.17969/rtp.v11i1.9571.
- Erjanan, S. *et al.* 2017, ‘Mutu Karaginan Dan Kekuatan Gel Dari Rumput Laut Merah Kappaphycus alvarezii’, *Media Teknologi Hasil Perikanan*, 5(2), p. 36. doi: 10.35800/mthp.5.2.2017.14872.
- Fairudz, A 2015, ‘Pengaruh Serat Pangan Terhadap Kadar Kolesterol Penderita Overweight’, *Jurnal Majority*, 4(8), pp. 121–126.
- Goff, HD & Hartel, RW 2013, *Ice cream, Advanced Dairy Chemistry*. doi: 10.1007/0-387-28813-9_12.
- Hadrévi, J *et al.* 2017, ‘Dietary Fiber Intake among Normal-Weight and Overweight Female Health Care Workers: An Exploratory Nested Case-Control Study within FINALE-Health’, *Journal of Nutrition and Metabolism*, 2017. doi: 10.1155/2017/1096015.
- Hanifah, NID & Dieny, FF 2016, ‘Hubungan total asupan serat, serat larut air (*soluble*), dan serat tidak larut air (*insoluble*) dengan kejadian sindrom metabolik pada remaja obesitas’, *Journal of Nutrition College*, 5(3), pp. 148–155. Available at: <http://ejournal-s1.undip.ac.id/index.php/jnc>.
- Hidayah, N *et al.* 2020, ‘Determination of Total Phenolic, Flavonoid Content and Antioxidant Activity of Campolay (Pouteria campechiana (Kunth) Baehni) Extract’, 26, pp. 107–110. doi: 10.2991/ahsr.k.200523.026.
- Hidayat, NI & Syam, A 2013, ‘Gambaran Tingkat Stres Dan Antioksidan Pada Penderita Overweight Dan Obesitas Mahasiswa Angkatan 2013 Description of Stress and Antioxidant Nutrient Intake of Overweight and Obesity Patients Force 2013 Program Studi Ilmu Gizi Fakultas Kesehatan Masyarakat’, pp. 1–13.
- Karami, A *et al.* 2018, ‘Pengaruh Formulasi Karagenan Dan Pati Sagu Terhadap Sifat Fisik, Kimia, Dan Organoleptik Es Krim Ubi Jalar Ungu’, *FoodTech Jurnal Teknologi Pangan*, 1(1), pp. 42–49.
- Kasubuchi, M *et al.* 2015, ‘Dietary gut microbial metabolites, short-chain fatty acids, and host metabolic regulation’, *Nutrients*, 7(4), pp. 2839–2849. doi: 10.3390/nu7042839.
- [Kemenkes] Kementerian Kesehatan 2018, ‘Hasil Utama Riset Kesehatan Dasar (RISKESDAS)’.
- [Kemenkes] Kementerian Kesehatan 2019, *Peraturan Menteri Kesehatan Republik Indonesia Nomor 28 Tahun 2019 Tentang Angka Kecukupan Gizi Yang Dianjurkan Untuk Masyarakat Indonesia*.

- Kong, KW *et al.* 2013, ‘Total phenolics and antioxidant activities of pouteria campechiana fruit parts’, *Sains Malaysiana*, 42(2), pp. 123–127.
- Kubola, J *et al.* 2011, ‘Phytochemicals, vitamin C and sugar content of Thai wild fruits’, *Food Chemistry*, 126(3), pp. 972–981. doi: 10.1016/j.foodchem.2010.11.104.
- de Lanerolle, MS *et al.* 2008, ‘The carotenoids of Pouteria campechiana (Sinhala: Ratalawulu)’, *Journal of the National Science Foundation of Sri Lanka*, 36(1), pp. 95–98. doi: 10.4038/jnsfsr.v36i1.136.
- Li, YO & Komarek, A R 2017, ‘Dietary fibre basics: Health, nutrition, analysis, and applications’, *Food Quality and Safety*, 1(1), pp. 47–59. doi: 10.1093/fqs/fyx007.
- Maleta, HS *et al.* 2018, ‘Ragam Metode Ekstraksi Karotenoid dari Sumber Tumbuhan dalam Dekade Terakhir (Telaah Literatur)’, *Jurnal Rekayasa Kimia & Lingkungan*, 13(1), pp. 40–50. doi: 10.23955/rkl.v13i1.10008.
- Manggaran, S *et al.* 2019, ‘Karakteristik Fisik Dan Kimia Velva Buah Naga Dan Sayur Wortel Dengan Penambahan Labu Kuning (Physical and Chemical Characteristics of Velva Dragon Fruit and Carrot with the Addition of Pumpkin)’, *Aceh Nutrition Journal*, 4(4), pp. 134–141.
- Manna, P & Jain, SK 2015, ‘Obesity, Oxidative Stress, Adipose Tissue Dysfunction, and the Associated Health Risks: Causes and Therapeutic Strategies’, *Metabolic Syndrome and Related Disorders*, 13(10), pp. 423–444. doi: 10.1089/met.2015.0095.
- Marshall, RT *et al.* 2003 ‘Sherbets, Sorbets and Ices’, in *Ice Cream*. Boston, MA: Springer, pp. 265–273. doi: 10.1007/978-1-4615-0163-3_11.
- Maulidiyanti, T *et al.* 2019, ‘Penggunaan Rumput Laut (*Eucheuma Cottonii*) Sebagai Bahan Pengisi Pada Pembuatan Es Krim Susu Kambing’, *Jurnal Sains Mahasiswa Pertanian*, 8(2), pp. 1–10.
- Mega, DM 2019, ‘Pengaruh Penambahan Karagenan Terhadap Karakteristik Fisik, Dan Organoleptik Velva Bengkuang Dengan Perisa Bunga Kecombrang’, *Jurnal Teknologi Pangan*, 3(2), pp. 281–285.
- Mehraj, H *et al.* 2015, ‘Plant physiology and fruit secondary metabolites of Canistel (*Pouteria campechiana*)’, *World Applied Sciences Journal*, 33(12), pp. 1908–1914. doi: 10.5829/idosi.wasj.2015.33.12.15625.
- Mei Ling, AL. *et al.* 2013, ‘Antioxidant activity , Total Phenolic and Flavonoid Contents of Selected Commercial Seaweeds of Sabah , Malaysia’, *International Journal of Pharmaceutical and Phytopharmacological*

- Research (eIJPPR)*, 3(September), pp. 234–238.
- Morton, JF 1987, ‘Canistel’, in *Fruits of warm climates*. Miami, FL: Julia F. Morton, pp. 402–405.
- Nasrulloh, N *et al.* 2019, ‘Kadar Serat Pangan, Aktivitas Antioksidan dan Sifat Fisik Puding Kulit Jeruk Limau dengan Penambahan Labu Kuning’, *Jurnal Agriculture Technology*, 2(2), pp. 23–30.
- Negara, JK *et al.* 2016, ‘Aspek mikrobiologis, serta Sensori (Rasa, Warna, Tekstur, Aroma) Pada Dua Bentuk Penyajian Keju yang Berbeda’, *Jurnal Ilmu Produksi dan Teknologi Hasil Peternakan*, 4(2), pp. 286–290. doi: 10.29244/jipthp.4.2.286-290.
- Noviyanti *et al.* 2016, ‘Analisis Penilaian Organoleptik Cake Brownies Subtitusi Tepung Wikau Maombo’, *Jurnal Sains dan Teknologi Pangan*, 1(1), pp. 58–66. doi: [http://dx.doi.org/10.1016/S0952-1976\(98\)00044-X](http://dx.doi.org/10.1016/S0952-1976(98)00044-X).
- Parenrengi, A & Sulaeman 2007, ‘Mengenal Rumput Laut, *Kappaphycus alvarezii*’, *Media Akuakultur*, pp. 142–146.
- Puspita, D *et al.* 2019, ‘Kandungan Karotenoid Mentega dari Sawo Keju (Pouteria campechiana) Carotenoid Butter Content from Canistel (Pouteria campechiana)’, *Journal of Food and Life Sciences*, 3(1), pp. 1–9.
- Puspitasari, D *et al.* 2015, ‘Pengaruh Tingkat Penggunaan Daging Siwalan (Borassus flabellifer) Terhadap Kualitas Es Krim Ditinjau Dari Overrun, Total Padatan, Kadar Lemak Dan Mutu Organoleptik’, *Artikel Ilmiah*, pp. 1–10. Available at: <https://fapet.ub.ac.id/wp-content/uploads/2015/04/JURNAL-DINY-PUSPITASARI-115050107111001.pdf>.
- Rajasekaran, A 2017, ‘Nutraceuticals’, *Comprehensive Medicinal Chemistry III*, 1–8, pp. 107–134. doi: 10.1016/B978-0-12-409547-2.12287-5.
- Raman, M & Doble, M 2015, ‘κ-Carrageenan from marine red algae, *Kappaphycus alvarezii* - A functional food to prevent colon carcinogenesis’, *Journal of Functional Foods*, 15, pp. 354–364. doi: 10.1016/j.jff.2015.03.037.
- Rizqiya, F & Syafiq, A 2019, ‘Asupan Serat Sebagai Faktor Dominan Obesitas Perempuan Pralansia’, *Jurnal Manajemen Kesehatan Yayasan RS.Dr. Soetomo*, 5(1), p. 6. doi: 10.29241/jmk.v5i1.152.
- Rocha-González, DG *et al.* 2016, ‘Primary and secondary antioxidants to prevent oil degradation during repeated frying of French fries and chicken nuggets’, *2016 American Society of Agricultural and Biological Engineers Annual International Meeting, ASABE 2016*, pp. 2–7. doi:

10.13031/aim.20162462960.

Santos-Sánchez, NF *et al.* 2019, *Antioxidant Compounds and Their Antioxidant Mechanism*, IntechOpen. Edited by E. Shalaby. doi: 10.5772/intechopen.85270.

Sethuraman, G. *et al.* 2020, ‘Nutritional composition of canistel (Pouteria Campechiana (Kunth) Baehni)’, *International Journal of Food Science and Nutrition* www.foodsciencejournal.com, 5(November). Available at: www.foodsciencejournal.com.

Silitonga, MER *et al.* 2018, ‘Pengaruh pemberian minuman lidah buaya terhadap kadar antioksidan total dan persentase lemak tubuh pada sindrom metabolik’, *Jurnal Gizi Indonesia (The Indonesian Journal of Nutrition)*, 7(1), pp. 1–8. doi: 10.14710/jgi.7.1.1-8.

Sunila, AV *et al.* 2017, ‘Nutritional Composition of Fruits From Pouteria campechiana (Kunth) Baehni at Different Stages of Development’, 10(20), pp. 4020–4026.

Supriana, N *et al.* 2016, ‘Pengaruh Perbandingan Jenis Buah (Terong Belanda Dan Bit) dan Konsentrasi Carboxy Methyl Cellulose (CMC) Terhadap Mutu Organoleptik Sorbet (The Influence of Fruit Types Comparison (Terong Belanda and Beetroot) and Carboxy Methyl Cellulose (CMC) C ’, 1(100), pp. 941–946.

Susantiningsih, T 2015, ‘Obesitas dan Stress Oksidatif’, *Jurnal Kedokteran Universitas Lampung*, 5(9), pp. 89–93.

Susilowati, I *et al.* 2018, ‘Pengaruh Konsentrasi Jus Daun Pegagan Dan Perbandingan Cmc Dengan Maizena Terhadap Karakteristik Sorbet’, *Jurnal ITEPA*, 7(1), pp. 33–42.

Sylvi, D *et al.* 2020, ‘Pengaruh pencampuran bengkuang (Pachyrhizus erosus L) dengan terung belanda (Cyphomandra betacea Sendtn) terhadap karakteristik velva dihasilkan’, *Jurnal Litbang Industri*, 10(1), pp. 23–31.

Varshney, R *et al.* 2019, ‘A comparative analysis of various flavonoids in the regulation of obesity and diabetes: An in vitro and in vivo study’, *Journal of Functional Foods*, 59(April), pp. 194–205. doi: 10.1016/j.jff.2019.05.004.

WHO 2020, *Obesity and Overweight*. Available at: <https://www.who.int/news-room/fact-sheets/detail/obesity-and-overweight> (Accessed: 3 September 2020).

Williams, BA *et al.* 2017, ‘Gut fermentation of dietary fibres: Physico-chemistry of plant cell walls and implications for health’, *International Journal of Molecular Sciences*, 18(10). doi: 10.3390/ijms18102203.

- Wood, LG 2017, 'Diet, obesity, and asthma', *Annals of the American Thoracic Society*, 14(November), pp. S332–S338. doi: 10.1513/AnnalsATS.201702-124AW.
- Zhou, L. et al. 2018, 'Protective role of β-carotene against oxidative stress and neuroinflammation in a rat model of spinal cord injury', *International Immunopharmacology*, 61(February), pp. 92–99. doi: 10.1016/j.intimp.2018.05.022.