

## DAFTAR PUSTAKA

- Abdullahi, A.A., Aremu, B.A., Atunwa, S.A., Usman, S.O., Njinga, N.S., Attah, F.A.U. and Lawal, B.A., 2020. Standardization, Physicochemical, Elemental Analysis and Anti-diabetic activity of Powdered Leaves of Chromolaena odorata in Alloxan-induced diabetic Rats.
- Adedapo, A.A., Oyagbemi, A.A., Fagbohun, O.A., Omobowale, T.O. and Yakubu, M.A., 2016. Evaluation of the anticancer properties of the methanol leaf extract of Chromolaena odorata on HT-29 cell line. Journal of Pharmacognosy and Phytochemistry, 5(2), p.52.
- Adeneye, A.A. and Agbaje, E.O., 2008. Pharmacological evaluation of oral hypoglycemic and antidiabetic effects of fresh leaves ethanol extract of Morinda Lucida Benth. in normal and alloxan-induced diabetic rats. African Journal of Biomedical Research, 11(1).
- Agaba, T.A. and Fawole, B., 2014. Phytochemical constituents of siam weed (Chromolaena odorata) and African custard apple (Annona senegalensis). International Journal of Food, Agriculture and Veterinary, 6(1), pp.35-42.
- Akmal M, Wadhwa R. 2021. Alpha Glucosidase Inhibitors. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; 2021 Jan-. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK557848/>
- Alisi, C.S., Ojiako, O.A., Osuagwu, C.G. dan Onyeze, G.O.C., 2011. *Free Radical Scavenging and In-vitro Antioxidant Effects of Ethanol Extract of the Medicinal Herb Chromolaena odorata Linn.* Journal of Pharmaceutical Research International, pp.141-155.
- Astuti, S. 2012. *Isoflavon Kedelai dan Potensinya sebagai Penangkap Radikal Bebas.* Jurnal Teknologi & Industri Hasil Peranian, 13(2).
- Azevedo MF, Lima CF, Fernandes-Ferreira M, et al. 2011. Rosmarinic Acid, Major Phenolic Constituent of Greek Sage Herbal Tea, Modulates Rat Intestinal SGLT1 Levels With Effects on Blood Glucose. MolNutr Food Res 55: S15–25.
- Bamisaye, F.A., Ajani, E.O., Nurain, I.O. and Minari, J.B., 2014. Medicobotanical investigation of siam weed (Chromolaena odorata)) used among the “Ijebu” people of Ogun State, Nigeria. J Med Med Sci, 5(1), pp.20-4.

- Baumgard, L.H., Hausman, G.J. and Fernandez, M.S., 2016. *Insulin: pancreatic secretion and adipocyte regulation*. Domestic animal endocrinology, 54, pp.76-84.
- Bazotte, R.B., Silva, L.G. dan Schiavon, F.P. 2014. *Insulin Resistance in the Liver Deficiency or Excess of Insulin?*. Cell Cycle, 13(16), 2494-2500.
- Bhargava, D.M.C.K., Mondal, C.K., Shivapuri, J.N., Mondal, S. and Kar, S., 2013. Antioxidant properties of the leaves of Chromolaena odorata Linn. Journal of Institute of Medicine Nepal, 35(1), pp.53-57.
- Chawla, A., Chawla, R. dan Jaggi, S., 2016. *Microvascular and macrovascular complications in diabetes mellitus: distinct or continuum?*. Indian journal of endocrinology and metabolism, 20(4), p.546.
- Daisy, P., Jasmine, R., Ignacimuthu, S. and Murugan, E., 2009. A novel steroid from Elephantopus scaber L. an ethnomedicinal plant with antidiabetic activity. Phytomedicine, 16(2-3), pp.252-257.
- Demarque, D.P., Callejon, D.R., Oliveira, G.G.D., Silva, D.B., Carollo, C.A. and Lopes, N.P., 2018. The role of tannins as antiulcer agents: a fluorescence-imaging based study. Revista Brasileira de Farmacognosia, 28, pp.425-432.
- Depkes, R.I., 2005. Pharmaceutical care untuk penyakit diabetes mellitus. Jakarta: Departemen Kesehatan Republik Indonesia.
- Déprez, S., Brezillon, C., Rabot, S., Philippe, C., Mila, I., Lapierre, C. and Scalbert, A., 2000. Polymeric proanthocyanidins are catabolized by human colonic microflora into low-molecular-weight phenolic acids. The Journal of nutrition, 130(11), pp.2733-2738.
- Didier, F., Catherine, F., Odile, T. and Jean-Louis, L., 2011. Caffeoyl derivatives: major antioxidant compounds of some wild herbs of the Asteraceae family. Food and Nutrition Sciences, 2011.
- Ekambaram, S.P., Perumal, S.S., Erusappan, T. and Srinivasan, A., 2020. Hydrolysable tannin-rich fraction from Terminalia chebula Retz. fruits ameliorates collagen-induced arthritis in BALB/c mice. Inflammopharmacology, 28(1), pp.275-287.
- Fatimah, R. N. 2015. *Diabetes Mellitus Tipe 2*. Jurnal Majorit. 4(5).

Fiana, N. and Oktaria, D., 2016. Pengaruh kandungan saponin dalam daging buah mahkota dewa (*Phaleria macrocarpa*) terhadap penurunan kadar glukosa darah. Jurnal Majority, 5(4), pp.128-132.

Firuzi, O., Lacanna, A., Petrucci, R., Marrosu, G. and Saso, L., 2005. Evaluation of the antioxidant activity of flavonoids by “ferric reducing antioxidant power” assay and cyclic voltammetry. Biochimica et Biophysica Acta (BBA)-General Subjects, 1721(1-3), pp.174-184.

Gao, C., Wang, F., Yuan, L., Liu, J., Sun, D. and Li, X., 2019. Physicochemical property, antioxidant activity, and cytoprotective effect of the germinated soybean proteins. Food science & nutrition, 7(1), pp.120-131.

Gurung, P. and Jialal, I., 2019. *Plasma Glucose*. In StatPearls [Internet]. StatPearls Publishing.

Guyton, A.C. dan Hall, J.E. 2015. *Guyton and Hall: Textbook of Medical Physiology*. Philadelphia: Saunders Elsevier.

Habbu, P.V., Mahadevan, K.M., Kulkarni, P.V., Daulatsingh, C., Veerapur, V.P. and Shastry, R.A., 2010. Adaptogenic and in vitro antioxidant activity of flavanoids and other fractions of *Argyreia speciosa* (Burm. f) Boj. in acute and chronic stress paradigms in rodents.

Halban, P.A., Polonsky, K.S., Bowden, D.W., Hawkins, M.A., Ling, C., Mather, K.J. dan Weir, G.C. 2014.  *$\beta$ -cell Failure in Type 2 Diabetes: Postulated Mechanism and Prospects for Prevention and Treatment*. The Journal of Clinical Endocrinology & Metabolism, 99(6), 1983-1992.

Idoko, A., Ikpe, V.P.O., Rita, O.N., Effiong, J.U., Alhassan, A.J., Muhammad, I.U., Abubakar, N., Abubakar, S.M., Ugwudike, P.O., 2018. Hypoglycemic and Lipid Lowering Effect of Aqueous Fresh Leaf Extract of *C. odorata* (Linn) in Albino Wistar Fed Different Concentrations of Cholesterol Enriched Diet. Universal Journal of Pharmaceutical Research, 1(3), pp.37-42

International Diabetic Federation. 2019. *IDF Diabetes Atlas Ninth Edition 2019*, diakses 10 Mei 2020. <https://www.idf.org/e-library/epidemiology-research/diabetes-atlas/159-idf-diabetes-atlas-ninth-edition-2019.html>

Jiang, Z.J., Xu, S.Q., Xing, Yu, X., Hu, X.M. dan Pan, H.Y., 2012. Effects of flavonoids in *Morus indica* on blood lipids and glucose in hyperlipidemia-diabetic rats. Chinese Herbal Medicines, 4(4), pp.314-318.

- Jung, M., Park, M., Lee, H.C., Kang, Y.H., Kang, E.S. and Kim, S.K., 2006. Antidiabetic agents from medicinal plants. Current medicinal chemistry, 13(10), pp.1203-1218.
- Kim, J.S., Kwon, C.S. and Son, K.H., 2000. Inhibition of alpha-glucosidase and amylase by luteolin, a flavonoid. Bioscience, biotechnology, and biochemistry, 64(11), pp.2458-2461.
- Kumari, M. and Jain, S. 2012. Tannins: An Antinutrient With Positive Effect to Manage Diabetes. Res. J. Recent Sci. 1: 1-8.
- Lawal, B., Ossai, P.C., Shittu, O.K., Abubakar, A.N. and Ibrahim, A.M., 2014. Evaluation of phytochemicals, proximate, minerals and anti-nutritional compositions of yam peel, maize chaff and bean coat. Inter J Appl Biol Res, 6(2), pp.01-17.
- Leibowitz, G., Kaiser, N. dan Cerasi, E. 2011. *B-cell Failure in Type 2 Diabetes*. Journal of Diabetes Investigation, 2(2), 82-91.
- Li, Y., Wu, H., Khordori, R., Song, Y.H., Lu, Y.W. and Geng, Y.J., 2009. Insulin-like growth factor-1 receptor activation prevents high glucose-induced mitochondrial dysfunction, cytochrome-c release and apoptosis. Biochemical and biophysical research communications, 384(2), pp.259-264.
- Ling, S.K., Pisar, M.M. and Man, S., 2007. Platelet-Activating Factor (PAF) Receptor Binding Antagonist Activity of the Methanol Extracts and Isolated Flavonoids from Chromolaena odorata (L.) K ING and R OBINSON. Biological and Pharmaceutical Bulletin, 30(6), pp.1150-1152.
- Maisarah, A.M., Asmah, R. and Fauziah, O., 2014. *Proximate analysis, antioxidant and antiproliferative activities of different parts of Carica papaya*. Journal of Nutrition and Food Science, 4(2), pp.1-7.
- Marianne, M., Lestari, D., Sukandar, E.Y., Kurniati, N.F. dan Nasution, R., 2014. *Antidiabetic Activity of Leaves Ethanol Extract Chromolaena odorata (L.) RM King on Induced Male Mice with Alloxan Monohydrate*. Jurnal natural, 14(1).
- Meiskhani, R. dan Adeli, K. 2009. *Hepatic Insulin Resistance, Metabolic Syndrome and Cardiovascular Disease*. Clinical Biochemistry, 42(13-14), 1331-1346.

Moher, D. et al. 2015. 'Evaluation of ASTM Standard Test Method E 2177, 6 Retroreflectivity of Pavement Markings in a Condition of 7 Wetness', Systematic Reviews, (January), pp. 1–9. doi: 10.1186/2046-4053-4-1.

Moyo, B., Oyedemi, S., Masika, P.J. and Muchenje, V., 2012. Polyphenolic content and antioxidant properties of *Moringa oleifera* leaf extracts and enzymatic activity of liver from goats supplemented with *Moringa oleifera* leaves/sunflower seed cake. Meat science, 91(4), pp.441-447.

Mukhtar, D. 2013. *Makrofag pada Jaringan Adiposa Obes sebagai Penanda Terjadinya Resistensi Insulin*. Jurnal Ilmiah Widya.

Mythili, M.D., Vyas, R., Akila, G. and Gunasekaran, S., 2004. Effect of streptozotocin on the ultrastructure of rat pancreatic islets. Microscopy research and technique, 63(5), pp.274-281.

Ngozi, I.M., Jude, I.C. dan Catherine, I.C., 2009. *Chemical Profile of Chromolaena odorata L.(King and Robinson) Leaves*. Pakistan Journal of Nutrition, 8(5), pp.521-524.

Nolan, C.J., Damm, P. and Prentki, M., 2011. *Type 2 diabetes across generations: from pathophysiology to prevention and management*. The Lancet, 378(9786), pp.169-181.

Oboh, G., Ademiluyi, A.O., Akinyemi, A.J., Henle, T., Saliu, J.A. and Schwarzenbolz, U., 2012. Inhibitory effect of polyphenol-rich extracts of jute leaf (*Corchorus olitorius*) on key enzyme linked to type 2 diabetes ( $\alpha$ -amylase and  $\alpha$ -glucosidase) and hypertension (angiotensin I converting) in vitro. Journal of Functional Foods, 4(2), pp.450-458.

Omokhua, A.G., 2015. Phytochemical and pharmacological investigations of invasive *Chromolaena odorata* (L.) RM King & H. Rob. (Asteraceae) (Doctoral dissertation).

Omonije, O.O., Saidu, A.N. and Muhammad, H.L., 2020. Antioxidant and Hypolipidemic Effects of Methanolic Root Extract of *Chromolaena odorata* in Alloxan-induced Diabetic Rats. Iranian Journal of Toxicology, 14(2), pp.63-70.

Onkaramurthy, M., Veerapur, V.P., Thippeswamy, B.S., Reddy, T.M., Rayappa, H. dan Badami, S., 2013. *Anti-diabetic and anti-cataract Effects of Chromolaena odorata Linn., in Streptozotocin-induced Diabetic Rats*. Journal of ethnopharmacology, 145(1), pp.363-372.

- Ozougwu, J. C., Obimba, K. C., Belonwu, C. D. dan Unakalamba, C.B. 2013. *The Pathogenesis and Pathophysiology of Type 1 and Type 2 Diabetes Mellitus*. Journal of Physiology and Pathophysiology, 4(4), 46-57.
- Pellegrini, N., Simonetti, P., Gardana, C., Brenna, O., Brighenti, F. and Pietta, P., 2000. Polyphenol content and total antioxidant activity of vini novelli (young red wines). Journal of agricultural and food chemistry, 48(3), pp.732-735.
- Perkumpulan Endokrinologi Indonesia (PERKENI). 2015. *Konsensus Pengelolaan dan Pencegahan Diabetes Mellitus Tipe 2 di Indonesia*. PB. Perkeni.
- Phan, T.T., Wang, L., See, P., Grayer, R.J., Chan, S.Y. dan Lee, S.T., 2001. Phenolic Compounds of Chromolaena odorata Protect Cultured Skin Cells from Oxidative Damage: Implication for Cutaneous Wound Healing. Biological and Pharmaceutical Bulletin, 24(12), pp.1373-1379.
- Praviradiputra, B.R., 2007. *Ki Rinyuh (Chromolaena odorata (L) RM King and H. Robinson): The Harmful Pasture's Weed*. WARTAZOA. Indonesian Bulletin of Animal and Veterinary Sciences, 17(1), pp.46-52.
- Purwaningsih, S., Salamah, E., Sukarno, A.Y. dan Deskawati, E. 2013. *Aktivitas Antioksidan dari Buah Mangrove (Rhizophora mucronata lamk.) pada Suhu yang Berbeda*. Jurnal Pengolahan Hasil Perikanan Indonesia, 19(3), pp. 4-8.
- Qatanani, M. dan Lazar, M.A. 2007. *Mechanism of Obesity-associated Insulin Resistance: Many Choices on the Menu*. Genes & Development, 21(12), 1443-1455.
- Ramadani, F.H., Intannia, D. and Ni'mah, M., 2016. Profil penurunan kadar glukosa darah ekstrak air rambut jagung (*Zea Mays L.*) tua dan muda pada mencit jantan galur Balb-C. Jurnal Pharmascience, 3(1), pp.37-44.
- Riset Kesehatan Dasar (Risikesdas). 2018. *Badan Penelitian dan Pengembangan Kesehatan Kementerian RI tahun 2018*, diakses 8 Mei 2020. [http://www.depkes.go.id/resources/download/infoterkini/materi\\_rakorpop\\_2018/Hasil%20Risikesdas%202018.pdf](http://www.depkes.go.id/resources/download/infoterkini/materi_rakorpop_2018/Hasil%20Risikesdas%202018.pdf)
- Saibabu, V., Fatima, Z., Khan, L.A. and Hameed, S., 2015. *Therapeutic potential of dietary phenolic acids*. Advances in pharmacological sciences, 2015.
- Sandhar, H.K., Kumar, B., Prasher, S., Tiwari, P., Salhan, M. and Sharma, P., 2011. *A review of phytochemistry and pharmacology of flavonoids*. Internationale pharmaceutica sciencia, 1(1), pp.25-41.

- Satyanarayana, U. dan Chakrapa U. 2010. Biochemistry, in Metabolism of Lipids, 3rd Ed., Kolkata 700009 (India), Arunabha Sen Books and Allied (P) Ltd., Chintamoni Das Lane. 285-326, 410 - 420.
- Sayuti, K. dan Yenrina, R. 2015. *Dasar-Dasar Metodologi Penelitian Klinis, Edisi 5*. Yogyakarta: Sagung Seto.
- Sembiring, B.B. and Suhirman, S., 2017, October. Pengaruh Cara Pengeringan dan Teknik Ekstraksi Terhadap Kualitas Simplisia dan Ekstrak Meniran. In Prosiding Seminar Nasional Pengembangan Teknologi Pertanian.
- Septiana, A.T. and Asnani, A., 2012. Kajian sifat fisikokimia ekstrak rumput laut coklat *Sargassum duplicatum* menggunakan berbagai pelarut dan metode ekstraksi. Agrointek, 6(1), pp.22-28.
- Shah, N.A. and Khan, M.R., 2014. Antidiabetic effect of *Sida cordata* in alloxan induced diabetic rats. BioMed research international, 2014.
- Sharma, B., Mittal, A., & Dabur, R. 2018. Mechanistic Approach of Anti-Diabetic Compounds Identified From Natural Sources. Chem. Biol. Lett. , 5(2): 63-99.
- Shetty, S., Udupa, S. and Udupa, L., 2008. Evaluation of antioxidant and wound healing effects of alcoholic and aqueous extract of *Ocimum sanctum* Linn in rats. Evidence-Based Complementary and Alternative Medicine, 5(1), pp.95-101.
- Sirinthipaporn, A. dan Jiraungkoorskul, W., 2017. *Wound Healing Property Review of Siam Weed, Chromolaena odorata*. Pharmacognosy reviews, 11(21), p.35.
- Soares, J., Pereira Leal, A., Silva, J. C., Almeida, J., & de Oliveira, H. P. 2017. Influence of Flavonoids on Mechanism of Modulation of Insulin Secretion. Pharmacognosy magazine, 13(52): 639–646. [https://doi.org/10.4103/pm.pm\\_87\\_17](https://doi.org/10.4103/pm.pm_87_17)
- Sudoyo, A.W., Setiyohadi, B., Alwi, I., Simadibrata, M. dan Setiati, S. 2014. *Buku Ajar Ilmu Penyakit Dalam*. Jakarta: FKUI.
- Suryani, N., 2013. Pengaruh Ekstrak Metanol Biji Mahoni terhadap Peningkatan Kadar Insulin, Penurunan Ekspresi TNF-α dan Perbaikan Jaringan Pankreas Tikus Diabetes. Jurnal kedokteran brawijaya, 27(3), pp.137-145.

- Susanti, A.D., Ardiana, D. and Gumelar P, G., 2012. Polaritas pelarut sebagai pertimbangan dalam pemilihan pelarut untuk ekstraksi minyak bekatul dari bekatul varietas ketan (*Oriza sativa glatinosa*).
- Sustrani, L. 2006. *Diabetes*. Jakarta: Gramedia.
- Tambun, R., Limbong, H.P., Pinem, C. and Manurung, E., 2016. Pengaruh ukuran partikel, waktu dan suhu pada ekstraksi fenol dari lengkuas merah. *Jurnal Teknik Kimia USU*, 5(4), pp.53-56.
- The Joanna Briggs Institute. 2014. ‘*Checklist for Quasi-Experimental Studies*’. Joanna Brig Institute, pp. 1-18. Available at: <https://wiki.joannabriggs.org/display/MANUAL/Joanna+Briggs+Institute+Reviewer%27s+Manual>
- Tian-yang,, Wang., Qing Li. dan Kai-shun Bi. 2018. *Bioactive Flavonoids in Medical Plants: Structure, Activity and Biological Fateasian*. Journal of Pharmaceutical Sciences, 13, 12-23.
- Tiong, S.H., Looi, C.Y., Hazni, H., Arya, A., Paydar, M., Wong, W.F., Cheah, S.C., Mustafa, M.R. and Awang, K., 2013. Antidiabetic and antioxidant properties of alkaloids from *Catharanthus roseus* (L.) G. Don. *Molecules*, 18(8), pp.9770-9784.
- Uman, L.S., 2011. *Systematic reviews and meta-analyses*. Journal of the Canadian Academy of Child and Adolescent Psychiatry, 20(1), p.57.
- Vaisakh, M.N. and Pandey, A., 2012. The invasive weed with healing properties: A review on *Chromolaena odorata*. *International journal of Pharmaceutical sciences and research*, 3(1), p.80.
- Vargas, E., Podder, V. and Carrillo Sepulveda, M.A., 2021. Physiology, glucose transporter type 4. [Updated 2020 Jul 10]. StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing.
- Vetterli L, Brun T, Giovannoni L, Bosco D, Maechler P. 2011. Resveratrol Potentiates Glucose-Stimulated Insulin Secretion in INS-1E Beta-Cells and Human Islets Through A SIRT1- Dependent Mechanism. *J Biol Chem* 286: 6049–6060.
- Vijayaraghavan, K., Rajkumar, J. and Seyed, M.A., 2017. Efficacy of *Chromolaena odorata* leaf extracts for the healing of rat excision wounds. *Veterinární medicína*, 62(10), pp.565-578.

Vinayagam, R., Jayachandran, M., & Xu, B. 2015. Antidiabetic Effects of Simple Phenolic Acids: A Comprehensive Review. *Phytotherapy Research*, 30(2): 184-199. doi:10.1002/ptr.5528.

Widowati, W., 2008. Potensi antioksidan sebagai antidiabetes. *Maranatha Journal of Medicine and Health*, 7(2), p.149640.

Wilcox, G., 2005. *Insulin and insulin resistance*. Clinical biochemist reviews, 26(2), p.19.

World Health Organization. 2020. *HEARTS D: diagnosis and management of type 2 diabetes* (No. WHO/UCN/NCD/20.1). World Health Organization.

World Health Organization (WHO). 2016. *Global Report on Diabetes*, diakses 8 Mei 2020. <https://www.who.int/health-topics/diabetes/publications&publication=guidelines-on-second—and-third-line-medicines-and-type-of-insulin-for-the-control-of-blood-glucose-levels-in-non-pregnant-adults-with-diabetes-mellitus>

Wulandari. 2016. Uji Efektivitas Antihiperglikemia Kombinasi Jus Pare (*Momordica charantia L.*) dan Jus Tomat (*Solanum lycopersicum L.*) Pada Tikus Wistar Jantan Dengan Metode Toleransi Glukosa. *Pharm Sci Res* ISSN 2407-2354. Vol.3. No 3.

Wunu, H.U., Beama, C.A. dan Rame, M.M. 2019. *Pengaruh Pemberian Ekstrak Etanol 70% Daun Kirinyuh (Cromolaena odorata L.) terhadap Penurunan Kadar Gula Darah Pada Tikus Putih (Rattus norvegicus L.) Galur Wistar yang Diinduksi Sukrosa*. CHMK Pharmaceutical Scientific Journal, 2(2), pp.62-72.

Yudistira, D.G.E., Lidia, K. and Manafe, D.R.T., 2018. EFEK ANTI DIABETES EKSTRAK ETANOL DAUN SEMAK MERDEKA (*Chromolaena odorata*) TERHADAP PENURUNAN KADAR GLUKOSA DARAH TIKUS PUTIH (*Rattus novergicus*) GALUR SPARGUE DAWLEY. *Cendana Medical Journal (CMJ)*, 6(3), pp.490-498.

Yusuf, H., Yusni, Y., Meutia, F. and Fahriani, M., 2020. Pharmacological Evaluation of Antidiabetic Activity of Chromolaena Odorata Leaves Extract in Streptozotocin-Induced Rats. *Systematic Reviews in Pharmacy*, 11(10), pp.772-778.

Zaccardi, F., Webb, D.R., Yates, T. dan Davies, M.J. 2016. *Pathophysiology of Type 1 and Type 2 Diabetes Mellitus: A 90-year Perspective*. Postgraduate Medical Journal, 92(1084), 63-69.

Zhang Y., Liu D. 2011. Flavonol Kaempferol Improves Chronic Hyperglycemia-Impaired Pancreatic Beta-Cell Viability and Insulin Secretory Function. Eur. J. Pharmacol. 670:325–332. doi: 10.1016/j.ejphar.2011.08.011.

Zhang Z., Ding Y., Dai X., Wang J., Li Y. 2011. Epigallocatechin-3-Gallate Protects Pro-Inflammatory Cytokine Induced Injuries in Insulin-Producing Cells Through The Mitochondrial Pathway. Eur. J. Pharmacol. 670:311–316. doi: 10.1016/j.ejphar.2011.08.033.

Zheng, T., Xie, W., Xu, L., He, X., Zhang, Y., You, M., Yang, G. and Chen, Y., 2017. A machine learning-based framework to identify type 2 diabetes through electronic health records. International journal of medical informatics, 97, pp.120-127.