

DAFTAR PUSTAKA

- Alvionita, F, 2016, ‘Hubungan pola makan dengan *pre menstrual syndrome* pada mahasiswa S1 pendidikan bidan fakultas kedokteran universitas airlangga’, pp. 26–28. nama, ta
- Ann, B. *et al.*, 2013, ‘*A systematic review of the quality , content , and context of breakfast consumption*’. doi: 10.1108/00346651011015953.
- Arble, D. M. *et al.*, 2009, ‘*Circadian timing of food intake contributes to weight gain*’, *Obesity*, 17(11), pp. 2100–2102. doi: 10.1038/oby.2009.264.
- Arief, E. *et al.*, 2011 ‘Konsumsi fast food pada remaja di restoran makasar town square’.
- Ashfaq, R. and Jabeen, S., 2017, ‘*Association between the prevalence of premenstrual syndrome and weight status of adolescent girls*’, 6(1), pp. 4–7. doi: 10.15406/aowmc.2017.06.00140.
- Ashraf Direkvand-Moghadam et al., 2014, ‘*Epidemiology of premenstrual syndrome (PMS)- a systematic review and meta-analysis study*’, pp. 10–13. doi: 10.7860/JCDR/2014/8024.4021.
- Banowati, L., Nugraheni, N. and Puruhita, N., 2011, ‘Risiko konsumsi western fast food dan kebiasaan tidak makan pagi terhadap obesitas remaja studi di SMAN 1 Cirebon’, *Media Medika Indonesiana*, 45(2), pp. 118-124–124.
- Batubara, J. R. L., 2010, ‘*Adolescent development*’, 12(1), pp. 21–29.
- Bertone-Johnson, E. R. *et al.*, 2010, ‘*Adiposity and the development of premenstrual syndrome*’, *Journal of Women’s Health*, 19(11), pp. 1955–1962. doi: 10.1089/jwh.2010.2128.
- Cheng, S. *et al.* 2013., ‘*Factors associated with premenstrual syndrome a survey of new female university students*’, *Kaohsiung Journal of Medical Sciences*, 29(2), pp. 100–105. doi: 10.1016/j.kjms.2012.08.017.
- Cicek, G., 2018, ‘*The effect of regular aerobic exercises on premenstrual syndrome in sedentary women*’, *Baltic journal of Health and Physical Activity*, 10(2), pp. 34–42. doi: 10.29359/bjhpa.10.2.04.
- Connolly, M., 2001, ‘*Premenstrual syndrome: An update on definitions, diagnosis and management*’, *Advances in Psychiatric Treatment*, 7(6), pp. 469–477. doi: 10.1192/apt.7.6.469.

- Dehnavi, M. et al., 2018, ‘*The effect of 8weeks aerobic exercise on severity of physical symptoms of premenstrual syndrome: A clinical trial study*’, *BMC Women’s Health*, 18(1), pp. 1–7. doi: 10.1186/s12905-018-0565-5.
- Devi, M., 2009, ‘Hubungan kebiasaan makan dengan kejadian sindrom pramenstruasi pada remaja putri’, 32(2).
- Dewantari, N. M., 2013, ‘Peranan gizi dalam reproduksi’, *Jurnal Skala Husada*, Vol 10(No.2), p. Hal 219-24. Available at: <http://poltekkes-denpasar.ac.id/files/JSH/V10N2.pdf>.
- Direkvand-Moghadam, A. et al., 2014, ‘*Epidemiology of premenstrual syndrome, a systematic review and meta-analysis study*’, *Journal of Clinical and Diagnostic Research*, 8(2), pp. 106–109. doi: 10.7860/JCDR/2014/8024.4021.
- Eittah, H. F. A., 2014, ‘Effect of breakfast skipping on young females ’ menstruation’, 8.
- El-Lithy, A. et al., 2015, ‘*Effect of aerobic exercise on premenstrual symptoms, haematological and hormonal parameters in young women*’, *Journal of Obstetrics and Gynaecology*, 35(4), pp. 389–392. doi: 10.3109/01443615.2014.960823.
- Estiani, K. and Djokosujono, K., 2020, ‘Hubungan asupan gizi dengan kejadian premenstrual syndrome’, *Jurnal Ilmu Kesehatan Masyarakat*, 9(02), pp. 93–98. doi: 10.33221/jikm.v9i02.523.
- Estiani, K. and Nindya, T. S., 2018, ‘Hubungan status gizi dan asupan magnesium dengan kejadian pre menstrual syndrome (PMS) pada remaja’, pp. 20–26. doi: 10.20473/mgi.v13i1.20.
- Faiqah, S. dan R. S., 2015, ‘Faktor - faktor yang berhubungan dengan pre menstrual syndrome (PMS) pada mahasiswa tingkat II Semester III jurusan kebidanan POLTEKKES KEMENKES MATARAM Syajaratuddur Faiqah, Rita Sopiatun’, I(2), pp. 1486–1494.
- Flora, R., 2015, ‘*Effect anaerobic exercise on the blood lactate levels and myocardium levels in wistar Rats*’, pp. 40–42.
- Fujiwara, T. et al., 2009, ‘*Skipping breakfast adversely affects menstrual disorders in young college students*’, *International Journal of Food Sciences and Nutrition*, 60(SUPPL. 6), pp. 23–31. doi: 10.1080/09637480802260998.
- Fujiwara, T., 2018, ‘*Dietary habits affecting reproductive functions in young women*’, *Obstetrics & Gynecology International Journal*, 9(6), pp. 477–478. doi: 10.15406/ogij.2018.09.00389.

- Giriwijoyo, S., 2005, ‘Pengantar ilmu faal olahraga’, pp. 1–525.
- Giriwijoyo, S. and Kartinanh, N. T., 2009, ‘Ilmu Faal Olahraga’.
- Goon, S. and Islam, S., 2014, ‘*Breakfast skipping and obesity risk among urban adults in*’, 3(1), pp. 15–22.
- Hamranani, D. P. S. dan S. S. titi, 2016, ‘Relaksasi, teknik progresif, otot kecemasan, tingkat awal, remaja syndrome, menstrual jateng , 17 September 2016’, (September), pp. 1–7.
- Hikmah, E., 2015, ‘Pengaruh senam aerobik terhadap kejadian pre menstrual syndrome (PMS) pada mahasiswi jurusan keprawatan tangerang’, 2(November 2015), pp. 123–132.
- Irdiana, W. and Nindya, T. S., 2017, ‘Hubungan kebiasaan sarapan dan asupan zat gizi dengan status gizi siswi SMAN 3 surabaya’, pp. 227–235. doi: 10.20473/amnt.v1.i3.2017.
- Jafarnejad, F. et al., 2016, ‘*Effect of aerobic exercise program on premenstrual syndrome in women of hot and cold temperaments*’, *Journal of Babol University of Medical Sciences*, 18(8), pp. 54–60. doi: 10.22088/jbums.18.8.54.
- Jeneta, J. G., 2016, ‘*Effect of breakfast in body mass index among college going students*’, 8(6), pp. 545–551.
- Julianti, W., Marfuah, D. and Hayati, S. N., 2017, ‘Pengalaman hidup remaja yang mengalami PMS di DI SMK MOCH TOHA CIMAHI p’, 3, pp. 63–71.
- Khademi, A. et al., 2008, ‘*Comparison of prevalence of premenstrual syndrome in swimmer and non-swimmer students: A historical cohort study*’, *Acta Medica Iranica*, 46(4), pp. 307–313.
- Khurshid, R. et al., 2018, ‘*Factors associated with skipping breakfast among Day scholarsand Boarding Adolescent and their effects on their academic performance*’, 12(4), pp. 1706–1709.
- Kristiana, et al, 2020, ‘Hubungan antara pola tidur dan kebiasaan makan junk food dengan kejadian obesitas pada mahasiswa universitas malahayati tahun 2019’, 5(3), pp. 750–761
- Kusumaningtyas, D. N., 2011, ‘Pengaruh senam aerobik intensitas ringan dan sedang terhadap penurunan persentase lemak badan’, *Universitas Muhammadiyah Surakarta*, (September).
- Made, N. and Dewi, S., 2013, ‘Pengaruh dismenorea pada remaja’, pp. 323–329.

- Negi, P., Mishra, A. and Lakhra, P., 2018, ‘*Menstrual abnormalities and their association with lifestyle pattern in adolescent girls of Garhwal , India*’. doi: 10.4103/jfmpc.jfmpc.
- Ningrum, D. et al., 2019, ‘*The relationship among breakfast habits, calorie intake and nutritional status of sumedang government’s nursing academy students*’, *KnE Life Sciences*, 2019, pp. 824–836. doi: 10.18502/cls.v4i13.5342.
- Nisa, F., 2018, ‘Tipe gabungan mendominasi jenis pre menstrual syndrome (PMS) pada Mahasiswi Tingkat I dan II DIII Kebidanan UNUSA’, pp. 33–37.
- Nokes, N., 2009, ‘*Relationship between Physical activity and aerobic fitness*’, *Journal of Sports Medicine and Physical Fitness*, 49(2), pp. 136–141.
- Noor, S. and Norfitri, R., 2015, ‘Perubahan keluhan gejala prahaid dengan senam aerobik’, *Ners*, 10(1).
- Nworie, K. M., 2018, ‘*Premenstrual syndrome: etiology, diagnosis and treatment. A mini literature review*’, *Journal of Obstetrics and Gynecological Investigations*, 1(1), pp. 41–46. doi: 10.5114/jogi.2018.78010.
- Palar, C. M., 2015, ‘Manfaat olahraga aerobik terhadap kebugaran fisik manusia’, 3(April).
- Pertiwi, C., 2016, ‘Hubungan aktivitas olahraga terhadap kejadian sindrom pramenstruasi pada remaja di SMAN 4 jakarta’, (April), p. 120.
- Prativi, G. O. and et al., 2013, ‘*Journal of sport sciences and fitness*’, 2(3), pp. 32–36.
- Purwanto, 2011, ‘Dampak senam aerobik terhadap daya tahan tubuh dan penyakit’, 1, pp. 1–9.
- Putro, K. Z., 2017, ‘Memahami ciri dan tugas perkembangan masa remaja’, 17, pp. 25–32.
- Rahayu, H. M., 2016, ‘Hubungan aktivitas olahraga terhadap kejadian sindrom ramenstruasi pada remaja di SMAN 1 BAYAT KLATEN’, (April), p. 120.
- Ramdani, 2013, ‘*Premenstrual syndrome.*’, *Clinical evidence*, 7(9), pp. 2125–2144.
- Rapkin, A. J. and Akopians, A. L., 2012, ‘*Pathophysiology of premenstrual syndrome and premenstrual dysphoric disorder*’, *Menopause International*, 18(2), pp. 52–59. doi: 10.1258/mi.2012.012014.
- Rouhani, M. H. et al., 2012, ‘*Fast food consumption, quality of diet, and obesity among Isfahanian adolescent girls*’, *Journal of Obesity*, 2012. doi: 10.1155/2012/597924.

- Rudianti, N. dan N., 2015, ‘Hubungan status gizi dan stress dengan kejadian’, XI(1), pp. 41–46.
- Rupa Vani, K. et al., 2013, ‘Menstrual abnormalities in school going girls - Are they related to dietary and exercise pattern?’, *Journal of Clinical and Diagnostic Research*, 7(11), pp. 2537–2540. doi: 10.7860/JCDR/2013/6464.3603.
- Safarzadeh, A. et al., 2016, ‘The relationship between exercise and premenstrual syndrome’, *International Journal of Medical Research & Health Sciences*, 5, pp. 183–189. Available at: www.ijmrhs.com.
- Saglam, H. Y. and Orsal, O., 2020, ‘Complementary therapies in medicine effect of exercise on premenstrual symptoms : A systematic review’, 48(August 2019). doi: 10.1016/j.ctim.2019.102272.
- Samadi, Z., Taghian, F. and Valiani, M., 2013, ‘The effects of 8 weeks of regular aerobic exercise on the symptoms of premenstrual syndrome in non-athlete girls’, 18(1), pp. 14–19.
- Saputra, I. M. W., Nurmawan, S. and Muliarta, M., 2014, ‘Pemberian Senam Aerobik Intensitas Ringan Lebih Menurunkan Presentasi Lemak Subkutan dibandingkan Intensitas Sedang pada Mahasiswi Fisioterapi Fakultas Kedokteran Universitas Udayana’.
- El Sayed, H. H., El-Shafei, M. M. and TOPRAK, L. (2015) ‘Influence of dietary habits of university students on body mass index (BMI) (a Comparative Study Among Egypt and Saudi Arabia and Trkey)’, *Firat Üniversitesi Sosyal Bilimler Dergisi*, 25(2). doi: 10.18069/fusbed.24732.
- Sc, Z. M. M. et al., 2010, ‘The prevalence and severity of premenstrual syndrome (PMS) and Its ’ Associated Signs and Symptoms among College Students nursing- midwifery assistant professor of Medical Science University of Iran assistant professor of Shahid Beheshti medical science’, 4(8), pp. 3005–3009.
- Schusdziarra, V. et al., 2011, ‘Impact of breakfast on daily energy intake - an analysis of absolute versus relative breakfast calories’, pp. 1–8.
- Septiana, P., Nugroho, F. A. and Wilujeng, C. S., 2018, ‘Konsumsi junk food dan serat pada remaja putri overweight dan obesitas yang indekos’, *Jurnal Kedokteran Brawijaya*, 30(1), p. 61. doi: 10.21776/ub.jkb.2018.030.01.11.
- Shahrjooye Haghghi, E. and Koushkie Jahromi, M., 2018, ‘The correlation between some body composition indices and premenstrual syndrome in young females’, *Women’s Health Bulletin*, In Press(In Press), pp. 4–7. doi: 10.5812/whb.83750.
- Sinaga, E. et al., 2015, ‘Manajemen kesehatan menstruasi’, pp. 1–27.

- Sofar, S. M. et al., 2019, ‘*Relations between skipping breakfast, academic performance and body mass index among undergraduate university nursing students*’, 8(4), pp. 32–42. doi: 10.9790/1959-0804053242.s
- Sonia, T. and Larega, P. (2015) ‘Effect Breakfast on The Level of Concentration Adolescents’, 4, pp. 115–121.
- Sudikno and Sanjaya, 2019, ‘Usia menarche perempuan indonesia semakin muda: hasil analisis riskesdas 2010’, *Jurnal kesehatan reproduksi*, 10(2), pp. 163–171. doi: 10.22435/kespro.v10i2.2568.163-171.
- Sumarni, S. et al., 2018, ‘*Menstrual gymnastics on beta endorphins hormone levels and intensity of pain in premenstrual syndrome*’, *Indian Journal of Public Health Research and Development*, 9(6), pp. 80–85. doi: 10.5958/0976-5506.2018.00527.2.
- Sun, J. et al., 2013, ‘*Factors associated with skipping breakfast among Inner Mongolia Medical students in China*’, (September 2014). doi: 10.1186/1471-2458-13-42.
- Sutawinata, A. A., Ayu, D. and Dwi, I., 2017, ‘Hubungan kebiasaan olahraga aerobik terhadap dismenore primer pada mahasiswa 18-24 tahun fakultas kedokteran universitas udayana’, pp. 127–13
- Syafriani, 2018, ‘Hubungan konsumsi *fast food* dan aktivitas fisik dengan kejadian *overweight* pada siswa di SMAN 2 BANGKINANG KOTA tahun 2018’, 2(April), pp. 9–18.
- Taha, Z. and Rashed, A. S., 2017, ‘*The effect of breakfast on academic performance among high school students in abu dhabi*’, *Arab Journal of Nutrition and Exercise (AJNE)*, 2(1), p. 40. doi: 10.18502/ajne.v2i1.1243.
- Tolossa, F. W. and Bekele, M. L., 2014, ‘*Prevalence , impacts and medical managements of premenstrual syndrome among femalestudents : cross-sectional study in college of health sciences , Mekelle University , Mekelle* ’, pp. 1–9.
- UNICEF, 2020, ‘Situasi anak di indonesia - tren, peluang, dan tantangan dalam memenuhi hak-hak anak’, pp. 8–38.
- Utomo, G. T., Junaidi, S. and Rahayu, S., 2012, ‘Latihan senam aerobik untuk menurunkan berat badan’, *Journal of Sport Science and Fitness*, 1(1), pp. 6
- Wandansari, D., 2015, ‘Hubungan antara konsumsi *fast food*, kebiasaan olahraga, faktor genetik dan durasi tidur dengan status gizi lebih pada remaja’, *Repository.Unej.Ac.Id.* Available at: <http://repository.unej.ac.id/handle/123456789/68371>.

- Wijayanti, Y. T. *et al.*, 2015, ‘Analisis faktor yang berhubungan dengan kejadian’, VIII(2), pp. 1–7.
- Wulandari, A., 2018, ‘Karakteristik pertumbuhan perkembangan remaja dan implikasinya terhadap masalah kesehatan dan keperawatannya’, pp. 39–43.
- Yin, X. *et al.*, 2009, ‘*Ghrelin fluctuation , what determines its production ? Transcriptional Regulation of Ghrelin Post-translational Modification of Ghrelin Precursor Protein*’, 41(3), pp. 188–197. doi: 10.1093/abbs/gmp001.Review.
- Zaka, M. and Mahmood, K. T., 2012, ‘Pre menstruan syndrome - A Review’, 4(1), pp. 1684–1691.
- Zuhana, N. and Suparni, 2016, ‘Hubungan usia *menarche* dengan kejadian sindrom premenstruasi di SMP Negeri I sragi kabupaten pekalongan tahun 2016’, pp. 17–26.