

DAFTAR PUSTAKA

- Adewuyi, E. O. dan Zhao, Y. 2016, “Determinants of neonatal mortality in rural and urban Nigeria: Evidence from a population-based national survey,” *Japan Pediatric Society*, 59(2), hal. 1–11. doi: 10.1111/ped.13086.
- Ajaari, J. *et al.* 2012, “Impact of Place of Delivery on Neonatal Mortality in Rural Tanzania,” *International Journal of MCH and AIDS (IJMA)*, 1(1), hal. 49–59. doi: 10.21106/ijma.10.
- Alifariki, L. O., Kusnan, A. dan Rangki, L. 2019, “Faktor determinan proksi kejadian kematian neonatus di wilayah kerja Dinas Kesehatan Kabupaten Buton Utara,” *Berita Kedokteran Masyarakat*, 35(4), hal. 131–138.
- Andegiorgish, A. K. *et al.* 2020, “Neonatal mortality and associated factors in the specialized neonatal care unit Asmara, Eritrea,” *BMC Public Health*. *BMC Public Health*, 20(1), hal. 1–9. doi: 10.1186/s12889-019-8118-x.
- Azizah, I. dan Handayani, O. K. 2017, “Kematian Nonatal Di Kabupaten Grobogan,” *Higeia : Journal of Public Health*, 1(4), hal. 72–85. Tersedia pada: <http://journal.unnes.ac.id/sju/index.php/higeia>.
- Bangun, I. F., Abdiana, A. dan Edison, E. 2019, “Faktor Risiko Kematian Neonatal di Kabupaten Kepulauan Mentawai,” *Jurnal Endurance*, 4(1), hal. 26. doi: 10.22216/jen.v4i1.3641.
- Basyadi, A. M. dan Martawardaya, B. 2020, *No More Grieving Parents : Determinant of Neonatal Death in No More Grieving Parents : Determinant of Neonatal Death in Indonesia*. 2. Jakarta.
- Bintang, S. *et al.* 2018, “Hubungan Kelahiran Kembar Dengan Kematian Neonatal Di Indonesia: Analisis Data Sdki 2012,” *Jurnal Kesehatan Reproduksi*, 9(2), hal. 87–97. doi: 10.22435/kespro.v9i2.906.87-97.
- BKKBN 2017, “Survei Demografi dan Kesehatan Indonesia 2017,” *Badan Kependudukan dan Keluarga Berencana Nasional*, hal. 125–127.
- BPS 2017, *Angka Kematian Neonatal (AKN) Dan Angka Kematian Bayi Per 1000 Kelahiran Menurut Provinsi 2012-2017*, *Badan Pusat Statistik*. Tersedia pada: <https://www.bps.go.id/indicator/30/1383/1/angka-kematian-neonatal-akn-dan-angka-kematian-bayi-per-1000-kelahiran-menurut-provinsi.html> (Diakses: 6 April 2021).
- Camacho, A., Spearman, P. dan Stoll, B. 2013, “Neonatal Infectious Diseases: Evaluation of Neonatal Sepsis,” *Pediatric clinics of North America*, 60(2),

hal. 367–89. doi: 10.1016/j.pcl.2012.12.003.Neonatal.

CDC 1997, *State definitions and reporting requirements for live births, fetal deaths, and induced terminations of pregnancy (1997 revision)*. Maryland: National Center for Health Statistics. Tersedia pada: <https://www.cdc.gov/nchs/data/misc/itop97.pdf>.

Elida, S. *et al.* 2019, “The Influence of Maternal Age, Parity and Education on Infant Mortality in West Aceh Regency,” *J-Kesmas: Jurnal Fakultas Kesehatan Masyarakat (The Indonesian Journal of Public Health)*, 6(2), hal. 80–86. doi: 10.35308/j-kesmas.v6i2.1188.

Fonseca, S. C. *et al.* 2017, “Maternal education and age: inequalities in neonatal death,” *Revista de saude publica*, 51(94), hal. 1–7. doi: 10.11606/S1518-8787.2017051007013.

Handayani, S. dan Walandari, L. 2019, “Hubungan Pengetahuan dan Sikap Ibu Terhadap Kunjungan Neonatal,” *Babul Ilmi_Jurnal Ilmiah Multi Science Kesehatan*, 11, hal. 35–43. Tersedia pada: <https://jurnal.stikes-aisyiyah-palembang.ac.id/index.php/Kep/article/download/253/231>.

Ibor, E. K. *et al.* 2020, “Predictors of neonatal mortality in a tertiary institution of a developing country,” *Iranian Journal of Neonatology*, 11(4), hal. 9–13. doi: 10.22038/ijn.2020.47649.1815.

Kementerian Kesehatan RI 2015, *Buku Ajar Kesehatan Ibu dan Anak, Departemen Kesehatan Republik Indonesia*. Jakarta: Pusat Pendidikan dan Pelatihan Tenaga Kesehatan.

Kementrian Kesehatan RI 2020, “Indikator Program Kesehatan Masyarakat Dalam Rpjmn Dan Renstra Kementerian Kesehatan Tahun 2020-2024,” *Kemendes RI*.

Kibria, G. M. Al *et al.* 2018, “Determinants of neonatal mortality in Ethiopia: An analysis of the 2016 Ethiopia demographic and health survey,” *Globalization and Health*. *Globalization and Health*, 214(47), hal. 1–12. doi: 10.4314/ahs.v20i2.23.

Laksono, A. D. dan Wulandari, R. D. 2020, “Understanding neonatal death in urban area in indonesia,” *Medico-Legal Update*, 20(2), hal. 825–829. doi: 10.37506/mlu.v20i2.1218.

Lemeshow, S. *et al.* 1990, “Adequacy of Sample Size in Health Studies.,” *World Health Organization*. doi: 10.2307/2532527.

Lengkong, G. T., Langi, F. L. F. G. dan Posangi, J. 2020, “Faktor Fator Yang Berhubungan Dengan Kematian Bayi Di Indonesia,” *Jurnal Kesmas*, 9(4), hal. 41–47.

Mochtar Ghaffar Ramadhan, 2021

FAKTOR-FAKTOR TERJADINYA KEMATIAN NENATAL DI INDONESIA (ANALISIS DATA SDKI 2017)

UPN Veteran Jakarta, Fakultas Ilmu Kesehatan, Program Studi Kesehatan Masyarakat Program Sarjana

[www.upnvj.ac.id – www.library.upnvj.ac.id – www.repository.upnvj.ac.id]

- Limaso, A. A., Dangisso, M. H. dan Hibstu, D. T. 2020, "Neonatal survival and determinants of mortality in Aroresa district, Southern Ethiopia: A prospective cohort study," *BMC Pediatrics*. BMC Pediatrics, 20(1), hal. 1–8. doi: 10.1186/s12887-019-1907-7.
- Lolong, D. B. dan Pangaribuan, L. 2015, "Hubungan Kunjungan K4 dengan Kematian Neonatal Dini di Indonesia (Analisis Lanjut Data Riskesdas 2013)," *Media Litbangkes*, 3(3), hal. 139–146.
- Mafticha, E. 2016, "Faktor yang Mempengaruhi Kejadian Kematian Neonatal di Indonesia," *Hospital Majapahit*, 8(2), hal. 42–53.
- Masitoh, S., Theresia dan Karningsih 2014, "Asfiksia Faktor Dominan Penyebab Kematian Neonatal," *Jurnal Ilmu dan Teknologi Kesehatan*, 1(2), hal. 163–168. Tersedia pada: <http://ejurnal.poltekkesjakarta3.ac.id/index.php/jitek/article/view/154>.
- Miyahara, R. *et al.* 2016, "The large contribution of twins to neonatal and post-neonatal mortality in The Gambia, a 5-year prospective study," *BMC Pediatrics*. BMC Pediatrics, 16(39), hal. 1–8. doi: 10.1186/s12887-016-0573-2.
- Mosley, W. H. dan Chen, L. C. 1984, "An Analytical Framework For The Study of Child Survival in Developing Countries," *Population and Development Review*, hal. 25–45. doi: 10.1590/S0042-96862003000200012.
- Mutia, M. S. 2018, "Faktor Resiko Kematian Perinatal Di Rsud Dr Pirngadi Medan," *Jurnal Penelitian Pendidikan Mipa*, 3(1), hal. 208–216. Tersedia pada: <http://www.umnaw.ac.id/jurnal/index.php/ojs/article/view/152>.
- National Institute of Health 2021a, *Birth Weight, MedlinePlus*. Tersedia pada: <https://medlineplus.gov/birthweight.html> (Diakses: 19 April 2021).
- National Institute of Health 2021b, *Neonate: MedlinePlus Medical Encyclopedia, MedlinePlus*. Tersedia pada: <https://medlineplus.gov/ency/article/002271.htm> (Diakses: 19 April 2021).
- Ngoyo, M. F. 2015, "Mengawal Sustainable Development Goals (SDGs); Meluruskan Orientasi Pembangunan yang Berkeadilan," *SosioReligius*, 1(1), hal. 77–88. Tersedia pada: <http://journal.uin-alauddin.ac.id/index.php/SosioReligius/article/view/4525>.
- Notoatmodjo, S. 2018, *Metodologi Penelitian Kesehatan*. Jakarta: Rineka Cipta.
- Oot, L. *et al.* 2015, "Estimating the Effect of Suboptimal Breastfeeding Practices on Child Mortality: A Model in PROFILES for Country-Level Advocacy." Washington DC: Food and Nutrition Technical Assistance III Project

(FANTA).

- Pongpanich, S. *et al.* 2016, “Skilled birth attendance in Balochistan, Pakistan,” *Asian Biomedicine*, 10(1), hal. 25–34. doi: 10.5372/1905-7415.1001.461.
- Rachmadian, A. P., Shodikin, M. A. dan Komariah, C. 2018, “Faktor-Faktor Risiko Kematian Bayi Usia 0-28 Hari di RSD dr. Soebandi Kabupaten Jember,” *Journal of Agromedicine and Medical Sciences*, 4(2), hal. 59–65.
- Rini, D. S. dan Puspitasasri, N. 2014, “Hubungan Status Kesehatan Neonatal Dengan Kematian Bayi,” *Jurnal Biometrika dan Kependudukan*, 3(1), hal. 73–80.
- Rofiqoch, I., Effendi, J. S. dan Bratakoesoema, D. S. 2016, “Hubungan Umur Ibu, Paritas dan Penolong Persalinan dengan Kematian Neonatal di Wilayah Kerja Puskesmas Kabupaten Banjarnegara tahun 2013,” *Jurnal Kesehatan Reproduksi*, 3(1), hal. 60. doi: 10.22146/jkr.36193.
- Sauvarin, J. 2006, “Maternal and Neonatal health in East and South-East Asia,” *United Nations Population Fund*, hal. 1–37.
- Smith, C. *et al.* 2019, “Maternal and Perinatal Morbidity and Mortality Associated with Anemia in Pregnancy,” *Obstetrics and Gynecology*, 134(6), hal. 1234–1244. doi: 10.1097/AOG.0000000000003557.
- Soleman, S. R. 2020, “The Trends of Neonatal Mortality Rate Among South East Asia Countries from 2000-2017,” *Disease Prevention and Public Health Journal*, 14(2), hal. 90. doi: 10.12928/dpphj.v14i2.1912.
- Sukamti, S. dan Riono, P. 2015, “Pelayanan Kesehatan Neonatal Berpengaruh Terhadap Kematian Neonatal di Indonesia (Analisis Data Riskesdas 2010),” *Jurnal Ilmu dan Teknologi Kesehatan*, 2(2), hal. 11–19. Tersedia pada: <http://www.ejurnal.poltekkesjakarta3.ac.id/index.php/JITEK/article/view/87/80>.
- Tidy, C. 2019, *Gravidity and Parity Definitions (Implications in Risk Assessment), Patient*. Tersedia pada: <https://patient.info/doctor/gravidity-and-parity-definitions-and-their-implications-in-risk-assessment> (Diakses: 19 April 2021).
- Trisnawati, Y., Purwanti, S. dan Retnowati, M. 2016, “Studi Deskriptif Pengetahuan Dan Sikap Ibu Hamil Tentang Gizi 1000 Hari Pertama Kehidupan Di Puskesmas Sokaraja Kabupaten Banyumas,” *Jurnal Kebidanan*, 8(02), hal. 175–182. doi: 10.35872/jurkeb.v8i02.218.
- UNDP 2021, *Goal 3: Good health and well-being, United Nation Development Programme*. Tersedia pada: <https://www.undp.org/content/undp/en/home/sustainable-development->

goals/goal-3-good-health-and-well-being.html#targets (Diakses: 11 April 2021).

UNICEF 2019a, *Neonatal mortality, UNICEF*. Tersedia pada: <https://data.unicef.org/topic/child-survival/neonatal-mortality/> (Diakses: 19 April 2021).

UNICEF 2019b, *Neonatal mortality - UNICEF DATA, UNICEF*. Tersedia pada: <https://data.unicef.org/topic/child-survival/neonatal-mortality/> (Diakses: 6 April 2021).

UNICEF 2021, *The first 1,000 days of life: The brain's window of opportunity, UNICEF*. Tersedia pada: <https://www.unicef-irc.org/article/958-the-first-1000-days-of-life-the-brains-window-of-opportunity.html> (Diakses: 6 April 2021).

University of Rochester Medical Center 2021, *Low Birth Weight - Health Encyclopedia - University of Rochester Medical Center, University of Rochester Medical Center*. Tersedia pada: <https://www.urmc.rochester.edu/encyclopedia/content.aspx?contenttypeid=90&contentid=p02382> (Diakses: 13 Juli 2021).

USAID 2021, *Neonatal mortality rate (NMR), Data for Impact of United States Agency for International Development*. Tersedia pada: <https://www.data4impactproject.org/prh/womens-health/newborn-health/neonatal-mortality-rate-nmr/> (Diakses: 12 April 2021).

WHO 2011, "Haemoglobin concentrations for the diagnosis of anaemia and assessment of severity," *World Health Organization*, hal. 1–6. doi: 2011.

WHO 2019a, *Early initiation of breastfeeding, World Health Organization*. Tersedia pada: https://www.who.int/elena/titles/commentary/early_breastfeeding/en/ (Diakses: 19 April 2021).

WHO 2019b, *Newborns: improving survival and well-being, World Health Organization*. Tersedia pada: <https://www.who.int/news-room/fact-sheets/detail/newborns-reducing-mortality> (Diakses: 6 April 2021).

WHO 2021a, *Anaemia, World Health Organization*. Tersedia pada: https://www.who.int/health-topics/anaemia#tab=tab_1 (Diakses: 19 April 2021).

WHO 2021b, *Global Nutrition Targets 2025: Low birth weight policy brief, World Health Organization*. Tersedia pada: https://www.who.int/nutrition/publications/globaltargets2025_policybrief_1bw/en/ (Diakses: 19 April 2021).

WHO 2021c, *Neonatal mortality rate (per 1000 live births)*, *World Health Organisation*. Tersedia pada: <https://www.who.int/data/gho/indicator-metadata-registry/imr-details/67> (Diakses: 12 April 2021).

World Bank 2019, *Mortality rate, neonatal (per 1,000 live births) - Indonesia / Data, World Bank*. Tersedia pada: <https://data.worldbank.org/indicator/SH.DYN.NMRT?end=2019&locations=ID&start=2013> (Diakses: 6 April 2021).

Yi, B. *et al.* 2011, “Rural-urban differences of neonatal mortality in a poorly developed province of China,” *BMC Public Health*, 11, hal. 7–12. doi: 10.1186/1471-2458-11-477.

Yu, T. H., Matthes, N. dan Wei, C. J. 2018, “Can urban-rural patterns of hospital selection be changed using a report card program. A nationwide observational study,” *International Journal of Environmental Research and Public Health*, 15(9). doi: 10.3390/ijerph15091827.