

## DAFTAR PUSTAKA

- Costa, M. E. F., Fonseca, J. B., de Oliveira, A. I. S., Cabral, K. D. de A., de Araújo, M. D. G. R., & Ferreira, A. P. de L. 2020. Prevalence and factors associated with injuries in recreational runners: A cross-sectional study. *Revista Brasileira de Medicina Do Esporte*, 26(3), 215–219. <https://doi.org/10.1590/1517-869220202603190923>
- Dimyati, A. 2017. ISSN 2527-760X ( Print ) ISSN 2528-584X ( Online ) *PENGEMBANGAN MODEL PERMAINAN ATLETIK ANAK DALAM PEMBELAJARAN GERAK DASAR LARI BAGI SISWA* Ahmad Dimyati Universitas Singaperbangsa Karawang Email : akhmad.dimyati@fkip.unsika.ac.id Journal Sport Area Penj. 19–26.
- Finch, H. S. C. F., & Nielsen, E. T. P. R. O. 2017. A framework for the etiology of running-related injuries. March, 1170–1180. <https://doi.org/10.1111/sms.12883>
- Folland, J. P., Allen, S. J., Black, M. I., Handsaker, J. C., & Forrester, S. E. 2017. Running Technique is an Important Component of Running Economy and Performance. *Medicine and Science in Sports and Exercise*, 49(7), 1412–1423. <https://doi.org/10.1249/MSS.0000000000001245>
- Hespanhol Junior, L. C., Costa, L. O. P., Carvalho, A. C. A., & Lopes, A. D. 2012. A description of training characteristics and its association with previous musculoskeletal injuries in recreational runners: a cross-sectional study. *Revista Brasileira de Fisioterapia*, 16(ahead), 0–0. <https://doi.org/10.1590/s1413-3555201200500005>
- Hidayat, R., Ratimiasih, Y., & Wiyanto, A. 2016. *Laporan penelitian dosen pemula judul penelitian. November.*
- Kluitenberg, B., van der Worp, H., Huisstede, B. M. A., Hartgens, F., Diercks, R., Verhagen, E., & van Middelkoop, M. 2016. The NLstart2run study: Training-related factors associated with running-related injuries in novice runners. *Journal of Science and Medicine in Sport*, 19(8), 642–646. <https://doi.org/10.1016/j.jsams.2015.09.006>
- Lee, D. chul, Brellenthin, A. G., Thompson, P. D., Sui, X., Lee, I. M., & Lavie, C. J. 2017. Running as a Key Lifestyle Medicine for Longevity. *Progress in Cardiovascular Diseases*, 60(1), 45–55. <https://doi.org/10.1016/j.pcad.2017.03.005>
- Malisoux, L., Ramesh, J., Mann, R., Seil, R., Urhausen, A., & Theisen, D. 2015. Can parallel use of different running shoes decrease running-related injury risk? *Scandinavian Journal of Medicine and Science in Sports*, 25(1), 110–115. <https://doi.org/10.1111/sms.12154>

- Malisoux, Laurent, Delattre, N., Urhausen, A., & Theisen, D. 2017. Shoe cushioning, body mass and running biomechanics as risk factors for running injury: A study protocol for a randomised controlled trial. *BMJ Open*, 7(8), 1–7. <https://doi.org/10.1136/bmjopen-2017-017379>
- Mellinger, S., & Neurohr, G. A. 2019. Evidence based treatment options for common knee injuries in runners. *Annals of Translational Medicine*, 7(S7), S249–S249. <https://doi.org/10.21037/atm.2019.04.08>
- Messier, S. P., Legault, C., Schoenlank, C. R., Newman, J. J., Martin, D. F., & Devita, P. 2008. Risk factors and mechanisms of knee injury in runners. *Medicine and Science in Sports and Exercise*, 40(11), 1873–1879. <https://doi.org/10.1249/MSS.0b013e31817ed272>
- Mulvad, B., Nielsen, R. O., Lind, M., & Ramskov, D. 2018. Diagnoses and time to recovery among injured recreational runners in the RUN CLEVER trial. *PLoS ONE*, 13(10), 1–11. <https://doi.org/10.1371/journal.pone.0204742>
- Nielsen, R. O., Buist, I., Parner, E. T., Nohr, E. A., Sørensen, H., Lind, M., & Rasmussen, S. 2014. Foot pronation is not associated with increased injury risk in novice runners wearing a neutral shoe: A 1-year prospective cohort study. *British Journal of Sports Medicine*, 48(6), 440–447. <https://doi.org/10.1136/bjsports-2013-092202>
- Novacheck, T. F. 1998. The biomechanics of running. *Gait and Posture*, 7(1), 77–95. [https://doi.org/10.1016/S0966-6362\(97\)00038-6](https://doi.org/10.1016/S0966-6362(97)00038-6)
- Putra, S. R. W. 2017. Hubungan Vo2 Maksimal Dan Kekuatan Otot Hamstring Terhadap Ketahanan Lari 400 Meter Pada Atlet Lari Di Kota Semarang. *Undergraduate Thesis, UNIMUS*.
- Rangel, G. M. M., & De Farias, J. M. 2016. Incidência de lesões em praticantes de corrida de rua no município de criciúma, Brasil. *Revista Brasileira de Medicina Do Esporte*, 22(6), 496–500. <https://doi.org/10.1590/1517-869220162206128114>
- Sari, A., Yuni Lestari, N., & Aryani Perwitasari, D. 2015. Validasi ST European Quality Of Life-5 Dimensions (EQ-5D) Versi Indonesia Pada Pasien Hipertensi Di Puskesmas Kotagede II Yogyakarta. *Pharmaciana*, 5(2). <https://doi.org/10.12928/pharmaciana.v5i2.2483>
- Treatment, R. 2008. *Running Injuries: Etiology and Recovery-Based Treatment*. 2007.
- Van Gent, R. N., Siem, D., Van Middelkoop, M., Van Os, A. G., Bierma-Zeinstra, S. M. A., & Koes, B. W. 2007. Incidence and determinants of lower extremity running injuries in long distance runners: A systematic review. *British Journal of Sports Medicine*, 41(8), 469–480.

<https://doi.org/10.1136/bjsm.2006.033548>

Verhagen, E. 2012. Prevention of running-related injuries in novice runners: Are we running on empty? *British Journal of Sports Medicine*, 46(12), 836–837.  
<https://doi.org/10.1136/bjsports-2012-091505>

Videbæk, S., Bueno, A. M., Nielsen, R. O., & Rasmussen, S. 2015. Incidence of Running-Related Injuries Per 1000 h of running in Different Types of Runners: A Systematic Review and Meta-Analysis. *Sports Medicine*, 45(7), 1017–1026. <https://doi.org/10.1007/s40279-015-0333-8>