

## DAFTAR PUSTAKA

- Cabanas-Valdés, R., Bagur-Calafat, C., Girabent-Farrés, M., Caballero-Gómez, F. M., Du Port De Pontcharra-Serra, H., German-Romero, A., & Urrútia, G. 2017. Long-term follow-up of a randomized controlled trial on additional core stability exercises training for improving dynamic sitting balance and trunk control in stroke patients. *Clinical Rehabilitation*, 31(11), 1492–1499. <https://doi.org/10.1177/0269215517701804>
- Cabanas-Valdés, R., Bagur-Calafat, C., Girabent-Farrés, M., Caballero-Gómez, F. M., Hernández-Valiño, M., & Urrútia Cuchí, G. 2016. The effect of additional core stability exercises on improving dynamic sitting balance and trunk control for subacute stroke patients: A randomized controlled trial. *Clinical Rehabilitation*, 30(10), 1024–1033. <https://doi.org/10.1177/0269215515609414>
- Cashin, A. G., & McAuley, J. H. 2020. Clinimetrics: Physiotherapy Evidence Database (PEDro) Scale. *Journal of Physiotherapy*, 66(1), 59. <https://doi.org/10.1016/j.jphys.2019.08.005>
- Chung, E. J., Kim, J. H., & Lee, B. H. 2013. The effects of core stabilization exercise on dynamic balance and gait function in stroke patients. *Journal of Physical Therapy Science*, 25(7), 803–806. <https://doi.org/10.1589/jpts.25.803>
- Dharma, KK 2018, *Pemberdayaan Keluarga Untuk Mengoptimalkan Kualitas Hidup Pasien Paska Stroke*, Deepublish, Yogyakarta
- Dhawale, D. T., Yeole, D. U., & Pawar, A. 2018. Effect of Trunk Control Exercises on Balance and Gait in Stroke Patients-Randomized Control Trial. *International Journal of Physical Education, Sports and Health*, 5(6), 15–18.
- El-Nashar, H., Elwisy, A., Helmy, H., & El-Rwainy, R. 2019. Do core stability exercises improve upper limb function in chronic stroke patients? *Egyptian Journal of Neurology, Psychiatry and Neurosurgery*, 55(1), 1–9. <https://doi.org/10.1186/s41983-019-0087-6>
- Haruyama, K., Kawakami, M., & Otsuka, T. 2017. Effect of Core Stability Training on Trunk Function, Standing Balance, and Mobility in Stroke Patients: A Randomized Controlled Trial. *Neurorehabilitation and Neural Repair*, 31(3), 240–249. <https://doi.org/10.1177/1545968316675431>
- IFI. 2016. *Pengertian Fisioterapi*. diakses 15 Januari 2021 <https://ifi.or.id/Pengertian FT.html>
- Junaidi, I. 2011. *Stroke Waspada! Ancamannya*, Penerbit ANDI, Yogyakarta
- Karnati, VN & Reddy, SK. 2015. 'Core Stabilization Program And Conventional

Exercises In The Patients With Low Back Pain-A Comparative Study'  
*International Journal of Physiotherapy*, Vol 2 (1), 352-360.

Kemenkes. 2018. *HASIL UTAMA RISKESDAS 2018*. diakses 14 Januari 2021

Kharismawan, P. M., Kuswardhani, R. T., -, W., Sagung Sawitri, A. A., Adiputra, I. N., & Lesmana, S. I. 2019. Penambahan Perturbation Training Pada Core Stability Exercise Lebih Baik Daripada Core Stability Exercise Dalam Peningkatan Keseimbangan Lansia Di Mengwi-Badung. *Sport and Fitness Journal*, 001, 11–18. <https://doi.org/10.24843/spj.2019.v07.i02.p02>

Lingga, L. 2013. *All About Stroke Hidup Sebelum dan Pasca Stroke*, PT Gramedia, Jakarta

Prasetijo, D. H. 2013. *Pengaruh Core Stability Exercise Dibandingkan Dengan Terapi Latihan Konvensional Pada Penderita Stroke Terhadap Keseimbangan Berjalan*. <http://ir.obihiro.ac.jp/dspace/handle/10322/3933>

Ridwan, M. 2017. *Mengenal, Mencegah, & Mengatasi Silent Killer Stroke*, Romawi Pustaka, Yogyakarta

Sufiya, Z. 2017. *Pengaruh Core Stability Exercises Dengan Metode Bobath Terhadap Keseimbangan Pada Pasien Stroke Di Poli Irm Rsud Salatiga*. 1–9.

Sun, X., Gao, Q., Dou, H., & Tang, S. 2016. Which is better in the rehabilitation of stroke patients, core stability exercises or conventional exercises? *Journal of Physical Therapy Science*, 28(4), 1131–1133. <https://doi.org/10.1589/jpts.28.1131>

TAMA, C. R. S. 2011. *Perbedaan Core Stability Exercise Dan Compelled Body Weight Shifting Exercise Terhadap Peningkatan Keseimbangan Pasien Hemiparese Paska Stroke*. 1–15.

Van Nes, I. J. W., Nienhuis, B., Latour, H., & Geurts, A. C. H. 2008. Posturographic assessment of sitting balance recovery in the subacute phase of stroke. *Gait and Posture*, 28(3), 507–512. <https://doi.org/10.1016/j.gaitpost.2008.03.004>

WHO. 2020. *World Stroke Day*. diakses 14 Januari 2021  
<https://www.who.int/southeastasia/news/speeches/detail/world-stroke-day>

Wowiling, P. E., Sengkey, L. S., & Lolombulan, J. H. 2016. Pengaruh latihan core-strengthening terhadap stabilitas trunkus dan keseimbangan pasien pasca stroke. *Jurnal Biomedik (Jbm)*, 8(1). <https://doi.org/10.35790/jbm.8.1.2016.12334>

Yu, S.-H., & Park, S.-D. 2013. The effects of core stability strength exercise on muscle activity and trunk impairment scale in stroke patients. *Journal of Exercise Rehabilitation*, 9(3), 362–367. <https://doi.org/10.12965/jer.130042>

Yuliana, S., Adiatmika, I. P. G., Irfan, M., & Al Hazmi, D. F. D. I. 2014. Pelatihan Kombinasi Core Stability Exercise Dan Ankle Strategy Exercise Tidak Lebih Meningkatkan Keseimbangan Statis Pada Mahasiswa S1 Fisioterapi Stikes ‘Aisyiyah Yogyakarta Sri. *Sport and Fitnes Journal*, 2(2), 63–73.