

DAFTAR PUSTAKA

- Abdelmoaty, M. A. *et al.* (2010) ‘Confirmatory studies on the antioxidant and antidiabetic effect of quercetin in rats’, *Indian Journal of Clinical Biochemistry*, 25(2), p. 188. doi: 10.1007/S12291-010-0034-X.
- Adha, S. A., Febriyanti, R. M. and Milanda, T. (2019) ‘POTENSI SAMBILOTO SEBAGAI OBAT ANTIDIABETES BERBASIS HERBAL’, *Medical Sains : Jurnal Ilmiah Kefarmasan*, 4(1), pp. 7–12. doi: 10.37874/MS.V4I1.118.
- Aligita, W. *et al.* (2016) ‘Antidiabetic study of combination of Andrographis paniculata (Burm. F.) Wallich. Ex Ness. Herbs extract and Guazuma ulmifolia Lamk. Leaves extract in obese’, *researchgate.net*. Available at: https://www.researchgate.net/profile/Elin-Sukandar/publication/290450155_Antidiabetic_study_of_combination_of_andrographis_paniculata_Burm_F_wallich_ex_nees_herbs_extract_and_guazuma_ulmifolia_lamk_leaves_extract_in_obese_diabetic_mice_model/links/56a35c8 (Accessed: 8 August 2021).
- Aligita, W., Kurniati, N. F. and Sukandar, E. Y. (2016) ‘Antidiabetic study of combination of andrographis paniculata (Burm. F.) wallich. ex nees. herbs extract and guazuma ulmifolia lamk. leaves extract in obese diabetic mice model’, *International Journal of Pharmacy and Pharmaceutical Sciences*, 8(1), pp. 316–320.
- Anwar, K. *et al.* (2017) ‘Blood glucose reduction of combination of Andrographis paniculata (Burm.f) Ness and Morinda citrifolia L. ethanolic extract in neonatal streptozotocin-induced Type 2 diabetes mellitus rats’, *International Food Research Journal*, 5(24), pp. 2153–2160. Available at: <https://web.a.ebscohost.com/abstract?site=ehost&scope=site&jrnl=19854668&AN=126076615&h=0AjK9XWX6cMOBJe%2FBuSC7SSCCOEn4bYRUyIYHLx6N%2BulP0bi9o58YU7LO5ae%2BDeBc2SThnPeP0qQctPggy38vw%3D%3D&crl=c&resultLocal=ErrCrlNoResults&resultNs=Ehost&crlhashurl=login.as> (Accessed: 21 July 2021).
- Aprillia, P., Nur, C. I. and Safitri, H. (2020) ‘Seminar Nasional Pendidikan Biologi dan Saintek (SNPBS) ke-V 2020 | 553 UJI AKTIVITAS ANTIDIABETES KOMBINASI EKSTRAK HERBA SAMBILOTO DAN DAUN SIRIH HIJAU PADA MENCIT’, *Seminar Nasional Pendidikan Biologi dan Saintek (SNPBS) ke-V 2020*.
- Ariastuti, R. *et al.* (2020a) ‘Antidiabetes of Combination of Fractionated-extracts of Andrographis paniculata and Centella asiatica in Neonatal Streptozotocin-induced Diabetic Rats’, *Indonesian Journal of Pharmacy*, 31(4), pp. 312–322. doi: 10.22146/IJP.1135.
- Ariastuti, R. *et al.* (2020b) ‘Antidiabetes of Combination of Fractionated-extracts

- of *Andrographis paniculata* and *Centella asiatica* in Neonatal Streptozotocin-induced Diabetic Rats', *Indonesian Journal of Pharmacy*, 31(4), pp. 312–322. doi: 10.22146/IJP.1135.
- Azlan, A. and Luayyou,* (2013) *Mechanisms of Action of Andro*, *European International Journal of Science*. Available at: www.cekinfo.org.uk/EIJST (Accessed: 17 June 2021).
- Babu, S. and Jayaraman, S. (2020) 'An update on β-sitosterol: A potential herbal nutraceutical for diabetic management', *Biomedicine & Pharmacotherapy*, 131, p. 110702. doi: 10.1016/J.BIOPHA.2020.110702.
- Boland, A., Cherry, M. G. and Dickson, R. (2017) *Doing a Systematic Review*. 2nd edn. Edited by M. Steele. London: SAGE Publications Ltd.
- Brunton, L. L., Hilal-Dandan, R. and Knollmann, B. C. (eds) (2018) *Goodman & Gilman's The Pharmacological Basis of Therapeutics*. 13th edn. McGraw-Hill Education.
- Decroli, E. (2019) *DIABETES MELITUS TIPE 2*. 1st edn. Edited by A. Kam et al. Padang: Pusat Penerbitan Bagian Ilmu Penyakit Dalam Fakultas Kedokteran Universitas Andalas.
- DeFronzo, R. A. *et al.* (eds) (2015) *International Textbook of Diabetes Mellitus*. 4th edn. WILEY Blackwell.
- EC, W. *et al.* (2019) 'Phytochemical screening and preliminary clinical trials of the aqueous extract mixture of *Andrographis paniculata* (Burm. f.) Wall. ex Nees and *Syzygium polyanthum* (Wight.) Walp leaves in metformin treated patients with type 2 diabetes', *Phytomedicine: international journal of phytotherapy and phytopharmacology*, 55, pp. 137–147. doi: 10.1016/J.PHYMED.2018.07.002.
- Enzo Bonora; Ralph A. DeFronzo (2018) *Diabetes. Epidemiology, Genetics, Pathogenesis, Diagnosis, Prevention, and Treatment*, Springer.
- Fatmawati, A., Bachri, M. S. and Nurani, L. H. (2019) 'Combination Effects of *Moringa oleifera* Leaf Ethanol Extract and *Andrographis paniculata* Herb on Blood Glucose Levels and Pancreas Histopathology of Diabetic Rats Induced by Streptozotocin', *Majalah Obat Tradisional*, 24(2), pp. 85–90. doi: 10.22146/MOT.39401.
- Favor, C. *et al.* (2020) 'Hypoglycaemic Activity of *Andrographis paniculata* Crude Extract'. Available at: <http://www.ijser.org> (Accessed: 27 July 2021).
- Gardner, D. G. and Shoback, D. (2018) *Greenspan's Basic & Clinical Endocrinology 10th Edition*, McGraw-Hill.
- Hossain, M. S. *et al.* (2014) 'Andrographis paniculata (Burm. f.) Wall. ex Nees: A

- review of ethnobotany, phytochemistry, and pharmacology', *Scientific World Journal*, 2014. doi: 10.1155/2014/274905.
- Jaiyesimi, K. F. et al. (2020) 'Polyphenolic-rich extracts of Andrographis paniculata mitigate hyperglycemia via attenuating β -cell dysfunction, pro-inflammatory cytokines and oxidative stress in alloxan-induced diabetic Wistar albino rat', *Journal of Diabetes and Metabolic Disorders*, 19(2), pp. 1543–1556. doi: 10.1007/S40200-020-00690-2.
- Jayakumar, T. et al. (2013) 'Experimental and clinical pharmacology of andrographis paniculata and its major bioactive phytoconstituent andrographolide', *Evidence-based Complementary and Alternative Medicine*, 2013. doi: 10.1155/2013/846740.
- Kumar, P. et al. (2017) 'Evaluation of Antidiabetic Activity of Gymnema sylvestre and Andrographis paniculata in Streptozotocin Induced Diabetic Rats', Available online on www.ijppr.com *International Journal of Pharmacognosy and Phytochemical Research*, 9(1). doi: 10.25258/ijapr.v9i1.8035.
- Kumar, S. et al. (2011) ' α -glucosidase inhibitors from plants: A natural approach to treat diabetes', *Pharmacognosy Reviews*, 5(9), p. 19. doi: 10.4103/0973-7847.79096.
- Lakshmi, V. et al. (2014) 'Antidiabetic Activity of Lupeol and Lupeol Esters in Streptozotocin- Induced Diabetic Rats', *Bangladesh Pharmaceutical Journal*, 17(2), pp. 138–146. doi: 10.3329/BPJ.V17I2.22330.
- Lakshmi, V. et al. (2018) 'Antidiabetic Activity in the Leaves of Andrographis Paniculata', *International Journal of Scientific and Innovative Research*, 6(1), pp. 6–10.
- Moher, D. et al. (2016) 'Preferred reporting items for systematic review and meta-analysis protocols (PRISMA-P) 2015 statement', *Revista Espanola de Nutricion Humana y Dietetica*, 20(2). doi: 10.1186/2046-4053-4-1.
- Munhoz, A. C. M. and Fröde, T. S. (2018) 'Isolated Compounds from Natural Products with Potential Antidiabetic Activity - A Systematic Review', *Current Diabetes Reviews*, 14(1), p. 36. doi: 10.2174/1573399813666170505120621.
- Narkhede, D. ., Attarde, S. . and Ingle, S. T. (2011) 'STUDY ON EFFECT OF CHEMICAL FERTILIZER AND VERMICOMPOST ON GROWTH OF CHILLI PEPPER PLANT (CAPSICUM ANNUM)', *Journal of Applied Sciences in Environmental Sanitation*, 6(3), pp. 327–332.
- Nicolas, K. M. G., Visaya, K. M. and Cauinian, E. R. (2018) 'BLOOD GLUCOSE AND CHOLESTEROL LEVELS IN ALLOXAN-INDUCED DIABETIC MICE AFTER ORAL ADMINISTRATION OF

- SERPENTINA (Andrographis paniculata) AND PAPAIT (Mollugo oppositifolia L.) AQUEOUS EXTRACTS', *Philippine Journal of Veterinary and Animal Sciences*, 42(2), pp. 112–119. Available at: <https://www.pjvas.org/index.php/pjvas/article/view/188> (Accessed: 25 August 2021).
- Nizmawardini, Y. et al. (2013) 'The Effect of Drug-Related Problems on Blood Glucose Level in The Treatment of Patients with Type 2 Diabetes Mellitus', *International Journal of Current Research*, 5(3), pp. 579–581. Available at: <http://www.journalcra.com> (Accessed: 24 August 2021).
- Perry, A. and Hammond, N. (2002) 'Systematic Reviews: The Experiences of a PhD Student', *Psychology Learning & Teaching*, 2(1), pp. 32–35. doi: 10.2304/PLAT.2002.2.1.32.
- Poretsky, L. (ed.) (2017) *Principles of Diabetes Mellitus, Principles of Diabetes Mellitus: Third Edition*. doi: 10.1007/978-3-319-18741-9_7.
- Pradini, S. A., Dinah, F. A. and Pambudi, P. R. (2017) 'Uji Efek Antidiabetik Kombinasi Ekstrak Etanol Daun Stevia (Stevia Rebaudiana Bert.) Dan Daun Sambiloto (Andrographis folium) Pada Tikus Jantan Galur Wistar Yang Diinduksi Aloksan The Effect Antidiabetik A Combination Of Extracts Ethanol Leaves Stevia (', *IJMS - Indonesian Journal on Medical Science*, 4(2), pp. 177–182. Available at: <https://ejournal.ijmsbm.org/index.php/ijms/article/view/114>.
- Prihatini, N., Intan, P. R. and Lestari, T. W. (2019) 'Aktivitas Antidiabetes Ramuan Sambiloto (Andrographis paniculata Nees), Ciplukan (Physalis angulata L) dan Pegagan (Centella asiatica L.) pada Tikus dengan Diet Tinggi Lemak Diinduksi Streptozotocin', *Jurnal Biotek Medisiana Indonesia*, 8(1), pp. 51–58. doi: 10.22435/JBMI.V8I1.2583.
- Rais, I. R. et al. (2015) 'DETERMINATION OF ANDROGRAPHOLIDE ISOLATE ACTIVITY TO α -AMYLASE AND α -GLUCOSIDASE USING APOSTOLIDIS AND MAYUR METHOD', *Majalah Obat Tradisional*, 18(3), pp. 162–166. Available at: <https://jurnal.ugm.ac.id/TradMedJ/article/view/8219> (Accessed: 16 November 2021).
- Rees, A., Levy, M. and Lansdown, A. (2017) *Clinical Endocrinology and Diabetes at a Glance, At a Glance Ser.* WILEY Blackwell.
- Rodriguez-Saldana, J. (2019) *The Diabetes Textbook Clinical Principles, Patient Management and Public Health Issues, The Diabetes Textbook*.
- Santoleri, D. and Titchenell, P. M. (2019) 'Resolving the Paradox of Hepatic Insulin Resistance', *Cellular and Molecular Gastroenterology and Hepatology*, 7(2), pp. 447–456. doi: 10.1016/J.JCMGH.2018.10.016.

- Setiati, S. *et al.* (2014) *Buku Ajar Ilmu Penyakit Dalam Edisi Keenam*. 6th edn, *Buku Ajar Ilmu Penyakit Dalam*. 6th edn. Jakarta Pusat: InternaPublishing.
- Suarsana, I. N. *et al.* (2011) ‘Pengaruh Hiperglikemia dan Vitamin E pada Kadar Malonaldehida dan Enzim Antioksidan Intrasel Jaringan Pankreas Tikus’, *Majalah Kedokteran Bandung*, 43(2), pp. 72–76. doi: <http://dx.doi.org/10.15395/mkb.v43n2>.
- Subramanian, R., Asmawi, M. Z. and Sadikun, A. (2008) ‘In vitro α -glucosidase and α -amylase enzyme inhibitory effects of Andrographis paniculata extract and andrographolide’, *Acta Biochimica Polonica*, 55(2), pp. 391–398. doi: 10.18388/ABP.2008_3087.
- Surahman, Rachmat, M. and Supardi, S. (2016) *Metodologi Penelitian*. Kementerian Kesehatan Republik Indonesia.
- The Joanna Briggs Institute (2014) *Joanna Briggs Institute Reviewer’s Manual*, The Joanna Briggs Institute.
- Wanaratna, K. *et al.* (2021) ‘Efficacy and safety of Andrographis paniculata extract in patients with mild COVID-19: A randomized controlled trial’, *medRxiv*, p. 2021.07.08.21259912. doi: 10.1101/2021.07.08.21259912.
- Wediasari, F. *et al.* (2020) ‘Hypoglycemic Effect of a Combined Andrographis paniculata and Caesalpinia sappan Extract in Streptozocin-Induced Diabetic Rats’, *Advances in Pharmacological and Pharmaceutical Sciences*, 2020. doi: 10.1155/2020/8856129.
- Yang, D. K. and Kang, H. S. (2018) ‘Anti-Diabetic Effect of Cotreatment with Quercetin and Resveratrol in Streptozotocin-Induced Diabetic Rats’, *Biomolecules & Therapeutics*, 26(2), p. 130. doi: 10.4062/BIOMOLTHER.2017.254.