

DAFTAR PUSTAKA

- Abd-Rabo, M. M., Georgy, G. S., Saied, N. M., & Hassan, W. A. (2019). Involvement of the serotonergic system and neuroplasticity in the antidepressant effect of curcumin in ovariectomized rats: Comparison with oestradiol and fluoxetine. *Phytotherapy Research : PTR*, 33(2), 387–396. <https://doi.org/10.1002/ptr.6232>
- Andarwulan, N. & Faradilla, R. H. F. (2012). Pewarna Alami Untuk Pangan. *SEAFAST CENTER IPB*.
- Arora, V., Kuhad, A., Tiwari, V., & Chopra, K. (2011). Curcumin ameliorates reserpine-induced pain-depression dyad: Behavioural, biochemical, neurochemical and molecular evidences. *Psychoneuroendocrinology*, 36(10), 1570–1581. <https://doi.org/10.1016/J.PSYNEUEN.2011.04.012>
- Association, A. P. (2013). Diagnostic and Statistical Manual of Mental Disorders- 5th Edition. In *American Psychiatric Publishing*. <https://doi.org/10.3917/sh.marmi.2016.01.0038>
- Aswar, M., Bhalekar, M., Trimukhe, A., & Aswar, U. (2020). Self-microemulsifying drug delivery system (SMEDDS) of curcumin attenuates depression in olfactory bulbectomized rats. *Helijon*, 6(8). <https://doi.org/10.1016/J.HELIYON.2020.E04482>
- B, Sharma. (2017). Antidepressants: Mechanism of Action, Toxicity and Possible Amelioration. *Journal of Applied Biotechnology & Bioengineering*, 3(5). <https://doi.org/10.15406/jabb.2017.03.00082>
- Badan Pusat Statistik. (2016). Statistik Tanaman Biofarmatika 2016. *Badan Pusat Statistik*. <https://www.bps.go.id/publication/download.html?nrbfeve=MTY4MGE4ZmFiMWMyZDIyZjFlMzU5YjM0&xzmn=aHR0cHM6Ly93d3cuYnBzMdvLmlkL3B1YmxpY2F0aW9uLzIwMTcvMTAvMDIvMTY4MGE4ZmFiMWMyZDIyZjFlMzU5YjM0L3N0YXRpc3Rpay10YW5hbWFuLWJpb2Zhcm1ha2EtaW5kb25lc2lhLTIwMTYuahRtbA%3D%3D&twoadfnoarfeauf=MjAyMS0xMi0xMSAxNjowODozMg%3D%3D>
- Behr, G., CE, S., & JC, M. (2012). Increased blood oxidative stress in experimental menopause rat model: the effects of vitamin A low-dose supplementation upon antioxidant status in bilateral ovariectomized rats. *Fundamental & Clinical Pharmacology*, 26(2), 235–249. <https://doi.org/10.1111/J.1472-8206.2010.00923.X>
- Burches, E. (2020). Efficacy, Effectiveness and Efficiency in the Health Care: The Need for an Agreement to Clarify its Meaning. *International Archives of Public Health and Community Medicine*, 4(1). <https://doi.org/10.23937/2643-55>

4512/1710035

- C, Jiang., & SR, Salton. (2013). The Role of Neurotrophins in Major Depressive Disorder. *Translational Neuroscience*, 4(1), 46–58. <https://doi.org/10.2478/S13380-013-0103-8>
- Carvalho, A., Berk, M., TN, H., & RS, M. (2014). The integrative management of treatment-resistant depression: a comprehensive review and perspectives. *Psychotherapy and Psychosomatics*, 83(2), 70–88. <https://doi.org/10.1159/000357500>
- Center, C. C. R. (CCRC). (2008). Kunyit (Curcuma longa Linn.). In *Cancer Chemoprevention Research Center Universitas Gadjah Mada*. https://ccrc.farmasi.ugm.ac.id/?page_id=345
- Ceremuga, T. E., Helmrick, K., Kufahl, Z., Kelley, J., Keller, B., Philippe, F., Golder, J., & Padrón, G. (2017). Investigation of the Anxiolytic and Antidepressant Effects of Curcumin, a Compound From Turmeric (Curcuma longa), in the Adult Male Sprague-Dawley Rat. *Holistic Nursing Practice*, 31(3), 193–203. <https://doi.org/10.1097/HNP.0000000000000208>
- Chang, X., Wang, L., Li, J., research, D. W.-B., & 2016, undefined. (2016). Analysis of anti-depressant potential of curcumin against depression induced male albino wistar rats. Elsevier. <https://doi.org/10.1016/j.brainres.2016.03.010>
- Chen, C.-Y., Yeh, Y.-W., Kuo, S.-C., Liang, C.-S., Ho, P.-S., Huang, C.-C., Yen, C.-H., Shyu, J.-F., Lu, R.-B., & Huang, S.-Y. (2017). Differences in immunomodulatory properties between venlafaxine and paroxetine in patients with major depressive disorder. *Psychoneuroendocrinology*, 87, 108–118. <https://doi.org/10.1016/j.psyneuen.2017.10.009>
- Choi, G. Y., Kim, H. B., Hwang, E. S., Lee, S. S. O. S., Kim, M. J., Choi, J. Y., Lee, S. S. O. S., Kim, S. S., & Park, J. H. (2017). Curcumin Alters Neural Plasticity and Viability of Intact Hippocampal Circuits and Attenuates Behavioral Despair and COX-2 Expression in Chronically Stressed Rats. *Mediators of Inflammation*, 2017. <https://doi.org/10.1155/2017/6280925>
- Choir, Syafiatul; Dr. Agus Riyadi, S.Sos., M. S. (2020). *Dinamika Pendekatan Dalam Penanganan COVID-19* (M. Nasrudin (ed.); 1st ed.). PT. Nasya Expanding Management. https://books.google.co.id/books?hl=en&lr=&id=OAQLEAAQBAJ&oi=fn&pg=PA134&dq=PDSKJI+depresi+2020&ots=RAhceXq8T8&sig=a8MQ7MqqcKtokfqW_g-1xLRGea8&redir_esc=y#v=onepage&q=PDSKJI depresi 2020&f=false
- Cowen, P. J. (2016). Neuroendocrine and Neurochemical Processes in Depression. *Psychopathology Review*, a3(1), 3–15. <https://doi.org/10.5127/pr.034513>

- Cowen, P. J., & Browning, M. (2015). What has serotonin to do with depression? *World Psychiatry*, 14(2), 158. <https://doi.org/10.1002/WPS.20229>
- da Silva Marques, J. G., Antunes, F. T. T., da Silva Brum, L. F., Pedron, C., de Oliveira, I. B., de Barros Falcão Ferraz, A., Martins, M. I. M., Dallegrave, E., & de Souza, A. H. (2021). Adaptogenic effects of curcumin on depression induced by moderate and unpredictable chronic stress in mice. *Behavioural Brain Research*, 399(November). <https://doi.org/10.1016/j.bbr.2020.113002>
- Da Silva Morrone, M., Schnorr, C. E., Behr, G. A., Gasparotto, J., Bortolin, R. C., Moresco, K. S., Bittencourt, L., Zanotto-Filho, A., Gelain, D. P., & Moreira, J. C. F. (2016). Oral administration of curcumin relieves behavioral alterations and oxidative stress in the frontal cortex, hippocampus, and striatum of ovariectomized Wistar rats. *Journal of Nutritional Biochemistry*, 32, 181–188. <https://doi.org/10.1016/J.JNUTBIO.2016.03.010>
- de Oliveira Filho, J. G., de Almeida, M. J., Sousa, T. L., dos Santos, D. C., & Egea, M. B. (2020). *Bioactive Compounds of Turmeric (Curcuma longa L.)*. 1–22. https://doi.org/10.1007/978-3-030-44578-2_37-1
- Dhammi, Kumar Ish; Haq, R. U. (2018). How to Write Systematic Review or Metaanalysis. *Indian Journal of Orthopaedics*, 52(6), 575–577. https://doi.org/10.4103/ortho.IJOrtho_557_18
- Duman, R. S., Sanacora, G., & Krystal, J. H. (2019). Altered Connectivity in Depression: GABA and Glutamate Neurotransmitter Deficits and Reversal by Novel Treatments. *Neuron*, 102(1), 75–90. <https://doi.org/10.1016/j.neuron.2019.03.013>
- Emon, M. P. Z., Das, R., Nishuty, N. L., Shalahuddin Qasar, M. M. A., Bhuiyan, M. A., & Islam, M. R. (2020). Reduced serum BDNF levels are associated with the increased risk for developing MDD: A case-control study with or without antidepressant therapy. *BMC Research Notes*, 13(1), 4–9. <https://doi.org/10.1186/s13104-020-04952-3>
- Esmaily, H., Sahebkar, A., Iranshahi, M., Ganjali, S., Mohammadi, A., Ferns, G., & Ghayour-Mobarhan, M. (2015). An investigation of the effects of curcumin on anxiety and depression in obese individuals: A randomized controlled trial. *Chinese Journal of Integrative Medicine*, 21(5), 332–338. <https://doi.org/10.1007/S11655-015-2160-Z>
- Fan, C., Song, Q., Wang, P., Li, Y., Yang, M., Liu, B., & Yu, S. Y. (2018). Curcumin Protects Against Chronic Stress-induced Dysregulation of Neuroplasticity and Depression-like Behaviors via Suppressing IL-1 β Pathway in Rats. *Neuroscience*, 392, 92–106. <https://doi.org/10.1016/j.neuroscience.2018.09.028>
- Fan, C., Song, Q., Wang, P., Li, Y., Yang, M., & Yu, S. Y. (2019). Neuroprotective Nabilah Nurul Fitri, 2021
EFIKASI PENGGUNAAN SENYAWA KURKUMIN DALAM EKSTRAK *Curcuma longa L.* SEBAGAI TERAPI SUPORTIF GANGGUAN DEPRESI: Systematic Review
UPN Veteran Jakarta, Fakultas Kedokteran, Program Studi Kedokteran Program Sarjana [www.upnvj.ac.id – www.Library.upnvj.ac.id – www.repository.upnvj.ac.id]

- effects of curcumin on IL-1 β -induced neuronal apoptosis and depression-like behaviors caused by chronic stress in rats. In *Frontiers in Cellular Neuroscience* (Vol. 12). <https://doi.org/10.3389/fncel.2018.00516>
- Fee, C., Banasr, M., & Sibille, E. (2017). Somatostatin-Positive Gamma-Aminobutyric Acid Interneuron Deficits in Depression: Cortical Microcircuit and Therapeutic Perspectives. *Biological Psychiatry*, 82(8), 549–559. <https://doi.org/10.1016/j.biopsych.2017.05.024>
- Fidelis, E. M., Savall, A. S. P., da Luz Abreu, E., Carvalho, F., Teixeira, F. E. G., Haas, S. E., Bazanella Sampaio, T., & Pinton, S. (2019). Curcumin-Loaded Nanocapsules Reverses the Depressant-Like Behavior and Oxidative Stress Induced by β -Amyloid in Mice. *Neuroscience*, 423, 122–130. <https://doi.org/10.1016/J.NEUROSCIENCE.2019.09.032>
- Finnell, J. E., & Wood, S. K. (2016). Neuroinflammation at the interface of depression and cardiovascular disease: Evidence from rodent models of social stress. *Neurobiology of Stress*, 4, 1–14. <https://doi.org/10.1016/J.YNSTR.2016.04.001>
- Friedman, Edward S.; Anderson, Ian M, 2014. Handbook of Depression, second Edition. London : Springer Healthcare, a part of Springer Science+Business Media. pp:1-29
- Fusar-Poli, L., Vozza, L., Gabbiadini, A., Vanella, A., Concas, I., Tinacci, S., Petralia, A., Signorelli, M. S., & Aguglia, E. (2020). Curcumin for depression: a meta-analysis. *Critical Reviews in Food Science and Nutrition*, 60(15), 2643–2653. <https://doi.org/10.1080/10408398.2019.1653260>
- Godfrey, K. E. M., Gardner, A. C., Kwon, S., Chea, W., & Muthukumaraswamy, S. D. (2018). Differences in excitatory and inhibitory neurotransmitter levels between depressed patients and healthy controls: A systematic review and meta-analysis. *Journal of Psychiatric Research*, 105, 33–44. <https://doi.org/10.1016/j.jpsychires.2018.08.015>
- Hagena, H., Hansen, N., & Manahan-Vaughan, D. (2016). β -Adrenergic Control of Hippocampal Function: Subserving the Choreography of Synaptic Information Storage and Memory. *Cerebral Cortex*, 26(4), 1349–1364. <https://doi.org/10.1093/cercor/bhv330>
- Hassanzadeh, P., & Hassanzadeh, A. (2012). The CB1 Receptor-Mediated Endocannabinoid Signaling and NGF: The Novel Targets of Curcumin. *Neurochemical Research* 2012 37:5, 37(5), 1112–1120. <https://doi.org/10.1007/S11064-012-0716-2>
- He, X., Yang, L., Wang, M., Zhuang, X., Huang, R., Zhu, R., Wang, S., ... R. H.-C. P. and, & 2017, U. (2017). Targeting the Endocannabinoid/CB1 Receptor System For Treating Major Depression Through Antidepressant Activities of Nabilah Nurul Fitri, 2021
EFIKASI PENGGUNAAN SENYAWA KURKUMIN DALAM EKSTRAK *Curcuma longa L.* SEBAGAI TERAPI SUPPORTIF GANGGUAN DEPRESI: Systematic Review
UPN Veteran Jakarta, Fakultas Kedokteran, Program Studi Kedokteran Program Sarjana [www.upnvj.ac.id – www.Library.upnvj.ac.id – www.repository.upnvj.ac.id]

- Curcumin and Dexanabinol- Loaded Solid Lipid Nanoparticle.* 42(6), 2281–2294. <https://doi.org/10.1159/000480001>
- He, X., Zhu, Y., Wang, M., Jing, G., Zhu, R., & Wang, S. (2016). Antidepressant effects of curcumin and HU-211 coencapsulated solid lipid nanoparticles against corticosterone-induced cellular and animal models of major depression. *International Journal of Nanomedicine*, 11, 4975–4990. <https://doi.org/10.2147/IJN.S109088>
- Huang, H., Zhao, J., Jiang, L., Xie, Y., Xia, Y., Lv, R., & Dong, L. (2015). Paeoniflorin improves menopause depression in ovariectomized rats under chronic unpredictable mild stress. *International Journal of Clinical and Experimental Medicine*, 8(4), 5103. [/pmc/articles/PMC4483964/](https://pmc/articles/PMC4483964/)
- Indrayani, Y.A; Wahyudi, T. (2019). *Situasi Kesehatan Jiwa di Indonesia*. Pusat Data Dan Informasi Kemenkes RI. <https://pusdatin.kemkes.go.id/resources/download/pusdatin/infodatin/InfoDatain-Kesehatan-Jiwa.pdf>
- Jantawong, C., Priprem, A., Intuyod, K., Pairojkul, C., Pinlaor, P., Waraasawapati, S., Mongkon, I., Chamgramol, Y., & Pinlaor, S. (2021). Curcumin-loaded nanocomplexes: Acute and chronic toxicity studies in mice and hamsters. *Toxicology Reports*, 8, 1346–1357. <https://doi.org/10.1016/J.TOXREP.2021.06.021>
- Jenkins, T. A., Nguyen, J. C. D., Polglaze, K. E., & Bertrand, P. P. (2016). Influence of tryptophan and serotonin on mood and cognition with a possible role of the gut-brain axis. *Nutrients*, 8(1), 1–15. <https://doi.org/10.3390/nu8010056>
- Joanna Briggs Institute. (2020). Checklist for Randomized Controlled Trials. *Jbi*, 2–3. <http://joannabriggs.org/research/critical-appraisal-tools.htmlwww.joannabriggs.org>
- Jose Miguel, R.-P., & JM, M.-R. (2012). A review: inflammatory process in Alzheimer's disease, role of cytokines. *TheScientificWorldJournal*, 2012. <https://doi.org/10.1100/2012/756357>
- Julie E, F., CM, L., MN, M., NP, S., M, N., P, N., JR, F., CS, W., & SK, W. (2017). The protective effects of resveratrol on social stress-induced cytokine release and depressive-like behavior. *Brain, Behavior, and Immunity*, 59, 147–157. <https://doi.org/10.1016/J.BBI.2016.08.019>
- Kanchanawan, B., Tangwongchai, S., Sugondhabhirom, A., Suppapitiporn, S., Hemrunrojn, S., Carvalho, A. F., & Maes, M. (2018). Add-on Treatment with Curcumin Has Antidepressive Effects in Thai Patients with Major Depression: Results of a Randomized Double-Blind Placebo-Controlled Study. *Neurotoxicity Research*, 33(3), 621–633. <https://doi.org/10.1007/S12640-017-9860-4>

- Katzung, B. G. (2018). Basic & Clinical Pharmacology, Fourteenth Edition. In *Basic and Clinical Pharmacology*.
- Kaufmann, F. N., Gazal, M., Bastos, C. R., Kaster, M. P., & Ghisleni, G. (2016). Curcumin in depressive disorders: An overview of potential mechanisms, preclinical and clinical findings. *European Journal of Pharmacology*, 784, 192–198. <https://doi.org/10.1016/j.ejphar.2016.05.026>
- Kocaadam, B., & Şanlier, N. (2017). Curcumin, an active component of turmeric (*Curcuma longa*), and its effects on health. *Critical Reviews in Food Science and Nutrition*, 57(13), 2889–2895. <https://doi.org/10.1080/10408398.2015.1077195>
- Kokona, D., & K, T. (2015). Synthetic and endogenous cannabinoids protect retinal neurons from AMPA excitotoxicity in vivo, via activation of CB1 receptors: Involvement of PI3K/Akt and MEK/ERK signaling pathways. *Experimental Eye Research*, 136, 45–58. <https://doi.org/10.1016/J.EXER.2015.05.007>
- Kulkarni, S. K., Dhir, A., & Akula, K. K. (2009). Potentials of curcumin as an antidepressant. *TheScientificWorldJournal*, 9(2009), 1233–1241. <https://doi.org/10.1100/tsw.2009.137>
- Kulkarni, Shrinivas K., Bhutani, M. K., & Bishnoi, M. (2008). Antidepressant activity of curcumin: Involvement of serotonin and dopamine system. *Psychopharmacology*, 201(3), 435–442. <https://doi.org/10.1007/s00213-008-1300-y>
- LH, Morais., MM, Lima., BJ, Martynhak., R, Santiago., TT, Takahashi., D, Ariza., JK, Barbiero., R, Andreatini., & MA, Vital. (2012). Characterization of motor, depressive-like and neurochemical alterations induced by a short-term rotenone administration. *Pharmacological Reports : PR*, 64(5), 1081–1090. [https://doi.org/10.1016/S1734-1140\(12\)70905-2](https://doi.org/10.1016/S1734-1140(12)70905-2)
- Li, Y. C., Wang, F. M., Pan, Y., Qiang, L. Q., Cheng, G., Zhang, W. Y., & Kong, L. D. (2009). Antidepressant-like effects of curcumin on serotonergic receptor-coupled AC-cAMP pathway in chronic unpredictable mild stress of rats. *Progress in Neuro-Psychopharmacology and Biological Psychiatry*, 33(3), 435–449. <https://doi.org/10.1016/j.pnpbp.2009.01.006>
- Liao, D., Lv, C., Cao, L., Yao, D., Wu, Y., Long, M., Liu, N., & Jiang, P. (2020). Curcumin Attenuates Chronic Unpredictable Mild Stress-Induced Depressive-Like Behaviors via Restoring Changes in Oxidative Stress and the Activation of Nrf2 Signaling Pathway in Rats. *Oxidative Medicine and Cellular Longevity*, 2020, 9268083. <https://doi.org/10.1155/2020/9268083>
- Listyana, N. H. (2018). Analisis Keterkaitan Produksi Kunyit di Indonesia dan Faktor-Faktor yang Mempengaruhinya. *Caraka Tani: Journal of Sustainable Agriculture*, 33(2), 106. <https://doi.org/10.20961/carakatani.v33i2.20782>

- Liu, D., Wang, Z., Gao, Z., Xie, K., Q, Z., H, J., & Q, P. (2014). Effects of curcumin on learning and memory deficits, BDNF, and ERK protein expression in rats exposed to chronic unpredictable stress. *Behavioural Brain Research*, 271, 116–121. <https://doi.org/10.1016/J.BBR.2014.05.068>
- Liu, Q., He, H., Yang, J., Feng, X., Zhao, F., & Lyu, J. (2020). Changes in the global burden of depression from 1990 to 2017: Findings from the Global Burden of Disease study. *Journal of Psychiatric Research*, 126(August), 134–140. <https://doi.org/10.1016/j.jpsychires.2019.08.002>
- Liu, Z., Qi, Y., Cheng, Z., Zhu, X., Fan, C., & Yu, S. Y. (2016). The effects of ginsenoside Rg1 on chronic stress induced depression-like behaviors, BDNF expression and the phosphorylation of PKA and CREB in rats. *Neuroscience*, 322, 358–369. <https://doi.org/10.1016/J.NEUROSCIENCE.2016.02.050>
- Loh, Z. H., Samanta, A. K., & Sia Heng, P. W. (2015). Overview of milling techniques for improving the solubility of poorly water-soluble drugs. *Asian Journal of Pharmaceutical Sciences*, 10(4), 255–274. <https://doi.org/10.1016/J.AJPS.2014.12.006>
- Lopresti, A. L., & Drummond, P. D. (2017). Efficacy of curcumin, and a saffron/curcumin combination for the treatment of major depression: A randomised, double-blind, placebo-controlled study. *Journal of Affective Disorders*, 207, 188–196. <https://doi.org/10.1016/J.JAD.2016.09.047>
- Lopresti, A. L., Maes, M., Meddents, M. J. M., Maker, G. L., Arnoldussen, E., & Drummond, P. D. (2015). Curcumin and major depression: a randomised, double-blind, placebo-controlled trial investigating the potential of peripheral biomarkers to predict treatment response and antidepressant mechanisms of change. *European Neuropsychopharmacology : The Journal of the European College of Neuropsychopharmacology*, 25(1), 38–50. <https://doi.org/10.1016/j.euroneuro.2014.11.015>
- Madiha, S., & Haider, S. (2019). Curcumin restores rotenone induced depressive-like symptoms in animal model of neurotoxicity: assessment by social interaction test and sucrose preference test. *Metabolic Brain Disease*, 34(1), 297–308. <https://doi.org/10.1007/s11011-018-0352-x>
- Mandal, M., Jaiswal, P., & Mishra, A. (2020). Role of curcumin and its nanoformulations in neurotherapeutics: A comprehensive review. In *Journal of Biochemical and Molecular Toxicology* (Vol. 34, Issue 6). John Wiley and Sons Inc. <https://doi.org/10.1002/jbt.22478>
- Marathe, S. V., D'almeida, P. L., Virmani, G., Bathini, P., & Alberi, L. (2018). Effects of Monoamines and Antidepressants on Astrocyte Physiology: Implications for Monoamine Hypothesis of Depression. *Journal of Experimental Neuroscience*, 12. <https://doi.org/10.1177/1179069518789149>

- Marcus, M., Yasamy, M. T., van Ommeren, M., & Chisholm, D. (2012). Depression, a global public health concern. *WHO Department of Mental Health and Substance Abuse*, 1–8. http://www.who.int/mental_health/management/depression/who_paper_depression_wfmh_2012.pdf
- Marwick, K.; Birrel, M., 2013. The Mood (Affective) Disorders in Crash Course Psychiatry, 4th Edition. Edinburgh : Elsevier Ltd. Pp:133-137
- Matias, J. N., Achete, G., Campanari, G. S. dos S., Guiguer, É. L., Araújo, A. C., Buglio, D. S., & Barbalho, S. M. (2021). A systematic review of the antidepressant effects of curcumin: Beyond monoamines theory. *Australian and New Zealand Journal of Psychiatry*, 55(5), 451–462. <https://doi.org/10.1177/0004867421998795>
- Ménard, C., Hodes, G. E., & Russo, S. J. (2016). Pathogenesis of depression: Insights from human and rodent studies. In *Neuroscience* (Vol. 321, pp. 138–162). Elsevier Ltd. <https://doi.org/10.1016/j.neuroscience.2015.05.053>
- Miller, A. H., & Raison, C. L. (2015). *The role of inflammation in depression: from evolutionary imperative to modern treatment target.* <https://doi.org/10.1038/nri.2015.5>
- Mohammed, H. S., Khadrawy, Y. A., El-Sherbini, T. M., & Amer, H. M. (2019). Electrocortical and Biochemical Evaluation of Antidepressant Efficacy of Formulated Nanocurcumin. *Applied Biochemistry and Biotechnology*, 187(3), 1096–1112. <https://doi.org/10.1007/S12010-018-2866-4>
- Moher, D., Shamseer, L., Clarke, M., Ghersi, D., Liberati, A., Petticrew, M., Shekelle, P., Stewart, L. A., & Group, P.-P. (2015). *Preferred reporting items for systematic review and meta-analysis protocols (PRISMA-P) 2015 statement* (Vol. 4). <https://doi.org/10.1186/2046-4053-4-1>
- Morales-Medina, J. C., Iannitti, T., Freeman, A., & Caldwell, H. K. (2017). The olfactory bulbectomized rat as a model of depression: The hippocampal pathway. *Behavioural Brain Research*, 317, 562–575. <https://doi.org/10.1016/j.bbr.2016.09.029>
- Moriguchi, S., Takamiya, A., Noda, Y., Horita, N., Wada, M., Tsugawa, S., Plitman, E., Sano, Y., Tarumi, R., ElSalhy, M., Katayama, N., Ogyu, K., Miyazaki, T., Kishimoto, T., Graff-Guerrero, A., Meyer, J. H., Blumberger, D. M., Daskalakis, Z. J., Mimura, M., & Nakajima, S. (2019). Glutamatergic neurometabolite levels in major depressive disorder: a systematic review and meta-analysis of proton magnetic resonance spectroscopy studies. *Molecular Psychiatry*, 24(7), 952–964. <https://doi.org/10.1038/s41380-018-0252-9>
- Muscatello, M. R. A., Zoccali, R. A., Pandolfo, G., Mangano, P., Lorusso, S., Cedro, C., Battaglia, F., Spina, E., & Bruno, A. (2019). Duloxetine in Nabilah Nurul Fitri, 2021
EFIKASI PENGGUNAAN SENYAWA KURKUMIN DALAM EKSTRAK Curcuma longa L. SEBAGAI TERAPI SUPORTIF GANGGUAN DEPRESI: Systematic Review
 UPN Veteran Jakarta, Fakultas Kedokteran, Program Studi Kedokteran Program Sarjana [www.upnvj.ac.id – www.Library.upnvj.ac.id – www.repository.upnvj.ac.id]

- psychiatric disorders: Expansions beyond major depression and generalized anxiety disorder. *Frontiers in Psychiatry*, 10(OCT), 1–11. <https://doi.org/10.3389/fpsyg.2019.00772>
- Naqvi, F. F., Saleem, S., Naqvi, F. F., Batool, Z., Sadir, S., Tabassum, S., Ahmed, S., Liaquat, L., & Haider, S. (2019). Curcumin lessens unpredictable chronic mild stress-induced depression and memory deficits by modulating oxidative stress and cholinergic activity. *Pakistan Journal of Pharmaceutical Sciences*, 32(4(Supplementary)), 1893–1900.
- Ng, Q. Xiang., Koh, Shawn S. H., Chan, H. W., & Ho, Collin Y. X. (2017). Clinical Use of Curcumin in Depression: A Meta-Analysis. *Journal of the American Medical Directors Association*, 18(6), 503–508. <https://doi.org/10.1016/j.jamda.2016.12.071>
- Otte, C., Gold, S. M., Penninx, B. W., Pariante, C. M., Etkin, A., Fava, M., Mohr, D. C., & Schatzberg, A. F. (2016). Major depressive disorder. *Nature Reviews Disease Primers*, 2(September), 1–21. <https://doi.org/10.1038/nrdp.2016.65>
- Pandit, R., Omrani, A., Luijendijk, M. C. M., De Vrind, V. A. J., Van Rozen, A. J., Ophuis, R. J. A. O., Garner, K., Kallo, I., Ghanem, A., Liposits, Z., Conzelmann, K. K., Vanderschuren, L. J. M. J., La Fleur, S. E., & Adan, R. A. H. (2016). Melanocortin 3 receptor signaling in midbrain dopamine neurons increases the motivation for food reward. *Neuropsychopharmacology*, 41(9), 2241–2251. <https://doi.org/10.1038/npp.2016.19>
- Resita Sugiharto, Dr. Safitri, Cikra I.N.H. (2020). Formulasi dan Uji Mutu Fisik Lotion Ekstrak Kunyit (Curcuma domestica Val.). *Jurnal Publikasi Ilmiah UMS*. <https://publikasiilmiah.ums.ac.id/bitstream/handle/11617/12274/p.296-305 Resita Sugiharto.pdf?sequence=1&isAllowed=y>
- Rubab, S., Naeem, K., Rana, I., Khan, N., Afridi, M., Ullah, I., Shah, F. A., Sarwar, S., Din, F. ud, Choi, H. I., Lee, C. H., Lim, C. W., Alamro, A. A., Kim, J. K., & Zeb, A. (2021). Enhanced neuroprotective and antidepressant activity of curcumin-loaded nanostructured lipid carriers in lipopolysaccharide-induced depression and anxiety rat model. *International Journal of Pharmaceutics*, 603. <https://doi.org/10.1016/j.ijpharm.2021.120670>
- Saied, N. M., Georgy, G. S., Hussien, R. M., & Hassan, W. A. (2021). Neuromodulatory effect of curcumin on catecholamine systems and inflammatory cytokines in ovariectomized female rats. *Clinical and Experimental Pharmacology & Physiology*, 48(3), 337–346. <https://doi.org/10.1111/1440-1681.13427>
- Sarris, J. (2018). Herbal medicines in the treatment of psychiatric disorders: 10-year updated review. *Phytotherapy Research*, 32(7), 1147–1162. <https://doi.org/10.1002/ptr.6055>

- SE, Yohn., D, Gorka., A, Mistry., S, Collins., E, Qian, M, Correa, A, Manchanda, RH, Bogner, & JD, Salamone. (2017). Oral Ingestion and Intraventricular Injection of Curcumin Attenuates the Effort-Related Effects of the VMAT-2 Inhibitor Tetrabenazine: Implications for Motivational Symptoms of Depression. *Journal of Natural Products*, 80(10), 2839–2844. <https://doi.org/10.1021/ACS.JNATPROD.7B00425>
- Shao, X., & Zhu, G. (2020). Associations Among Monoamine Neurotransmitter Pathways, Personality Traits, and Major Depressive Disorder. *Frontiers in Psychiatry*, 11(May), 1–19. <https://doi.org/10.3389/fpsyg.2020.00381>
- Van Galen, E., & Kroes, B. (2014). Assessment report on Curcuma xanthorrhiza Roxb. *C. Xanthorrhiza*, 1–22. www.ema.europa.eu
- Vasileva, L. V., Saracheva, K. E., Ivanovska, M. V., Petrova, A. P., Marchev, A. S., Georgiev, M. I., Murdjeva, M. A., & Getova, D. P. (2018). Antidepressant-like effect of salidroside and curcumin on the immunoreactivity of rats subjected to a chronic mild stress model. *Food and Chemical Toxicology*, 121, 604–611. <https://doi.org/10.1016/J.FCT.2018.09.065>
- Wang, Y., Shen, C., research, J. J.-P., & 2019, undefined. (n.d.). Antidepressant active ingredients from herbs and nutraceuticals used in TCM: pharmacological mechanisms and prospects for drug discovery. *Elsevier*. Retrieved July 15, 2021, from <https://www.sciencedirect.com/science/article/pii/S1043661819322601>
- Wąsik, A., & Antkiewicz-Michaluk, L. (2017). The mechanism of neuroprotective action of natural compounds. *Pharmacological Reports : PR*, 69(5), 851–860. <https://doi.org/10.1016/J.PHAREP.2017.03.018>
- World Health Organization. (2017). *Depression and Other Common Mental Disorders Global Health Estimates*.
- XJ, Qi, XY, Liu, LM, Tang, PF, Li., F, Qiu, & AH, Yang. (2020). Anti-depressant effect of curcumin-loaded guanidine-chitosan thermo-sensitive hydrogel by nasal delivery. *Pharmaceutical Development and Technology*, 25(3), 316–325. <https://doi.org/10.1080/10837450.2019.1686524>
- Yang, T., Nie, Z., Shu, H., Kuang, Y., Chen, X., Cheng, J., Yu, S., & Liu, H. (2020). The Role of BDNF on Neural Plasticity in Depression. In *Frontiers in Cellular Neuroscience* (Vol. 14, p. 82). Frontiers Media S.A. <https://doi.org/10.3389/fncel.2020.00082>
- Yu, J. J., Pei, L. B., Zhang, Y., Wen, Z. Y., & Yang, J. L. (2015). Chronic Supplementation of Curcumin Enhances the Efficacy of Antidepressants in Major Depressive Disorder: A Randomized, Double-Blind, Placebo-Controlled Pilot Study. *Journal of Clinical Psychopharmacology*, 35(4), 406–410. <https://doi.org/10.1097/JCP.0000000000000352>

- Zahra, M. U. (2021). Stress psikologis masyarakat akibat pandemi COVID 19. OSF Preprints. doi: 10.31219/osf.io/cpswz.
- Zhang, Yinfeng; Li, Li; Zhang, J. (2020). Curcumin in Antidepressant Treatments: An Overview of Potential Mechanisms, Preclinical/Clinical Trials and Ongoing Challenges. *Wiley Online Library*, 127(4), 243–254. <https://doi.org/https://doi.org/10.1111/bcpt.13455>
- Zhang, L., Luo, J., Zhang, M., Yao, W., Ma, X., & Yu, S. Y. (2014). Effects of curcumin on chronic, unpredictable, mild, stress-induced depressive-like behaviour and structural plasticity in the lateral amygdala of rats. *International Journal of Neuropsychopharmacology*, 17(5), 793–806. <https://doi.org/10.1017/S1461145713001661>
- Zhang, W. yuan, Guo, Y. jin, Han, W. xiu, Yang, M. qi, Wen, L. ping, Wang, K. yi, & Jiang, P. (2019). Curcumin relieves depressive-like behaviors via inhibition of the NLRP3 inflammasome and kynurenone pathway in rats suffering from chronic unpredictable mild stress. *International Immunopharmacology*, 67, 138–144. <https://doi.org/10.1016/J.INTIMP.2018.12.012>