

DAFTAR PUSTAKA

- Abdurrahman, Z.H., Pramono, Y.B. and Suthama, N. 2016 ‘Feeding Effect of Inulin Derived From Dahlia Tuber Combined With Lactobacillus sp. on Meat Protein Mass of crossbred kampung Chicken’, *Journal of The Indonesian Tropical Animal Agriculture*, 41(1), pp. 37–44.
- Abro, S. et al. 2021 ‘Breakfast practices and factors associated with skipping of breakfast in medical students’, *Journal of Rawalpindi Medical College*, 25(1), pp. 37–41. doi:10.37939/jrmc.v25i1.1424.
- Ain, N. 2018 *Karakteristik Fisikokimia Dan Organoleptik Flakes Dari Tepung Umbi Kimpul (Xanthosoma sagittifolium) Dan Pasta Ubi Jalar Ungu (Ipomoea batatas) Yang Kaya Antosianin*. University of Muhammadiyah Malang.
- AK, M. 2018 ‘Skipping Breakfast Everyday Keeps Well-being Away’, *Journal of Food Science and Nutrition Research*, 01(01), pp. 18–30. doi:10.26502/jfsnr.2642-1100003.
- Almatsier, S. 2006 *Penuntun Diet Edisi Terbaru*. Jakarta: PT Gramedia Pustaka Utama.
- Amanto, B.S., Siswanti and Atmaja, A. 2015 ‘Kinetika Pengeringan Temu Giring (Curcuma heyneana Valeton & van Zijp) Menggunakan Cabinet Dryer Dengan Perlakuan Pendahuluan Blanching’, *Jurnal Teknologi Hasil Pertanian*, 8(2), p. 107. doi:10.20961/jthp.v0i0.12900.
- American Diabetes Association 2004 ‘Diagnosis and Classification of Diabetes Mellitus’, *Diabetes Care*, 27(Suppl 1), pp. s5–s10. doi:10.2337/diacare.27.2007.S5.
- AOAC 2005 *Official Methods of Analysis*, Association of Official Analytic Chemists. Washington: Benjamin Franklin Station.
- Apolinário, A.C. et al. 2014 ‘Inulin-type fructans: A review on different aspects of biochemical and pharmaceutical technology’, *Carbohydrate Polymers*, 101(1), pp. 368–378. doi:10.1016/j.carbpol.2013.09.081.
- Arifin, L.A. and Prihanto, J.B. 2015 ‘Hubungan Sarapan Pagi dengan tingkat Konsentrasi Siswa di Sekolah’, *Jurnal Pendidikan Olahraga dan Kesehatan*, 3(1), pp. 203–207. Available at: <https://jurnalmahasiswa.unesa.ac.id/index.php/jurnal-pendidikan-jasmani/article/view/13512/12408>.

Astuti 2012 *Buku Ajar Asuhan Kebidanan Ibu I (Kehamilan)*. Yogyakarta: Rohima Press.

Ballon, A., Neuenschwander, M. and Schlesinger, S. 2018 ‘Breakfast Skipping Is Associated with Increased Risk of Type 2 Diabetes among Adults: A Systematic Review and Meta-Analysis of Prospective Cohort Studies’, *The Journal of nutrition*, 149. doi:10.1093/jn/nxy194.

Bender, D.A. and Mayes, P.A. 2016 ‘Overview of Metabolism & the Provision of Metabolic Fuels’, in Rodwell, V.W. et al. (eds) *Harper’s Illustrated Biochemistry, 30e*. New York, NY: McGraw-Hill Education. Available at: <http://accessmedicine.mhmedical.com/content.aspx?aid=1106056811>.

Bhaskara, D.N.A., Darmayanti, L.P.T. and Suparhana, I.P. 2021 ‘Perubahan Karakteristik Pangan Tradisional Pesan Tlengis Selama Penyimpanan Suhu Ruang’, *Jurnal Ilmu dan Teknologi Pangan (ITEPA)*, 10(3), p. 448. doi:10.24843/itepa.2021.v10.i03.p12.

Bi, H. et al. 2015 ‘Breakfast skipping and the risk of type 2 diabetes: A meta-analysis of observational studies’, *Public Health Nutrition*, 18(16), pp. 3013–3019. doi:10.1017/S1368980015000257.

Böhm, A. et al. 2005 ‘Heat-induced degradation of inulin’, *European Food Research and Technology*, 220(5–6), pp. 466–471. doi:10.1007/s00217-004-1098-8.

Brkljača, J. et al. 2014 ‘Quantification of inulin content in selected accessions of Jerusalem artichoke (*Helianthus tuberosus L.*)’, *Helia*, 37(60), pp. 105–112. doi:10.1515/helia-2014-0009.

Bush, R.K., Baumert, J.L. and Taylor, S.L. 2020 ‘Reactions to Food and Drug Additives’, in *Middleton’s Allergy: Principles and Practice*. 9th edn. Elsevier, pp. 1326–1343.

Canada, H. 2021 ‘Natural Health Product: Inulin’. Health Canada, p. 6.

Carbone, J.W. and Pasiakos, S.M. 2019 ‘Dietary protein and muscle mass: Translating science to application and health benefit’, *Nutrients*, 11(5), pp. 1–13. doi:10.3390/nu11051136.

Chinenye, S. and Oputa, R.N. 2012 ‘Review Article Diabetes mellitus : a global epidemic with potential solutions’, *African Journal of Diabetes Medicine*, 20(2), pp. 33–35.

Daud, A., Suriati and Nuzulyanti 2019 ‘Kajian Penerapan Faktor yang Mempengaruhi Akurasi Penentuan’, *Lutjanus*, 24(2), pp. 11–16.

Day, L. and Golding, M. 2018 *Food structure, rheology, and texture, Encyclopedia of Food Chemistry*. Elsevier. doi:10.1016/B978-0-08-100596-5.03412-0.

- Dehghan, P., Gargari, B.P. and Asgharijafarabadi, M. 2013 ‘Effects of high performance inulin supplementation on glycemic status and lipid profile in women with type 2 diabetes: a randomized, placebo-controlled clinical trial’, *Health Promotion Perspectives*, 3(1), pp. 55–63. doi:10.5681/hpp.2013.007.
- Dewanti, F.K. 2013 ‘Substitusi Inulin Umbi Gembili (*Dioscorea Esculenta*) Pada Produk Es Krim Sebagai Alternatif Produk Makanan Tinggi Serat Dan Rendah Lemak [Skripsi]’, *Program Studi Ilmu Gizi Fakultas Kedokteran Universitas Diponegoro* [Preprint].
- Fayet-Moore, F. *et al.* 2016 ‘Impact of breakfast skipping and breakfast choice on the nutrient intake and body mass index of Australian children’, *Nutrients*, 8(8). doi:10.3390/nu8080487.
- Ferdiaz, D. 2014 ‘Kimia Pangan’, in, pp. 1–36. Available at: <http://repository.ut.ac.id/3891/1/EKSI4417-M1.pdf>.
- Field, C.J. and Robinson, L. 2019 ‘Dietary Fats’, *Advances in Nutrition*, 10(4), pp. 722–724. doi:10.1093/advances/nmz052.
- Flamm, G. *et al.* 2001 ‘Inulin and oligofructose as dietary fiber: A review of the evidence’, *Critical Reviews in Food Science and Nutrition*, 41(5), pp. 353–362. doi:10.1080/20014091091841.
- Freeman, A.M. and Pennings, N. 2021 *Insulin Resistance*. StatPearls.
- Fujii, H. *et al.* 2013 ‘Impact of leisure-time physical activity on glycemic control and cardiovascular risk factors in Japanese patients with type 2 diabetes mellitus: The Fukuoka Diabetes Registry’, *Nutrition Journal*, 12(159), pp. 1–8. doi:10.1371/journal.pone.0098768.
- Gibney, M.J. *et al.* 2018 ‘Breakfast in human nutrition: The international breakfast research initiative’, *Nutrients*, 10(5), pp. 1–12. doi:10.3390/nu10050559.
- Goyal, R. and Jialal, I. 2022 *Diabetes Mellitus Type 2*, NCBI Bookshelf. New Delhi: StatPearls.
- Graziose, M.M. 2016 ‘Why Do We Choose Certain Foods ?’, 78(1), pp. 62–66. doi:10.1525/abt.2016.78.1.62.62.
- Guess, N.D. *et al.* 2016 ‘A Randomised Crossover Trial: The Effect of Inulin on Glucose Homeostasis in Subtypes of Prediabetes’, *Annals of Nutrition and Metabolism*, 68(1), pp. 26–34. doi:10.1159/000441626.
- Hadi, A. and Siratunnisak, N. 2016 ‘Pengaruh Penambahan Bubuk Coklat terhadap Sifat Fisik, Kimia, dan Organoleptik Minuman Instan Bekatul’, *AcTion: Aceh Nutrition Journal*, 1(2), p. 121. doi:10.30867/action.v1i2.22.
- Handayani, L. and Ayustaningworo, F. 2014 ‘Indeks Glikemik Dan Beban Glikemik Vegetable Lather Brokoli (*Brassica oleracea* var. ITALICA) Salsabila Shoifyana Hasim, 2022
KANDUNGAN GIZI DAN INULIN SEREAL DENGAN PENAMBAHAN UMBI DAHLIA (DAHLIA SP L) UNTUK MENGAJATI DIABETES MELITUS TIPE 2
UPN Veteran Jakarta, Fakultas Ilmu Kesehatan, Gizi Program Sarjana
[www.upnvj.ac.id – www.library.upnvj.ac.id – www.repository.upnvj.ac.id]

- Dengan Subtitusi Inulin', *Journal of Nutrition College*, 3(4), pp. 783–790.
- Hardiadana, M.R.F., Hudi, L. and Budiandari, R.U. 2022 'Effect of Inulin Concentration and Cooking Time on the Quality of Aloe Vera Jam', *Journal of Tropical Food and Agroindustrial Technology*, 3(02), pp. 33–40. doi:10.21070/jtfat.v3i02.1601.
- Herianto, E. et al. 2018 'Pengaruh Lama Penyimpanan Terhadap the Effect of Time Storage on Characteristic of Dahlia Tuber ' S', *JOM Faperta*, 5(1), pp. 1–11. Available at: <https://jom.unri.ac.id/index.php/JOMFAPERTA/article/view/18854>.
- Herminiati, A. 2012 'Umbi Dahlia: Potensi, Peranan, dan Prospek Pengembangannya', *Journal of Pharmaceutical and Medical Sciences*, 21(4), pp. 397–405.
- Hopkins, L.C. et al. 2017 'Breakfast Consumption Frequency and Its Relationships to Overall Diet Quality, Using Healthy Eating Index 2010, and Body Mass Index among Adolescents in a Low-Income Urban Setting', *Ecology of Food and Nutrition*, 56(4), pp. 297–311. doi:10.1080/03670244.2017.1327855.
- Hulu, A. and Handoko, Y.A. 2022 'Flakes Studi Karakteristik Flakes Tepung Pisang Kepok (*Musa paradisiaca* var. *Formatipyca*) Dengan Subtitusi Tepung Sagu', *Agroland: Jurnal Ilmu-ilmu Pertanian*, 29(1), pp. 50–63. doi:10.22487/agrolandnasional.v29i1.1035.
- Hustiany, R. 2016 *Reaksi Maillard Pembentuk Citarasa Dan Warna Pada Produk Pangan*. Banjarmasin: Lambung Mangkurat University Press.
- IDF 2021 *IDF Diabetes Atlas 10th Edition*. 10th edn, *Journal of Experimental Biology*. 10th edn. Edited by E.J. Boyko et al. Brussels: International Diabetes Federation. doi:10.1242/jeb.64.3.665.
- Iriyani, N. 2011 *Sereal dengan Substitusi Bekatul Tinggi Antioksidan*. Universitas Diponegoro.
- Kemenkes RI 2018 'Hasil Riset Kesehatan Dasar Tahun 2018', *Kementerian Kesehatan RI*, 53(9), pp. 1689–1699.
- Kementerian Kesehatan RI 2019 *Laporan Provinsi Jawa Barat, Riskesdas 2018, Lembaga Penerbit Badan Penelitian dan Pengembangan Kesehatan*.
- Kharroubi, A.T. 2015 'Diabetes mellitus: The epidemic of the century', *World Journal of Diabetes*, 6(6), p. 850. doi:10.4239/wjd.v6.i6.850.
- Kierstan, M.P.J. 1978 'Production of Fructose Syrup from Inulin Containing Plants', *Biotechnol. Bioneng*, 30, pp. 447–450.
- Liu, F. et al. 2017 'Effect of inulin-type fructans on blood lipid profile and glucose level: A systematic review and meta-analysis of randomized controlled trials', *Salsabila Shoofiyana Hasim, 2022 KANDUNGAN GIZI DAN INULIN SEREAL DENGAN PENAMBAHAN UMBI DAHLIA (DAHLIA SP L) UNTUK MENGAATASI DIABETES MELITUS TIPE 2*

- European Journal of Clinical Nutrition*, 71(1), pp. 9–20. doi:10.1038/ejcn.2016.156.
- Louise, I.S.Y. 2020 ‘Produksi Inulin Berbasis Umbi-Umbian Lokal Sebagai Bahan Dasar Obat’, *Jurnal Pengabdian Masyarakat MIPA dan Pendidikan MIPA*, 4(1), pp. 14–23. doi:10.21831/jpmmp.v4i1.34070.
- Maki, K.C., Phillips-Eakley, A.K. and Smith, K.N. 2016 ‘The effects of breakfast consumption and composition on metabolic wellness with a focus on carbohydrate metabolism’, *Advances in Nutrition*, 7(3), pp. 613S–621S. doi:10.3945/an.115.010314.
- Manullang, B. 2018 *Efektivitas Biskuit Tepung Komposit Beras Hitam (*Oryza sativa l.*), Inulin Umbi Bunga Dahlia dan Tepung Mocaf Terhadap Kadar Glukosa Darah Pada Tikus (*Rattus norvegicus*) Penderita Diabetes Melitus Tipe II*. Universitas Sumatera Utara.
- Mary, E. 1998 ‘Adolescent Breakfast Skipping: An Australian Study’, *Adolescence*, 33(132), pp. 851–861.
- Mekary, R.A. et al. 2013 ‘Eating patterns and type 2 diabetes risk in older women: Breakfast consumption and eating frequency’, *American Journal of Clinical Nutrition*, 98(2), pp. 436–443. doi:10.3945/ajcn.112.057521.
- MENKES RI 2019 ‘Angka Kecukupan Gizi’, 2019(28), p. 55.
- Mensink, M.A. et al. 2015 ‘Inulin, a flexible oligosaccharide I: Review of its physicochemical characteristics’, *Carbohydrate Polymers*, 130, pp. 405–419. doi:10.1016/j.carbpol.2015.05.026.
- Monzani, A. et al. 2019 ‘A systematic review of the association of skipping breakfast with weight and cardiometabolic risk factors in children and adolescents. What should we better investigate in the future?’, *Nutrients*, 11(2), pp. 1–23. doi:10.3390/nu11020387.
- Mubarok, A.Z. and Sembiring, S.V.J. 2020 ‘Karakteristik Fisik Cookies Pada Berbagai Rasio Terigu Dengan Tepung Umbi Dahlia Dan Penambahan Margarin’, *Jurnal Teknologi & Industri Hasil Pertanian*, 25(2), p. 90. doi:10.23960/jtihp.v25i2.90-97.
- Mustafa, A. and Elliyana, E. 2020 ‘Pemanfaatan Ampas Kedelai Pada Pembuatan Brownies Gluten Free Ubi Jalar Ungu Dan Uji Kelayakannya’, 14, pp. 1–13.
- Nasution, F., Andilala and Siregar, A.A. 2021 ‘Faktor Risiko Kejadian Diabetes Mellitus’, *Jurnal Ilmu Kesehatan*, 9(2), pp. 94–102.
- Negara, J.K. et al. 2016 ‘Aspek mikrobiologis, serta Sensori (Rasa, Warna, Tekstur, Aroma) Pada Dua Bentuk Penyajian Keju yang Berbeda’, *Jurnal Ilmu Produksi dan Teknologi Hasil Peternakan*, 4(2), pp. 286–290. Available at: <https://jurnal.ipb.ac.id/index.php/ipthp/article/view/17506/12562>.

- Nelwida, N., Berliana, B. and Nurhayati, N. 2019 'Kandungan Nutrisi Black garlic Hasil Pemanasan dengan Waktu Berbeda: Nutrition content of Black garlic heated in different times', *Jurnal Ilmiah Ilmu-Ilmu Peternakan*, 22(1), pp. 53–64.
- Nicola, W.G. *et al.* 2015 'Is There a Role of Inulin in The Management of Type 2 Diabetes Mellitus ?!', *International Journal Of PharmTech Research*, 8(10), pp. 1–9.
- Ning, C. *et al.* 2017 'Chicory inulin ameliorates type 2 diabetes mellitus and suppresses JNK and MAPK pathways in vivo and in vitro', *Molecular Nutrition and Food Research*, 61(8), pp. 1–30. doi:10.1002/mnfr.201600673.
- Ningtyas, K.R. 2013 'Optimasi Formulasi Breakfast Meal Flakes (Pangan Sarapan Pisang Dengan Penambahan Labu Kuning Optimize Formulation the Breakfast Meal Flakes (Food Breakfast) Bananas With the Addition of Pumpkins', *Jurnal Pengolahan Pangan*, 3(2), pp. 32–37.
- Nisa, K., Retnaningtyas, Y. and Kristiningrum, N. 2015 'Penetapan Kadar Inulin dalam Ekstrak Umbi Dahlia variabilis dan Dahlia pinnata dengan Metode KLT Densitometri', *e-Jurnal Pustaka Kesehatan*, 3(2), pp. 284–288. Available at: <https://jurnal.unej.ac.id/index.php/JPK/article/download/2587/2074/>.
- Nsabimana and Jiang, B. 2011 'The chemical composition of some garden Dahlia tubers', *British Food Journal*, 113(9), pp. 1081–1093. doi:10.1108/00070701111174541.
- Nurdin, F. 2021 'Persepsi Penyakit dan Perawatan Diri dengan Kualitas Hidup Diabetes Mellitus Type 2', *Jurnal Keperawatan Silampari*, 4(2), pp. 566–575. doi:10.31539/jks.v4i2.1931.
- Nurhidayanti, A. and Dewi, S.A. 2017 'Pembuatan Flakes Dengan Variasi Tepung Gandum Dan', *Jurnal Teknologi Pangan*, 8(2), pp. 163–170.
- Nurwin, A.F., Dewi, E.N. and Romadhon 2019 'Pengaruh Penambahan Tepung Karagenan Pada Karakteristik Bakso Kerang Darah (Anadara granosa)', 1(2), pp. 39–46.
- Papunas, M.E., Djarkasi, G.S.S. and Moningka, J.C. 2013 '... Dan Sensoris Flakes Berbahan Baku Tepung Jagung (*Zea mays L*), Tepung Pisang Gorojo (*Musa acuminata*, sp) dan Tepung Kacang Hijau (*Phaseolus ...*', *Cocos* [Preprint]. Available at: <https://ejournal.unsrat.ac.id/index.php/cocos/article/download/2494/2030>.
- Perović, J. *et al.* 2020 'Chicory (*Cichorium intybus L.*) as a food ingredient – Nutritional composition, bioactivity, safety, and health claims: A review', *Food Chemistry*, 336, pp. 1–55. doi:10.1016/j.foodchem.2020.127676.
- Petkova, N.T., Sherova, G. and Denev, P.P. 2018 'Characterization of inulin from Salsabila Shoofiyana Hasim, 2022
KANDUNGAN GIZI DAN INULIN SEREAL DENGAN PENAMBAHAN UMBI DAHLIA (DAHLIA SP L) UNTUK MENGAATASI DIABETES MELITUS TIPE 2
UPN Veteran Jakarta, Fakultas Ilmu Kesehatan, Gizi Program Sarjana
[www.upnvj.ac.id – www.library.upnvj.ac.id – www.repository.upnvj.ac.id]

- dahlia tubers isolated by microwave and ultrasound-assisted extractions', *International Food Research Journal*, 25(5), pp. 1876–1884.
- Puspita, M.L.A. and Murtini, E.S. 2018 *Minuman Serbuk Sereal dengan Metode Ekstrusi dari Kecambah Kacang Tunggak (Kajian Proporsi Penambahan Jagung dan Beras)*. Universitas Brawijaya.
- Putra, A. et al. 2018 'Kebiasaan Sarapan pada Mahasiswa Aktif', *HIGEIA (Journal of Public Health Research and Development)*, 2(4), pp. 577–586. doi:10.15294/higeia.v2i4.26803.
- Putra, G. and Amadea, Z. 2021 *Formulasi Tepung Komposit Berbasis Tepung Kacang Kedelai, Tepung Jagung, Dan Tepung Mocaf (Modified Cassava Flour) Terhadap Sifat Fisikokimia Flakes*. Universitas Muhammadiyah Malang.
- Putri, D.A. 2013 *Manfaat inulin bagi kesehatan dan aplikasinya, Review Jurnal*. Universitas Brawijaya.
- Raghavan, S. et al. 2019 'Diabetes mellitus-related all-cause and cardiovascular mortality in a national cohort of adults', *Journal of the American Heart Association*, 8(4). doi:10.1161/JAHA.118.011295.
- Rani, K.C. et al. 2017 'Pengembangan Nutraceutikal Sereal Daun Kelor (Moringa Oleifera L.) Dengan Tepung Garut (Maranta Arundinaceae L.) Sebagai Pengikat', *Jurnal Farmasi Indonesia*, 11(2), pp. 38–50. Available at: <http://jfionline.org/index.php/jurnal/article/view/675>.
- Rao, M. et al. 2019 'Effect of inulin-type carbohydrates on insulin resistance in patients with type 2 diabetes and obesity: A systematic review and meta-analysis', *Journal of Diabetes Research*, 2019. doi:10.1155/2019/5101423.
- Reeves, S. et al. 2013 'Breakfast habits, beliefs and measures of health and wellbeing in a nationally representative UK sample', *Appetite*, 60(1), pp. 51–57. doi:10.1016/j.appet.2012.09.024.
- Rehm, C.D. and Drewnowski, A. 2017 'Replacing american breakfast foods with ready-to-eat (RTE) cereals increases consumption of key food groups and nutrients among US children and adults: Results of an NHANES modeling study', *Nutrients*, 9(9). doi:10.3390/nu9091010.
- Riantiningtyas, R.R. and Marliyati, S.A. 2017 'Formulation of Flakes with Red Kidney Bean and Red Palm Oil as a Potential Instant Breakfast for Type 2 Diabetes (Perumusan Emping dengan Kacang Merah dan Minyak Sawit Merah sebagai Potensi Sarapan Segera untuk Diabetes Jeni)', 15(2), pp. 91–96.
- Rinaldo, D. 2020 'Carbohydrate and bioactive compounds composition of starchy tropical fruits and tubers, in relation to pre and postharvest conditions: A review', *Journal of Food Science*, 85(2), pp. 249–259. doi:10.1111/1750-
Salsabila Shoofiyana Hasim, 2022
KANDUNGAN GIZI DAN INULIN SEREAL DENGAN PENAMBAHAN UMBI DAHLIA (DAHLIA SP L) UNTUK MENGAJATI DIABETES MELITUS TIPE 2
UPN Veteran Jakarta, Fakultas Ilmu Kesehatan, Gizi Program Sarjana
[www.upnvj.ac.id – www.library.upnvj.ac.id – www.repository.upnvj.ac.id]

- 3841.15002.
- Rios, R.V. *et al.* 2014 ‘Application Of Fats In Some Food Products’, *Food Science and Technology*, 34(1), pp. 3–15. doi:10.1590/S0101-20612014000100001.
- Roberfroid, M. 1993 ‘Dietary Fiber, Inulin, and Oligofructose: a Review Comparing Their Physiological Effects’, *Critical Reviews in Food Science and Nutrition*, 33(2), pp. 103–148. Available at: <http://www.tandfonline.com/action/journalInformation?journalCode=bfsn20> %5Cn<http://dx.doi.org/10.1080/20014091091841>.
- Romadhon, G., Yusmarini and Fitriani, S. 2021 ‘Pembuatan Snack Bar dari Tepung Biji Saga Pohon (*Adenanthera Pavonina L.*) dengan Penambahan Buah Nangka Kering’, *Jom Faperta*, 8(2), pp. 1–15.
- SACN 2015 *Carbohydrates and Health*. 2015th edn. Norwich: The Stationery Office Limited. Available at: www.tsoshop.co.uk.
- Salasa, R.A., Rahman, H. and Andiani 2019 ‘Faktor Risiko Diabetes Mellitus Tipe 2 Pada Populasi Asia : A Systematic Review’, *Jurnal BIOSAINTEK*, 1(1), pp. 95–107.
- Salviana, D., Alamsyah, A. and Handito, D. 2018 *Analisis Komponen Gizi dan Sensoris Flakes Dari Tepung Ubi Jalar Ungu dan Tepung Kacang Gude*. Universitas Mataram.
- Shoaib, M. *et al.* 2016 ‘Inulin: Properties, health benefits and food applications’, *Carbohydrate Polymers*, pp. 1–39. doi:10.1016/j.carbpol.2016.04.020.
- Silva, R. dos S. *et al.* 2019 ‘Addition of essential oils and inulin for production of reduced salt and fat ham’, *Australian Journal of Crop Science*, 13(6), pp. 1031–1036. doi:10.21475/ajcs.19.13.06.p943.
- Sousa, V.M.C. de, Santos, E.F. dos and Sgarbieri, V.C. 2011 ‘The Importance of Prebiotics in Functional Foods and Clinical Practice’, *Food and Nutrition Sciences*, 02(02), pp. 133–144. doi:10.4236/fns.2011.22019.
- Spence, C., Auvray, M. and Smith, B. 2014 ‘Confusing Tastes with Flavours’, *Perception and Its Modalities*, pp. 247–274. doi:10.1093/acprof:oso/9780199832798.003.0011.
- Sugandhi, M.Z., Arief, D.Z. and Widiantara, T. 2016 *Pengaruh Perbandingan Tepung Biji Kacang Koro Pedang Dengan Tepung Tempe Kacang Koro Pedang (*Canavalia ensiformis L.*) Terhadap Karakteristik Flakes, Occupational Medicine*. Universitas Pasundan.
- Sugiarti, D.P., Yenrina, R. and Sylvi, D. 2017 *Karakteristik Tepung Umbi Bunga Dahlia dari Berbagai Warna Bunga yang Berbeda*. Universitas Andalas.
- Sukasih, E. and Setyadit, N. 2017 ‘Formulasi Pembuatan Flake Berbasis Talas Salsabila Shoofiyana Hasim, 2022
KANDUNGAN GIZI DAN INULIN SEREAL DENGAN PENAMBAHAN UMBI DAHLIA (DAHLIA SP L) UNTUK MENGAJATSI DIABETES MELITUS TIPE 2
UPN Veteran Jakarta, Fakultas Ilmu Kesehatan, Gizi Program Sarjana
[www.upnvj.ac.id – www.library.upnvj.ac.id – www.repository.upnvj.ac.id]

- Untuk Makanan Sarapan (Breakfast Meal) Energi Tinggi Dengan Metode Oven’, *Jurnal Penelitian Pascapanen Pertanian*, 9(2), p. 70. doi:10.21082/jpasca.v9n2.2012.70-76.
- Sumbono, A. 2021 *Protein Seri Biokimia Pangan Dasar*. 1st edn. Sleman: Deepublish Publisher.
- Sunarti, Ginting, C.N. and Ginting, S.F. 2022 ‘Narrative Review: Potensi Inulin Umbi Dahlia Sebagai Anti Diabetes’, *Jurnal Keperawatan Priority*, 5(1), pp. 53–65.
- Sundari, E. et al. 2014 ‘Identifikasi Dan Kondisi Ekstraksi Inulin Dari Umbi Dahlia Di Sumatera Barat’, *Prosiding SNSTL I 2014*, (September), pp. 174–179.
- Susanti and Bistara, D.N. 2018 ‘Hubungan Pola Makan Dengan Kadar Gula Darah Pada Penderita Diabetes Mellitus’, *Jurnal Kesehatan Vokasional*, 3(1), p. 29. doi:10.22146/jkesvo.34080.
- Suter, I.K. 2013 ‘Pangan Fungsional Dan Prospek Pengembangannya’, *Pentingnya Makanan Alamiah (Natural Food) Untuk Kesehatan Jangka Panjang*, pp. 1–17.
- Tandra, P.D.H. 2013 *Life Healthy with Diabetes Diabetes Mengapa & Bagaimana*. 1st edn. Edited by A. Sahala. Yogyakarta: Rapha Publishing.
- Tarwendah, I.P. 2017 ‘Studi Komparasi Atribut Sensori dan Kesadaran Merek Produk Pangan’, *Jurnal Pangan dan Agroindustri*, 5(2), pp. 66–73.
- Timlin, M.T. and Pereira, M.A. 2007 ‘Breakfast frequency and quality in the etiology of adult obesity and chronic diseases’, *Nutrition Reviews*, 65(6), pp. 268–281. doi:10.1301/nr.2007.jun.268-281.
- Uemura, M. et al. 2015 ‘Breakfast skipping is positively associated with incidence of type 2 diabetes mellitus: Evidence from the Aichi Workers’ Cohort Study’, *Journal of Epidemiology*, 25(5), pp. 351–358. doi:10.2188/jea.JE20140109.
- Ulfa, R.S. Al 2020 *Literature Review Hubungan Asupan Karbohidrat dan Asupan Serat dengan Kadar Glukosa Darah Pada Pasien Diabetes Mellitus Tipe 2*. Universitas Muhammadiyah Surakarta.
- Uthayakumaran, S. and Wrigley, C.W. 2010 ‘4 - Wheat: characteristics and quality requirements’, in Wrigley, C.W. and Batey, I.L.B.T.-C.G. (eds) *Woodhead Publishing Series in Food Science, Technology and Nutrition*. Woodhead Publishing, pp. 59–111. doi:<https://doi.org/10.1533/9781845699529.2.59>.
- Wang, L. et al. 2019 ‘Inulin-type fructans supplementation improves glycemic control for the prediabetes and type 2 diabetes populations: Results from a GRADE-assessed systematic review and dose-response meta-analysis of 33 randomized controlled trials’, *Journal of Translational Medicine*, 17(1). doi:10.1186/s12967-019-02159-0.

- Wardhani, D.R. and Abdillah, R. 2018 ‘Pengambilan Keputusan Dengan Metode Perbandingan Eksponensial (Mpe) Dalam Manajemen Kedai’, *Semnas Ristek*, (2004), pp. 1–6.
- WHO 2016 *Global Report on Diabetes*, WHO. WHO Press. Available at: <https://www.who.int/publications/i/item/9789241565257>.
- Widyastuti, T. 2018 *Teknologi Budidaya Tanaman Hias Agribisnis*. 1st edn. Yogyakarta: CV Mine.
- Winata, A. 2019 *Pengaruh Subsitusi Tepung Terigu Dengan Tepung Umbi Dahlia (Dahlia sp.) dan Penamahan Baking Powder dalam Pembuatan Cookies*. Universitas Brawijaya.
- Yuliana, R., Kusdiyantini, E. and Izzati, M. 2014 ‘Potensi Tepung Umbi Dahlia Dan Ekstrak Inulin Dahlia Sebagai Sumber Karbon Dalam Produksi Fruktooligosakarida (FOS) Oleh Khamir Kluyveromyces marxianus DUCC-Y-003’, *Bioma : Berkala Ilmiah Biologi*, 16(1), p. 39. doi:10.14710/bioma.16.1.39-49.
- Zai, K. and Sidabalok, I. 2021 ‘Karakteristik Mutu Flakes dengan Substitusi Tepung Biji Alpukat (Persea Americana Mill) terhadap Tepung Terigu’, *Jurnal Pionir LPPM Universitas Asahan*, 7, pp. 10–20.
- Zhang, W. et al. 2020 ‘Efficacy of inulin supplementation in improving insulin control, HbA1c and HOMA-IR in patients with type 2 diabetes: A systematic review and meta-analysis of randomized controlled trials’, *Journal of Clinical Biochemistry and Nutrition*, 66(3), pp. 176–183. doi:10.3164/jcbn.19-103.
- Zubaidah, E. and Akhadiana, W. 2013 ‘Comparative Study of Inulin Extracts from Dahlia, Yam, and Gembili Tubers as Prebiotic’, *Food and Nutrition Sciences*, 04(11), pp. 8–12. doi:10.4236/fns.2013.411a002.