

## DAFTAR PUSTAKA

- Abuelgassim O. and AL-showayman, 2012, 'The Effect Of Pumpkin (Cucurbita Pepo L) Seeds And L-Arginine Supplementation On Serum Lipid Concentrations In Atherogenic Rats', 8(2), pp. 131–137. doi:<http://dx.doi.org/10.4314/ajtcam.v9i1.18>.
- Adams, G.G. *et al.*, 2014, 'The Hypoglycemic Effect Of Pumpkin Seeds, Trigonelline (TRG), Nicotinic Acid (NA), And D-Chiro-Inositol (DCI) In Controlling Glycemic Levels In Diabetes Mellitus', <https://doi.org/10.1080/10408398.2011.635816>, 54(10), pp. 1322–1329. doi:10.1080/10408398.2011.635816.
- Aeni, S., Puspaningtyas, D.E. and Putriningtyas, N.D, 2019, 'Susu Kacang Tanah Efektif Menurunkan Berat Badan Dan Kadar Glukosa Darah Remaja Putri Overweight', *Sport and Nutrition Journal*, 1(1), pp. 33–39. doi:10.1016/j.sasoi.2013.12.010.
- Agustina, B.S, 2020, *Aktivitas Antioksidan Ekstrak Protein Tempe Biji Labu Kuning (Cucurbita Moschata)*
- Albaugh, V.L., Stewart, M.K. and Barbul, A, 2017, 'Cellular And Physiological Effects Of Arginine In Seniors', *Nutrition and Functional Foods for Healthy Aging*, pp. 317–336. doi:10.1016/B978-0-12-805376-8.00027-7.
- Alexiadou, K. and Doupis, J, 2012, 'Management Of Diabetic Foot Ulcers', *Diabetes therapy: research, treatment and education of diabetes and related disorders*, 3(1), pp. 1–15. doi:10.1007/S13300-012-0004-9.
- Alfanesa, R., Rahayuni, T. and Lucky, H, 2021, 'Pengaruh Jenis Kemasan Terhadap Sifat Organoleptik Dan Kimiawi Tempe Biji Karet', *Jurnal Sains Mahasiswa Pertanian*, 10(2).
- Amamechi, N. and Ngozi, E, 2016, 'Effect Of Boiling On Amino Acid Composition Of Jackfruit (Artocarpus Heterophyllus) Seed From South East Nigeria', *Journal of Advances in Food Science & Technology*, 3(4)(June), pp. 175–181.
- American Diabetes Association, 2020a, 'Classification And Diagnosis Of Diabetes: Standards Of Medical Care In Diabetes-2020', *Diabetes Care*, 43(January), pp. S14–S31. doi:10.2337/dc20-S002.
- American Diabetes Association, 2020b, 'Type 2 Diabetes Mellitus In Malaysia: Current Trends And Risk Factors', *European Journal of Clinical Nutrition*, 43(7), pp. 844–849. doi:10.1038/ejcn.2017.44.
- American Diabetes Association, 2017, *Standards of Medical Care in Diabetes-2017*. doi:10.1142/9789814304443\_0001.

- Amin, T. and Thakur, M, 2013, 'Research Article Cucurbita Mixta ( Pumpkin ) Seeds- A General Overview On Their Health Benefits Tawheed Amin , Monika Thakur', 4(June), pp. 846–854.
- AOAC, 2005, 'Official Methods Of Analysis Of AOAC INTERNATIONAL', *Aoac* [Preprint], (February).
- AOAC, 2012, *Official Method of Analysis*. Arlington: AOAC International
- Aptesia, L.T., Suharyono and Rasyid, H. Al, 2013, 'Pemanfaatan Lactobacillus Casei Dan Tapioka Dalam Upaya Menghambat Kerusakan Tempe Kedelai', *Teknologi Industri dan Hasil Pertanian*, 18(2), pp. 175–184. Available at: <http://jurnal.fp.unila.ac.id/index.php/JTHP/article/view/190/193>.
- Asif, M, 2014, 'The Prevention And Control The Type-2 Diabetes By Changing Lifestyle And Dietary Pattern', *Journal of Education and Health Promotion*, 3(1), p. 1. doi:10.4103/2277-9531.127541.
- Astawan, M. *et al.*, 2013, 'Karakteristik Fisikokimia Dan Sifat Fungsional Tempe Yang Dihasilkan Dari Berbagai Varietas Kedelai (Phsyco-Chemical Characteristics And Functional Properties Of Tempe Made From Different Soybeans Varieties)', *Jurnal Pangan*, 22(3), pp. 241–252. doi:10.33964/JP.V22I3.102.
- Ayala, A., Muñoz, M.F. and Argüelles, S., 2014, 'Lipid Peroxidation: Production, Metabolism, And Signaling Mechanisms Of Malondialdehyde And 4-Hydroxy-2-Nonenal', *Oxidative Medicine and Cellular Longevity*, 2014. doi:10.1155/2014/360438.
- Azhar, N.H., Kastaman, R. and Bunyamin, A, 2021, 'Determination Of Superior Agro-Industrial Products In Sumedang Regency', *Jurnal Ekonomi Pertanian dan Agribisnis (JEPA)*, 5(3), pp. 840–851.
- Badan Pusat Statistik, 2021, *Impor Kedelai Menurut Negara Asal Utama, 2010-2020*. Available at: <https://www.bps.go.id/statictable/2019/02/14/2015/impor-kedelai-menurut-negara-asal-utama-2010-2019.html> (Accessed: 15 February 2022).
- Badan Standarisasi Nasional (BSN), 2015, 'SNI 3144:2015 Tempe Kedelai', *Tempe Kedelai*, pp. 1–26.
- Barber, T.M. *et al.*, 2020, 'The Health Benefits Of Dietary Fibre', *Nutrients*, 12(10), pp. 1–17. doi:10.3390/nu12103209.
- Barus, T. *et al.*, 2008, 'Role Of Bacteria In Tempe Bitter Taste Formation: Microbiological And Molecular Biological Analysis Based On 16S RRNA

- Gene', *Microbiology Indonesia*, 2(1), pp. 4–4. doi:10.5454/MI.2.1.4.
- Barus, T., Maya, F. and Hartanti, A.T., 2019, 'The Role Of Some Strains Of Rhizopus Microsporus Originating From "Laru Tradisional" In Determining Tempe Quality', *Jurnal Aplikasi Teknologi Pangan*, 8(1), pp. 17–22.
- Barus, T., Yokota, J. and Hutagalung, R.A, 2021, 'Produksi, Kualitas Dan Cita Rasa Tempe Biji Labu Kuning, Biji Bunga Matahari Dan Kacang Adzuki', *Teknologi Pangan : Media Informasi dan Komunikasi Ilmiah Teknologi Pertanian*, 12(2), pp. 209–219. doi:10.35891/tp.v12i2.2458.
- BPOM RI, 2016, 'Peraturan Kepala Badan Pengawas Obat Dan Makanan Republik Indonesia Nomor 9 Tahun 2016 Tentang Acuan Label Gizi', *Badan Pengawasan Obat dan Makanan Republik Indonesia*, pp. 1–28.
- BPOM RI, 2019, 'Peraturan Badan Pengawas Obat Dan Makanan Nomor 22 Tahun 2019 Tentang Informasi Nilai Gizi Pada Label Pangan Olahan', *Badan Pengawas Obat dan Makanan*, 53, pp. 1689–1699.
- Busatta, F, 2011, 'Obesity, Diabetes And The Thrifty Gene', *Antrocom: Journal of Anthropology*, 7(1), p. 103. doi:10.31826/9781463235413-012/HTML.
- Cempaka, L., Widyana, M.A. and Astuti, R.M, 2020, 'Karakteristik Sensori Dan Analisis Mikroba Tempe Segar Beraneka Rasa', *Jurnal Ilmu Pangan dan Hasil Pertanian*, 4(1), pp. 43–59. doi:10.26877/jiphp.v4i1.4633.
- Chettri, P. and Chandran, S.P, 2020, 'Role Of Dietary Fibers In Reducing The Risk Of Type 2 Diabetes', *International Journal of Physical Education, Sports and Health*, 7(4), pp. 71–77. doi:10.22271/kheljournal.2020.v7.i4b.1772.
- Choi, S, 2014, 'Sensory Evaluation,' in *Food Science: An Ecological Approach*. Edited by S. Edelstein. Burlington: Jones and Bartlett Learning LLC
- Dahl, W.J. and Stewart, M.L, 2015, 'Position Of The Academy Of Nutrition And Dietetics: Health Implications Of Dietary Fiber', *Journal of the Academy of Nutrition and Dietetics*, 115(11), pp. 1861–1870. doi:10.1016/J.JAND.2015.09.003.
- DebMandal, M. and Mandal, S, 2011, 'Coconut (Cocos Nucifera L.: Arecaceae): In Health Promotion And Disease Prevention', *Asian Pacific Journal of Tropical Medicine*, 4(3), pp. 241–247. doi:10.1016/S1995-7645(11)60078-3.
- Decroli, E, 2019, *Diabetes Melitus Tipe 2*. Padang: Pusat Penerbitan Bagian Ilmu Penyakit Dalam

- DeFronzo, R.A. *et al.*, 2015, 'Type 2 Diabetes Mellitus', *Nature Reviews Disease Primers*, 1. doi:10.1038/NRDP.2015.19.
- Derosa, G. and Maffioli, P., 2011, 'Thiazolidinediones Plus Metformin Association On Body Weight In Patients With Type 2 Diabetes', *Diabetes research and clinical practice*, 91(3), pp. 265–270. doi:10.1016/J.DIABRES.2010.08.001.
- Dhingra, D. *et al.* 2012 'Dietary Fibre In Foods: A Review', *Journal of Food Science and Technology* 2011 49:3, 49(3), pp. 255–266. doi:10.1007/S13197-011-0365-5.
- Dotto, J.M. and Chacha, J.S. 2020 'The Potential Of Pumpkin Seeds As A Functional Food Ingredient: A Review: Biofunctional Ingredients Of Pumpkin Seeds', *Scientific African*, 10, p. e00575. doi:10.1016/j.sciaf.2020.e00575.
- Dwi, E. 2017 'Gangrene Diabetik Pada Penderita Diabetes Melitus', *J Agromed Unila*, 2(4).
- Ellent, S.S.C., Dewi, L. and Tapilouw, M.C. 2022 'Quality Characteristics Of Soybean (Glycine Max L.) Tempeh Packaged With Corn Husks', *AGRITEKNO: Jurnal Teknologi Pertanian*, 11(1), pp. 32–40. doi:10.30598/jagritekno.2022.11.1.32.
- Ermawati, D., Rachmawati, B. and Widyastiti, N.S. 2014 'Efek Suplementasi  $\beta$ -Carotene Terhadap Kolesterol Total, Trigliserida Dan Malondialdehid Pada Tikus Sprague Dawley Yang Diabet', *Jurnal Gizi Indonesia (The Indonesian Journal of Nutrition)*, 2(2), pp. 47–52. doi:10.14710/JGI.2.2.47-52.
- Fatimah, R.N. 2015 'DIABETES MELITUS TIPE 2', *J MAJORITY*, 4(5), pp. 93–101. doi:10.14499/indonesianjpharm27iss2pp74.
- Feng, X.M., Ostefeld Larsen, T. and Schnürer, J. 2007 'Production Of Volatile Compounds By Rhizopus Oligosporus During Soybean And Barley Tempeh Fermentation', *International Journal of Food Microbiology*, 113(2), pp. 133–141. doi:10.1016/J.IJFOODMICRO.2006.06.025.
- Franz, M.J. 2012 'Chapter 33: Medical Nutrition Therapy For Diabetes Mellitus And Hypoglycemia Of Nondiabetic Origin', in *Krause and Mahan's food and the nutrition care process*, pp. 792–837.
- Fujii, H. *et al.* 2013 'Impact Of Leisure-Time Physical Activity On Glycemic Control And Cardiovascular Risk Factors In Japanese Patients With Type 2 Diabetes Mellitus: The Fukuoka Diabetes Registry', *Nutrition Journal*, 12(159), pp. 1–8. doi:10.1371/journal.pone.0098768.

- Ghozali, D.S. 2010 'Pengaruh Tempe Terhadap Kadar Gula Darah', 37(3).
- Glew, R.H. *et al.* 2006 'Amino Acid, Mineral And Fatty Acid Content Of Pumpkin Seeds (*Cucurbita* Spp) And *Cyperus Esculentus* Nuts In The Republic Of Niger', *Plant Foods for Human Nutrition*, 61(2), pp. 51–56. doi:10.1007/s11130-006-0010-z.
- Hargono, D. 1999 'MANFAAT BIJI LABU (*Cucurbita* Sp.) UNTUK KESEHATAN', *Media Penelitian dan Pengembangan Kesehatan*, pp. 4–5.
- Hasrina and Nurdin, M. 2017 'Kadar Protein Tempe Biji Labu Kuning (*Cucurbita Moschata*) Dan Pemanfaatannya Sebagai Media Pembelajaran Protein Levels Of Pumpkin Seed Tempeh (*Cucurbita Moschata*) And Its Utilization As A Learning Media', *Biology Science and Education (JBSE)*, 8(2), pp. 115–119.
- Hu, S. *et al.* 2017 'L-Arginine Modulates Glucose And Lipid Metabolism In Obesity And Diabetes', *Current Protein & Peptide Science*, 18(6), pp. 599–608. doi:10.2174/1389203717666160627074017.
- Ibarruri, J. and Hernández, I. 2018 'Rhizopus Oryzae As Fermentation Agent In Food Derived Sub-Products', *Waste and Biomass Valorization*, 9(11), pp. 2107–2115. doi:10.1007/S12649-017-0017-8.
- IDF 2019 *IDF Diabetes Atlas 9th edition 2019, IDF Diabetes Atlas, 9th edition.*  
Available at: [https://diabetesatlas.org/idfawp/resource-files/2019/07/IDF\\_diabetes\\_atlas\\_ninth\\_edition\\_en.pdf](https://diabetesatlas.org/idfawp/resource-files/2019/07/IDF_diabetes_atlas_ninth_edition_en.pdf).
- Indrawati, I. and Maimaznah, M. 2020 'Pengaruh Konsumsi Tempe Terhadap Kadar Gula Darah Pada Penderita Diabetes Melitus Di Kelompok Senam Ibu-Ibu Di Kelurahan Talang Banjar Jambi', *Jurnal Akademika Baiturrahim Jambi*, 9(1), p. 110. doi:10.36565/jab.v9i1.195.
- International Diabetes Federation (IDF) 2021 *IDF Diabetes Atlas 10th edition, Journal of Experimental Biology.* doi:10.1242/jeb.64.3.665.
- Inzucchi, S.E. *et al.* 2015 'Management Of Hyperglycemia In Type 2 Diabetes, 2015: A Patient-Centered Approach: Update To A Position Statement Of The American Diabetes Association And The European Association For The Study Of Diabetes', *Diabetes Care*, 38(1), pp. 140–149. doi:10.2337/dc14-2441.
- Johnston, K.L. *et al.* 2010 'Resistant Starch Improves Insulin Sensitivity In Metabolic Syndrome', *Diabetic Medicine*, 27(4), pp. 391–397. doi:10.1111/J.1464-5491.2010.02923.X.
- Kemendes RI 2018 'Hasil Riset Kesehatan Dasar Tahun 2018', *Kementrian*

*Kesehatan RI*, 53(9), pp. 1689–1699.

- Kochar, N.I. and Umathe, S.N. 2009 ‘Beneficial Effects Of L-Arginine Against Diabetes-Induced Oxidative Stress In Gastrointestinal Tissues In Rats’, *Pharmacological Reports*, 61(4), pp. 665–672. doi:10.1016/S1734-1140(09)70118-5.
- De Koning, T.J. 2013 ‘Amino Acid Synthesis Deficiencies’, *Handbook of clinical neurology*, 113, pp. 1775–1783. doi:10.1016/B978-0-444-59565-2.00047-2.
- Kumar, A.S. *et al.* 2019 ‘Exercise And Insulin Resistance In Type 2 Diabetes Mellitus: A Systematic Review And Meta-Analysis’, *Annals of Physical and Rehabilitation Medicine*, 62(2), pp. 98–103. doi:10.1016/j.rehab.2018.11.001.
- Laksono, A.S., Marniza and Rosalina, Y. 2019 ‘Karakteristik Mutu Tempe Kedelai Lokal Varietas Anjasmoro Dengan Variasi Lama Perebusan Dan Penggunaan Jenis Pengemas’, *Jurnal Agroindustri*, 9(1), pp. 8–18.
- Lestari, S. and Susilawati, P.N. 2015 ‘Uji Organoleptik Mie Basah Berbahan Dasar Tepung Talas Beneng (Xanthosoma Undipes) Untuk Meningkatkan Nilai Tambah Bahan Pangan Lokal Banten’, 1(Badrudin 1994), pp. 941–946. doi:10.13057/psnmbi/m010451.
- Lucotti, P. *et al.* 2006 ‘Beneficial Effects Of A Long-Term Oral L-Arginine Treatment Added To A Hypocaloric Diet And Exercise Training Program In Obese, Insulin-Resistant Type 2 Diabetic Patients’, *American Journal of Physiology - Endocrinology and Metabolism*, 291(5), pp. 906–912. doi:10.1152/ajpendo.00002.2006.
- Lumowa, S.V.T. and Nurani, I. 2014 ‘Pengaruh Perendaman Biji Kedelai (Glycine Max, L. Merr) Dalam Media Perasan Kulit Nanas (Ananas Comosus (Linn.) Merrill) Terhadap Kadar Protein Pada Pembuatan Tempe’, *Jurnal EduBio Tropika*, 2, pp. 187–250.
- Ma, H. *et al.* 2016 ‘L-Arginine Enhances Resistance Against Oxidative Stress And Heat Stress In Caenorhabditis Elegans’, *International Journal of Environmental Research and Public Health*, 13(10), p. 969. doi:10.3390/IJERPH13100969.
- Ma, X. *et al.* 2012 ‘LOC66273 Isoform 2, A Novel Protein Highly Expressed In White Adipose Tissue, Induces Adipogenesis In 3T3-L1 Cells’, *The Journal of Nutrition*, 142(3), pp. 448–455. doi:10.3945/JN.111.152108.
- Maiya, M. 2017 ‘Effect Of Supplementation With Pumpkin Seed Oil Versus Pumpkin Seeds On Blood Pressure And Menopausal Symptoms In Non-Hypertensive Postmenopausal Women’, (December).

- Matough, F.A. *et al.* 2012 ‘The Role Of Oxidative Stress And Antioxidants In Diabetic Complications’, 12 (February), pp. 5–18. doi:10.12816/0003082.
- McRae, M.P. 2016 ‘Therapeutic Benefits Of L-Arginine: An Umbrella Review Of Meta-Analyses’, *Journal of Chiropractic Medicine*, 15(3), pp. 184–189. doi:10.1016/j.jcm.2016.06.002.
- Mirmiran, P. *et al.* 2016 ‘The Association Of Dietary L-Arginine Intake And Serum Nitric Oxide Metabolites In Adults: A Population-Based Study’, *Nutrients*, 8(5). doi:10.3390/nu8050311.
- Montero-Pau, J. *et al.* 2016 ‘Genetics And Genomics Of Cucurbita Spp.’, pp. 211–227. doi:10.1007/7397\_2016\_7.
- Monti, L.D. *et al.* 2012 ‘Effect Of A Long-Term Oral L-Arginine Supplementation On Glucose Metabolism: A Randomized, Double-Blind, Placebo-Controlled Trial’, *Diabetes, obesity & metabolism*, 14(10), pp. 893–900. doi:10.1111/J.1463-1326.2012.01615.X.
- Monti, L.D. *et al.* 2018 ‘Decreased Diabetes Risk Over 9 year After 18-Month Oral L-Arginine Treatment In Middle-Aged Subjects With Impaired Glucose Tolerance And Metabolic Syndrome (Extension Evaluation Of L-Arginine Study)’, *European Journal of Nutrition*, 57(8), pp. 2805–2817. doi:10.1007/s00394-017-1548-2.
- Nasiru, A., Muhammad, B.F. and Abdullahi, Z. 2011 ‘Effect Of Cooking Time And Potash Concentration On Organoleptic Properties Of Red And White Meat’, *Journal of Food Technology*, 9(4), pp. 119–123. doi:10.3923/jftech.2011.119.123.
- Nuraini, H.Y. and Supriatna, R. 2016 ‘Hubungan Pola Makan, Aktivitas Fisik Dan Riwayat Penyakit Keluarga Terhadap Diabetes Melitus Tipe 2’, *Jurnal Ilmu Kesehatan Masyarakat*, 5(1), pp. 5–14. doi:10.33221/jikm.v5i1.14.
- Nuralizah, Adam, A. and Fadilah, R. 2016 ‘Pengaruh Penambahan Labu Kuning (Cucurbita Moschata) Dan Ubi Jalar Ungu (Ipomoea Batatas L) Terhadap Kecepatan Leleh Es Krim Yang Dihasilkan’, *Jurnal Pendidikan Teknologi Pertanian*, 2, pp. S7–S13.
- Pabesak, R.V., Dewi, L. and Lestario, L.N. 2013 ‘Aktivitas Antioksidan Dan Fenolik Total Pada Tempe Dengan Penambahan Biji Labu Kuning (Cucurbita Moschata Ex Poir)’, *Seminar Nasional Biologi PB XXII Perhimpunan Biologi Indonesia*
- Panjaitan, R. *et al.* 2015 ‘Pemanfaatan Minyak Biji Labu Kuning (Cucurbita Moschata Durch) Menjadi Sediaan Nanoemulsi Topikal Sebagai Agen

- Pengembangan Cosmetical Anti Aging’, *Khazanah*, 7(2), pp. 61–81. doi:10.20885/khazanah.vol7.iss2.art5.
- PERKENI 2021 ‘Pedoman Pengelolaan Dan Pencegahan Diabetes Melitus Tipe 2 Dewasa Di Indonesia 2021. PB PERKENI.’, p. 104.
- Popovic, P.J., Iii, H.J.Z. and Ochoa, J.B. 2007 *The Journal of Nutrition 6 th Amino Acid Assessment Workshop Arginine and Immunity 1-3, J. Nutr.*
- Pratiwi, E. 2014 ‘Klobot Jagung Sebagai Kemasan Alami Wajik Kelapa’. Available at: <https://repository.ipb.ac.id/handle/123456789/71225>.
- Pujilestari, S., Sandrasari, D.A. and Marida, R. 2017 ‘Chemical Characteristics Of Pumpkin Seed Tempeh From Soybean And Pumpkin Seeds’, *ComTech: Computer, Mathematics and Engineering Applications*, 8(2), p. 115. doi:10.21512/comtech.v8i2.3757.
- Putro, P.J.S. and Suprihatin 2012 ‘Pola Diet Tepat Jumlah, Jadwal, Dan Jenis Terhadap Kadar Gula Darah Pasien Diabetes Mellitus Tipe II’, *Jurnal STIKES*, 5(1), pp. 71–81.
- Radiati, A. and Sumarto 2016 ‘Analisis Sifat Fisik, Sifat Organoleptik, Dan Kandungan Gizi Pada Produk Tempe Dari Kacang Non-Kedelai’, *Jurnal Aplikasi Teknologi Pangan*, 5(1), pp. 16–22. doi:10.17728/jatp.v5i1.32.
- Rahayu, W.P. *et al.* 2015 *Tinjauan Ilmiah Proses Pengolahan Tempe Kedelai*. Palembang: Perhimpunan Ahli Teknologi Pangan Indonesia (PATPI)
- Ramayulis, R. and Susianto 2013 *Fakta Ajaib Khasiat Tempe*. Penebar Plus+. (Accessed: 16 February 2022).
- Rantika, N. and Rusdiana, T. 2018 ‘Artikel Tinjauan: Penggunaan Dan Pengembangan Dietary Fiber’, *Farmaka Suplemen*, 16(2), pp. 152–165.
- Réus, G.Z. *et al.* 2019 ‘Relationship Of Oxidative Stress As A Link Between Diabetes Mellitus And Major Depressive Disorder’, *Hindawi Oxidative Medicine and Cellular Longevity* [Preprint]. doi:10.1155/2019/8637970.
- Reynolds, A.N., Akerman, A.P. and Mann, J. 2020 ‘Dietary Fibre And Whole Grains In Diabetes Management: Systematic Review And Meta-Analyses’, *PLoS medicine*, 17(3), p. e1003053. doi:10.1371/journal.pmed.1003053.
- Richter, D. *et al.* 2013 ‘Effects Of Phytoestrogen Extracts Isolated From Pumpkin Seeds On Estradiol Production And ER/PR Expression In Breast Cancer And Trophoblast Tumor Cells’, *Nutrition and cancer*, 65(5), pp. 739–745. doi:10.1080/01635581.2013.797000.
- Rimbawan, Handharyani, E. and Ghozali, D.S. 2008 ‘Studi Peranan Asam Amino



- Argini Tempe Pada Pengendalian Gula Darah Dan Kesembuhan Luka Pada Tikus Diabetes Yang Diinduksi Streptozotocin (STZ)', *IICC Prosidings*, pp. 978–979.
- Salil, G., Nevin, K.G. and Rajamohan, T. 2011 'Arginine Rich Coconut Kernel Protein Modulates Diabetes In Alloxan Treated Rats', *Chemico-Biological Interactions*, 189(1–2), pp. 107–111. doi:10.1016/j.cbi.2010.10.015.
- Schoefs, B. 2002 'Chlorophyll And Carotenoid Analysis In Food Products. Properties Of The Pigments And Methods Of Analysis', *Trends in Food Science & Technology*, 13(11), pp. 361–371. doi:10.1016/S0924-2244(02)00182-6.
- Shurtleff, W. and Aoyagi, A. 2001 *The Book Of Tempeh A Cultured Soyfood*
- Singh, S.K. *et al.* 2008 'Evidence-Based Critical Evaluation Of Glycemic Potential Of *Cynodon Dactylon*', *Evidence-based Complementary and Alternative Medicine : eCAM*, 5(4), p. 415. doi:10.1093/ECAM/NEM044.
- Soviana, E. and Maenasari, D. 2019 'Asupan Serat, Beban Glikemik Dan Kadar Glukosa Darah Pada Pasien Diabetes Melitus Tipe 2', *Jurnal Kesehatan*, 12(1), pp. 19–29.
- Stephani *et al.* 2017 'Effect Of Tempeh Supplementation On The Profiles Of Human Intestinal Immune System And Gut Microbiota', *Microbiology Indonesia*, 11(1), pp. 11–17. doi:10.5454/mi.11.1.2.
- Sudaryanto, A., Setiyadi, N.A. and Frankilawati, D.A. 2014 *Hubungan Antara Pola Makan, Genetik dan Kebiasaan Olahraga Terhadap Kejadian Diabetes Melitus Tipe II Di Wilayah Kerja Puskesmas Nusukan, Banjarsari, Universitas Muhammadiyah Surakarta*
- Suhanda, T. 2015 'Tempe Kedelai Sebagai Antihiperqlikemik', *Jurnal Agromed Unila*, 2(3), pp. 252–256.
- Sulistiyono, P., Samuel, S. and Mailani, M.M. 2016 'Pengaruh Pembungkus Tempe Terhadap Daya Simpan Dan Sifat Fisik Tempe', *Media Informasi*, 12(1), pp. 90–95. doi:10.37160/bmi.v12i1.18.
- Sunarti 2018 *Serat Pangan Dalam Penanganan Sindrom Metabolik*. Yogyakarta: Gadjah Mada University Press
- Susilowati, A., Rachmat, B. and Larasat, R.A. 2020 'Relationship Of Fiber Consumption Patterns To Glycemic Control In Type 2 Diabetes [T2d] In Central Bogor Sub-District', *Nutrition and Food Research*, 43(1), pp. 41–50.
- Syed, Q.A. 2019 'Nutritional And Therapeutic Importance Of The Pumpkin

- Seeds', *Biomedical Journal of Scientific & Technical Research*, 21(2). doi:10.26717/bjstr.2019.21.003586.
- Tandi, J. *et al.* 2018 'Efek Ekstrak Biji Labu Kuning Terhadap Glukosa, Kolesterol dan Gambaran Histopatologi Pankreas Tikus Hiperkolesterolemia-Diabetes', *Talenta Conference Series: Tropical Medicine (TM)*, 1(3), pp. 144–151. doi:10.32734/tm.v1i3.280.
- Tarwendah, I.P. 2017 'Comparative Study Of Sensory Attributes And Brand Awareness In Food Product : A Review', *Jurnal Pangan dan Agroindustri*, 5(2), pp. 66–73.
- Tedianto 2012 'Karakterisasi Labu Kuning (*Cucurbita Moschata*) Berdasarkan Penandan Morfologi Dan Kandungan Protein, Karbohidrat, Lemak Pada Berbagai Ketinggian Tempat'
- Threapleton, D.E. *et al.* 2013 'Dietary Fibre Intake And Risk Of Cardiovascular Disease: Systematic Review And Meta-Analysis', *BMJ (Online)*, 347. doi:10.1136/BMJ.F6879.
- TKPI 2017 *Tabel Komposisi Pangan Indonesia, Kementerian Kesehatan Republik Indonesia*
- Tominaga, Y. and Tsujisaka, Y. 1981 'Investigation Of The Structure Of Rhizopus Cell Wall With Lytic Enzymes Manyreports Have Pointed Out That The Cell Walls Of Filamentous Fungi Of Euascomycetes Consist Mainly Of Glucan , Chitin And Protein . And By Bacillus R-4 And', 45(7), pp. 1569–1575.
- USDA 2019 *Pumpkin Seeds Nutritions, U.S. DEPARTMENT OF AGRICULTURE*. Available at: <https://fdc.nal.usda.gov/fdc-app.html#/food-details/170188/nutrients> (Accessed: 23 February 2022).
- USDA Plants Database, N. 2022 *Cucurbita moschata Duchesne crookneck squash*. Available at: <https://plants.usda.gov/home/plantProfile?symbol=CUMO> (Accessed: 11 February 2022).
- Utari, D.M. *et al.* 2011 'Potensi Asam Amino Pada Tempe Untuk Memperbaiki Profil Lipid Dan Diabetes Mellitus', *Kesmas: National Public Health Journal*, 5(4), p. 166. doi:10.21109/kesmas.v5i4.137.
- Wibowo, A., Hamzah, F. and Setiaries, V.J. 2014 'Pemanfaatan Wortel (*Daucus Carota L*) Dalam Meningkatkan Mutu Nugget Tempe', *Jurnal Sagu*, 13(2), pp. 27–34.
- Widowati, S., Nurjanah, R. and Amrinola, W. 2010 'Proses Pembuatan Dan Karakterisasi Nasi Sorgum Instan', *Prosiding Pekan Serealia Nasional*,

pp. 978–979.

- Witono, Y. *et al.* 2015 ‘Amino Acids Identification Of Over Fermented Tempeh, The Hydrolysate And The Seasoning Product Hydrolysed By Calotropin From Crown Flower (*Calotropis Gigantea*)’, *International Journal on Advanced Science, Engineering and Information Technology*, 5(2), pp. 103–106. doi:10.18517/IJASEIT.5.2.494.
- Xue, J., Davidson, P.M. and Zhong, Q. 2013 ‘Thymol Nanoemulsified By Whey Protein-Maltodextrin Conjugates: The Enhanced Emulsifying Capacity And Antilisterial Properties In Milk By Propylene Glycol’, *Journal of agricultural and food chemistry*, 61(51), pp. 12720–12726. doi:10.1021/JF4043437.
- Yadav, M. *et al.* 2010 ‘Medicinal And Biological Potential Of Pumpkin: An Updated Review’, *Nutrition Research Reviews*, 23(2), pp. 184–190. doi:10.1017/S0954422410000107.
- Yao, B. *et al.* 2014 ‘Dietary Fiber Intake And Risk Of Type 2 Diabetes: A Dose–Response Analysis Of Prospective Studies’, *European Journal of Epidemiology* 2014 29:2, 29(2), pp. 79–88. doi:10.1007/S10654-013-9876-X.
- Yulifianti, R., Muzaiyanah, S. and Utomo, J.S. 2018 ‘Kedelai Sebagai Bahan Pangan Kaya Isoflavon’, *Buletin Palawija*, 16(2), p. 84. doi:10.21082/BULPA.V16N2.2018.P84-93.
- Yuniritha, E., Shinta and Kasmiyetti 2021 ‘Efektivitas Pemberian Yoghurt Kacang Merah terhadap Kadar Glukosa Darah Sewaktu Pasien Diabetes Melitus Tipe II’, *Jurnal Gizi*, 1, pp. 1–11.
- Zuchi, C. *et al.* 2010 ‘Nutraceuticals In Cardiovascular Prevention: Lessons From Studies On Endothelial Function’, *Cardiovascular Therapeutics*, 28(4), pp. 187–201. doi:10.1111/J.1755-5922.2010.00165.X.