

## DAFTAR PUSTAKA

- Akyol, S. *et al.* (2012) ‘The potential usage of caffeic acid phenethyl ester (CAPE) against chemotherapy-induced and radiotherapy-induced toxicity’, *Cell Biochemistry and Function*, 30(5), hal. 438–443. doi: 10.1002/CBF.2817.
- Bankova, V. (2005) ‘Recent trends and important developments in propolis research’, *Evidence-based Complementary and Alternative Medicine*, 2(1), p. 29. doi: 10.1093/ECAM/NEH059.
- Bergheanu, S. C., Bodde, M. C. and Jukema, J. W. (2017) ‘Pathophysiology and treatment of atherosclerosis: Current view and future perspective on lipoprotein modification treatment’, *Netherlands Heart Journal*, 25(4), p. 231. doi: 10.1007/S12471-017-0959-2.
- Crowther, M. A. (2005) ‘Pathogenesis of Atherosclerosis’, *Hematology*, 2005(1), hal. 436–441. doi: 10.1182/ASHEDUCATION-2005.1.436.
- Cuevas, A., Saavedra, N., Cavalcante, Marcela F., *et al.* (2014) ‘Identification of microRNAs involved in the modulation of pro-angiogenic factors in atherosclerosis by a polyphenol-rich extract from propolis.’, *Archives of biochemistry and biophysics*, 557, hal. 28–35. doi: 10.1016/j.abb.2014.04.009.
- Cuevas, A., Saavedra, N., Cavalcante, Marcela F., *et al.* (2014) ‘Identification of microRNAs involved in the modulation of pro-angiogenic factors in atherosclerosis by a polyphenol-rich extract from propolis’, *Archives of Biochemistry and Biophysics*, 557, hal. 28–35. doi: 10.1016/J.ABB.2014.04.009.
- Daleprane, J. B., Freitas, V. da S., *et al.* (2012) ‘Anti-atherogenic and anti-angiogenic activities of polyphenols from propolis.’, *The Journal of nutritional biochemistry*, 23(6), hal. 557–566. doi: 10.1016/j.jnutbio.2011.02.012.
- Daleprane, J. B., da Silva Freitas, V., *et al.* (2012a) ‘Anti-atherogenic and anti-angiogenic activities of polyphenols from propolis’, *Journal of Nutritional Biochemistry*, 23(6), hal. 557–566. doi: 10.1016/J.JNUTBIO.2011.02.012.
- Daleprane, J. B., da Silva Freitas, V., *et al.* (2012b) ‘Anti-atherogenic and anti-

- angiogenic activities of polyphenols from propolis', *Journal of Nutritional Biochemistry*, 23(6), hal. 557–566. doi: 10.1016/j.jnutbio.2011.02.012.
- Fang, Y. et al. (2013a) 'Ethanolic extract of propolis inhibits atherosclerosis in ApoE-knockout mice.', *Lipids in health and disease*, 12, p. 123. doi: 10.1186/1476-511X-12-123.
- Fang, Y. et al. (2013b) 'Ethanolic extract of propolis inhibits atherosclerosis in ApoE-knockout mice', *Lipids in Health and Disease*, 12(1), p. 123. doi: 10.1186/1476-511X-12-123.
- Fang, Y. et al. (2013c) 'Ethanolic extract of propolis inhibits atherosclerosis in ApoE-knockout mice', *Lipids in Health and Disease*, 12(1). doi: 10.1186/1476-511X-12-123.
- Ghisalberti, E. L. (1979) 'Propolis: A Review', *Bee World*, 60(2), hal. 59–84. doi: 10.1080/0005772x.1979.11097738.
- Guyton, A. C. and Hall, J. E. (2011) *Guyton And Hall Textbook of Medical Physiology*, 12th ed. 12th edn. Edited by L. Stigelin. Amerika Serikat: Linda Van Pelt.
- Hery, W. (2007) 'Antioksidan alami dan radikal bebas: potensi dan aplikasi dalam kesehatan', hal. 11–96. Tersedia di: [https://www.researchgate.net/publication/323104647\\_Antioksidan\\_alami\\_dan\\_radikal\\_bebas\\_Potensi\\_dan\\_aplikasi\\_dalam\\_kesehatan](https://www.researchgate.net/publication/323104647_Antioksidan_alami_dan_radikal_bebas_Potensi_dan_aplikasi_dalam_kesehatan) (Diakses pada: 18 November 2021).
- Kemenkes RI (2016) *Profil Penyakit Tidak Menular Tahun 2016, Journal of Chemical Information and Modeling*. Kementerian Kesehatan RI.
- Kumar, V., Abbas, A. K. and Aster, J. C. (2015) *Robbins Basic Pathology*, 9th ed. 9th edn, Elsevier. 9th edn. Elsevier Inc.
- Kurek-Górecka, A. et al. (2014) 'Structure and Antioxidant Activity of Polyphenols Derived from Propolis', *Molecules*, 19(1), p. 78. doi: 10.3390/MOLECULES19010078.
- Kuropatnicki, A. K., Szliszka, E. and Krol, W. (2013) 'Historical aspects of propolis research in modern times', *Evidence-based complementary and alternative medicine : eCAM*, 2013. doi: 10.1155/2013/964149.
- Libby, P. (2012) 'Inflammation in atherosclerosis', *Arteriosclerosis, thrombosis,*

- and vascular biology*, 32(9), hal. 2045–2051. doi: 10.1161/ATVBAHA.108.179705.
- Liliy, L. S. (2011) *Pathophysiology of Heart Disease*, 5th ed. 5th edn. Edited by L. S. Lily. Philadelphia: Harvard Medical School.
- Malik, I. S. (2000) ‘Inflammation in cardiovascular disease’, in *Journal of the Royal College of Physicians of London*, hal. 205–207. doi: 10.1161/01.cir.97.20.2000.
- Moher, D. et al. (2015) ‘Preferred reporting items for systematic review and meta-analysis protocols (PRISMA-P) 2015 statement’. doi: 10.1186/2046-4053-4-1.
- Nader, M. A., El-Agamy, D. S. and Suddek, G. M. (2010) ‘Protective effects of propolis and thymoquinone on development of atherosclerosis in cholesterol-fed rabbits’, *Archives of Pharmacal Research*, 33(4), hal. 637–643. doi: 10.1007/S12272-010-0420-1.
- Popova, M. P. et al. (2007) ‘Chemical characteristics of poplar type propolis of different geographic origin’, *Apidologie*, 38(3), hal. 306–306. doi: 10.1051/APIDO:2007013.
- Purohit, A. et al. (2012) ‘Histological Study of Antiatherosclerotic Effect of Propolis in Induced Hypercholesterolemic Male Albino’, *Indian Journal of Fundamental and Applied Life Sciences*, 2(2), hal. 384–390.
- Redaksi Trubus. (2010) ‘Propolis dari lebah tanpa senget : cara ternak dan olah’, p. 64. Tersedia di: [https://books.google.com/books/about/PROPOLIS\\_DARI\\_LEBAH\\_TAN\\_PA\\_SENGAT.html?hl=id&id=JeUlDwAAQBAJ](https://books.google.com/books/about/PROPOLIS_DARI_LEBAH_TAN_PA_SENGAT.html?hl=id&id=JeUlDwAAQBAJ) (Diakses pada: 18 November 2021).
- Rzepecka-Stojko, A. et al. (2017) ‘Anti-atherogenic activity of polyphenol-rich extract from bee pollen’, *Nutrients*, 9(12). doi: 10.3390/nu9121369.
- Saifur Rohman, M. et al. (2006) ‘Penghambatan Aktifasi Nfk Kk Kb Oleh Cape (Caffeic Acid Phenethyl Ester), Komponen Aktif Madu Lebah (Honeybee Hives), Pada Huvec’S (Human Umbilical Vein Endothelial Cells) Yang Dipapar Ldl Teroksidasi’, *Jurnal Kedokteran Brawijaya*, 22(1), hal. 1–5. doi: 10.21776/ub.jkb.2006.022.01.1.

- Sang, H. *et al.* (2012) ‘Inhibitory effect of the combination therapy of simvastatin and pinocembrin on atherosclerosis in apoE-deficient mice’, *Lipids in Health and Disease*, 11(1), hal. 1–9. doi: 10.1186/1476-511X-11-166.
- Sherwood, L. (2012) *Fisiologi Manusia : dari Sel ke Sistem*. EGC.
- Siasos, G. *et al.* (2013) ‘Flavonoids in Atherosclerosis: An Overview of Their Mechanisms of Action’, *Current Medicinal Chemistry*, 20(21), hal. 2641–2660. doi: 10.2174/0929867311320210003.
- Silbernagl, S. and Lang, F. (2007) *Color Atlas of Pathophysiology*. New York: Thieme. doi: 10.1201/9781351070744-13.
- Silva, D. *et al.* (2015) ‘Propolis and swimming in the prevention of atherogenesis and left ventricular hypertrophy in hypercholesterolemic mice’, *Brazilian Journal of Biology*, 75(2), hal. 414–422. doi: 10.1590/1519-6984.15313.
- Silva, D. B. *et al.* (2015) ‘Propolis and swimming in the prevention of atherogenesis and left ventricular hypertrophy in hypercholesterolemic mice.’, *Brazilian journal of biology = Revista brasileira de biologia*, 75(2), hal. 414–422. doi: 10.1590/1519-6984.15313.
- da Silva Frozza, C. O. *et al.* (2013) ‘Chemical characterization, antioxidant and cytotoxic activities of Brazilian red propolis’, *Food and chemical toxicology: an international journal published for the British Industrial Biological Research Association*, 52, hal. 137–142. doi: 10.1016/J.FCT.2012.11.013.
- Simon, T. *et al.* (2013) ‘Circulating levels of interleukin-17 and cardiovascular outcomes in patients with acute myocardial infarction’, *European Heart Journal*, 34(8), hal. 570–577. doi: 10.1093/eurheartj/ehs263.
- SIREGAR, H. C. . (2011) *Propolis madu multi khasiat*. Ed. 1. Penebar Swadaya.
- Suwanto, D. (2017) ‘Peran Hiperhomosisteinemia dalam Atherosklerosis’, *Cermin Dunia Kedokteran*, 44(9), hal. 645–651. Tersedia di: <http://www.cdkjournal.com/index.php/CDK/article/view/728> (Diakses pada: 18 November 2021).
- Toreti, V. C. *et al.* (2013) ‘Recent progress of propolis for its biological and chemical compositions and its botanical origin’, *Evidence-based complementary and alternative medicine : eCAM*, 2013. doi:

- 10.1155/2013/697390.
- Viuda-Martos, M. et al. (2008) ‘Functional properties of honey, propolis, and royal jelly’, *Journal of food science*, 73(9). doi: 10.1111/J.1750-3841.2008.00966.X.
- Wagh, V. D. (2013) ‘Propolis: A wonder bees product and its pharmacological potentials’, *Advances in Pharmacological Sciences*, 2013. doi: 10.1155/2013/308249.
- Yu, Y. et al. (2011) ‘Ethanolic extract of propolis promotes reverse cholesterol transport and the expression of ATP-binding cassette transporter A1 and G1 in mice.’, *Lipids*, 46(9), hal. 805–811. doi: 10.1007/s11745-011-3568-7.
- Yumnam, D. R. et al. (2017) ‘Effect of Propolis in Oral Health’, *Journal of Ayurveda and Integrated Medical Sciences*, 2(01), hal. 186–192. doi: 10.21760/jaims.v2i1.7509.
- Zadelaar, S. et al. (2007) ‘Mouse models for atherosclerosis and pharmaceutical modifiers’, *Arteriosclerosis, Thrombosis, and Vascular Biology*, 27(8), hal. 1706–1721. doi: 10.1161/ATVBAHA.107.142570.
- Zernecke, A., Shagdarsuren, E. and Weber, C. (2008) ‘Chemokines in atherosclerosis an update’, *Arteriosclerosis, Thrombosis, and Vascular Biology*, 28(11), hal. 1897–1908. doi: 10.1161/ATVBAHA.107.161174.
- Zulkifli, A. (2014) Solusi Prediabetes Dengan Propolis. Masagena Press.