

DAFTAR PUSTAKA

- Abba-Aji, A. *et al.* (2020) 'COVID-19 pandemic and mental health: Prevalence and correlates of new-onset obsessive-compulsive symptoms in a Canadian province', *International Journal of Environmental Research and Public Health*, 17(19), pp. 1–11. doi: 10.3390/ijerph17196986.
- Adams, T. G. *et al.* (2018) 'The Role of Stress in the Pathogenesis and Maintenance of Obsessive-Compulsive Disorder', *Chronic Stress*, 2. doi: 10.1177/2470547018758043.
- Alateeq, D. A. *et al.* (2021) 'The impact of the coronavirus (COVID-19) pandemic on the development of obsessive-compulsive symptoms in Saudi Arabia', *Saudi Medical Journal*, 42(7), pp. 750–760. doi: 10.15537/smj.2021.42.7.20210181.
- Anbumalar C *et al.* (2017) 'Gender Differences in Perceived Stress levels and Coping Strategies among College Students', *International Journal of Indian Psychology*, 4(4). doi: 10.25215/0404.103.
- Anggrini, D. (2021) 'Faktor-Faktor Pemicu Stres Pada Siswa SMA Selama Pandemi', *Psikologi Malahayati*, 3(1), pp. 39–46. Available at: <http://ejurnalmalahayati.ac.id/index.php/PSIKOLOGI/article/download/3605/pdf>.
- Anticevic, A. *et al.* (2014) 'Global resting-state functional magnetic resonance imaging analysis identifies frontal cortex, striatal, and cerebellar dysconnectivity in obsessive-compulsive disorder', *Biological Psychiatry*, 75(8), pp. 595–605. doi: 10.1016/j.biopsych.2013.10.021.
- Arnsten, A. F. T. *et al.* (2015) 'The effects of stress exposure on prefrontal cortex: Translating basic research into successful treatments for post-traumatic stress disorder', *Neurobiology of Stress*, 1(1), pp. 89–99. doi: 10.1016/j.ynstr.2014.10.002.
- Aulia, G. *et al.* (2021) 'Covid-19 Prevention Education With the Health Protocol of 5M and the Importance of Multivitamins During Covid-19 Pandemic', *Jurnal Abdi Masyarakat*, 2(1), pp. 133–139.
- Benatti, B. *et al.* (2022) 'The role of gender in a large international OCD sample: A Report from the International College of Obsessive-Compulsive Spectrum Disorders (ICOCS) Network', *Comprehensive Psychiatry*, 116(April), pp. 0–4. doi: 10.1016/j.comppsych.2022.152315.
- Brander, G. *et al.* (2016) 'Systematic review of environmental risk factors for Obsessive-Compulsive Disorder: A proposed roadmap from association to causation', *Neuroscience and Biobehavioral Reviews*, 65, pp. 36–62. doi: 10.1016/j.neubiorev.2016.03.011.
- Chacon, P. *et al.* (2018) 'Obsessive-compulsive symptoms in children with first degree relatives diagnosed with obsessive-compulsive disorder', *Revista Brasileira de Psiquiatria*, 40(4), pp. 388–393. doi: 10.1590/1516-4446-2017-2321.
- Cheng, Z. J. and Shan, J. (2020) '2019 Novel coronavirus: where we are and what we know', *Infection*, 48(2), pp. 155–163. doi: 10.1007/s15010-020-01401-y.
- Collins, L. M. and Coles, M. E. (2018) 'A Preliminary Investigation of Pathways to Inflated Responsibility Beliefs in Children with Obsessive Compulsive Disorder', *Behavioural and Cognitive Psychotherapy*, 46(3), pp. 374–379. doi: 10.1017/S1352465817000844.

- Denys, D. (2011) 'Obsessionality & compulsivity : a phenomenology of obsessive-compulsive disorder', pp. 1–7.
- Edmiston, E. E. *et al.* (2011) 'Corticostriatal-limbic gray matter morphology in adolescents with self-reported exposure to childhood maltreatment', *Archives of Pediatrics and Adolescent Medicine*, 165(12), pp. 1069–1077. doi: 10.1001/archpediatrics.2011.565.
- Eng, G. K., Sim, K. and Chen, S. H. A. (2015) 'Meta-analytic investigations of structural grey matter, executive domain-related functional activations, and white matter diffusivity in obsessive compulsive disorder: An integrative review', *Neuroscience and Biobehavioral Reviews*, 52, pp. 233–257. doi: 10.1016/j.neubiorev.2015.03.002.
- Fauziyyah, R., Awinda, R. C. and Besral, B. (2021) 'Dampak Pembelajaran Jarak Jauh terhadap Tingkat Stres dan Kecemasan Mahasiswa selama Pandemi COVID-19', *Jurnal Biostatistik, Kependidikan, dan Informatika Kesehatan*, 1(2), p. 113. doi: 10.51181/bikfokes.v1i2.4656.
- Ferreira, S. *et al.* (2021) 'Stress Influences the Effect of Obsessive-Compulsive Symptoms on Emotion Regulation', *Frontiers in Psychiatry*, 11(January), pp. 1–9. doi: 10.3389/fpsyg.2020.594541.
- Gillan, C. M. *et al.* (2016) 'Characterizing a psychiatric symptom dimension related to deficits in goaldirected control', *eLife*, 5(MARCH2016), pp. 1–24. doi: 10.7554/eLife.11305.
- Goodman, W. K. *et al.* (2014) 'Obsessive-compulsive disorder', *Psychiatric Clinics of North America*, 37(3), pp. 257–267. doi: 10.1016/j.psc.2014.06.004.
- Graves, B. S. *et al.* (2021) 'Gender differences in perceived stress and coping among college students', *PLoS ONE*, 16(8 August), pp. 1–12. doi: 10.1371/journal.pone.0255634.
- Grünblatt, E. *et al.* (2018) 'Combining genetic and epigenetic parameters of the serotonin transporter gene in obsessive-compulsive disorder', *Journal of Psychiatric Research*, 96, pp. 209–217. doi: 10.1016/j.jpsychires.2017.10.010.
- Halgan, Richard P Whitbourne, S. K. (2010) *Abnormal Psychology: Clinical Perspectives on Psychological Disorders, Psychology: The study of behaviour*.
- Hamidi, F. and Motlagh, S. S. (2010) 'Comparison of irrational beliefs and defence mechanisms in patients with obsessive compulsive disorder and normal individuals', *Procedia - Social and Behavioral Sciences*, 5(2), pp. 1620–1624. doi: 10.1016/j.sbspro.2010.07.336.
- Han, F., Xiao, B. and Wen, L. (2015) 'Loss of Glial Cells of the Hippocampus in a Rat Model of Post-traumatic Stress Disorder', *Neurochemical Research*, 40(5), pp. 942–951. doi: 10.1007/s11064-015-1549-6.
- Ilpaj, S. M. and Nurwati, N. (2020) 'Analisis Pengaruh Tingkat Kematian Akibat Covid-19 Terhadap Kesehatan Mental Masyarakat Di Indonesia', *Focus : Jurnal Pekerjaan Sosial*, 3(1), p. 16. doi: 10.24198/focus.v3i1.28123.
- Jahanshahi, M. *et al.* (2015) 'A fronto-striato-subthalamic-pallidal network for goal-directed and habitual inhibition', *Nature Reviews Neuroscience*, 16(12), pp. 719–732. doi: 10.1038/nrn4038.
- Jannah, R. (2019) 'Analisis Faktor Yang Berhubungan Dengan Stres Pada Pasien Diabetes Melitus Di Puskesmas Surabaya', *Perpustakaan Universitas Airlangga*, pp. 1–8. Available at: <https://repository.unair.ac.id/93539/>.

- Jin, Y. H. *et al.* (2020) ‘A rapid advice guideline for the diagnosis and treatment of 2019 novel coronavirus (2019-nCoV) infected pneumonia (standard version)’, *Medical Journal of Chinese People’s Liberation Army*, 45(1), pp. 1–20. doi: 10.11855/j.issn.0577-7402.2020.01.01.
- Khosravani, V. *et al.* (2021) ‘The impact of the coronavirus pandemic on specific symptom dimensions and severity in OCD: A comparison before and during COVID-19 in the context of stress responses’, *Journal of Obsessive-Compulsive and Related Disorders*, 29(September 2020), p. 100626. doi: 10.1016/j.jocrd.2021.100626.
- Krebs, G. and Heyman, I. (2015) ‘Obsessive-compulsive disorder in children and adolescents’, *Archives of Disease in Childhood*, 100(5), pp. 495–499. doi: 10.1136/archdischild-2014-306934.
- Leeman, R. F. and Potenza, M. N. (2012) ‘Similarities and differences between pathological gambling and substance use disorders: A focus on impulsivity and compulsivity’, *Psychopharmacology*, 219(2), pp. 469–490. doi: 10.1007/s00213-011-2550-7.
- Lewin, A. B. *et al.* (2014) ‘Family-based exposure and response prevention therapy for preschool-aged children with obsessive-compulsive disorder: A pilot randomized controlled trial’, *Behaviour Research and Therapy*, 56(1), pp. 30–38. doi: 10.1016/j.brat.2014.02.001.
- Ma, X. *et al.* (2021) ‘OCD Influences Evidence Accumulation During Decision Making in Males but Not Females During Perceptual and Value-Driven Choice’, *Frontiers in Psychiatry*, 12(July). doi: 10.3389/fpsyg.2021.687680.
- Maier, H. J., Bickerton, E. and Britton, P. (2015) ‘Coronaviruses: Methods and protocols’, *Coronaviruses: Methods and Protocols*, 1282(1), pp. 1–282. doi: 10.1007/978-1-4939-2438-7.
- Maras, P. M. and Baram, T. Z. (2012) ‘Sculpting the hippocampus from within: Stress, spines, and CRH’, *Trends in Neurosciences*, 35(5), pp. 315–324. doi: 10.1016/j.tins.2012.01.005.
- Maslim, R. (2013) *DIAGNOSIS GANGGUAN JIWA RUJUKAN RINGKAS dari PPDGJ - III, DIAGNOSIS GANGGUAN JIWA RUJUKAN RINGKAS dari PPDGJ - III dan DSM - 5*.
- McEwen, B. S. (2012) ‘Brain on stress: How the social environment gets under the skin’, *Proceedings of the National Academy of Sciences of the United States of America*, 109(SUPPL.2), pp. 17180–17185. doi: 10.1073/pnas.1121254109.
- Miller, M. L. and Brock, R. L. (2017) ‘The effect of trauma on the severity of obsessive-compulsive spectrum symptoms: A meta-analysis’, *Journal of Anxiety Disorders*, 47, pp. 29–44. doi: 10.1016/j.janxdis.2017.02.005.
- Nandam, L. S. *et al.* (2020) ‘Cortisol and Major Depressive Disorder—Translating Findings From Humans to Animal Models and Back’, *Frontiers in Psychiatry*, 10(January), pp. 1–15. doi: 10.3389/fpsyg.2019.00974.
- Nissen, J. B. and Parner, E. (2018) ‘The importance of insight, avoidance behavior, not-just-right perception and personality traits in pediatric obsessive-compulsive disorder (OCD): a naturalistic clinical study’, *Nordic Journal of Psychiatry*, 72(7), pp. 489–496. doi: 10.1080/08039488.2018.1486454.

- Pauls, D. L. *et al.* (2014) ‘Obsessive-compulsive disorder: An integrative genetic and neurobiological perspective’, *Nature Reviews Neuroscience*, 15(6), pp. 410–424. doi: 10.1038/nrn3746.
- Pieh, C. *et al.* (2021) ‘Stress levels in high-school students after a semester of home-schooling’, *European Child and Adolescent Psychiatry*, pp. 3–5. doi: 10.1007/s00787-021-01826-2.
- Pruessner, J. C. *et al.* (2010) ‘Stress regulation in the central nervous system: evidence from structural and functional neuroimaging studies in human populations - 2008 Curt Richter Award Winner’, *Psychoneuroendocrinology*, 35(1), pp. 179–191. doi: 10.1016/j.psyneuen.2009.02.016.
- Rohmatillah, W. and Khofifah, N. (2019) ‘Stress Akademik antara Laki-laki dan Perempuan Siswa School from Home’, *Jurnal Psikologi: Jurnal Ilmiah Fakultas Psikologi Universitas Yudharta Pasuruan*, 8(1), pp. 38–52. Available at: <https://www.jurnal.yudharta.ac.id/v2/index.php/ILMU-PSIKOLOGI/article/view/2648/1871>.
- Rosso, G. *et al.* (2012) ‘Stressful life events and obsessive-compulsive disorder: Clinical features and symptom dimensions’, *Psychiatry Research*, 197(3), pp. 259–264. doi: 10.1016/j.psychres.2011.10.005.
- Ruscio, A. M. *et al.* (2010) ‘The epidemiology of obsessive-compulsive disorder in the National Comorbidity Survey Replication’, *Molecular Psychiatry*, 15(1), pp. 53–63. doi: 10.1038/mp.2008.94.
- S.R., P., J., C. and H.B., S. (2007) ‘Adapting Mindfulness-based Stress Reduction for the Treatment of Obsessive-compulsive Disorder: A Case Report’, *Cognitive and Behavioral Practice*, 14(4), pp. 375–380. Available at: <http://www.embase.com/search/results?subaction=viewrecord&from=export&id=L350123077%5Cnhttp://dx.doi.org/10.1016/j.cbpra.2006.08.006%5Cnhttp://resolver.ebscohost.com/openurl?sid=EMBASE&issn=10777229&id=doi:10.1016%2Fj.cbpra.2006.08.006&atitle=Adapting+Min>.
- Safira, L. and Hartati, M. T. S. (2021) ‘Gambaran Stres Akademik Siswa SMA Negeri Selama Pembelajaran Jarak Jauh (PJJ)’, *Empati-Jurnal Bimbingan dan Konseling*, 8(1), pp. 125–136. doi: 10.26877/empati.v8i1.7909.
- Sherwood, L. (2011) ‘Fisiologi Manusia dari Sistem ke Sel’, *Human Physiology: From Cells to System*, pp. 1–999.
- Silverman, M. N. *et al.* (2010) ‘Neuroendocrine and Immune Contributors to Fatigue’, *PM and R*, 2(5), pp. 338–346. doi: 10.1016/j.pmrj.2010.04.008.
- Stern, E. R. *et al.* (2012) ‘Resting-state functional connectivity between fronto-parietal and default mode networks in obsessive-compulsive disorder’, *PLoS ONE*, 7(5). doi: 10.1371/journal.pone.0036356.
- Storch, E. A. and Lewin, A. B. (2015) ‘Clinical handbook of obsessive-compulsive and related disorders: A case-based approach to treating pediatric and adult populations’, *Clinical Handbook of Obsessive-Compulsive and Related Disorders: A Case-Based Approach to Treating Pediatric and Adult Populations*, pp. 1–449. doi: 10.1007/978-3-319-17139-5.

- Tafet, G. E. (2001) ‘Tafet2001_Article_CorrelationBetweenCortisolLeve’, *Cognitive, Affective, & Behavioral Neuroscience*, 1(4), pp. 388–393.
- Veale, D. and Roberts, A. (2014) ‘Obsessive-compulsive disorder’, *BMJ (Online)*, 348(April), pp. 1–6. doi: 10.1136/bmj.g2183.
- Walitzs, S. et al. (2011) ‘Zwangsstörung im kindes- und jugendalter’, *Deutsches Arzteblatt*, 108(11), pp. 173–179. doi: 10.3238/artzbl.2011.0173.
- De Wit, S. J. et al. (2014) ‘Multicenter voxel-based morphometry mega-analysis of structural brain scans in obsessive-compulsive disorder’, *American Journal of Psychiatry*, 171(3), pp. 340–349. doi: 10.1176/appi.ajp.2013.13040574.
- Zarei, M. et al. (2011) ‘Changes in gray matter volume and white matter microstructure in adolescents with obsessive-compulsive disorder’, *Biological Psychiatry*, 70(11), pp. 1083–1090. doi: 10.1016/j.biopsych.2011.06.032.
- Zhang, L. et al. (2019) ‘Abnormalities of hippocampal shape and subfield volumes in medication-free patients with obsessive-compulsive disorder’, *Human Brain Mapping*, 40(14), pp. 4105–4113. doi: 10.1002/hbm.24688.