

## DAFTAR PUSTAKA

- Abdullah, M. and Firmansyah, M. A. (2012) ‘Critical Appraisal on Journal of Clinical Trials’.
- Abel-Salam, B. K. A. (2012) ‘Immunomodulatory effects of black seeds and garlic on alloxan-induced Diabetes in albino rat’, *Allergologia et Immunopathologia*, 40(6), pp. 336–340. doi: 10.1016/J.ALLER.2011.07.002.
- Al-Shehri, S. A. (2021) ‘Efficacy of black garlic extract on anti-tumor and anti-oxidant activity enhancement in rats’, *Clinical Nutrition Open Science*, 36, pp. 126–139. doi: 10.1016/j.nutos.2021.03.005.
- American Heart Association (2021) ‘Heart Disease and Stroke Statistics-2021 Update A Report from the American Heart Association’, *Heart Disease and Stroke Statistic 2021 Update*, pp. E254–E743. doi: 10.1161/CIR.0000000000000950.
- Bae, S. E. *et al.* (2012) ‘A comparative study of the different analytical methods for analysis of S-allyl cysteine in black garlic by HPLC’, *LWT - Food Science and Technology*, 46(2), pp. 532–535. doi: 10.1016/J.LWT.2011.11.013.
- CDC (2021) *Coronary Artery Disease*. Available at: [https://www.cdc.gov/heartdisease/coronary\\_ad.htm](https://www.cdc.gov/heartdisease/coronary_ad.htm) (Accessed: 25 October 2021).
- Checklist for Randomized Controlled Trials* (2017). Available at: <http://joannabriggs.org/research/critical-appraisal-tools.html> (Accessed: 22 June 2021).
- Choi, I. S., Cha, H. S. and Lee, Y. S. (2014) ‘molecules Physicochemical and Antioxidant Properties of Black Garlic’, *Molecules*, 19, pp. 16811–16823. doi: 10.3390/molecules191016811.
- Cochrane Handbook for Systematic Reviews of Interventions / Cochrane Training* (2021). Available at: <https://training.cochrane.org/handbook/current> (Accessed: 6 June 2022).
- Czompa, A. *et al.* (2018) ‘Aged (Black) versus Raw Garlic against Ischemia/Reperfusion-Induced Cardiac Complications.’, *International journal of molecular sciences*, 19(4). doi: 10.3390/ijms19041017.
- Dong, M. *et al.* (2014) ‘Aged black garlic extract inhibits Ht29 colon cancer cell growth via the PI3K/Akt signaling pathway’, *Biomedical Reports*, 2(2), pp. 250–254. doi: 10.3892/BR.2014.226.
- Douglas, M. *et al.* (2012) *Braunwald’s Heart Disease: A Textbook of Cardiovascular Medicine, Single Volume - 10th Edition*, Saunders. Available at: <https://www.elsevier.com/books/braunwalds-heart-disease-a-textbook-of-cardiovascular-medicine-single-volume/mann/978-1-4557-5134-1> (Accessed: 21 June 2021).
- Duttaroy, A. K. (2018) ‘Effects of Garlic, Onion, Ginger, and Turmeric on Platelet Function’, *Nutraceuticals and Human Blood Platelet Function*, pp. 69–81. doi: 10.1002/9781119375913.CH4.

- Eun, S. *et al.* (2012) 'LWT - Food Science and Technology A comparative study of the different analytical methods for analysis of S -allyl cysteine in black garlic by HPLC', *LWT - Food Science and Technology*, 46(2), pp. 532–535. doi: 10.1016/j.lwt.2011.11.013.
- Fazio, S. and Shapiro, M. D. (2017) 'Apolipoprotein B-containing lipoproteins and atherosclerotic cardiovascular disease', *F1000Research*, 6. doi: 10.12688/F1000RESEARCH.9845.1.
- Fritsch, R. M. (2014) '1 Evolution, Domestication and Taxonomy', (January), pp. 4–30.
- Ghani, L., Susilawati, M. D. and Novriani, H. (2016) 'Faktor Risiko Dominan Penyakit Jantung Koroner di Indonesia', *Buletin Penelitian Kesehatan*, 44(3), pp. 153–164. doi: 10.22435/BPK.V44I3.5436.153-164.
- Ha, A. W., Ying, T. and Kim, W. K. (2015) 'The effects of black garlic (*Allium sativum*) extracts on lipid metabolism in rats fed a high fat diet', *Nutrition Research and Practice*, 9(1), pp. 30–36. doi: 10.4162/NRP.2015.9.1.30.
- Hajar, R. (2017) 'Risk Factors for Coronary Artery Disease: Historical Perspectives', *Heart Views : The Official Journal of the Gulf Heart Association*, 18(3), p. 109. doi: 10.4103/HEARTVIEWS.HEARTVIEWS\_106\_17.
- Hamal, S. *et al.* (2020) 'Short-term impact of aged garlic extract on endothelial function in diabetes: A randomized, double-blind, placebo-controlled trial', *Experimental and Therapeutic Medicine*, 19(2), p. 1485. doi: 10.3892/ETM.2019.8377.
- Hartman, J. and Frishman, W. H. (2014) 'Inflammation and atherosclerosis: a review of the role of interleukin-6 in the development of atherosclerosis and the potential for targeted drug therapy', *Cardiology in review*, 22(3), pp. 147–151. doi: 10.1097/CRD.0000000000000021.
- Hasimun, P. *et al.* (2020) 'Impact of Black Garlic on Biomarkers of Arterial Stiffness and Frontal QRS-T Angle on Hypertensive Animal Model', 12(4), pp. 338–342. doi: 10.5530/jyp.2020.12.88.
- Higgins, J. P. T. *et al.* (2011) 'The Cochrane Collaboration's tool for assessing risk of bias in randomised trials', *BMJ*, 343(7829). doi: 10.1136/BJT.D5928.
- Hooijmans, C. R. *et al.* (2014) 'SYRCLE's risk of bias tool for animal studies', *BMC Medical Research Methodology*, 14(1). doi: 10.1186/1471-2288-14-43.
- Ide, N., Keller, C. and Weiss, N. (2006) 'Aged garlic extract inhibits homocysteine-induced CD36 expression and foam cell formation in human macrophages', *Journal of Nutrition*, 136(3). doi: 10.1093/JN/136.3.755S.
- Ide, N., Matsuura, H. and Itakura, Y. (1996) 'Scavenging effect of aged garlic extract and its constituents on active oxygen species', *Phytotherapy Research*, 10(4), pp. 340–341. doi: 10.1002/(SICI)1099-1573(199606)10:4<340::AID-PTR831>3.0.CO;2-4.
- Jeong, Y. Y. *et al.* (2016) 'Comparison of Anti-Oxidant and Anti-Inflammatory Effects between Fresh and Aged Black Garlic Extracts', *Molecules 2016, Vol. 21, Page 430*, 21(4), p. 430. doi: 10.3390/MOLECULES21040430.

- Jung, E. S. *et al.* (2014) ‘Reduction of blood lipid parameters by a 12-wk supplementation of aged black garlic: A randomized controlled trial’, *Nutrition*, 30(9), pp. 1034–1039. doi: 10.1016/J.NUT.2014.02.014.
- Kemenkes RI (2014) ‘Situasi kesehatan jantung’, *Pusat data dan informasi kementerian kesehatan RI*, p. 3. doi: 10.1017/CBO9781107415324.004.
- Kim, J. S., Kang, O. J. and Gweon, O. C. (2013) ‘Comparison of phenolic acids and flavonoids in black garlic at different thermal processing steps’, *Journal of Functional Foods*, 5(1), pp. 80–86. doi: 10.1016/J.JFF.2012.08.006.
- Kim, M. H. *et al.* (2011) ‘Hepatoprotective Effect of Aged Black Garlic on Chronic Alcohol-Induced Liver Injury in Rats’, <https://home.liebertpub.com/jmf>, 14(7–8), pp. 732–738. doi: 10.1089/JMF.2010.1454.
- Kimura, S. *et al.* (2017) ‘Black garlic: A critical review of its production, bioactivity, and application.’, *Journal of food and drug analysis*, 25(1), pp. 62–70. doi: 10.1016/j.jfda.2016.11.003.
- Kitchenham, B. (2004) ‘Procedures for Performing Systematic Reviews’, *Keele, UK, Keele Univ.*, 33.
- Kusmana, D. *et al.* (2019) ‘Lesson learnt from Cardiovascular Risk Factors Studies in Urban Population of Jakarta and House Hold Survey in Indonesia, 1988 - 2018’, *Indonesian Journal of Cardiology*, 40(3), pp. 269–274. doi: 10.30701/ijc.v40i3.951.
- Kuswardhani, D. S. (2018) *Sehat tanpa obat dengan bawang merah bawang putih, OPAC Perpustakaan Nasional RI*. Available at: <https://opac.perpusnas.go.id/DetailOpac.aspx?id=1157096> (Accessed: 21 June 2021).
- Libby, P. *et al.* (2019) ‘Atherosclerosis’, *Nature Reviews Disease Primers*, 5(1). doi: 10.1038/S41572-019-0106-Z.
- Liu, J. *et al.* (2018) ‘Black garlic improves heart function in patients with coronary heart disease by improving circulating antioxidant levels’, *Frontiers in Physiology*, 9(NOV), pp. 1–11. doi: 10.3389/fphys.2018.01435.
- Londhe, V. P. *et al.* (2011) ‘Review Role of Garlic ( Allium Sativum ) in Various Diseases : an Overview’, *Journal of Pharmaceutical Research and Opinion*, 4(May), pp. 129–134.
- Lu, X. *et al.* (2017) ‘Composition analysis and antioxidant properties of black garlic extract’, *Journal of Food and Drug Analysis*, 25(2), pp. 340–349. doi: 10.1016/J.JFDA.2016.05.011.
- Lusis, A. J., Fogelman, A. M. and Fonarow, G. C. (2004) ‘Genetic basis of atherosclerosis: part II: clinical implications’, *Circulation*, 110(14), pp. 2066–2071. doi: 10.1161/01.CIR.0000143098.98869.F8.
- Maharani, A. *et al.* (2019) ‘Cardiovascular disease risk factor prevalence and estimated 10-year cardiovascular risk scores in Indonesia: The SMARTHealth Extend study’. doi: 10.1371/journal.pone.0215219.
- Majewski, M. (2014) ‘Allium sativum: facts and myths regarding human health.’, *Roczniki Panstwowego Zakladu Higieny*, 65(1), pp. 1–8.
- Majid, A. (2008) ‘PENYAKIT JANTUNG KORONER: PATOFISIOLOGI, PENCEGAHAN, DAN PENGOBATAN TERKINI’.

- Marra, A. *et al.* (2018) 'Black Garlic Improves Heart Function in Patients With Coronary Heart Disease by Improving Circulating Antioxidant Levels'. doi: 10.3389/fphys.2018.01435.
- Miao, Y. *et al.* (2014) 'The Antihypertensive Effect of Black Garlic (*Allium Sativum*) in Spontaneously Hypertensive Rats via Scavenging of Free Radicals', *Research in Health and Nutrition*, 2. Available at: [www.seipub.org/rhn](http://www.seipub.org/rhn).
- Moher, D. *et al.* (2015) 'Preferred reporting items for systematic review and meta-analysis protocols (PRISMA-P) 2015 statement', *Systematic Reviews*, 4(1), p. 1. doi: 10.1186/2046-4053-4-1.
- Najman, K., Sadowska, A. and Hallmann, E. (2020) 'Influence of thermal processing on the bioactive, antioxidant, and physicochemical properties of conventional and organic agriculture black garlic (*Allium sativum L.*)', *Applied Sciences (Switzerland)*, 10(23), pp. 1–17. doi: 10.3390/app10238638.
- Nakanishi, R. *et al.* (2017) 'Relationship of Hypertension to Coronary Atherosclerosis and Cardiac Events in Patients with Coronary Computed Tomographic Angiography', *Hypertension*, 70(2), pp. 293–299. doi: 10.1161/HYPERTENSIONAHA.117.09402.
- Napoli, C. *et al.* (2012) 'Primary prevention of atherosclerosis: A clinical challenge for the reversal of epigenetic mechanisms?', *Circulation*, 125(19), pp. 2363–2373. doi: 10.1161/CIRCULATIONAHA.111.085787.
- Nasir, K. *et al.* (2007) 'Family history of premature coronary heart disease and coronary artery calcification: Multi-Ethnic Study of Atherosclerosis (MESA)', *Circulation*, 116(6), pp. 619–626. doi: 10.1161/CIRCULATIONAHA.107.688739.
- PIO (2014) 2.10.4 Statin / PIO Nas. Available at: <http://pionas.pom.go.id/ioni/bab-2-sistem-kardiovaskuler-0/210-hipolipidemik/2104-statin> (Accessed: 15 October 2021).
- Pranavchand and Reddy, B. (2013) 'Current status of understanding of the genetic etiology of coronary heart disease', *Journal of Postgraduate Medicine*, 59(1), p. 30. doi: 10.4103/0022-3859.109492.
- Regmi, M. and Siccardi, M. A. (2021) 'Coronary Artery Disease Prevention.', in. Treasure Island (FL).
- Rosita, F. (2016) *Pengaruh ekstrak bawang hitam (black garlic) terhadap penurunan kadar gula darah pada mencit (*Mus musculus*) berdasarkan lama pemanasan*. Akademi Analisi Farmasi dan Makanan Putra Indonesia Malang.
- Rubatzky, V. E. and Yamaguchi, M. (1998) *Sayuran dunia 1: Prinsip, Produksi, dan Gizi* - ITB Press, ITB Press. Available at: <https://www.itbpress.itb.ac.id/shop/sayuran-dunia-1-prinsip-produksi-dan-gizi/> (Accessed: 21 June 2021).
- Ryu, J. H. and Kang, D. (2017) 'Physicochemical Properties, Biological Activity, Health Benefits, and General Limitations of Aged Black Garlic: A Review', *Molecules (Basel, Switzerland)*, 22(6). doi: 10.3390/MOLECULES22060919.

- Setiadi, A. P. and Halim, S. V. (2018) ‘Penyakit Kardiovaskular Seri Pengobatan Rasional’, p. 204. Available at: <http://repository.ubaya.ac.id/id/eprint/37369>.
- Setiawan, A. A. et al. (2021) ‘The Effect of Black Garlic (*Allium sativum* Linn) on Cardiac and Aortic Histopathology in Experimental Studies in Obesity Rats’, *Journal of Biomedicine and Translational Research*, 7(2), pp. 62–68. doi: 10.14710/jbtr.v7i2.11686.
- Sitompul, H. fazriah (2018) ‘Early Detection of Prevention Coronary Heart Disease in Baktijaya Village, Sukmajaya District Depok City, West Java’, *ARKAVI [Arsip Kardiovaskular Indonesia]*, 3(1), pp. 205–210. doi: 10.22236/arkavi.v3i1.4179.
- Sun, Y. E. and Wang, W. (2017) ‘Changes in nutritional and bio-functional compounds and antioxidant capacity during black garlic processing’, *Journal of Food Science and Technology* 2017 55:2, 55(2), pp. 479–488. doi: 10.1007/S13197-017-2956-2.
- Tapiero, H., Townsend, D. M. and Tew, K. D. (2004) ‘Organosulfur compounds from alliaceae in the prevention of human pathologies’, *Biomedicine & pharmacotherapy = Biomedecine & pharmacotherapie*, 58(3), p. 183. doi: 10.1016/j.biopha.2004.01.004.
- The Joanna Briggs Institute (2017) ‘Checklist for Quasi-Experimental Studies’, *The Joanna Briggs Institute*, pp. 1–7.
- Triandini, E. et al. (2019) ‘Metode Systematic Literature Review untuk Identifikasi Platform dan Metode Pengembangan Sistem Informasi di Indonesia’, 1(2).
- Wahyuni, E. G. and Prijodiprodjo, W. (2013) ‘Prototype Sistem Pakar untuk Mendekripsi Tingkat Resiko Penyakit Jantung Koroner dengan Metode Dempster-Shafer’, *IJCCS (Indonesian Journal of Computing and Cybernetics Systems)*, p. 133. doi: 10.22146/ijccs.3352.
- Wang, Q. (2005) *Molecular genetics of coronary artery disease*, *Curr Opin Cardiol*. Available at: <http://www.americanheart.org/presenter.jhtml?identifier=3027694>.
- Whayne, T. F. and Jr. (2011) ‘Atherosclerosis: Current Status of Prevention and Treatment’, *The International Journal of Angiology : Official Publication of the International College of Angiology, Inc*, 20(4), p. 213. doi: 10.1055/S-0031-1295520.
- WHO (2007) ‘Prevention of Cardiovascular Disease Guidelines for assessment and management of cardiovascular risk WHO Library Cataloguing-in-Publication Data’. Available at: [www.inis.ie](http://www.inis.ie) (Accessed: 11 March 2022).
- WHO (2021) *Cardiovascular diseases (CVDs)*. Available at: [https://www.who.int/news-room/fact-sheets/detail/cardiovascular-diseases-\(cvds\)](https://www.who.int/news-room/fact-sheets/detail/cardiovascular-diseases-(cvds)) (Accessed: 5 December 2021).
- Wlosinska, M. et al. (2020) ‘The effect of aged garlic extract on the atherosclerotic process – a randomized double-blind placebo-controlled trial’, 5, pp. 1–10.
- Yoo, J. M., Sok, D. E. and Kim, M. R. (2014) ‘Anti-Allergic Action of Aged Black Garlic Extract in RBL-2H3 Cells and Passive Cutaneous Anaphylaxis Reaction in Mice’, <https://home.liebertpub.com/jmf>, 17(1), pp. 92–102. doi: 10.1089/JMF.2013.2927.

