

DAFTAR PUSTAKA

- Abushouk, A.I. *et al.* (2021) "Quality Assessment of Published Systematic Reviews in High Impact Cardiology Journals: Revisiting the Evidence Pyramid," *Frontiers in Cardiovascular Medicine*, 8. Available at: <https://doi.org/10.3389/fcvm.2021.671569>.
- Afifah, K. (2021) *AKTIVITAS ANTIBAKTERI EKSTRAK BIJI JINTAN HITAM (Nigella sativa L.) TERHADAP BEBERAPA BAKTERI PATOGEN*. UIN Alauddin Makassar.
- Ahmad, A. *et al.* (2013) "A review on therapeutic potential of Nigella sativa: A miracle herb," *Asian Pacific Journal of Tropical Biomedicine*, 3(5), pp. 337–352. Available at: [https://doi.org/10.1016/S2221-1691\(13\)60075-1](https://doi.org/10.1016/S2221-1691(13)60075-1).
- Ahmed, M.E. (2017) "Production of Purified MRSACin from Local Clinical Strain of Methicillin-Resistant *Staphylococcus aureus* and its Applicability as Antimicrobial," *Pharmacy & Pharmacology International Journal*, 5(6), pp. 219–224. Available at: <https://doi.org/10.15406/ppij.2017.05.00142>.
- Amin, B. and Hosseinzadeh, H. (2015) "Black Cumin (*Nigella sativa*) and Its Active Constituent, Thymoquinone: An Overview on the Analgesic and Anti-inflammatory Effects," *Planta Medica*, 82(01/02), pp. 8–16. Available at: <https://doi.org/10.1055/s-0035-1557838>.
- Aydin, C. and Seyidoglu, N. (2021) "Natural Antioxidants to the Rescue?" in *Antioxidants - Benefits, Sources, Mechanisms of Action*. IntechOpen. Available at: <https://doi.org/10.5772/intechopen.96132>.
- Badger-Emeka, L. *et al.* (2015) *Antimicrobial activity of Nigella sativa L. seed oil against multi-drug resistant Staphylococcus aureus isolated from diabetic wounds*. Article in *Pakistan Journal of Pharmaceutical Sciences*. Available at: <https://www.researchgate.net/publication/283274126>.
- Becker, K. (2018) "Pathogenesis of *Staphylococcus aureus*," in *Staphylococcus aureus*. Elsevier. Available at: <https://doi.org/10.1016/B978-0-12-809671-0.00002-4>.
- Cappuccino, J.G. and Welsh, C. (2017) *Microbiology: A Laboratory Manual*. 11th ed. London: Pearson Education.
- Carroll, K.C. *et al.* (2016) *Jawetz, Melnick, & Adelberg's Medical Microbiology*. 27th edn. New York: McGraw-Hill Education.
- CDC (2019) *MRSA: Laboratory Testing*. Available at: <https://www.cdc.gov/mrsa/lab/index.html> (Accessed: November 16, 2021).
- Chaieb, K. *et al.* (2011) "Antibacterial activity of Thymoquinone, an active principle of *Nigella sativa* and its potency to prevent bacterial biofilm formation," *BMC Complementary and Alternative Medicine*, 11(1). Available at: <https://doi.org/10.1186/1472-6882-11-29>.
- Chambers, H.F. (1997) "Methicillin resistance in staphylococci: molecular and biochemical basis and clinical implications," *Clinical Microbiology Reviews*, 10(4). Available at: <https://doi.org/10.1128/CMR.10.4.781>.
- CLSI (2020) *Performance Standards for Antimicrobial Susceptibility Testing*. 30th ed. Pennsylvania: Clinical and Laboratory Standards Institute.

Namira Salma Ghinanafsi, 2022

EFEKTIVITAS ANTIBAKTERI Nigella sativa TERHADAP METHICILLIN-RESISTANT *Staphylococcus aureus*: Systematic Review

UPN Veteran Jakarta, Fakultas Kedokteran, Program Studi Kedokteran Program Sarjana
[www.upnvj.ac.id – www.library.upnvj.ac.id – www.repository.upnvj.ac.id]

- Cornelissen, C.N., Fisher, B.D. and Harvey, R.A. (2013) *Lippincott's Illustrated Reviews: Microbiology*. 3rd edn. Edited by S. Rhyner. Lippincott Williams & Wilkins.
- Cunha, M. de L.R. de S. da (2018) "Methods for the Identification, Characterization, and Tracking the Spread of *Staphylococcus aureus*," in *Staphylococcus aureus*. Elsevier. Available at: <https://doi.org/10.1016/B978-0-12-809671-0.00006-1>.
- Cyuzuko, C. et al. (2021) "Chemical Composition and In vitro Antibacterial and Cytotoxic Effect of *Nigella sativa* L. Seed Extract," *Jurnal Kesehatan Masyarakat*, 16(3), pp. 308–314. Available at: <https://doi.org/10.15294/kemas.v16i3.26799>.
- Dabeer, S. et al. (2021) "History and traditional uses of black seeds (*Nigella sativa*)," in *Black Seeds (*Nigella Sativa*): Pharmacological and Therapeutic Applications*. Elsevier, pp. 1–28. Available at: <https://doi.org/10.1016/B978-0-12-824462-3.00016-0>.
- Darakhshan, S., Tahvilian, R. and Colagar, A.H. (2015) "NIGELLA SATIVA: A PLANT WITH MULTIPLE THERAPEUTIC IMPLICATIONS," *International Journal of Pharmacognosy*, 2(5), pp. 190–214. Available at: [https://doi.org/10.13040/IJPSR.0975-8232.IJP.2\(5\).190-14](https://doi.org/10.13040/IJPSR.0975-8232.IJP.2(5).190-14).
- Davis, W.W. and Stout, T.R. (1971) "Disc Plate Method of Microbiological Antibiotic Assay," *Applied Microbiology*, 22(4), pp. 659–665. Available at: <https://doi.org/10.1128/am.22.4.659-665.1971>.
- Dera, A.A. et al. (2021) "Synergistic efficacies of thymoquinone and standard antibiotics against multi-drug resistant isolates," *Saudi Medical Journal*, 42(2). Available at: <https://doi.org/10.15537/smj.2021.2.25706>.
- Elshafay, A. et al. (2019) "Reporting quality in systematic reviews of in vitro studies: a systematic review," *Current Medical Research and Opinion*, 35(9), pp. 1631–1641. Available at: <https://doi.org/10.1080/03007995.2019.1607270>.
- Forouzanfar, F., Bazzaz, B.S.F. and Hosseinzadeh, H. (2014) "Black cumin (*Nigella sativa*) and its constituent (thymoquinone): a review on antimicrobial effects.,," *Iranian journal of basic medical sciences*, 17(12), pp. 929–938.
- Gawron, G. et al. (2019) "Nigella sativa seed extract applicability in preparations against methicillin-resistant *Staphylococcus aureus* and effects on human dermal fibroblasts viability," *Journal of Ethnopharmacology*, 244, p. 112135. Available at: <https://doi.org/10.1016/j.jep.2019.112135>.
- Gillespie, S.H. (2014) *Medical Microbiology Illustrated*. Elsevier Science.
- Gillespie, S.H. and Bamford, K.B. (2012) *Medical Microbiology and Infection at a Glance*. 4th edn. John Wiley & Sons.
- Goel, S. and Mishra, P. (2018) "Thymoquinone inhibits biofilm formation and has selective antibacterial activity due to ROS generation," *Applied Microbiology and Biotechnology*, 102(4), pp. 1955–1967. Available at: <https://doi.org/10.1007/s00253-018-8736-8>.

- Grace, D. (2018) "Staphylococcus aureus —A Foodborne Pathogen," in A. Fetsch (ed.) *Staphylococcus aureus*. Elsevier, pp. 3–10. Available at: <https://doi.org/10.1016/B978-0-12-809671-0.00001-2>.
- Gunawan, S.G. (2012) *Farmakologi dan Terapi Edisi 5*. 5th edn. Edited by R. Setiabudy and Nafrialdi. Jakarta: Badan Penerbit Fakultas Kedokteran Universitas Indonesia.
- Hariharan, P., Paul-Satyaseela, M. and Gnanamani, A. (2016) "In vitro profiling of antimethicillin-resistant Staphylococcus aureus activity of thymoquinone against selected type and clinical strains," *Letters in Applied Microbiology*, 62(3), pp. 283–289. Available at: <https://doi.org/10.1111/lam.12544>.
- Harimurti, N. and Sumangat, D. (2005) "Aplikasi Fluida Superkritis Pada Ekstraksi Minyak Atsiri," in *Seminar Nasional Teknologi Inovatif Pascapanen untuk Pengembangan Industri Berbasis Pertanian*. Bogor: Balai Besar Penelitian dan Pengembangan Pascapanen Pertanian, pp. 801–810.
- Hasan, N.A., Nawahwi, M.Z. and Malek, H.A. (2013) "Antimicrobial Activity of Nigella sativa Seed Extract," *Sains Malaysiana*, 42(2), pp. 143–147.
- Hernández-Aristizábal, I. and Ocampo-Ibáñez, I.D. (2021) "Antimicrobial Peptides with Antibacterial Activity against Vancomycin-Resistant Staphylococcus aureus Strains: Classification, Structures, and Mechanisms of Action," *International Journal of Molecular Sciences*, 22(15), pp. 7927–7959. Available at: <https://doi.org/10.3390/ijms22157927>.
- Horváth, G. et al. (2016) "Natural Substances from Higher Plants as Potential Anti-MRSA Agents," in *Studies in Natural Products Chemistry*, pp. 63–110. Available at: <https://doi.org/10.1016/B978-0-444-63603-4.00003-6>.
- Hossain, Md.S. et al. (2021) "A review of ethnobotany, phytochemistry, antimicrobial pharmacology and toxicology of Nigella sativa L.," *Biomedicine & Pharmacotherapy*, 143, p. 112182. Available at: <https://doi.org/10.1016/j.biopha.2021.112182>.
- Ishtiaq, S. et al. (2013) "Phytochemical Analysis of Nigella sativa and its Antibacterial Activity against Clinical Isolates Identified by Ribotyping," *INTERNATIONAL JOURNAL OF AGRICULTURE & BIOLOGY*, 15(6), pp. 1151–1156. Available at: <http://www.fspublishers.org>.
- ITIS (2021) *Integrated Taxonomic Information System*. Available at: <https://doi.org/10.5066/F7KH0KBK>.
- Johansson, S. (2019) *Black Seed Oil Benefits*.
- Jorgensen, J.H., Carroll, K.C. and Funke, G. (2015) *Manual of Clinical Microbiology*. 11th edn. Edited by M.A. Pfaller. Washington DC: ASM Press.
- Kamal, A. et al. (2010) "Potential of Nigella sativa L. seed during different phases of germination on inhibition of bacterial growth," *E3 Journal of Biotechnology and Pharmaceutical Research*, 1(1), pp. 9–013. Available at: <http://www.e3journals.org/JBPR>.
- Kemenkes RI (2015) *Penggunaan Antibiotik Bijak dan Rasional Kurangi Beban Penyakit Infeksi*. Available at: <https://www.kemkes.go.id/article/view/15081100001/penggunaan->

- antibiotik-bijak-dan-rasional-kurangi-beban-penyakit-infeksi.html
 (Accessed: November 8, 2021).
- Kemenkes RI (2018) “Pengendalian Resistensi Antimikroba Kementerian Kesehatan Republik Indonesia,” in *Kemenkes*. Available at: <https://www.kemkes.go.id/article/view/18112900002/pengendalian-resistensi-antimikroba-jadi-perhatian-dunia.html> (Accessed: October 26, 2021).
- Khan, M.A. (2018) “Antimicrobial Action of Thymoquinone,” in H. Younus (ed.) *Molecular and Therapeutic actions of Thymoquinone: Actions of Thymoquinone*. Singapore: Springer Singapore, pp. 57–64. Available at: https://doi.org/10.1007/978-981-10-8800-1_5.
- Khusuma, A. et al. (2019) “Uji Teknik Difusi Menggunakan Kertas Saring Media Tampung Antibiotik dengan Escherichia Coli Sebagai Bakteri Uji,” *Jurnal Kesehatan Prima*, 13(2), pp. 151–155. Available at: <https://doi.org/10.32807/jkp.v13i2.257>.
- Kokoska, L. et al. (2008) “Comparison of Chemical Composition and Antibacterial Activity of Nigella sativa Seed Essential Oils Obtained by Different Extraction Methods,” *Journal of Food Protection*, 71(12). Available at: <https://doi.org/10.4315/0362-028X-71.12.2475>.
- Kunle, O.F., Egharevba, H.O. and Ahmadu, P.O. (2012) “Standardization of herbal medicines - A review,” *International Journal of Biodiversity and Conservation*, 4(3), pp. 101–112. Available at: <https://doi.org/10.5897/IJBC11.163>.
- Majid, A. (2018) “The Chemical Constituents and Pharmacological Effects of Nigella sativa - A Review,” *Journal of Bioscience and Applied Research*, 4(4), pp. 389–400. Available at: www.jbaar.org.
- Maryam, A.-J. et al. (2016) *In-vitro studies on the effect of Nigella sativa Linn., seed oil extract on Multidrug resistant Gram positive and Gram negative bacteria, ~ 195 ~ Journal of Medicinal Plants Studies*.
- Moher, D. et al. (2015) “Preferred reporting items for systematic review and meta-analysis protocols (PRISMA-P) 2015 statement,” *Systematic Reviews*, 4(1), p. 1. Available at: <https://doi.org/10.1186/2046-4053-4-1>.
- Mouwakeh, A. et al. (2018) *The antimicrobial and resistance modifying activities of Nigella sativa oil*. Budapest.
- Nurhayati, L.S., Yahdiyani, N. and Hidayatulloh, A. (2020) “Perbandingan Pengujian Aktivitas Antibakteri Starter Yogurt dengan Metode Difusi Sumuran dan Metode Difusi Cakram,” *Jurnal Teknologi Hasil Peternakan*, 1(2), pp. 41–46. Available at: <https://doi.org/10.24198/jthp.v1i2.27537>.
- Okwu, M.U. et al. (2019) “Methicillin-resistant Staphylococcus aureus (MRSA) and anti-MRSA activities of extracts of some medicinal plants: A brief review,” *AIMS Microbiology*, 5(2), pp. 117–137. Available at: <https://doi.org/10.3934/microbiol.2019.2.117>.
- Othman, B.R. et al. (2018) “Occurrence of methicillin-resistant Staphylococcus aureus in raw shellfish at retail markets in Malaysia and antibacterial efficacies of black seed (Nigella sativa) oil against MRSA,” *Food Control*,

- 90, pp. 324–331. Available at: <https://doi.org/10.1016/j.foodcont.2018.02.045>.
- Ozair, A.B. (2018) “In vitro Antibacterial activity of Nigella Sativa extract against clinical Isolates of Methicillin Resistant Staphylococcus Aureus,” *International Journal for Research in Applied Science and Engineering Technology*, 6(6), pp. 2111–2131. Available at: <https://doi.org/10.22214/ijraset.2018.6312>.
- Peacock, S.J. and Paterson, G.K. (2015) “Mechanisms of Methicillin Resistance in *Staphylococcus aureus*,” *Annual Review of Biochemistry*, 84(1), pp. 577–601. Available at: <https://doi.org/10.1146/annurev-biochem-060614-034516>.
- Piras, A. et al. (2013) “Chemical composition and in vitro bioactivity of the volatile and fixed oils of *Nigella sativa* L. extracted by supercritical carbon dioxide,” *Industrial Crops and Products*, 46, pp. 317–323. Available at: <https://doi.org/10.1016/j.indcrop.2013.02.013>.
- PMK RI (2017) *Peraturan Menteri Kesehatan Republik Indonesia Nomor 27 Tahun 2017 tentang Pedoman Pencegahan dan Pengendalian Infeksi di Fasilitas Pelayanan Kesehatan*. Jakarta.
- Putra, Y. (2019) “KPRA: Resistensi Bakteri di Indonesia Terus Meningkat,” *Republika*, 19 December. Available at: <https://www.republika.co.id/berita/q2r76u284/kpra-resistensi-bakteri-di-indonesia-terus-meningkat> (Accessed: October 27, 2021).
- Salman, M.T., Khan, R.A. and Shukla, I. (2016) “Antibacterial Activity of *Nigella Sativa* Linn. seeds Against Multiple Antibiotics Resistant Clinical Strains of *Staphylococcus aureus*,” *International Archives of BioMedical and Clinical Research*, 2(3). Available at: <https://doi.org/10.21276/iabcr.2016.2.3.24>.
- Setiawati, E. et al. (2018) “Pertumbuhan Jintan Hitam (*Nigella sativa* L.) pada Tingkat Naungan dan Pemupukan Nitrogen yang Berbeda,” *Jurnal Agronomi Indonesia (Indonesian Journal of Agronomy)*, 46(2), p. 202. Available at: <https://doi.org/10.24831/jai.v46i2.16722>.
- Sharikh, S.M. et al. (2020) “A Study of Antibacterial Effect of *Nigella Sativa* Seed Extract on Clinical Isolates of Methicillin-Resistant *Staphylococcus Aureus* (MRSA),” *Indian Journal of Public Health Research & Development*, 11(7), pp. 1443–1447. Available at: <https://doi.org/10.37506/ijphrd.v11i7.10298>.
- Sudesh, H. et al. (2019) “Comparative in Vitro Study of the Antimicrobial Efficacy of *Nigella Sativa* Seed Oil (Black Seed Oil) Against Selected Microorganisms with Conventional Antibiotics,” *International Journal of Innovative Science and Research Technology*, 4(9), pp. 458–461. Available at: www.ijisrt.com458.
- Sugiyono (2017) *Metode Penelitian Kuantitatif, Kualitatif, dan R&D*. Bandung: Alfabeta.
- The Joanna Briggs Institute (2017) *Checklist for Quasi-Experimental Studies, The Joanna Briggs Institute Critical Appraisal tools for use in JBI Systematic Reviews*.

Namira Salma Ghinanafsi, 2022

EFEKTIVITAS ANTIBAKTERI *Nigella sativa* TERHADAP METHICILLIN-RESISTANT *Staphylococcus aureus*: Systematic Review

UPN Veteran Jakarta, Fakultas Kedokteran, Program Studi Kedokteran Program Sarjana
[www.upnvj.ac.id – www.library.upnvj.ac.id – www.repository.upnvj.ac.id]

- Tisserand, R. and Young, R. (2014) “Essential oil composition,” in *Essential Oil Safety*. Elsevier. Available at: <https://doi.org/10.1016/B978-0-443-06241-4.00002-3>.
- Tortora, G.J., Funke, B.R. and Case, C.L. (2019) *Microbiology: an introduction*. 13th edn. Boston: Pearson Education.
- Ugur, A. *et al.* (2016) “Assessment of In vitro antibacterial activity and cytotoxicity effect of *Nigella sativa* oil,” *Pharmacognosy Magazine*, 12(47), pp. 471–474. Available at: <https://doi.org/10.4103/0973-1296.191459>.
- WHO (2020) *Antimicrobial resistance*. Available at: <https://www.who.int/news-room/fact-sheets/detail/antimicrobial-resistance> (Accessed: November 1, 2021).
- Zakka, A.W. *et al.* (2019) “Antibacterial Activity of Crude Ethanolic Extract of *Nigella sativa* Seed on Molecularly Identified Methicillin Resistant Clinical Isolate of *Staphylococcus aureus*, in Kaduna State, Nigeria,” *Asian Journal of Microbiology and Biotechnology*, 4(1), pp. 9–15. Available at: <https://www.researchgate.net/publication/342354316>.
- Zohary, D., Hopf, M. and Weiss, E. (2012) *Domestication of Plants in the Old World*. Oxford University Press. Available at: <https://doi.org/10.1093/acprof:osobl/9780199549061.001.0001>.