

DAFTAR PUSTAKA

- Ali, FR & Al-Niaimi, F 2013, 'Acne vulgaris', *British Journal of Hospital Medicine*, Vol. 74, No. 5, diakses 27 Mei 2015.
<http://dx.doi.org/10.12968/hmed.2013.74.Sup5.C78>
- Badan Penelitian dan Pengembangan Kesehatan 2013, *Riset kesehatan dasar: penggunaan tembakau*, Badan Litbang Kesehatan, Jakarta.
- Badan Penelitian dan Pengembangan Kesehatan 2013, *Riset kesehatan dasar: dalam angka provinsi Jawa Barat*, Badan Litbang Kesehatan, Jakarta.
- Ballanger, F, Baudry, P, N'Guyen, JM, Khammari, A, Dreno, B 2006, 'Heredity: a prognostic factor for acne', *Dermatology*, Vol. 212, p.145–149, dilihat 25 Februari 2016.
<http://www.karger.com/DRM>
- Barratt, H, Hamilton, F, Car, J, Lyons, C, Layton, A, Majeed, A 2009, 'Outcome measures in acne vulgaris: systematic review', *British Journal of Dermatology*, Vol. 160, p.132-6.
- Burris, J, Rietkerk, W, Woolf, K 2014, 'Relationships of Self-Reported Dietary Factors and Perceived Acne Severity in a Cohort of New York Young Adults', *Journal Of The Academy Of Nutrition And Dietetics*, Vol. 114, No. 3, p.384-392.
- Capitanio, B, Sinagra, JL, Ottaviani, M, Bordignon, A, Picardo, AM 2009, 'Acne and smoking', *Dermato-Endocrinology*, 1:3, p.129-135, diakses 27 Mei 2015.
<http://dx.doi.org/10.4161/derm.1.3.9638>
- Chuh, AA, Zawar, V, Wong, WC, Lee, A 2004, 'The association of smoking and acne in men in Hong Kong and India: a retrospective case-control study in primary care settings', *Clin Exp Dermatol*, Vol. 20, p.597-599.
- Cohen, S, Kamarck, T, Mermelstein, R 1997, *A global measure of perceived stress*, diakses 5 Desember 2015.
<http://www.mindgarden.com/132-perceived-stress-scale#horizontalTab2>
- Cordain, L 2005, 'Implications for the role of diet in acne', *Semin Cutan Med Surg*, Vol. 24, p.84–91.
- Costa, A, Lage, D, Moisés, TA 2010, 'Acne and diet: truth or myth?', *An. Bras. Dermatol*, Vol. 85, No. 3, p.346-353, diakses 29 Februari 2016.

<http://dx.doi.org/10.1590/S0365-05962010000300008>

Dahlan, MS 2009, *Langkah-langkah Membuat Proposal Penelitian Bidang Kedokteran dan Kesehatan*, Sagung Seto, Jakarta.

Evans DM, Kirk KM, Nyholt DR, Novac C, Martin NG 2005, ‘Teenage acne is influenced by genetic factors’, *Br J Dermatol*, Vol. 152, p.579–581, dilihat 25 Februari 2016.

<http://dx.doi.org/10.1111/j.1365-2133.2005.06387.x>

Firooz, A, Sarhangnejad, R, Davoudi, SM, Nassiri-Kashani, M 2005, ‘Acne and smoking: is there a relationship?’, *Congress of the Eur Acad Dermatol Venereol, Barcelona, Spain*, diakses 28 Mei 2015.

<http://www.biomedcentral.com/1471-5945/5/2>

Ghodsi, SZ, Orawa, H, Zouboulis, CC 2009, ‘Prevalence, Severity, and Severity Risk Factors of Acne in High School Pupils: A Community-Based Study’, *Journal of Investigative Dermatology*, Vol. 129, p.2136-2141.

Gondodiputro, S 2007, *Bahaya tembakau dan bentuk-bentuk sediaan tembakau*, Bagian Ilmu Kesehatan Masyarakat Fakultas Kedokteran Universitas Padjadjaran, Bandung.

Harahap, M 2000, *Ilmu penyakit kulit*, Hipocrates, Jakarta.

Haris, A, Ikhsan, M, Rogayah, R 2012, *Asap rokok sebagai bahan pencemar dalam ruangan*, CDK-189/Vol. 39, No. 1, diakses 31 Agustus 2015.

http://www.kalbemed.com/Portals/6/07_189Asap%20Rokok%20Sebagai%20Bahan%20Pencemar%20dalam%20Ruang.pdf

Jemec, GB, Linneberg, A, Nielsen, NH, Frolund, L, Madsen, F, Jorgensen, T 2002, ‘Have oral contraceptives reduced the prevalence of acne? A population-based study of acne vulgaris, tobacco smoking and oral contraceptives’, *Dermatology*, Vol. 204, p. 178-184.

Klaz, I, Kochba, I, Shohat, T, Zarka, S, Brenner, S 2006, ‘Severe acne vulgaris and tobacco smoking in young men’, *Journal of Investigative Dermatology*, Vol. 126, p. 1749-1752.

McCourt, DF 2015, ‘Off to university with acne’, *ProQuest Public Health*, diakses 25 Februari 2016.

<https://search.proquest.com/docview/1711263877?accountid=25704>

Mills, CM, Peters, TJ, Finlay, AY 1993, ‘Does smoking influence acne?’, *Clin Exp Dermatol*, Vol. 18, p. 100-101.

Nayler, JR 2003, ‘Clinical Photography: A Guide for the Clinician’, *J Postgrad Med*, Vol. 49, p.256-262.

Peraturan Pemerintah Republik Indonesia Nomor 19, 2003, *Pengamanan Rokok Bagi Kesehatan*, diakses 31 Agustus 2015.
http://www.litbang.depkes.go.id/sites/download/regulasi/pp/PP_No_19_Th_2003.pdf

PERDOSKI 2012, Indonesian Acne Expert Meeting 2012, hlm. 4-5.

Perhimpunan Dokter Paru Indonesia 2003, *Penyakit paru obstruktif kronik (PPOK): pedoman diagnosis & penatalaksanaan asma*, Perhimpunan Dokter Paru Indonesia, Jakarta.

Ramli, R, Malik, AS, Hani, AFM, Jamil, A 2012, ‘Acne analysis, grading and computational assessment methods: an overview’, *Skin Research and Technology*, Vol. 18, p. 1-14.

Rizqun, NA 2015, ‘Akne vulgaris pada remaja’, *J Majority*, Vol. 4, No. 6, hlm. 102-109.

Robeva, R, Assyov, Y, Tomova, A, Kumanov, P 2012, ‘Acne vulgaris is associated with intensive pubertal development and altitude of residence: a cross-sectional population-based study on 6,200 boys’, *Eur J Pediatr*, Vol. 172, p.465-471.

Rombouts, S, Nijsten, T, Lambert, J 2006, ‘Cigarette smoking and acne in adolescents: results from a cross-sectional study’, *European Academy of Dermatology and Venereology*, Vol. 21, p. 326-333.

Sastroasmoro, S & Ismael, S 2011, *Dasar-dasar Metodologi Penelitian Klinis*, Sagung Seto, Jakarta.

Schafer, T, Nienhaus, A, Vieluf, D, Berger, J, Ring, J 2001, ‘Epidemiology of acne in the general population: the risk of smoking’, *Br J Dermatol*, Vol. 145, p. 100-104.

Siregar, RS 2005, *Saripati Penyakit Kulit*, EGC, Jakarta.

Tobacco Control Support Center-IAKMI 2011, *Masalah rokok di Indonesia*, diakses 14 Mei 2015.
<http://www.tcsc-indonesia.org>

Wasitaatmadja, SM 2007, *Ilmu Penyakit Kulit dan Kelamin*, Edisi 5, Fakultas Kedokteran Universitas Indonesia, Jakarta.

Williams, HC, Dellavalle, RP, Garner, S 2012, ‘Acne vulgaris’, *Lancet*, Vol. 379, p.361-372.

Wolkenstein, P, Misery, L, Amici, JM, Maghia, R, Cazeau, C, Voisard, JJ, Taieb, C 2012, 'Acne and lifestyle: results of a survey on representative sample of the French population', *Value in Health* 15, p. A568.

World Health Organization 2013, *Prevalence of tobacco use*, diakses 28 Mei 2015.
<http://www.who.int/gho/tobacco/use/en>

Zaenglein, AL, Gruber, EM, Thiboutot, DM, Strauss, JS 2008, 'Acne Vulgaris and Acneiform Eruptions', In: Wolff, K, Goldsmith, LA, Katz, SI, Gilchrest, BA, Paller, AS, Leffell DJ, editors. *Fitzpatrick's Dermatology In General Medicine*, Ed. 7, McGraw-Hill, New York, p. 690-702.

Zaenglein, AL & Thiboutot, DM 2012, 'Acne Vulgaris', In: Bolognia, JL, Jorizzo, JL, Schaffer, JV, editors. *Dermatology*, Ed. 3, Elsevier Limited, New York, p.545-559.

Zouboulis, CC, Bohm, M 2004, 'Neuroendocrine regulation of sebocytes: a pathogenetic link between stress and acne', *Experimental Dermatology*, Vol. 13 (Suppl 4), p.31-35.

