

## DAFTAR PUSTAKA

- Acharya, A. B. and Maani, C. V (2022) *Conduction Aphasia*. Saint Louis University: StatPearls Publishing, Treasure Island (FL). Available at: <http://europepmc.org/abstract/MED/30725691>.
- Akbarzadeh, M. A. *et al.* (2021) 'Role of imaging in early diagnosis of acute ischemic stroke: a literature review', *Egyptian Journal of Neurology, Psychiatry and Neurosurgery*, 57(1). doi: 10.1186/s41983-021-00432-y.
- Alshoabi, S. *et al.* (2019) 'Early signs of middle cerebral artery infarction on multidetector computed tomography: Review of 20 cases', *Brain Circulation*, 5(1), p. 27. doi: 10.4103/bc.bc\_28\_18.
- Amore, G. *et al.* (2021) 'A Focus on the Cerebellum: From Embryogenesis to an Age-Related Clinical Perspective', *Frontiers in Systems Neuroscience*, 15(April), pp. 1–14. doi: 10.3389/fnsys.2021.646052.
- Ardila, A. (2014) 'Aphasia Handbook', *Aphasia Handbook*, (January), pp. 60–154. Available at: <https://aalfredoardila.files.wordpress.com/2013/07/ardila-a-2014-aphasia-handbook-miami-fl-florida-international-university2.pdf>.
- Ardila, A. (2018) 'Participation of the insula in language', *Island of Reil (Insula) in the Human Brain: Anatomical, Functional, Clinical and Surgical Aspects*, pp. 123–128. doi: 10.1007/978-3-319-75468-0\_12.
- Boehme, A. K., Esenwa, C. and Elkind, M. S. V. (2017) 'Stroke Risk Factors, Genetics, and Prevention', *Circulation Research*, 120(3), pp. 472–495. doi: 10.1161/CIRCRESAHA.116.308398.
- Bohra, V. *et al.* (2015) 'Clinicoanatomical correlation in stroke related aphasia', *Annals of Indian Academy of Neurology*, 18(4), pp. 424–429. doi: 10.4103/0972-2327.165469.
- Bushnell, C. D. *et al.* (2018) 'Sex differences in stroke: Challenges and opportunities', *Journal of Cerebral Blood Flow and Metabolism*, 38(12), pp. 2179–2191. doi: 10.1177/0271678X18793324.
- Clark, D. L., Mendez, M. F. and Boutros, N. N. (eds) (2018) 'Occipital and Parietal Lobes', in *The Brain and Behavior: An Introduction to Behavioral Neuroanatomy*. 4th edn.

Cambridge: Cambridge University Press, pp. 33–55. doi: DOI: 10.1017/9781108164320.005.

Couto, P. B., Neves, V. de C. R. and Barreto, S. dos S. (2020) ‘Aphasia rate and user profile in a public referral hospital Frequência de afasia e perfil de usuários em hospital público municipal de referência’, *Scielo Brazil*, pp. 1–7. Available at: <https://www.scielo.br/j/acr/a/yfJJf8SW6Km7MpCZQVfXMPK/abstract/?lang=pt>.

Crawford, L. T. K. and Caterina, M. J. (2020) ‘Functional Anatomy of the Sensory Nervous System: Updates From the Neuroscience Bench’, *Toxicologic Pathology*, 48(1), pp. 174–189. doi: 10.1177/0192623319869011.

Damiani, D., Nascimento, A. M. and Pereira, L. K. (2020) ‘Cortical Brain Functions – The Brodmann Legacy in the 21st Century’, *Arquivos Brasileiros de Neurocirurgia: Brazilian Neurosurgery*, 39(04), pp. 261–270. doi: 10.1055/s-0036-1597573.

Dammekens, E. et al. (2014) ‘Neural correlates of high frequency repetitive transcranial magnetic stimulation improvement in post-stroke non-fluent aphasia: A case study’, *Neurocase*, 20(1), pp. 1–9. doi: 10.1080/13554794.2012.713493.

David Spence, J. et al. (2020) ‘Mechanisms of Stroke in COVID-19’, *Cerebrovascular Diseases*, 49(4), pp. 451–458. doi: 10.1159/000509581.

DeLuca, V. et al. (2019) ‘Redefining bilingualism as a spectrum of experiences that differentially affects brain structure and function’, *Proceedings of the National Academy of Sciences of the United States of America*, 116(15), pp. 7565–7574. doi: 10.1073/pnas.1811513116.

Demeestere, J. et al. (2020) ‘Review of perfusion imaging in acute ischemic stroke: From time to tissue’, *Stroke*, pp. 1017–1024. doi: 10.1161/STROKEAHA.119.028337.

Døli, H. et al. (2021) ‘Associations between lesion size, lesion location and aphasia in acute stroke’, *Aphasiology*, 35(6), pp. 745–763. doi: 10.1080/02687038.2020.1727838.

Duron, L. et al. (2021) ‘Imaging of Vascular Aphasia’, *InTech*, pp. 225–240. Available at: <https://www.intechopen.com/books/advanced-biometric-technologies/liveness-detection-in-biometrics>.

Dziedzic, T. A., Bala, A. and Marchel, A. (2021) ‘Cortical and Subcortical Anatomy of the

- Parietal Lobe From the Neurosurgical Perspective', *Frontiers in Neurology*, 12(August), pp. 1–12. doi: 10.3389/fneur.2021.727055.
- Eroschenko, V. P. (2017) *Atlas Of Histology with Functional Correlations Thirteenth Edition*.
- Van Ettinger-Veenstra, H. et al. (2016) 'Higher language ability is related to angular gyrus activation increase during semantic processing, independent of sentence incongruity', *Frontiers in Human Neuroscience*, 10(MAR2016), pp. 1–9. doi: 10.3389/fnhum.2016.00110.
- Farrell, M., Smeltzer, S. C. and Bare, B. G. (2017) *Smelter and Bare's Textbook of Medical-Surgical Nursing*. Fourth Aus, *Interactive Marketing*. Fourth Aus. Lippincott Williams & Wilkins, North Ryde, NSW. doi: 10.1057/palgrave.im.4340237.
- Febryanto, D., Retnaningsih, R. and Handayani, F. (2019) 'Deteksi Dini Afasia Pasien Stroke Akut : Analytic Review', *Jurnal Ilmu Keperawatan Medikal Bedah*, 2(2), p. 33. doi: 10.32584/jikmb.v2i2.269.
- Feigin, V. L., Norrving, B. and Mensah, G. A. (2017) 'Global Burden of Stroke', *Circulation Research*, 120(3), pp. 439–448. doi: 10.1161/CIRCRESAHA.116.308413.
- Fitri, F. I. and Lastri, D. N. (2019) 'Gambaran sindrom afasia kronik dan perubahannya pasca terapi', *The Journal of Medical School*, 3(1), pp. 125–132. Available at: <http://ejournal.uki.ac.id/index.php/mk/article/view/6812>.
- Freire, A. M. N., Gagliardi, R. J. and dos Santos, M. D. (2020) 'Effect of speech therapy intervention program for non-fluent aphasic patients after stroke', *Codas*, 32(6), pp. 1–7. doi: 10.1590/2317-1782/20202019124.
- Gardener, H. et al. (2020) 'Race and Ethnic Disparities in Stroke Incidence in the Northern Manhattan Study', *Stroke*, pp. 1064–1069. doi: 10.1161/STROKEAHA.119.028806.
- Giulio, P. (2020) 'Aphasia: Definition, clinical contexts, neurobiological profiles and clinical treatments', *Annals of Alzheimer's and Dementia Care*, 4, pp. 021–026. doi: 10.17352/aadc.000014.
- Gorelick, D., Zangen, A. and George, M. S. (2021) 'Transcranial magnetic stimulation (TMS) in the treatment of substance addiction', *Encyclopedia of Evolutionary*

- Psychological Science*, 1327(1), pp. 8034–8034. doi: 10.1007/978-3-319-19650-3\_305176.
- Grefkes, C. and Fink, G. R. (2020) ‘Recovery from stroke: current concepts and future perspectives’, *Neurological Research and Practice*, 2(1). doi: 10.1186/s42466-020-00060-6.
- Grönberg, A. et al. (2022) ‘Incidence of Aphasia in Ischemic Stroke’, *Neuroepidemiology*, 56(3), pp. 174–182. doi: 10.1159/000524206.
- Hasanah, N. El (2017) ‘Insidensi afasia pada pasien stroke akut yang dirawat inap di rsu haji medan pada bulan september-desember tahun 2016’.
- Hauer, A. J. et al. (2017) ‘Age-specific vascular risk factor profiles according to stroke subtype’, *Journal of the American Heart Association*, 6(5). doi: 10.1161/JAHA.116.005090.
- Heo, J. H. et al. (2020) ‘Pathophysiologic and therapeutic perspectives based on thrombus histology in stroke’, *Journal of Stroke*, 22(1), pp. 64–75. doi: 10.5853/jos.2019.03440.
- Hinkley, L. B. N. et al. (2016) ‘The contribution of the corpus callosum to language lateralization’, *Journal of Neuroscience*, 36(16), pp. 4522–4533. doi: 10.1523/JNEUROSCI.3850-14.2016.
- Javaid, H. I. (2020) ‘Anatomy and Physiology of Brain in Context of Learning: A Review from Current Literature’, *Biomedical Journal of Scientific & Technical Research*, 26(5), pp. 20295–20297. doi: 10.26717/bjstr.2020.26.004415.
- Jianu, D. C. et al. (2021) ‘A Comprehensive Overview of Broca’s Aphasia after Ischemic Stroke’, *InTech*, pp. 225–240. Available at: <https://www.intechopen.com/books/advanced-biometric-technologies/liveness-detection-in-biometrics>.
- Kalanjati, V. (2020) ‘Neuroanatomi’, pp. 47–48. Available at: <http://repository.unair.ac.id/id/eprint/96423>.
- Kang, E. K. et al. (2017) ‘Subcortical aphasia after stroke’, *Annals of Rehabilitation Medicine*, 41(5), pp. 725–733. doi: 10.5535/arm.2017.41.5.725.

- Kasselimis, D. *et al.* (2011) ‘Transcortical sensory aphasia after extensive left perisylvian lesion: A case of mixed dominance’, *Procedia - Social and Behavioral Sciences*, 23(October), pp. 236–237. doi: 10.1016/j.sbspro.2011.09.256.
- Kementrian Kesehatan (2014) *Profil Kesehatan Indonesia Tahun 2013*, Jakarta: Kementerian Kesehatan RI. doi: 351.770.212 Ind P.
- Khedr, E. M. *et al.* (2021) ‘Post-stroke dysphagia: frequency, risk factors, and topographic representation: hospital-based study’, *Egyptian Journal of Neurology, Psychiatry and Neurosurgery*, 57(1), pp. 1–7. doi: 10.1186/s41983-021-00281-9.
- Krishna Karthik, D. *et al.* (2017) ‘Global aphasia in a case of bilateral frontal lobe infarcts involving both caudate nuclei’, *BMJ Case Reports*, 2017, pp. 1–2. doi: 10.1136/bcr-2017-221642.
- Krishnan, G. *et al.* (2012) ‘Variability in aphasia following subcortical hemorrhagic lesion’, *Annals of Neurosciences*, 19(4), pp. 158–160. doi: 10.5214/ans.0972.7531.190404.
- Lahiri, D. *et al.* (2020) ‘A longitudinal study of aphasia due to pure sub-cortical strokes’, *Annals of Indian Academy of Neurology*, 23(8), pp. S109–S115. doi: 10.4103/aian.AIAN\_475\_20.
- Laksmidewi, A. P. (2018) ‘Gangguan Otak Yang Terkait Dengan Komunikasi’, *Seminar dan Workshop Nasional “Assesment Klinis dan Managemen Afasia Dewasa serta hubungan terhadap Gangguan Bahasa Neurogenik”*, (September 2018).
- Lan, R. *et al.* (2020) ‘Bilateral corpus callosum and corona radiata infarction due to cerebral venous sinus thrombosis presenting as headache and acute reversible aphasia: A rare case report’, *BMC Neurology*, 20(1), pp. 1–5. doi: 10.1186/s12883-020-01829-7.
- Laporan Nasional Riskesdas (2018) ‘Laporan Nasional RISKESDAS 2018’, *Badan Penelitian dan Pengembangan Kesehatan*, p. 198. Available at: [http://labdata.litbang.kemkes.go.id/images/download/laporan/RKD/2018/Laporan\\_Nasional\\_RKD2018\\_FINAL.pdf](http://labdata.litbang.kemkes.go.id/images/download/laporan/RKD/2018/Laporan_Nasional_RKD2018_FINAL.pdf).
- Lee, R. H. C. *et al.* (2018) ‘Cerebral ischemia and neuroregeneration’, *Neural Regeneration Research*, 13(3), pp. 373–385. doi: 10.4103/1673-5374.228711.
- Li, Tianyi *et al.* (2021) ‘Childhood ischaemic stroke in the basal ganglia can lead to fine

- motor and anxiety disorders: a retrospective analysis and follow-up of 109 cases', *BMC Neurology*, 21(1), pp. 1–9. doi: 10.1186/s12883-021-02112-z.
- Llewellyn, C. D. et al. (2019) 'Cambridge handbook of psychology, health and medicine: Third edition', *Cambridge Handbook of Psychology, Health and Medicine: Third Edition*, (March), pp. 1–682. doi: 10.1017/9781316783269.
- Lorca-puls, D. L. et al. (2021) 'Brain regions that support accurate speech production after damage to Broca ' s area', pp. 1–19. doi: 10.1093/braincomms/fcab230.
- Ludolph, A. C. (2021) 'Quantifying disease progression in primary progressive aphasia', *Wiley Periodicals LLC*. Available at: <https://alz-journals.onlinelibrary.wiley.com/doi/10.1002/alz.12323>.
- Mervat Mostafa et al. (2017) 'Cerebral Blood Flow Changes in Vascular Aphasia: A Clinical and SPECT Study'. The Egyptian Journal of Neurology Psychiatry and Neurosurgery. Available at: [https://www.researchgate.net/publication/320624901\\_Cerebral\\_Blood\\_Flow\\_Changes\\_in\\_Vascular\\_Aphasia\\_A\\_Clinical\\_and\\_SPECT\\_Study](https://www.researchgate.net/publication/320624901_Cerebral_Blood_Flow_Changes_in_Vascular_Aphasia_A_Clinical_and_SPECT_Study).
- Mescher, A. L. (2019) *Junqueira's Basic Histology : Text & Atlas (15th ed), Morphologia*.
- Mitchell, C. et al. (2021) 'Prevalence of aphasia and dysarthria among inpatient stroke survivors: describing the population, therapy provision and outcomes on discharge', *Aphasiology*, 35(7), pp. 950–960. doi: 10.1080/02687038.2020.1759772.
- Mubasher, S. S. et al. (2021) 'Prevalence, Risk Factors, and Management of Stroke in Patients with COVID-19 Infection: A Review', *Journal of Advances in Medical and Pharmaceutical Sciences*, (September), pp. 10–17. doi: 10.9734/jamps/2021/v23i730245.
- Nabila, S. N. (2020) 'Perbedaan Status Gizi Pasien Stroke Iskemik dan Stroke Hemoragik di RSUP Fatmawati Tahun 2018', *Seminar Nasional Kedokteran*, pp. 86–92.
- National Institute on Deafness and Other Communication Disorder (2017) 'NIDCD Fact Sheet Speech and Language Aphasia', *National Institute of Health*. Available at: <https://www.nidcd.nih.gov/health/aphasia>.
- Norise, C. and Hamilton, R. H. (2017) 'Non-invasive brain stimulation in the treatment of post-stroke and neurodegenerative aphasia: Parallels, differences, and lessons learned',

*Frontiers in Human Neuroscience*, 10(January), pp. 1–16. doi: 10.3389/fnhum.2016.00675.

- Othadinar, K., Alfarabi, M. and Maharani, V. (2019) ‘Faktor Risiko Pasien Stroke Iskemik dan Hemoragik’, *Majalah Kedokteran UKI*, 35(3), pp. 115–120.
- Pai, A. R. *et al.* (2017) ‘Short Communication Global aphasia without hemiparesis : A case series’, (July 2011). doi: 10.4103/0972-2327.85890.
- Pan, B. *et al.* (2019) ‘The relationship between smoking and stroke A meta-analysis’, *Medicine (United States)*, 98(12), pp. 1–8. doi: 10.1097/MD.00000000000014872.
- Parmar, P. (2018) ‘Stroke: Classification and diagnosis’, *Clinical Pharmacist*, 10(1). doi: 10.1211/CP.2018.20204150.
- Powezka, K. *et al.* (2020) ‘Stroke: causes and clinical features’, (January). Available at: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7409792/pdf/main.pdf>.
- Rangus, I. *et al.* (2022) ‘Frequency and phenotype of thalamic aphasia’, *Journal of Neurology*, 269(1), pp. 368–376. doi: 10.1007/s00415-021-10640-4.
- Rasyid, A. *et al.* (2019) ‘Blood Viscosity As a Determining Factor of Ischemic Stroke Outcomes Evaluated With Nihss and Mrs on Day 7 and 30 Post-Thrombolysis’, *International Journal of Pharmacy and Pharmaceutical Sciences*, 11(9), pp. 73–79. doi: 10.22159/ijpps.2019v11i9.34820.
- Rexrode, K. M. *et al.* (2022) ‘The Impact of Sex and Gender on Stroke’, *Circulation Research*, 130(4), pp. 512–528. doi: 10.1161/CIRCRESAHA.121.319915.
- Rohde, A. *et al.* (2018) ‘Diagnosis of aphasia in stroke populations: A systematic review of language tests’, *PLoS ONE*, 13(3), pp. 1–17. doi: 10.1371/journal.pone.0194143.
- Rohma, N. M. (2018) ‘PENGARUH MELODIC INTONATION THERAPY (MIT) TERHADAP KEMAMPUAN BAHASA (BICARA) dan KEMAMPUAN FUNGSIONAL KOMUNIKASI PADA PASIEN STROKE DENGAN AFASIA MOTORIK’, *Paper Knowledge . Toward a Media History of Documents*, pp. 25–76.
- Ryu, H. and Park, C. H. (2020) ‘Structural characteristic of the arcuate fasciculus in patients with fluent aphasia following intracranial hemorrhage: A diffusion tensor tractography

- study', *Brain Sciences*, 10(5), pp. 6–12. doi: 10.3390/brainsci10050280.
- Saraswati, D. R. (2021) 'Transisi Epidemiologi Stroke Sebagai Penyebab Kematian Pada Semua Kelompok Usia Di Indonesia', *Journal Kedokteran*, 2(1), pp. 81–86. Available at: <https://conference.upnvj.ac.id/index.php/sensorik/article/view/1001>.
- Schreiner, T. G. et al. (2022) 'Post-stroke aphasia management-from classical approaches to modern therapies', *Romanian Journal of Neurology/ Revista Romana de Neurologie*, 21(2), pp. 103–109. doi: 10.37897/RJN.2022.2.2.
- Silva, B. N. et al. (2020) 'Development of computer-aided semi-automatic diagnosis system for chronic post-stroke aphasia classification with temporal and parietal lesions: A pilot study', *Applied Sciences (Switzerland)*, 10(8). doi: 10.3390/APP10082984.
- Silveri, M. C. (2021) 'Contribution of the Cerebellum and the Basal Ganglia to Language Production: Speech, Word Fluency, and Sentence Construction—Evidence from Pathology', *Cerebellum*, 20(2), pp. 282–294. doi: 10.1007/s12311-020-01207-6.
- Snell, R. S. (2019) *Snell's Clinical Neuroanatomy*. Philadelphia: Wolters Kluwer/Lippincott Williams & Wilkins.
- Sofyan, A. M., Sihombing, I. Y. and Hamra, Y. (2015) 'Hubungan Umur, Jenis Kelamin dan Hipertensi dengan Kejadian Stroke', *Jurnal Medula*, 1(1), pp. 24–30.
- Sreedharan, S. (2018) 'Real-Time Fmri Based Neurofeedback for Rehabilitation of Post-Stroke Patients With Aphasia', (May). Available at: [https://www.researchgate.net/publication/341369776\\_REAL-TIME\\_FMRI\\_BASED\\_NEUROFEEDBACK\\_FOR\\_REHABILITATION\\_OF\\_POST-STROKE\\_PATIENTS\\_WITH\\_APHASIA](https://www.researchgate.net/publication/341369776_REAL-TIME_FMRI_BASED_NEUROFEEDBACK_FOR_REHABILITATION_OF_POST-STROKE_PATIENTS_WITH_APHASIA).
- Tambunan, L. P., Sjahrir, H. and Arina, C. A. (2019) 'The Difference of Stroke Risk Factor between Batakne and Non-Batakne at H. Adam Malik General Hospital Medan', *Indonesian Journal of Medicine*, 4(2), pp. 122–134. doi: 10.26911/theijmed.2019.04.02.06.
- Tapper, S. (2019) *Neurotransmitter Imaging of the Human Brain Magnetic Resonance Spectroscopy Neurotransmitter Imaging of the Human Brain*.
- Thambas, A. T., Lalenoh, D. C. and Kambez, B. I. (2021) 'Gambaran Pasien Stroke Iskemik

- Akut dengan COVID-19 yang Masuk Ruang Perawatan Intensif”, *e-CliniC*, 9(1), pp. 161–166. doi: 10.35790/ecl.v9i1.32302.
- Thirugnanachandran, T. *et al.* (2022) ‘Topographic Evolution of Anterior Cerebral Artery Infarction and Its Impact on Motor Impairment’, *Cerebrovascular Diseases*, 51(2), pp. 248–258. doi: 10.1159/000519134.
- Turana, Y. *et al.* (2021) ‘Hypertension and stroke in Asia: A comprehensive review from HOPE Asia’, *Journal of Clinical Hypertension*, 23(3), pp. 513–521. doi: 10.1111/jch.14099.
- Ummaroh, E. N. (2018) ‘Pasien CVA (Cerebro Vaskuler Accident) dengan gangguan komunikasi verbal Di Ruang Aster RSUD Dr. Harjono’, *universitas muhammadiyah Ponogoro*, pp. 2–67. Available at: <http://eprints.umpo.ac.id/id/eprint/5088>.
- Utomo, T. Y. (2022) ‘HUBUNGAN FAKTOR RISKO TERHADAP KEJADIAN STROKE PADA PENDERITA CORONA VIRUS DISEASES-2019’, *Jurnal Ilmiah Indonesia*, 7(8.5.2017), pp. 2003–2005.
- Walenski, M. *et al.* (2022) ‘Perilesional Perfusion in Chronic Stroke-Induced Aphasia and Its Response to Behavioral Treatment Interventions’, *Neurobiology of Language*, 3(2), pp. 345–363. doi: 10.1162/nol\_a\_00068.
- WHO (2016) ‘Tobacco & Stroke’, *World Health Organization*, (6), pp. 33–36.
- Williams, J. *et al.* (2012) ‘Subconscious Memory using EEG’, *Methods*, (April), p. 2012.
- Wree, A. and Schmitt, O. (2015) *Basal Ganglia, Brain Mapping: An Encyclopedic Reference*. Elsevier Inc. doi: 10.1016/B978-0-12-397025-1.00215-3.
- Xu, L. *et al.* (2020) ‘Reorganized functional connectivity of language centers as a possible compensatory mechanism for basal ganglia aphasia’, *Brain Injury*, 34(3), pp. 430–437. doi: 10.1080/02699052.2020.1716995.
- Yang, S. N. (2017) ‘Current Evidence for Post Stroke Aphasia Treatment’, *Brain & Neurorehabilitation*, 10(2). doi: 10.12786/bn.2017.10.e15.