

DAFTAR PUSTAKA

- Abdullah, M. *et al.* (2015) ‘Prevalence, Risk Factors and Socio-epidemiological Study of Gastroesophageal Reflux Disease: An Urban Population Based Study in Indonesia’, *Asian Journal of Epidemiology*, 9(1–3), pp. 18–23. <https://doi.org/10.3923/aje.2016.18.23>.
- Alrashed, A. *et al.* (2019) ‘Prevalence and risk factors of gastroesophageal reflux disease among Shaqra University students, Saudi Arabia’, *Journal of Family Medicine and Primary Care*, 8(2), p. 462. https://doi.org/10.4103/jfmpc.jfmpc_443_18.
- Arivan, R. and Deepanjali, S. (2018) ‘Prevalence and risk factors of gastroesophageal reflux disease among undergraduate medical students from a southern Indian medical school: a cross-sectional study’, *BMC Research Notes*, 11(1), p. 448. <https://doi.org/10.1186/s13104-018-3569-1>.
- Body, C. and Christie, J.A. (2016) ‘Gastrointestinal Diseases in Pregnancy’, *Gastroenterology Clinics of North America*, 45(2), pp. 267–283. <https://doi.org/10.1016/j.gtc.2016.02.005>.
- Chang, P. and Friedenberg, F. (2014) ‘Obesity and GERD’, *Gastroenterology Clinics of North America*, 43(1), pp. 161–173. <https://doi.org/10.1016/j.gtc.2013.11.009>.
- Chen, J. and Brady, P. (2019) ‘Gastroesophageal Reflux Disease’, *Gastroenterology Nursing*, 42(1), pp. 20–28. <https://doi.org/10.1097/SGA.0000000000000359>.
- Clarrett, D.M. and Hachem, C. (2018) ‘Gastroesophageal Reflux Disease (GERD).’, *Missouri medicine*, 115(3), pp. 214–218.
- Correia, H. *et al.* (2021) ‘Effects of a non-caffeinated coffee substitute on functional dyspepsia’, *Clinical Nutrition ESPEN*, 41, pp. 412–416. <https://doi.org/10.1016/j.clnesp.2020.10.009>.
- Dagli, U. and Kalkan, I.H. (2020) ‘The role of lifestyle changes in gastroesophageal reflux diseases treatment’, *The Turkish Journal of Gastroenterology*, 28(Supp1), pp. S33–S37. <https://doi.org/10.5152/tjg.2017.10>.
- Dore, M.P. *et al.* (2008) ‘Diet, Lifestyle and Gender in Gastro-Esophageal Reflux Disease’, *Digestive Diseases and Sciences*, 53(8), pp. 2027–2032. <https://doi.org/10.1007/s10620-007-0108-7>.
- Dore, M.P. *et al.* (2016) ‘Risk factors for erosive and non-erosive gastroesophageal reflux disease and Barrett’s esophagus in Northern Sardinia’, *Scandinavian Journal*

of *Gastroenterology*, 51(11), pp. 1281–1287.
<https://doi.org/10.1080/00365521.2016.1200137>.

Herrera-López, J.A. et al. (2010) ‘Capsaicin induction of esophageal symptoms in different phenotypes of gastroesophageal reflux disease.’, *Revista de gastroenterología de Mexico*, 75(4), pp. 396–404.

Hunt, R. et al. (2017) ‘World Gastroenterology Organisation Global Guidelines’, *Journal of Clinical Gastroenterology*, 51(6), pp. 467–478.
<https://doi.org/10.1097/MCG.0000000000000854>.

Jarosz, M. and Taraszewska, A. (2014) ‘Risk factors for gastroesophageal reflux disease – the role of diet’, *Gastroenterology Review*, 5, pp. 297–301.
<https://doi.org/10.5114/pg.2014.46166>.

Johnson, F., Wardle, J. and Griffith, J. (2002) ‘The Adolescent Food Habits Checklist: reliability and validity of a measure of healthy eating behaviour in adolescents’, *European Journal of Clinical Nutrition*, 56(7), pp. 644–649.
<https://doi.org/10.1038/sj.ejcn.1601371>.

Johnson, T. et al. (2010) ‘Systematic review: the effects of carbonated beverages on gastro-oesophageal reflux disease’, *Alimentary Pharmacology & Therapeutics*, 31(6), pp. 607–614. <https://doi.org/10.1111/j.1365-2036.2010.04232.x>.

Jung, H.-K. (2011) ‘Epidemiology of Gastroesophageal Reflux Disease in Asia: A Systematic Review’, *Journal of Neurogastroenterology and Motility*, 17(1), pp. 14–27. <https://doi.org/10.5056/jnm.2011.17.1.14>.

Kim, O. et al. (2018) ‘Gastroesophageal reflux disease and its related factors among women of reproductive age: Korea Nurses’ Health Study’, *BMC Public Health*, 18(1), p. 1133. <https://doi.org/10.1186/s12889-018-6031-3>.

Kim, S.Y. et al. (2019) ‘Gender Specific Differences in Prevalence and Risk Factors for Gastro-Esophageal Reflux Disease’, *Journal of Korean Medical Science*, 34(21). <https://doi.org/10.3346/jkms.2019.34.e158>.

Kuswono, A.D., Yurizal, B. and Akbar, R.R. (2021) ‘Kejadian Gastroesophageal Reflux Disease (GERD) Dengan GERD-Q Pada Mahasiswa Kedokteran’, *BRMJ : Baiturrahmah Medical Journal*, I.

Mehta, R.S. et al. (2020) ‘Association Between Beverage Intake and Incidence of Gastroesophageal Reflux Symptoms’, *Clinical Gastroenterology and Hepatology*, 18(10), pp. 2226–2233.e4. <https://doi.org/10.1016/j.cgh.2019.11.040>.

Milajerdi, A. et al. (2021) ‘Breakfast skipping and prevalence of heartburn syndrome among Iranian adults’, *Eating and Weight Disorders - Studies on Anorexia, Bulimia and Obesity*, 26(7), pp. 2173–2181.
<https://doi.org/10.1007/s40519-020-01065-5>.

- Mungan, Z. and Pinarbasi Simsek, B. (2020) ‘Which drugs are risk factors for the development of gastroesophageal reflux disease?’, *The Turkish Journal of Gastroenterology*, 28(Supp1), pp. S38–S43. <https://doi.org/10.5152/tjg.2017.11>.
- Murao, T. *et al.* (2011) ‘Lifestyle Change Influences on GERD in Japan: A Study of Participants in a Health Examination Program’, *Digestive Diseases and Sciences*, 56(10), pp. 2857–2864. <https://doi.org/10.1007/s10620-011-1679-x>.
- Nehlig, A. (2022) ‘Effects of Coffee on the Gastro-Intestinal Tract: A Narrative Review and Literature Update’, *Nutrients*, 14(2), p. 399. <https://doi.org/10.3390/nu14020399>.
- Ness-Jensen, E. and Lagergren, J. (2017) ‘Tobacco smoking, alcohol consumption and gastro-oesophageal reflux disease’, *Best Practice & Research Clinical Gastroenterology*, 31(5), pp. 501–508. <https://doi.org/10.1016/j.bpg.2017.09.004>.
- Newberry, C. and Lynch, K. (2017) ‘Can We Use Diet to Effectively Treat Esophageal Disease? A Review of the Current Literature’, *Current Gastroenterology Reports*, 19(8), p. 38. <https://doi.org/10.1007/s11894-017-0578-5>.
- Nirwan, J.S. *et al.* (2020) ‘Global Prevalence and Risk Factors of Gastro-oesophageal Reflux Disease (GORD): Systematic Review with Meta-analysis’, *Scientific Reports*, 10(1), p. 5814. <https://doi.org/10.1038/s41598-020-62795-1>.
- On, Z.X. *et al.* (2017) ‘The association between gastroesophageal reflux disease with sleep quality, depression, and anxiety in a cohort study of Australian men’, *Journal of Gastroenterology and Hepatology*, 32(6), pp. 1170–1177. <https://doi.org/10.1111/jgh.13650>.
- Pan, J. *et al.* (2019) ‘Alcohol Consumption and the Risk of Gastroesophageal Reflux Disease: A Systematic Review and Meta-analysis’, *Alcohol and Alcoholism*, 54(1), pp. 62–69. <https://doi.org/10.1093/alc/agy063>.
- Puspita, F.C. *et al.* (2017) ‘Prevalence of Gastroesophageal Reflux Disease and Its Risk Factors In Rural Area’, *The Indonesian Journal of Gastroenterology, Hepatology, and Digestive Endoscopy*, 18(1), p. 9. <https://doi.org/10.24871/18120179-14>.
- Richter, J.E. and Rubenstein, J.H. (2018) ‘Presentation and Epidemiology of Gastroesophageal Reflux Disease’, *Gastroenterology*, 154(2), pp. 267–276. <https://doi.org/10.1053/j.gastro.2017.07.045>.
- Rosen, R.D. and Winters, R. (2022) ‘Physiology, Lower Esophageal Sphincter’, *StatPearls [Internet]* [Preprint].
- Sakti, P.T. and Mustika, S. (2022) ‘Analisis Faktor Risiko Gastro-Esophageal Reflux Disease di Era Pandemi COVID-19 pada Mahasiswa Program Pendidikan

Dokter Spesialis Fakultas Kedokteran Universitas Brawijaya', *Jurnal Penyakit Dalam Indonesia*, 9(3), pp. 164–170.

Sharma, A., Sharma, P.K. and Puri, P. (2018) 'Prevalence and the risk factors of gastro-esophageal reflux disease in medical students', *Medical Journal Armed Forces India*, 74(3), pp. 250–254. <https://doi.org/10.1016/j.mjafi.2017.08.005>.

Song, J.H. et al. (2011) 'Relationship Between Gastroesophageal Reflux Symptoms and Dietary Factors in Korea', *Journal of Neurogastroenterology and Motility*, 17(1), pp. 54–60. <https://doi.org/10.5056/jnm.2011.17.1.54>.

Syam, A.F. et al. (2013) *Revisi Konsensus Nasional Penatalaksanaan Penyakit Refluks Gastroesofageal (Gastroesophageal Reflux Disease/GERD) di Indonesia*. Edited by A.F. Syam et al. Jakarta: Perkumpulan Gastroenterologi Indonesia (PGI).

Syam, A.F. et al. (2017) 'Prevalence and risk factors of GERD in Indonesian population—an internet-based study', *Advanced Science Letters*, 23(7), pp. 6734–6738. <https://doi.org/10.1166/ASL.2017.9384>.

Syam, A.F., Hapsari, P.F. and Makmun, D. (2016) 'The Prevalence and Risk Factors of GERD among Indonesian Medical Doctors', *Makara Journal of Health Research*, 20(2). <https://doi.org/10.7454/msk.v20i2.5740>.

Taraszewska, A. (2021) 'Risk factors for gastroesophageal reflux disease symptoms related to lifestyle and diet', *Roczniki Państwowego Zakładu Higieny* [Preprint]. <https://doi.org/10.32394/rpzh.2021.0145>.

Vernia, F. et al. (2021) 'Sleep disorders related to nutrition and digestive diseases: a neglected clinical condition', *International Journal of Medical Sciences*, 18(3), pp. 593–603. <https://doi.org/10.7150/ijms.45512>.

Wei, T.-Y. et al. (2019) 'The role of tea and coffee in the development of gastroesophageal reflux disease', *Tzu Chi Medical Journal*, 31(3), p. 169. https://doi.org/10.4103/tcmj.tcmj_48_18.

Yamamichi, N. et al. (2012) 'Lifestyle factors affecting gastroesophageal reflux disease symptoms: a cross-sectional study of healthy 19864 adults using FSSG scores', *BMC Medicine*, 10(1), p. 45. <https://doi.org/10.1186/1741-7015-10-45>.

Young, A., Kumar, M.A. and Thota, P.N. (2020) 'GERD: A practical approach', *Cleveland Clinic Journal of Medicine*, 87(4), pp. 223–230. <https://doi.org/10.3949/ccjm.87a.19114>.