

## DAFTAR PUSTAKA

- Aliyah, N., Pranggono, E., & Andriyoko, B. (2016). Kanker Paru: Sebuah Kajian Singkat. *Indonesian Journal Chest And Emergency Medicine*, 4(1), 28–32.
- Baker, S. G. (2014). Biomarker evaluation in randomized trials: addressing different research questions. *Statistics in Medicine*, 33(23), 4139–4140. <https://doi.org/10.1002/sim.6202>
- Cai, Q., Zhang, P., He, B., Zhao, Z., Zhang, Y., Peng, X., Xie, H., & Wang, X. (2020). Identification of diagnostic DNA methylation biomarkers specific for early-stage lung adenocarcinoma. *Cancer Genetics*, 246–247, 1–11. <https://doi.org/10.1016/j.cancergen.2020.08.002>
- Campbell, J. M., Klugar, M., Ding, S., Carmody, D. P., Hakonsen, S. J., Jadotte, Y. T., White, S., & Munn, Z. (2015). Diagnostic test accuracy: Methods for systematic review and meta-analysis. *International Journal of Evidence-Based Healthcare*, 13(3), 154–162. <https://doi.org/10.1097/XEB.0000000000000061>
- Chen, C., Huang, X., Yin, W., Peng, M., Wu, F., Wu, X., Tang, J., Chen, M., Wang, X., Hulbert, A., Brock, M. V., Liu, W., Herman, J. G., & Yu, F. (2020). Ultrasensitive DNA hypermethylation detection using plasma for early detection of NSCLC: A study in Chinese patients with very small nodules. *Clinical Epigenetics*, 12(1), 1–11. <https://doi.org/10.1186/s13148-020-00828-2>
- Constâncio, V., Nunes, S. P., Henrique, R., & Jerónimo, C. (2020). DNA Methylation-Based Testing in Liquid Biopsies as Detection and Prognostic Biomarkers for the Four Major Cancer Types. *Cells*, 9(3). <https://doi.org/10.3390/cells9030624>
- Cui, J. W., Li, W., Han, F. J., & Liu, Y. Di. (2015). Screening for lung cancer using low-dose computed tomography: Concerns about the application in low-risk individuals. *Translational Lung Cancer Research*, 4(3), 275–286. <https://doi.org/10.3978/j.issn.2218-6751.2015.02.05>
- Data, T. A., Gillies, R. J., Kinahan, P. E., & Hricak, H. (2016). Radiomics Overview Hricak. *Radiology*, 000(0), 1–15.
- Dewi, N. N. A., & Widya Suksmarini, N. M. P. (2018). Metilasi DNA dalam Perkembangan Kanker Kolorektal. *Intisari Sains Medis*, 9(2), 124–130. <https://doi.org/10.15562/ism.v9i2.176>

- Dietrich, D., Kneip, C., Raji, O., Liloglou, T., Seegebarth, A., Schlegel, T., Flemming, N., Rausch, S., Distler, J., Fleischhacker, M., Schmidt, B., Giles, T., Walshaw, M., Warburton, C., Liebenberg, V., & Field, J. K. (2012). Performance evaluation of the DNA methylation biomarker SHOX2 for the aid in diagnosis of lung cancer based on the analysis of bronchial aspirates. *International Journal of Oncology*, *40*(3), 825–832. <https://doi.org/10.3892/ijo.2011.1264>
- Dimas, & Muhartono. (2021). Biomarker Tumor pada Kanker Paru. *Journal of Medula*, *11*(April), 91–99.
- Eusebi, P. (2013). Diagnostic accuracy measures. *Cerebrovascular Diseases*, *36*(4), 267–272. <https://doi.org/10.1159/000353863>
- Fidianingsih, I. (2013). Metilasi CPG Island Gen DAPK pada Leukimia Limfoblastik Akut. In *Jkki* (Vol. 5, Issue 1, pp. 59–68).
- Gaga, M., Chorostowska-Wynimko, J., Horváth, I., Tammemagi, M. C., Shitrit, D., Eisenberg, V. H., Liang, H., Stav, D., Faber, D. L., Jansen, M., Raviv, Y., Panagoulas, V., Rudzinski, P., Izbicki, G., Ronen, O., Goldhaber, A., Moalem, R., Arber, N., Haas, I., & Zhou, Q. (2021). Validation of Lung EpiCheck, a novel methylation-based blood assay, for the detection of lung cancer in European and Chinese high-risk individuals. *European Respiratory Journal*, *57*(1). <https://doi.org/10.1183/13993003.02682-2020>
- Gao, H., Yang, J., He, L., Wang, W., Liu, Y., Hu, Y., Ge, M., Ding, J., & Ye, Q. (2022). The Diagnostic Potential of SHOX2 and RASSF1A DNA Methylation in Early Lung Adenocarcinoma. *Frontiers in Oncology*, *12*(June), 1–13. <https://doi.org/10.3389/fonc.2022.849024>
- Hill, B. T. (2019). Etiology of Cancer. In *Clinical Ophthalmic Oncology* (pp. 11–17). Springer International Publishing. [https://doi.org/10.1007/978-3-030-04489-3\\_2](https://doi.org/10.1007/978-3-030-04489-3_2)
- Huang, W., Huang, H., Zhang, S., Wang, X., Ouyang, J., Lin, Z., & Chen, P. (2020). A Novel Diagnosis Method Based on Methylation Analysis of SHOX2 and Serum Biomarker for Early Stage Lung Cancer. *Cancer Control*, *27*(1), 1–8. <https://doi.org/10.1177/1073274820969703>
- Ilse, P., Biesterfeld, S., Pomjanski, N., Wrobel, C., & Schramm, M. (2014). Analysis of SHOX2 methylation as an aid to cytology in lung cancer diagnosis. *Cancer Genomics & Proteomics*, *11*(5), 251–258. <http://www.ncbi.nlm.nih.gov/pubmed/25331797>
- Jiménez-Chillarón, J. C., Díaz, R., & Ramón-Krauel, M. (2014). Omics Tools for the

- Genome-Wide Analysis of Methylation and Histone Modifications. *Comprehensive Analytical Chemistry*, 63, 81–110. <https://doi.org/10.1016/B978-0-444-62651-6.00004-0>
- Joanna Briggs Institute. (2020). Checklist For Diagnostic Test Accuracy Studies Critical Appraisal tools for use in JBI Systematic Reviews. *Adelaide, SA: Joanna Briggs Institute.*
- Joseph, J., & Rotty, L. W. A. (2020). Kanker Paru: Laporan Kasus. *Medical Scope Journal*, 2(1), 17–25. <https://doi.org/10.35790/msj.v2i1.31108>
- Kim, J., Lee, H., & Huang, B. W. (2022). Lung Cancer: Diagnosis, Treatment Principles, and Screening. *American Family Physician*, 105(5), 487–494.
- Kneip, C., Schmidt, B., Seegebarth, A., Weickmann, S., Fleischhacker, M., Liebenberg, V., Field, J. K., & Dietrich, D. (2011). SHOX2 DNA methylation is a biomarker for the diagnosis of lung cancer in plasma. *Journal of Thoracic Oncology*, 6(10), 1632–1638. <https://doi.org/10.1097/JTO.0b013e318220ef9a>
- Konecny, M., Markus, J., Waczulikova, I., Dolesova, L., Kozlova, R., Repiska, V., Novosadova, H., & Majer, I. (2016). The value of SHOX2 methylation test in peripheral blood samples used for the differential diagnosis of lung cancer and other lung disorders. *Neoplasma*, 63(2), 246–253. [https://doi.org/10.4149/210\\_150419N208](https://doi.org/10.4149/210_150419N208)
- Kutob, L., & Schneider, F. (2020). Lung Cancer Staging. *Surgical Pathology Clinics*, 13(1), 57–71. <https://doi.org/10.1016/j.path.2019.10.003>
- Liu, W. Bin, Han, F., Huang, Y. S., Chen, H. Q., Chen, J. P., Wang, D. D., Jiang, X., Yin, L., Cao, J., & Liu, J. Y. (2019). TMEM196 hypermethylation as a novel diagnostic and prognostic biomarker for lung cancer. *Molecular Carcinogenesis*, 58(4), 474–487. <https://doi.org/10.1002/mc.22942>
- Moher, D., Shamseer, L., Clarke, M., Ghersi, D., Liberati, A., Petticrew, M., Shekelle, P., & Stewart, L. A. (2015). Preferred reporting items for systematic review and meta-analysis protocols (PRISMA-P) 2015 statement. *Systematic Reviews*, 4(1), 1. <https://doi.org/10.1186/2046-4053-4-1>
- Ooki, A., Maleki, Z., Tsay, J.-C. J., Goparaju, C., Brait, M., Turaga, N., Nam, H.-S., Rom, W. N., Pass, H. I., Sidransky, D., Guerrero-Preston, R., & Hoque, M. O. (2017). A Panel of Novel Detection and Prognostic Methylated DNA Markers in Primary Non-Small Cell Lung Cancer and Serum DNA. *Clinical Cancer Research*, 23(22), 7141–

7152. <https://doi.org/10.1158/1078-0432.CCR-17-1222>
- Ost, D. E., Yeung, S. C. J., Tanoue, L. T., & Gould, M. K. (2013). Clinical and organizational factors in the initial evaluation of patients with lung cancer: Diagnosis and management of lung cancer, 3rd ed: American college of chest physicians evidence-based clinical practice guidelines. *Chest*, *143*(5 SUPPL), 121–141. <https://doi.org/10.1378/chest.12-2352>
- Purba, A., & Wibisono, B. (2015). Pola Klinis Kanker Paru Rsup Dr. Kariadi Semarang Periode Juli 2013 - Juli 2014. *Jurnal Kedokteran Diponegoro*, *4*(4), 389–398. <http://ejournal-s1.undip.ac.id/index.php/medico%0AArdina>
- Ren, M., Wang, C., Sheng, D., Shi, Y., Jin, M., & Xu, S. (2017). Methylation analysis of SHOX2 and RASSF1A in bronchoalveolar lavage fluid for early lung cancer diagnosis. *Annals of Diagnostic Pathology*, *27*, 57–61. <https://doi.org/10.1016/j.anndiagpath.2017.01.007>
- Santarpia, M., Liguori, A., D'Aveni, A., Karachaliou, N., Gonzalez-Cao, M., Daffinà, M. G., Lazzari, C., Altavilla, G., & Rosell, R. (2018). Liquid biopsy for lung cancer early detection. *Journal of Thoracic Disease*, *10*(Suppl 7), S882–S897. <https://doi.org/10.21037/jtd.2018.03.81>
- Seijo, L. M., Peled, N., Ajona, D., Boeri, M., Field, J. K., Pio, R., Zulueta, J. J., Spira, A., Massion, P. P., Peter, J., Montuenga, L. M., Legacy, T., Oncology, H., Program, T., Castle, R., Cancer, L., & Medicine, C. (2020). *HHS Public Access*. *14*(3), 343–357. <https://doi.org/10.1016/j.jtho.2018.11.023.Biomarkers>
- Selamat, S. A., Chung, B. S., Girard, L., Zhang, W., Zhang, Y., Campan, M., Siegmund, K. D., Koss, M. N., Hagen, J. A., Lam, W. L., Lam, S., Gazdar, A. F., & Laird-Offringa, I. A. (2012). Genome-scale analysis of DNA methylation in lung adenocarcinoma and integration with mRNA expression. *Genome Research*, *22*(7), 1197–1211. <https://doi.org/10.1101/gr.132662.111>
- Shi, J., Chen, X., Zhang, L., Fang, X., Liu, Y., Zhu, X., Zhang, H., Fan, L., Gu, J., Zhang, S., She, B., Han, H., & Yi, X. (2020). Performance Evaluation of SHOX2 and RASSF1A Methylation for the Aid in Diagnosis of Lung Cancer Based on the Analysis of FFPE Specimen. *Frontiers in Oncology*, *10*, 565780. <https://doi.org/10.3389/fonc.2020.565780>
- Sung, H., Ferlay, J., Siegel, R. L., Laversanne, M., Soerjomataram, I., Jemal, A., & Bray, F.

- (2021). Global Cancer Statistics 2020: GLOBOCAN Estimates of Incidence and Mortality Worldwide for 36 Cancers in 185 Countries. *CA: A Cancer Journal for Clinicians*, 71(3), 209–249. <https://doi.org/10.3322/caac.21660>
- Trevethan, R. (2017). Sensitivity, Specificity, and Predictive Values: Foundations, Pliabilities, and Pitfalls in Research and Practice. *Frontiers in Public Health*, 5(November), 1–7. <https://doi.org/10.3389/fpubh.2017.00307>
- Wei, B., Wu, F., Xing, W., Sun, H., Yan, C., Zhao, C., Wang, D., Chen, X., Chen, Y., Li, M., & Ma, J. (2021). A panel of DNA methylation biomarkers for detection and improving diagnostic efficiency of lung cancer. *Scientific Reports*, 11(1), 1–10. <https://doi.org/10.1038/s41598-021-96242-6>
- Weiss, G., Schlegel, A., Kottwitz, D., König, T., & Tetzner, R. (2017). Validation of the SHOX2/PTGER4 DNA Methylation Marker Panel for Plasma-Based Discrimination between Patients with Malignant and Nonmalignant Lung Disease. *Journal of Thoracic Oncology*, 12(1), 77–84. <https://doi.org/10.1016/j.jtho.2016.08.123>
- Wielscher, M., Vierlinger, K., Kegler, U., Ziesche, R., Gsur, A., & Weinhäusel, A. (2015). Diagnostic Performance of Plasma DNA Methylation Profiles in Lung Cancer, Pulmonary Fibrosis and COPD. *EBioMedicine*, 2(8), 929–936. <https://doi.org/10.1016/j.ebiom.2015.06.025>
- Wong, H. B., & Lim, G. H. (2011). Measures of diagnostic accuracy: Sensitivity, specificity, PPV and NPV. *Proceedings of Singapore Healthcare*, 20(4), 316–318. <https://doi.org/10.1177/201010581102000411>
- Wu, L., & Qu, X. (2015). Cancer biomarker detection: Recent achievements and challenges. *Chemical Society Reviews*, 44(10), 2963–2997. <https://doi.org/10.1039/c4cs00370e>
- Zang, R., Wang, X., Jin, R., Lei, Y., Huang, J., Liu, C., Zheng, S., Zhou, F., Wu, Q., Sun, N., Gao, S., & He, J. (2019). Translational value of IDH1 and DNA methylation biomarkers in diagnosing lung cancers: A novel diagnostic panel of stage and histology-specificity. *Journal of Translational Medicine*, 17(1), 1–10. <https://doi.org/10.1186/s12967-019-2117-7>
- Zhang, C., Yu, W., Wang, L., Zhao, M., Guo, Q., Lv, S., Hu, X., & Lou, J. (2017). DNA Methylation Analysis of the SHOX2 and RASSF1A Panel in Bronchoalveolar Lavage Fluid for Lung Cancer Diagnosis. *Journal of Cancer*, 8(17), 3585–3591. <https://doi.org/10.7150/jca.21368>