

DAFTAR PUSTAKA

- American Psychiatric Association. 2013. Diagnostic and Statistical Manual of Mental Disorders. 5th ed. United States: American Psychiatric Association.
- Amin, M. Al dan Juniati, D. 2017. Klasifikasi Kelompok Umur Manusia. *MATHunesa*, 2(6), p. 34. Available at: <https://media.neliti.com/media/publications/249455-none-23b6a822.pdf>.
- Baehr, M. dan Frotscher, M. 2018. Diagnosis Topik Neurologi DUUS : Anatomi, Fisiologi, Tanda, Gejala. 5 ed. Jakarta: Penerbit Buku Kedokteran ECG.
- Barrett, K. E. *et al.* 2012. Buku Ajar Fisiologi Kedokteran. 24 ed. Jakarta: Penerbit Buku Kedokteran ECG.
- Batouli, S. A. H. and Saba, V. 2017. At least eighty percent of brain grey matter is modifiable by physical activity: A review study. *Behavioural Brain Research*, 332, pp. 204–217. doi: 10.1016/j.bbr.2017.06.002.
- Beudart, C. *et al.* 2016. Sarcopenia in daily practice: assessment and management. *BMC Geriatrics*, 16(1), p. 170. doi: 10.1186/s12877-016-0349-4.
- Benedict, R. R. H. *et al.* 2017. Validity of the Symbol Digit Modalities Test as a cognition performance outcome measure for multiple sclerosis. *Multiple Sclerosis Journal*, 23(5), pp. 721–733. doi: 10.1177/1352458517690821.
- Blondell, S. J., Hammersley-Mather, R. dan Veerman, J. L. 2014. Does physical activity prevent cognitive decline and dementia?: A systematic review and meta-analysis of longitudinal studies. *BMC Public Health*, 14(510), pp. 1–12. doi: 10.1186/1471-2458-14-510.
- Boland, R., Verduin, M. L. dan Ruiz, P. (2021) *Kaplan & Sadock's Synopsis of Psychiatry: 12th ed, Journal of Chemical Information and Modeling*.
- Bredella, M. A. 2017. Sex Differences in Body Composition. *Advances in Experimental Medicine and Biology*, 1043, pp. 9–27. doi: 10.1007/978-3-319-70178-3_2.
- Bull, F. C., Maslin, T. S. dan Armstrong, T. 2009. Global Physical Activity Questionnaire (GPAQ): Nine Country Reliability and Validity Study. *Journal of Physical Activity and Health*, 6(6), pp. 790–804. doi: 10.1123/jpah.6.6.790.
- Cooper, C. *et al.* 2013. Tools in the assessment of sarcopenia. *Calcified Tissue International*, 93(3), pp. 201–210. doi: 10.1007/s00223-013-9757-z.
- Dhakai, A. dan Bobrin, B. D., 2022. *National Library of Medicine*. [Online] Available at: <https://www.ncbi.nlm.nih.gov/books/NBK559052/#:~:text=->

generate%20new%20knowledge.-,%22Cognitive%20deficit%22%20is%-
20an%20inclusive%20term%20used%20to%20describe%20the,manifestat
ions%20of%20someone's%20underlying%20condition.
[Accessed 1 August 2022].

- Frontera, W. R. dan Ochala, J. 2015. Skeletal Muscle: A Brief Review of Structure and Function. *Behavior Genetics*, 45(2), pp. 183–195. doi: 10.1007/s00223-014-9915-y.
- Ganguli, M. *et al.* 2011. Classification of neurocognitive disorders in DSM-5: A work in progress. *American Journal of Geriatric Psychiatry*, 19(3), pp. 205–210. doi: 10.1097/JGP.0b013e3182051ab4.
- Guyton, A. C. dan Hall, J. E. 2014. Guyton dan Hall Buku Ajar Fisiologi Kedokteran. 12 ed. Jakarta: Penerbit Buku Kedokteran ECG.
- Habut, M. Y., Nurmawan, I. P. S. dan Wiryanthini, I. A. D. 2015. Hubungan Indeks Massa Tubuh dan Aktivitas Fisik Terhadap Keseimbangan Dinamis pada Mahasiswa Fakultas Kedokteran Universitas UDAYANA. *Majalah Ilmiah Fisioterapi Indonesia*, 2(1), pp. 45–51. doi: <https://doi.org/10.24843/MIFI.2016.v04.i02.p08>.
- Harvey, P. D. 2019. Domains of cognition and their assessment. *Dialogues in Clinical Neuroscience*, 21(3), pp. 227–237. doi: 10.31887/DCNS.2019.21.3/pharvey.
- Hoffmann, C. dan Weigert, C. 2017. Skeletal Muscle as an Endocrine Organ: The Role of Myokines in Exercise Adaptations. *Cold Spring Harbor Perspectives in Medicine*, 7(11), pp. 1–22. doi: 10.1101/cshperspect.a029793.
- Hoyer, W. J. *et al.* 2004. Adult Age and Digit Symbol Substitution Performance : A Meta-Analysis. *Psychology and Aging*, 19(1), pp. 211–214. doi: 10.1037/0882-7974.19.1.211.
- Isaac, A. R., Lima-Filho, R. A. S. and Lourenco, M. V. 2021. How does the skeletal muscle communicate with the brain in health and disease?. *Neuropharmacology*, 197(April), p. 108744. doi: 10.1016/j.neuropharm.2021.108744.
- Jaeger, J. 2018. Digit symbol substitution test. *Journal of Clinical Psychopharmacology*, 38(5), pp. 513–519. doi: 10.1097/JCP.0000000000000941.
- Johnson, F., Wardle, J. dan Griffith, J. 2002. The Adolescent Food Habits Checklist: reliability and validity of a measure of healthy eating behaviour in adolescents. *European Journal of Clinical Nutrition*, 56(7), pp. 644–649. doi: 10.1038/sj.ejcn.1601371.
- Karnam, R. R. *et al.* 2016. Cognitive Ability as a Determinant of Socioeconomic

Alifianisa Fazriani, 2023

HUBUNGAN ANTARA MASSA OTOT DAN FUNGSI KOGNITIF PADA MAHASISWA KEDOKTERAN

UPN “Veteran” Jakarta, Fakultas Kedokteran, S1 Kedokteran

[www.upnvj.ac.id - www.library.upnvj.ac.id - www.repository.upnvj.ac.id]

and Oral Health Status among Adolescent College Students of Bengaluru, India. *Journal of Clinical and Diagnostic Research*, 10(12).

- Kim, S. *et al.* 2019. Roles of Myokines in Exercise-Induced Improvement of Neuropsychiatric Function. *Pflugers Archiv European Journal of Physiology*, 471(3), pp. 491–505. doi: 10.1007/s00424-019-02253-8.
- Koliatsos, V. E. 2016. A Clinical Approach to Cognitive Impairment. *Focus*, 14(4), pp. 437–447. doi: 10.1176/appi.focus.20160026.
- Kreissl, A. *et al.* 2019. Clinically Relevant Body Composition Methods For Obese Pediatric Patients. *BMC Pediatrics*, 19(84), pp. 1–8. doi: 10.1186/s12887-019-1454-2.
- Leto, L. dan Feola, M. 2014. Cognitive Impairment in Heart Failure Patients. *Journal of Geriatric Cardiology*, 11, pp. 316–328. doi: 10.11909/j.issn.1671-5411.2014.04.007.
- Loprinzi, P. D. dan Frith, E. 2019. A brief primer on the mediational role of BDNF in the exercise-memory link. *Clinical Physiology and Functional Imaging*, 39(1), pp. 9–14. doi: 10.1111/cpf.12522.
- Maldonado, K. A. dan Alsayouri, K., 2022. [Online] Available at: <https://www.ncbi.nlm.nih.gov/books/NBK551718/#article-18527.r13> [Accessed 18 July 2022].
- Mareschal, J. *et al.* 2019. Clinical Value of Muscle Mass Assessment in Clinical Conditions Associated with Malnutrition. *Journal of Clinical Medicine*, 8(7), pp. 1–19. doi: 10.3390/jcm8071040.
- Marthoenis, M. *et al.* 2022. Investigating Body Mass Index and Body Composition in Patients with Schizophrenia: A Case-Control Study. *Schizophrenia Research and Treatment*, 2022, pp. 1–7. doi: 10.1155/2022/1381542.
- Mittal, S. *et al.* 2012. Gender based variation in cognitive functions in adolescent subjects. *Annals of Neurosciences*, 19(4), pp. 165–168. doi: 10.5214/ans.0972.7531.190406.
- Mokhtarzade, M. *et al.* 2018. Exercise-Induced Changes in Neurotrophic Factors and Markers of Blood-Brain Barrier Permeability Are Moderated by Weight Status in Multiple Sclerosis. *Neuropeptides*, 70, pp. 93–100. doi: 10.1016/j.npep.2018.05.010.
- Mukund, K. dan Subramaniam, S. 2020. Skeletal Muscle: A Review of Molecular Structure and Function, in Health and Disease. *Wiley Interdisciplinary Reviews: Systems Biology and Medicine*, 12(1), pp. 1–46. doi: 10.1002/wsbm.1462.
- Murman, D. L. 2015. The Impact of Age on Cognition. *Seminars in Hearing*, 36(3),

- pp. 111–121. doi: 10.1055/s-0035-1555115.
- Nehlig, A. 2010. Is caffeine a cognitive enhancer?. *Journal of Alzheimer's Disease*, 20(SUPPL.1), pp. S85–S94. doi: 10.3233/JAD-2010-091315.
- Niendam, T. A. *et al.* 2012. Meta-analytic evidence for a superordinate cognitive control network subserving diverse executive functions. *Cogn Affect Behav Neurosci*, 12(2), pp. 241–268. doi: 10.3758/s13415-011-0083-5.
- Noto, R. E., Leavitt, L. dan Edens., M. A. 2022. *National Library of Medicine*. [Online] Available at: <https://www.ncbi.nlm.nih.gov/books/NBK532258/> [Accessed 1 August 2022].
- Notoatmodjo, S. 2010. *Metodologi Penelitian Kesehatan*. Jakarta: Rineka Cipta.
- Nourhashémi, F. *et al.* 2002. Is there a relationship between fat-free soft tissue mass and low cognitive function? Results from a study of 7,105 women. *Journal of the American Geriatrics Society*, 50(11), pp. 1796–1801. doi: 10.1046/j.1532-5415.2002.50507.x.
- Pajonk, F. G. *et al.* 2010. Hippocampal plasticity in response to exercise in schizophrenia. *Archives of General Psychiatry*, 67(2), pp. 133–143. doi: 10.1001/archgenpsychiatry.2009.193.
- Pedersen, B. K. 2019. Physical activity and muscle–brain crosstalk. *Nature Reviews Endocrinology*, 15(7), pp. 383–392. doi: 10.1038/s41574-019-0174-x.
- Rachmi, C. N. *et al.* 2020. Eating Behaviour of Indonesian Adolescents: A Systematic Review of the Literature. *Public Health Nutrition*, 24(2), pp. 84–97. doi: 10.1017/S1368980020002876.
- Reiss, J. *et al.* 2016. Case finding for sarcopenia in geriatric inpatients: Performance of bioimpedance analysis in comparison to dual X-ray absorptiometry. *BMC Geriatrics*, 16(52), pp. 1–8. doi: 10.1186/s12877-016-0228-z.
- Sayon-Orea, C., Martinez-Gonzalez, M. A. dan Bes-Rastrollo, M. 2011. Alcohol consumption and body weight: A systematic review. *Nutrition Reviews*, 69(8), pp. 419–431. doi: 10.1111/j.1753-4887.2011.00403.x.
- Scisciola, L. *et al.* 2021. Sarcopenia and Cognitive Function: Role of Myokines in Muscle Brain Cross-Talk. *Life*, 11(2), p. 174. doi: 10.3390/life11020173.
- Setyo, H., Handayani, S. dan Wiyono, N. 2016. Hubungan Aktivitas Fisik dengan Kapasitas Memori Kerja pada Mahasiswa Program Studi Kedokteran Universitas Sebelas Maret. *Nexus Kedokteran Komunitas*, 5(2), pp. 1–11.
- Sherwood, L. 2014. *Fisiologi Manusia dari Sel ke Sistem*. 8 ed. Jakarta: Penerbit Buku Kedokteran ECG.
- Singh, A. dan Purohit, B. 2011. *Evaluation of Global Physical Activity*

- Questionnaire (GPAQ) among Healthy and Obese Health Professionals in Central India. *Baltic Journal of Health and Physical Activity*, 3(1), pp. 34–43. doi: 10.2478/v10131-011-0004-6.
- Stokin, G. B. *et al.* 2015. Mild Neurocognitive Disorder: An Old Wine in a New Bottle. *Harvard Review of Psychiatry*, 23(5), pp. 368–376. doi: 10.1097/HRP.0000000000000084.
- Sui, S. X. *et al.* 2021. Skeletal Muscle Health and Cognitive Function: A Narrative Review. *International Journal of Molecular Sciences*, 22(1), pp. 1–21. doi: 10.3390/IJMS22010255.
- Trivedi, J. 2006. Cognitive deficits in psychiatric disorders: Current status. *Indian Journal of Psychiatry*, 48(1), pp. 10–20. doi: 10.4103/0019-5545.31613.
- Wirth, R. *et al.* 2011. Cognitive Function is Associated with Body Composition and Nutritional Risk of Geriatric Patients. *Journal of Nutrition, Health and Aging*, 15(8), pp. 706–710. doi: 10.1007/s12603-011-0089-2.
- Wrann, C. D. *et al.* 2013. Exercise induces hippocampal BDNF through a PGC-1 α /FNDC5 pathway. *Cell Metabolism*, 18(5), pp. 649–659. doi: 10.1016/j.cmet.2013.09.008.
- Wreksoatmodjo. 2012. Pemeriksaan Status Mental Mini pada Usia Lanjut di Jakarta. *Jurnal Medika*, p. 562. doi: 10.1002/wsbm.1462.
- Wright, R. S. *et al.* 2017. Diet quality and cognitive function in an urban sample: Findings from the Healthy Aging in Neighborhoods of Diversity across the Life Span (HANDLS) study. *Public Health Nutrition*, 20(1), pp. 92–101. doi: 10.1017/S1368980016001361.
- Yigit, B. *et al.* 2022. Association between Sarcopenia and Cognitive Functions in Older Individuals: A Cross-Sectional Study. *Annals of Geriatric Medicine and Research*, 26(2), pp. 134–139. doi: 10.4235/agmr.22.0027.