

DAFTAR PUSTAKA

- Appiah, G.D., Hughes, Michael J. and Stephens, K.C. (2020) ‘Typhoid & Paratyphoid Fever - Chapter 4 - 2020 Yellow Book | Travelers’ Health | CDC’, in *CDC Yellow Book 2020*. Available at: <https://wwwnc.cdc.gov/travel/yellowbook/2020/travel-related-infectious-diseases/typhoid-and-paratyphoid-fever> (Accessed: 12 August 2022).
- Ashurst, J. V., Truong, J. and Woodbury, B. (2022) ‘Salmonella Typhi’, *Infectious Diseases in Obstetrics and Gynecology, Sixth Edition*, pp. 202–205. doi:10.5005/jp/books/12695_22.
- Badan Pusat Statistik Jawa Barat (2022) ‘Persentase Rumah Tangga yang Memiliki Akses Terhadap Sanitasi Layak, 2019-2021 dan Persentase Rumah Tangga yang Memiliki Akses terhadap Sumber Air Minum Layak’, *Sirusa* [Preprint]. Available at: <https://sirusa.bps.go.id/sirusa/index.php/indikator/1195>.
- Baggio, D. and Ananda-Rajah, M.R. (2021) ‘Fluoroquinolone antibiotics and adverse events’, *Australian Prescriber*, 44(5), p. 161. doi:10.18773/AUSTPRESCR.2021.035.
- Basnyat, B. *et al.* (2021) ‘Enteric fever’, *The BMJ*, 372, pp. 1–7. doi:10.1136/bmj.n437.
- Becker, F.G. *et al.* (2020) *Pharmacoeconomics From Theory to Practice, Syria Studies*. Available at: https://www.researchgate.net/publication/269107473_What_is_governance/link/548173090cf22525dcb61443/download%0Ahttp://www.econ.upf.edu/~reynal/Civil_wars_12December2010.pdf%0Ahttps://think-asia.org/handle/11540/8282%0Ahttps://www.jstor.org/stable/41857625.
- Béique, L. and Zvonar, R. (2015) ‘Addressing Concerns about Changing the Route of Antimicrobial Administration from Intravenous to Oral in Adult Inpatients’, *The Canadian Journal of Hospital Pharmacy*, 68(4), p. 318. doi:10.4212/CJHP.V68I4.1472.
- Bhandari, J., Thada, P.K. and Devos, E.L. (2022) *Typhoid Fever*. StatPearls Publishing. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK557513/> (Accessed: 25 July 2022).
- Crump, J.A. *et al.* (2015) ‘Epidemiology, Clinical Presentation, Laboratory Diagnosis, Antimicrobial Resistance, and Antimicrobial Management of Invasive Salmonella Infections’, *Clinical microbiology reviews*, 28(4), pp. 901–937. doi:10.1128/CMR.00002-15.
- Cyriac, J.M. and James, E. (2014) ‘Switch over from intravenous to oral therapy: A concise overview’, *Journal of Pharmacology & Pharmacotherapeutics*, 5(2), p. 83. doi:10.4103/0976-500X.130042.

- Dahlan, M.S. (2010) *Besar Sampel dan Cara Pengambilan Sampel dalam Penelitian Kedokteran dan Kesehatan*. ketiga. Edited by E. Tanujaya. Jakarta: Salemba Medika.
- Deck, D.H., PharmD and Winston, L.G. (2012) ‘Sulfonamid, Trimetoprim, & Kuinolon’, in Katzung, B.G., Masters, S.B., and Trevor, A.J. (eds) *Farmakologi Dasar & Klinik*. 12th edn, pp. 834–837.
- Desianti, S. *et al.* (2018) ‘REVIEW ARTIKEL: KAJIAN FARMAKOEKONOMI YANG MENDASARI PEMILIHAN PENGOBATAN DI INDONESIA’, *Farmaka*, 16(3). doi:10.24198/JF.V16I3.17435.
- Gasparetto, J. *et al.* (2019) ‘Intravenous-to-oral antibiotic switch therapy: a cross-sectional study in critical care units’, *BMC Infectious Diseases*, 19(1). doi:10.1186/S12879-019-4280-0.
- Hapsari, W.P. and Nurwahyuni, A. (2019) ‘Analysis of Typhoid Fever Clinical Pathway Implementation in the Era of National Health Insurance in Indonesia’, *Indian Journal of Public Health Research and Development*, 10(7), pp. 965–970. doi:10.5958/0976-5506.2019.01703.0.
- Harris, J.B. and Brooks, W.A. (2020) *Typhoid and Paratyphoid (Enteric) Fever*. Tenth Edit, *Hunter’s Tropical Medicine and Emerging Infectious Diseases*. Tenth Edit. Elsevier Inc. doi:10.1016/b978-0-323-55512-8.00074-0.
- Hartanto, D. (2021) ‘Diagnosis dan Tatalaksana Demam Tifoid pada Dewasa’, *Cdk-292*, 48(1), pp. 5–7. Available at: <http://www.cdkjournal.com/index.php/CDK/article/view/1255>.
- Hasnawati, H., Asdar, F. and Mahyudin, M. (2017) ‘FAKTOR-FAKTOR YANG BERHUBUNGAN DENGAN LAMA HARI RAWAT PASIEN DEMAM TIFOID DI RUANG RAWAT INAP RSUD PANGKEP’, *Jurnal Ilmiah Kesehatan Diagnosis*, 5(5), pp. 586–593. Available at: <http://ejournal.stikesnh.ac.id/index.php/jikd/article/view/209> (Accessed: 1 January 2023).
- Holford, N.H.G. (2012) ‘Farmakokinetika & Farmakodinamika: Dosis Rasional Waktu Kerja Obat’, in Katzung, B.G., Masters, S.B., and Trevor, A. (eds) *Farmakologi Dasar & Klinik*. 12th edn. New York, pp. 37–44.
- Ja’afar, J.N. *et al.* (2013) ‘Epidemiological analysis of typhoid fever in Kelantan from a retrieved registry’, *Malaysian Journal of Microbiology* [Preprint], (June). doi:10.21161/mjm.47512.
- Kemenkes, R. (2021) ‘Pedoman Penggunaan Antibiotik’, *Pedoman Penggunaan Antibiotik*, pp. 1–97.
- Kementerian Kesehatan Republik Indonesia (2011) ‘Pedoman Pelayanan Kefarmasian Untuk Terapi Antibiotika Kementerian Kesehatan Republik Indonesia’.

- Kementrian Kesehatan RI (2013) *Pedoman Penerapan Kajian Farmakoekonomi*. Jakarta. Available at: https://www.researchgate.net/publication/269107473_What_is_governance/link/548173090cf22525dcb61443/download%0Ahttp://www.econ.upf.edu/~reynal/Civil_wars_12December2010.pdf%0Ahttps://think-asia.org/handle/11540/8282%0Ahttps://www.jstor.org/stable/41857625.
- Kementrian Kesehatan RI (2021) 'Panduan Penatagunaan Antimikroba di Rumah Sakit'.
- Khanna, A., Khanna, M. and Gill, K.S. (2015) 'Comparative Evaluation of Tubex TF (Inhibition Magnetic Binding Immunoassay) for Typhoid Fever in Endemic Area', *Journal of Clinical and Diagnostic Research : JCDR*, 9(11), p. DC14. doi:10.7860/JCDR/2015/15459.6810.
- Kumwenda, M. and Iroh Tam, P.Y. (2019) 'An adolescent with multi-organ involvement from typhoid fever', *Malawi Medical Journal*, 31(2), p. 159. doi:10.4314/MMJ.V31I2.10.
- Machlaurin, A. (2014) 'Dampak Pergantian Terapi Antibiotik Intravena Ke Rute Per Oral Terhadap Analisis Farmakoekonomi Pasien Pneumonia', pp. 144–152.
- Maharani, L. *et al.* (2019) 'Pengaruh Konversi Antibiotik Intravena ke Rute Peroral terhadap Outcome Ekonomi, Klinis dan Humanis pada Pasien Rawat Inap', *Indonesian Journal of Clinical Pharmacy*, 8(2), pp. 81–90. doi:10.15416/IJCP.2019.8.2.81.
- Martha Ardiaria (2019) 'Epidemiologi, Manifestasi Klinis, Dan Penatalaksanaan Demam Tifoid', *JNH (Journal of Nutrition and Health)*, 7(2), p. 1.
- Masyithah, L., Armenia, A. and Almahdy, A. (2016) 'Hubungan Ketepatan Switch Therapy Terhadap Kesembuhan Luka, Lama Rawatan dan Biaya Pengobatan Antibiotik Pasien Appendisitis', *Jurnal Sains Farmasi & Klinis*, 2(2), p. 145. doi:10.29208/jsfk.2016.2.2.69.
- Mawazo, A., Bwire, G.M. and Matee, M.I.N. (2019) 'Performance of Widal test and stool culture in the diagnosis of typhoid fever among suspected patients in Dar es Salaam, Tanzania', *BMC Research Notes*, 12(1). doi:10.1186/S13104-019-4340-Y.
- McCarthy, K. and Avent, M. (2020) 'Oral or intravenous antibiotics?', *Australian Prescriber*, 43(2), p. 45. doi:10.18773/AUSTPRESCR.2020.008.
- Medical Microbiology and Infectious Diseases Society of Pakistan (2019) *Typhoid Management Guidelines – 2019 – MMIDSP*. Available at: <https://www.mmidsps.com/typhoid-management-guidelines-2019/> (Accessed: 23 August 2022).
- Melarosa, P.R., Ernawati, D.K. and Mahendra, A.N. (2019) 'Pola Penggunaan Antibiotika Pada Pasien Dewasa Dengan Demam Tifoid Di Rsup Sanglah

- Denpasar Tahun 2016-2017', *E-Jurnal Medika Udayana*, 8(1), p. 12. doi:10.24922/eum.v8i1.45224.
- Menteri Kesehatan Republik Indonesia (2006) *Keputusan Menteri Kesehatan Republik Indonesia Nomor 364/MENKES/SK/V/2006 Tentang Pedoman Pengendalian Demam Tifoid*. Indonesia.
- MMIDSP (2019) *Typhoid Management Guidelines – 2019*. Available at: <https://www.mmids.com/typhoid-management-guidelines-2019/> (Accessed: 27 July 2022).
- Mouwen, A.M.A. *et al.* (2020) 'Early switching of antibiotic therapy from intravenous to oral using a combination of education, pocket-sized cards and switch advice: A practical intervention resulting in reduced length of hospital stay', *International Journal of Antimicrobial Agents*, 55(1), p. 105769. doi:10.1016/J.IJANTIMICAG.2019.07.020.
- Muresu, N. *et al.* (2020) 'Travel-Related Typhoid Fever: Narrative Review of the Scientific Literature', *International Journal of Environmental Research and Public Health*, 17(2). doi:10.3390/IJERPH17020615.
- Nelwan, R. (2012) 'Tata Laksana Terkini Demam Tifoid, Continuing Medical Education, Divisi Penyakit Tropik dan Infeksi Departemen Ilmu Penyakit Dalam', *CDK-192*, 39(No. 04), pp. 247–250.
- Nelwan, R. *et al.* (2013a) 'A Single Blind Comparative Randomized Non-Inferior Multicenter Study for Efficacy and Safety of Levofloxacin versus Ciprofloxacin in the Treatment of Uncomplicated Typhoid Fever', *Advances in Microbiology*, 03(01), pp. 122–127. doi:10.4236/aim.2013.31019.
- Nelwan, R. *et al.* (2013b) 'A Single Blind Comparative Randomized Non-Inferior Multicenter Study for Efficacy and Safety of Levofloxacin versus Ciprofloxacin in the Treatment of Uncomplicated Typhoid Fever', *Advances in Microbiology*, 2013(01), pp. 122–127. doi:10.4236/AIM.2013.31019.
- Ngani, A., Nuryastuti, T. and Andayani, T.M. (2021) 'Luaran Klinis dan Analisis Biaya Konversi dari Antibiotik Intravena Ke Oral pada Pasien Community Acquired Pneumonia di Rumah Sakit Akademik Universitas Gadjah Mada', *Majalah Farmaseutik*, 17(2), pp. 270–277. doi:10.22146/farmaseutik.v17i2.60694.
- Nguyen, A.D. *et al.* (2021) 'The effect of early switching from intravenous to oral antibiotic therapy: a randomized controlled trial', *Journal of Pharmacy and Pharmacognosy Research*, 9(5), pp. 695–703.
- Nida, C., Agustyas, T. and Basuki (2014) 'Proporsi Pemeriksaan Igm Anti Salmonella Typhi 09 Positif Menggunakan Tubex Dengan Pasien Klinis Demam Tifoid Akut Di RSUD Dr. H. Abdul Moeloek Bandar Lampung', *Issn*

2337-3776, 110, pp. 102–110.

- Normaidah, I. (2020) 'Review : Patogenesis Dan Diagnosa Laboratorium Demam Tifoid', *Klinikal Sains : Jurnal Analisis Kesehatan*, 8(2), pp. 51–61. doi:10.36341/klinikal_sains.v8i2.1409.
- Notoatmodjo, S. (2018) *Metodologi Penelitian Kesehatan*. Jakarta: Rineka Cipta.
- Oktavia, D., Indriani, L. and Dewi, M. (2020) 'Evaluasi Pemberian Antibiotik Pada Pasien Demam Tifoid Di Instalasi Rawat Inap Rumah Sakit Azra Kota Bogor', *FITOFARMAKA: Jurnal Ilmiah Farmasi*, 10(1), pp. 54–64. doi:10.33751/jf.v10i1.1938.
- Park, S.M. *et al.* (2017) 'Impact of intervention by an antimicrobial stewardship team on conversion from intravenous to oral fluoroquinolones', *Infection and Chemotherapy*, 49(1), pp. 31–37. doi:10.3947/ic.2017.49.1.31.
- Pegues, D.A. and Miller, S.I. (2018) 'Salmonellosis', in Jameson, J.L. *et al.* (eds) *Harrison's Principle of Internal Medicine*. 20th edn. McGraw-Hill Education, pp. 1173–1174.
- Pham, T.D.M., Ziora, Z.M. and Blaskovich, M.A.T. (2019) 'Quinolone antibiotics', *MedChemComm*, 10(10), p. 1719. doi:10.1039/C9MD00120D.
- Podder, V. and Sadiq, N.M. (2022) 'Levofloxacin', *Kucers the Use of Antibiotics: A Clinical Review of Antibacterial, Antifungal, Antiparasitic, and Antiviral Drugs, Seventh Edition*, pp. 2055–2084. doi:10.1201/9781315152110.
- Pramitasari, O.P. (2013) 'Faktor Risiko Kejadian Penyakit Demam Tifoid Pada Penderita Yang Dirawat Di Rumah Sakit Umum Daerah Ungaran', *JURNAL KESEHATAN MASYARAKAT*, 2(1), pp. 1–10. Available at: <http://ejournals1.undip.ac.id/index.php/jkm>.
- Price, G. and Patel, D.A. (2022) 'Drug Bioavailability', *xPharm: The Comprehensive Pharmacology Reference*, pp. 1–2. doi:10.1016/B978-008055232-3.60035-2.
- Rahayu, A. *et al.* (2022) 'Evaluation of Titer Results on Widal Examination Based on the Duration of Fever in Hospital Grandmed Lubuk Pakam', *Jurnal Farmasimed (Jfm)*, 4(2), pp. 51–58. doi:10.35451/jfm.v4i2.1010.
- Rahmasari, V. and Lestari, K. (2018) 'Review: Manajemen Terapi Demam Tifoid: Kajian Terapi Farmakologis Dan Non Farmakologis', *Farmaka*, 16(1), pp. 184–195.
- Rahmawati, R.R. (2020) 'Faktor Risiko Yang Memengaruhi Kejadian Demam Tifoid Di Wilayah Kerja Puskesmas Binakal Kabupaten Bondowoso', *Medical Technology and Public Health Journal*, 4(2), pp. 224–237. doi:10.33086/mtphj.v4i2.1689.
- Rascati, K.L. (2013) *Essentials of Pharmacoeconomics, Second Edition, Essentials of Pharmacoeconomics, Second Edition*.

- Rasul, F. *et al.* (2017) 'Surveillance report on typhoid fever epidemiology and risk factor assessment in district Gujrat, Punjab, Pakistan', *Biomedical Research (India)*, 28(16), pp. 6921–6926.
- Rieger, K.L. *et al.* (2017) 'Intravenous-only or intravenous transitioned to oral antimicrobials for Enterobacteriaceae-associated bacteremic urinary tract infection', *Pharmacotherapy*, 37(11), p. 1479. doi:10.1002/PHAR.2024.
- Rodriguez-Pardo, D. *et al.* (2016) 'Effectiveness of sequential intravenous-to-oral antibiotic switch therapy in hospitalized patients with gram-positive infection: the SEQUENCE cohort study', *European Journal of Clinical Microbiology & Infectious Diseases*, 35(8), p. 1269. doi:10.1007/S10096-016-2661-5.
- SAAGAR (2017) 'IV to Oral Switch Clinical Guideline for Adult Patients', *South Australian expert Advisory Group on Antimicrobial Resistance (SAAGAR)*, (October), pp. 1–7. Available at: <https://www.sahealth.sa.gov.au/wps/wcm/connect/public+content/sa+health+internet/clinical+resources/clinical+programs+and+practice+guidelines/medicines+and+drugs/antimicrobial+guidelines/antimicrobial+guidelines>.
- Sakinah and Anggrain, D.I. (2016) 'Tata Laksana Demam Tifoid Tanpa Komplikasi pada Wanita Hamil Trimester Pertama : Peran Intervensi Dokter Keluarga', *Jurnal Medula Unila*, 5(2), pp. 53–58. Available at: http://repository.lppm.unila.ac.id/2385/1/Sakinah-dan-Dwi-_Tata-Laksana-Demam-Tifoid-Tanpa-Komplikasi-pada-Wanita-Hamil-Trimester-Pertama-Peran-Intervensi-Dokter-Keluarga.pdf.
- Salsabilla, N., Addawiyah, L. and Fadillah, R. (2019) 'Pemeriksaan Laboratorium untuk Penunjang Diagnostik Demam Tifoid', *Jurnal Kesehatan Ceadum*, 1(3), pp. 61–68.
- Sari, B.S., Citraningtyas, G. and Wewengkang, D.S. (2017) 'Analisis Efektivitas Biaya (Cost Effectiveness Analysis) Pada Pasien Apendisitis Di Rsu Pancaran Kasih Gmim Manado', *Pharmacon*, 6(3).
- Septiawan, I.K., Herawati, S. and Yasa, I.W.P.S. (2013) 'Pemeriksaan Immunoglobulin M Anti Salmonella Dalam Diagnosis Demam Tifoid', *e-Jurnal Medika Udayana*, 2(6), pp. 1080–1090.
- Setiana, G.P. and Kautsar, A.P. (2015) 'Perbandingan Metode Diagnosis Demam Tifoid', *Farmaka*, 14(1), pp. 94–103. Available at: <http://jurnal.unpad.ac.id/farmaka/article/download/11086/5115>.
- Surahman (2016) *Metodologi Penelitian*. Jakarta: Pusat Pendidikan Sumber Daya Manusia Kesehatan.
- Suwandi, J.F. and Sandika, J. (2017) 'Sensitivitas Salmonella thypi Penyebab Demam Tifoid terhadap Beberapa Antibiotik', *Jurnal Majority*, 6(1), pp. 41–44. Available at:

<https://juke.kedokteran.unila.ac.id/index.php/majority/article/view/1528>.

- T, Tamilselvan *et al.* (2021) 'Influence of Intravenous to Oral Antibiotic Conversion and its Practice in a Tertiary Care Hospital', *Saudi Journal of Medical and Pharmaceutical Sciences*, 7(3), pp. 160–164. doi:10.36348/sjmps.2021.v07i03.002.
- Tjandrawinata, R.R. (2016) 'Peran Farmaekonomi dalam Penentuan Kebijakan yang Berkaitan dengan Obat-Obatan', *Working Paper of Dexa Medica Group*, 29(26 January 2016), pp. 46–52.
- Upadhyay, R. *et al.* (2015) 'API Recommendations for the Management of Typhoid Fever.', *Journal of The Association of Physicians of India*, p. 63. Available at: <https://www.japi.org/q274c4b4/api-recommendations-for-the-management-of-typhoid-fever> (Accessed: 24 August 2022).
- Veeraraghavan, B. *et al.* (2018) 'Typhoid fever: issues in laboratory detection, treatment options & concerns in management in developing countries', *Future Science OA*, 4(6). doi:10.4155/FSOA-2018-0003.
- WHO (2018) *Typhoid*. Available at: <https://www.who.int/news-room/fact-sheets/detail/typhoid> (Accessed: 24 July 2022).
- Widodo, D. (2014) 'Demam Tifoid', in Setiati, S. *et al.* (eds) *Buku ajar ilmu penyakit dalam edisi keenam*. 6th edn. Jakarta: Interna Publishing, p. 549.
- Yen, Y.H. *et al.* (2012) 'Clinical and economic impact of a pharmacistmanaged i.v.-to-p.o. conversion service for levofloxacin in Taiwan', *International Journal of Clinical Pharmacology and Therapeutics*, 50(2), pp. 136–141. doi:10.5414/CP201579.
- Zhao, X. *et al.* (2022) 'Quinolones', *Encyclopedia of Microbiology*, pp. 706–712. doi:10.1016/B978-0-12-801238-3.02418-1.