

DAFTAR PUSTAKA

- Abboud, R. de S. *et al.* (2020) ‘A modified protocol of the alloxan technique for the induction of diabetes mellitus in wistar rats’, *Medicina Veterinaria (Brazil)*, 14(4), pp. 315–318. Available at: <https://doi.org/10.26605/medvet-v14n4-2410>.
- Alfauzi, R.A. *et al.* (2022) ‘Ekstraksi Senyawa Bioaktif Kulit Jengkol (Archidendron jiringa) dengan Konsentrasi Pelarut Metanol Berbeda sebagai Pakan Tambahan Ternak Ruminansia’, *Jurnal Ilmu Nutrisi dan Teknologi Pakan*, 20(3), pp. 95–103. Available at: <https://doi.org/10.29244/jintp.20.3.95-103>.
- American Diabetes Association (2014) ‘Diagnosis and Classification of Diabetes Mellitus’, *Diabetes Care*, 37(SUPPL.1), pp. 581–585. Available at: <https://doi.org/10.2337/dc14-S081>.
- Ayala, A., Muñoz, M.F. and Argüelles, S. (2014) ‘Lipid Peroxidation: Production, Metabolism, and Signaling Mechanisms of Malondialdehyde and 4-Hydroxy-2-Nonenal’, *Oxidative Medicine and Cellular Longevity*. Edited by K. v Ramana, 2014, p. 360438. Available at: <https://doi.org/10.1155/2014/360438>.
- Bandaranayake, W.M. (2002) ‘Bioactivities, Bioactive Compounds and Chemical Constituents of Mangrove Plants’, *Wetlands Ecology and Management*, 10(6), pp. 421–452. Available at: <https://doi.org/10.1023/A:1021397624349>.
- Barman, A.K. *et al.* (2021) ‘Evaluation of antidiabetic potential of extract of sonneratia caseolaris (L.) engl. leaves against alloxan-induced diabetes in mice’, *Tropical Journal of Natural Product Research*, 5(1), pp. 77–83. Available at: <https://doi.org/10.26538/tjnpr.v5i1.9>.
- Bokshi, B. (2020) ‘Bioactivities of Sonneratia Caseolaris (Linn) Leaf and Stem Using Different Solvent Systems’, *Biomedical Journal of Scientific & Technical Research*, 31(5). Available at: <https://doi.org/10.26717/BJSTR.2020.31.005175>.
- Bouayed, J. and Bohn, T. (2010) ‘Exogenous antioxidants - Double-edged swords in cellular redox state: Health beneficial effects at physiologic doses versus deleterious effects at high doses’, *Oxidative Medicine and Cellular Longevity*, 3(4), pp. 228–237. Available at: <https://doi.org/10.4161/oxim.3.4.12858>.
- Boyko, E.J. *et al.* (eds) (2021) *IDF Diabetes Atlas 10th edition*. 10th edn. Available at: www.diabetesatlas.org.
- Caesario, B., Mustofa, S. and Dwita, O. (2019) ‘Pengaruh Pemberian Ekstrak Etanol 95% Kulit Batang Bakau Minyak (*Rhizophora apiculata*) terhadap Kadar MDA Tikus Putih (*Rattus norvegicus*) Galur Sprague dawley yang Dipaparkan Asap Rokok’, *Skripsi Program Studi Pendidikan Dokter, Universitas Lampung* [Preprint].

- Dahlan, M.S. (2014) *Statistik untuk Kedokteran dan Kesehatan: Deskriptif, Bivariat, dan Multivariat*. 6th edn. Jakarta: Epidemiologi Indonesia.
- Dev, S. et al. (2021) ‘Toxicological screening and evaluation of anti-allergic and anti-hyperglycemic potential of Sonneratia caseolaris (L.) Engl. fruits’, *Clinical Phytoscience*, 7(1), p. 69. Available at: <https://doi.org/10.1186/s40816-021-00301-4>.
- Ekawati, M.A., Suirta, I.W. and Santi, S.R. (2017) ‘Isolasi dan Identifikasi Senyawa Flavonoid Pada Daun Sembukan (Paederia foetida L) Serta Uji Aktivitasnya sebagai antioksidan’, *Jurnal Kimia*, 11(1), pp. 43–48.
- Fitriyyah, B. et al. (2020) *Keanekaragaman Tanaman Mangrove di Taman Nasional Berbak Sembilang*.
- Frianto, F., Fajriaty, I. and Riza, H. (2019) ‘Evaluasi Faktor yang Mempengaruhi Jumlah Perkawinan Tikus Putih (Rattus novergicus) Secara Kualitatif’, *Skripsi Fakultas Farmasi, Universitas Tanjungpura*, pp. 1–4. Available at: <https://jurnal.untan.ac.id/index.php/jmfarmasi/article/view/30982> (Accessed: 12 October 2022).
- Ghani, A. (2003) *Medicinal Plants of Bangladesh with Chemical Constituents and Uses*. 2nd edn. Bangladesh: The Asiatic Society of Bangladesh. Available at: <https://www.cabdirect.org/cabdirect/abstract/20016784329> (Accessed: 2 November 2022).
- Goyal, R. and Jialal, I. (2022) *Diabetes Mellitus Type 2*. Treasure Island (FL): StatPearls Publishing. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK513253/> (Accessed: 12 October 2022).
- Hamidi, Z. (2022) *Pengembangan Potensi Buah Pidada (Sonneratia caseolaris) Desa Api-api Kecamatan Bandar Laksamana Kabupaten Bengkalis*.
- Hardin, M.D. and Jacobs, T.F. (2022) *Glyburide Continuing Education Activity*. Treasure Island (FL): StatPearls Publishing. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK545313/> (Accessed: 12 October 2022).
- Harfiani, E. et al. (2017) ‘Functional analysis of Ageratum conyzoides L. (Babandotan) leaves extract on rheumatoid arthritis model rat’, *Asian Journal of Pharmaceutical and Clinical Research*, 10(3), pp. 429–433. Available at: <https://doi.org/10.22159/ajpcr.2017.v10i3.16428>.
- Hasan, M.N. et al. (2013) ‘Hypoglycemic Effect of Methanolic Extract from Fruits of Sonneratia caseolaris-A Mangrove Plant from Bagerhat Region, The Sundarbans, Bangladesh’, *J. Innov. Dev. Strategy*, 7(1), pp. 1–6. Available at: <http://ggfagro.com/ejournals/current>.
- Hendriks, A.M. et al. (2019) ‘Sulfonylurea derivatives and cancer, friend or foe?’, *European Journal of Pharmacology*, 861, p. 172598. Available at: <https://doi.org/10.1016/j.ejphar.2019.172598>.
- Hikmah, N. and Khaerati, K. (2016) ‘Pengaruh Pemberian Ekstrak Daun Salam (Syzygium polyanthum Wight.) Terhadap Glibenklamid Dalam

- Menurunkan Kadar Glukosa Darah Mencit (*Mus musculus*) yang Diinduksi Aloksan’, *Galenika Journal of Pharmacy* 24 *Journal of Pharmacy*, 2(1), pp. 24–30.
- Hosen, M.Z. et al. (2021) ‘Anti-bacterial, anti-diarrheal, and cytotoxic activities of edible fruits in the Sundarbans mangrove forest of Bangladesh’, *Preventive Nutrition and Food Science*, 26(2), pp. 192–199. Available at: <https://doi.org/10.3746/pnf.2021.26.2.192>.
- Ighodaro, O.M., Adeosun, A.M. and Akinloye, O.A. (2017) ‘Alloxan-induced diabetes, a common model for evaluating the glycemic-control potential of therapeutic compounds and plants extracts in experimental studies’, *Medicina*, 53(6), pp. 365–374. Available at: <https://doi.org/10.1016/J.MEDICI.2018.02.001>.
- Istikhomah and Lisdiana (2015) ‘Efek Hepatoprotektor Ekstrak Buah Pedada (*Sonneratia caseolaris*) Pada Tikus Putih (*Rattus novergicus*)’, *Unnes Journal of Life Sciece*, 4(1), pp. 1–8. Available at: <https://journal.unnes.ac.id/sju/index.php/UnnesJLifeSci/article/view/12205> (Accessed: 18 October 2022).
- Juan, C.A. et al. (2021) ‘The Chemistry of Reactive Oxygen Species (ROS) Revisited: Outlining Their Role in Biological Macromolecules (DNA, Lipids and Proteins) and Induced Pathologies’, *International Journal of Molecular Sciences*, 22(9), p. 4642. Available at: <https://doi.org/10.3390/ijms22094642>.
- Kementerian Kesehatan RI (2018) *Hasil Riset Kesehatan Dasar (Riskesdas) 2018*. Jakarta.
- Kumari, M. and Jain, S. (2012) ‘Tannin: An Antinutrient with Positive Effect to Manage Diabetes’, *Research Journal of Recent Sciences*, Vol I.
- Kundu, P. et al. (2022) ‘Analgesic, Anti-inflammatory, Antipyretic, and In Silico Measurements of *Sonneratia caseolaris* (L.) Fruits from Sundarbans, Bangladesh’, *BioMed Research International*, 2022. Available at: <https://doi.org/10.1155/2022/1405821>.
- Lenzen, S. (2008) ‘The mechanisms of alloxan- and streptozotocin-induced diabetes’, *Diabetologia*, 51(2), pp. 216–226. Available at: <https://doi.org/10.1007/s00125-007-0886-7>.
- Liu, E. and Fan, J. (2018) ‘Fundamentals of Laboratory Animal Science’.
- Midah, Z. et al. (2021a) ‘Hubungan Obesitas dan Stress Oksidatif’, *UMI Medical Journal*, 6(1), pp. 62–69. Available at: <https://doi.org/10.33096/umj.v6i1.140>.
- Midah, Z. et al. (2021b) ‘Hubungan Obesitas dan Stress Oksidatif’, *UMI Medical Journal*, 6(1), pp. 62–69. Available at: <https://doi.org/10.33096/umj.v6i1.140>.
- Mohideen, K. et al. (2021) ‘Malondialdehyde, an oxidative stress marker in oral squamous cell carcinoma—A systematic review and meta-analysis’,

- Current Issues in Molecular Biology.* MDPI, pp. 1019–1035. Available at: <https://doi.org/10.3390/cimb43020072>.
- Okzelia, S. and Nurdaini, M. (2020) ‘Antioxidant Activity of Pidada (Sonneratia caseolaris (L.) Engl.) Fruit Extract by DPPH Method’, in.
- Pagarra, H. *et al.* (2019) ‘Phytochemical screening and antimicrobial activity from sonneratia caseolaris fruit extract’, in *Materials Science Forum*. Trans Tech Publications Ltd, pp. 28–33. Available at: <https://doi.org/10.4028/www.scientific.net/MSF.967.28>.
- Pangribowo, S. (2020) *Infodatin Diabetes Melitus Kemenkes RI*. Widiantini, Winne. Jakarta Selatan.
- PERKENI (2021) *Pedoman Pengelolaan dan Pencegahan Diabetes Melitus Tipe 2 Dewasa di Indonesia 2021*.
- Pravitasari, D.S. (2019) ‘Diabetes Melitus dan Antioksidan’, *Diabetes Melitus dan Antioksidan. KELUWIH : Jurnal Kesehatan dan Kedokteran*, 1(1), pp. 48–52. Available at: <https://doi.org/10.24123/jkdd.v1i1.19>.
- Pursetyo, K.T., Tjahjaningsih, W. and Andriyono, S. (2013) ‘Potency Analysis Of Sonneratia sp. At East Coast Surabaya Through Ecology and Social Economy Studies’, *Jurnal Ilmiah Perikanan dan Kelautan*, 5(2).
- Putri, V.S.W., Yulita, V. and Rijai, L. (2015) ‘Aktivitas Antioksidan Kulit Buah Pidada Merah (Sonneratia caseolaris L.)’, *Jurnal Sains dan Kesehatan*, 1(2).
- Rochmawati, A. and Ardiansyah, S. (2018) ‘Uji Aktivitas Antidiabetes Ekstrak Bonggol Nanas(Ananas comusus L.) pada Tikus’. Available at: <https://doi.org/10.10.21070/medicra.v1i1.1473>.
- Rohilla, A. and Ali, S. (2012) ‘Alloxan Induced Diabetes: Mechanisms and Effects’, *International Journal of Research in Pharmaceutical and Biomedical Sciences*, 3(2). Available at: www.ijrpbsonline.com.
- Rossi, D.L. *et al.* (2015) ‘State of the art paper Sulfonylureas and their use in clinical practice’, *Arch Med Sci*, 11, pp. 840–848. Available at: <https://doi.org/10.5114/aoms.2015.53304>.
- Sapra, A., Bhandari, P. and Wilhite, A. (2021a) ‘Diabetes Mellitus (Nursing)’.
- Sapra, A., Bhandari, P. and Wilhite, A. (2021b) ‘Diabetes Mellitus (Nursing)’.
- Shofia, V., Aulanni’am, aulanni’am and Mahdi, C. (2013) ‘Studi Pemberian Ekstrak Rumput Laut Coklat (Sargassum Prismaticum) Terhadap Kadar Malondialdehid Dan Gambaran Histologi Jaringan Ginjal Pada Tikus (Rattus Norvegicus) Diabetes Melitus Tipe 1’, *Jurnal Ilmu Kimia Universitas Brawijaya*, 1(1).
- Simanjuntak, K. (2020) ‘EFEKTIVITAS EKSTRAK TEH HIJAU (Camellia sinensis L.) TERHADAP PENURUNAN KADAR GLUKOSA DARAH PUASA TIKUS WISTAR (Rattus norvegicus) YANG DIINDUKSI ALOKSAN’, *Jurnal Sehat Mandiri*, 15. Available at: <http://jurnal.poltekkespadang.ac.id/ojs/index.php/jsm86>.

- Simlai, A. and Roy, A. (2013) ‘Biological activities and chemical constituents of some mangrove species from Sundarban estuary: An overview’, *Pharmacognosy Reviews*, pp. 170–178. Available at: <https://doi.org/10.4103/0973-7847.120518>.
- Singh, Z. et al. (2014) ‘Use of Malondialdehyde as a Biomarker for Assessing Oxidative Stress in Different Disease Pathologies: a Review’, *Iranian J Publ Health*, 43(3), pp. 7–16. Available at: <http://ijph.tums.ac.ir>.
- Stevani, H. (2016) *Praktikum Farmakologi*. Pusdik SDM Kesehatan Badan Pengembangan dan Pemberdayaan Sumber Daya Manusia Kesehatan.
- Thadeus, M.S. et al. (2019) ‘The Effect of Red Dragon Fruit Extract (*Hylocereus Polyrhizus*) on Membrane Lipid Peroxidation and Liver Tissue Damage Triggered by Hyperlipidemia in White Rats (*Rattus Norvegicus*)’, in *Proceedings of the 5th International Conference on Health Sciences (ICHS 2018)*. Paris, France: Atlantis Press. Available at: <https://doi.org/10.2991/ichs-18.2019.23>.
- van Thuoc, D. et al. (2018) ‘Evaluation of Antibacterial, Antioxidant and Antiobesse Activities of the Fruit Juice of Crabapple Mangrove *Sonneratia caseolaris* (Linn.)’, *International Journal of Agricultural Sciences and Natural Resources*, 5(2), pp. 25–29. Available at: <http://www.aascit.org/journal/ijasnr>.
- Wetwitayaklung, P., Limmatvapirat, C. and Phaechamud, T. (2013) ‘Antioxidant and Anticholinesterase Activities in Various Parts of *Sonneratia caseolaris* (L.)’, *Indian Journal of Pharmaceutical Sciences* [Preprint]. Available at: www.ijpsonline.com.
- Wibawa, J.C., Arifin, M.Z. and Herawati, L. (2020) ‘Mekanisme Vitamin C Menurunkan Stres Oksidatif Setelah Aktivitas Fisik’, *JOSSAE (Journal of Sport Science and Education)*, 5(1), pp. 57–63.
- Widiasari, K.R., Wijaya, I.M.K. and Suputra, P.A. (2021) ‘Diabetes Melitus Tipe 2: Faktor Risiko, Diagnosis, dan Tatalaksana.’, *Ganesha Medicina Journal*, 1(2).
- Wijaya, H., Novitasari, N. and Jubaidah, S. (2018) ‘Perbandingan Metode Ekstraksi Terhadap Rendemen Ekstrak Daun Rambai Laut (*Sonneratia caseolaris* L. Engl)’, *Jurnal Ilmiah Manuntung*, 4(1), p. 79. Available at: <https://doi.org/10.51352/jim.v4i1.148>.