

DAFTAR PUSTAKA

- Aditia, A. (2021) ‘COVID-19 : Epidemiologi, Virologi, Penularan, Gejala Klinis, Diagnosa, Tatalaksana, Faktor Risiko dan Pencegahan’, *Jurnal Penelitian Perawat Profesional*, 3, pp. 653–660. Available at: <http://jurnal.globalhealthsciencegroup.com/index.php/JPPP/article/view/574/410>.
- Astari, L., Safitri, Y. E. and Hinda, D. P. (2009) ‘Viral Load pada Infeksi HIV’, *Berkala Ilmu Kesehatan Kulit & Kelamin*, 21(1), pp. 31–39.
- Bhatt, A. et al. (2022) ‘Diagnostic efficiency of RT-LAMP integrated CRISPR-Cas technique for COVID-19: A systematic review and meta-analysis’, *Pathogens and Global Health*, 00(00), pp. 1–11. doi: 10.1080/20477724.2022.2035625.
- Burhan, E., Susanto, A. D., et al. (2020) *Pedoman Tatalaksana COVID-19 Edisi 3*. 3rd edn.
- Burhan, E., Isbaniah, F., et al. (2020) *Pneumonia COVID-19. Diagnosis dan Tatalaksana*.
- Burhan, E. et al. (2022) *Pedoman Tatalaksana COVID-19 Edisi 4*. 4th edn. Edited by E. Burhan et al.
- Campbell, J. M. et al. (2015) ‘Diagnostic test accuracy: Methods for systematic review and meta-analysis’, *International Journal of Evidence-Based Healthcare*, 13(3), pp. 154–162. doi: 10.1097/XEB.0000000000000061.
- Channappanavar, R. and Perlman, S. (2017) ‘Pathogenic human coronavirus infections: causes and consequences of cytokine storm and immunopathology’, *Seminars in immunopathology*, 39(5), pp. 529–539. doi: 10.1007/s00281-017-0629-x.
- Chikere, C. M. U. et al. (2019) ‘Diagnostic test evaluation methodology: A systematic review of methods employed to evaluate diagnostic tests in the absence of gold standard - An update’, *PLoS ONE*, 14(10), pp. 1–25. doi: 10.1371/journal.pone.0223832.
- Chung, M. et al. (2020) ‘CT imaging features of 2019 novel coronavirus (2019-NCoV)’, *Radiology*, 295(1), pp. 202–207. doi: 10.1148/radiol.2020200230.
- Clementino, M. et al. (2022) ‘Detection of SARS-CoV-2 in different human biofluids using the loop-mediated isothermal amplification assay: A prospective diagnostic study in Fortaleza, Brazil’, *Journal of Medical Virology*. doi: 10.1002/jmv.27842.
- Coffin, J. M., Hughes, S. H. and Varmus, H. E. (1997) ‘Reverse Transcriptase and the Generation of Retroviral DNA’, in *Retroviruses*. Cold Spring Harbor Laboratory Press. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK19380/>.
- Dadras, O. et al. (2022) ‘The relationship between COVID-19 viral load and disease severity: A systematic review’, *Immunity, Inflammation and Disease*, 10(3), pp. 1–25. doi: 10.1002/iid3.580.

Merry Yustia Karim, 2023

KETEPATAN UJI DIAGNOSIS CORONAVIRUS DISEASE 2019 DENGAN METODE REVERSE TRANSCRIPTION LOOP-MEDIATED ISOTHERMAL AMPLIFICATION (RT LAMP): Systematic Review
UPN Veteran Jakarta, Fakultas Kedokteran, Program Studi Kedokteran Program Sarjana
[www.upnvj.ac.id – www.library.upnvj.ac.id – www.repository.upnvj.ac.id]

- Dunbar, S. and Das, S. (2019) ‘Amplification chemistries in clinical virology’, *Journal of Clinical Virology*, 115, pp. 18–31. doi: <https://doi.org/10.1016/j.jcv.2019.03.015>.
- Egerer, R. *et al.* (2021) ‘Performance of the RT-LAMP-based eazyplex® SARS-CoV-2 as a novel rapid diagnostic test’, *Journal of Clinical Virology*, 138, p. 104817. doi: <https://doi.org/10.1016/j.jcv.2021.104817>.
- Escalante-Maldonado, O. *et al.* (2021) ‘STANDARDIZATION AND VALIDATION OF AN IN HOUSE RT-LAMP MOLECULAR TEST FOR THE DIAGNOSIS OF SARS-CoV-2 Type of study’, *Rev Peru Med Exp Salud Publica*, 38(1), pp. 7–16. Available at: <https://doi.org/10.17843/rpmesp.2021.381.7154>.
- Eusebi, P. (2013) ‘Diagnostic accuracy measures’, *Cerebrovascular Diseases*, 36(4), pp. 267–272. doi: 10.1159/000353863.
- Feranisa, A. (2016) ‘Komparasi Antara Polymerase Chain Reaction (Pcr) Dan Loopmediated Isothermal Amplification (Lamp) Dalam Diagnosis Molekuler’, *ODONTO : Dental Journal*, 3(2), p. 145. doi: 10.30659/odj.3.2.145-151.
- Ge, A. *et al.* (2022) ‘A Palm Germ-Radar (PaGeR) for rapid and simple COVID-19 detection by reverse transcription loop-mediated isothermal amplification (RT-LAMP)’, *Biosensors and Bioelectronics*, 200, p. 113925. doi: <https://doi.org/10.1016/j.bios.2021.113925>.
- Gheblawi, M. *et al.* (2020) ‘Angiotensin-Converting Enzyme 2: SARS-CoV-2 Receptor and Regulator of the Renin-Angiotensin System’, *Circulation Research*, 126(10), pp. 1456–1474. doi: 10.1161/CIRCRESAHA.120.317015.
- Gracienta, T. J. *et al.* (2022) ‘Diagnostic accuracy of antibody-based rapid diagnostic tests in detecting coronavirus disease 2019: systematic review’, *Archives of Medical Science*, 18(4), pp. 949–957. doi: 10.5114/aoms/135910.
- Guo, J., Ge, J. and Guo, Y. (2022) ‘Recent advances in methods for the diagnosis of Corona Virus Disease 2019.’, *Journal of clinical laboratory analysis*, 36(1), p. e24178. doi: 10.1002/jcla.24178.
- Handayani, D. *et al.* (2020) ‘Penyakit Virus Corona 2019’, *Jurnal Respirologi Indonesia*, 40, p. 119. doi: <https://doi.org/10.36497/jri.v40i2.101>.
- Haq, F. *et al.* (2021) ‘Reverse transcriptase loop-mediated isothermal amplification (RT-LAMP)-based diagnosis: A potential alternative to quantitative real-time PCR based detection of the novel SARS-COV-2 virus’, *Saudi Journal of Biological Sciences*, 28(1), pp. 942–947. doi: <https://doi.org/10.1016/j.sjbs.2020.10.064>.
- Herli, M. A., Hari, D. G. and Rahmawati, A. (2021) ‘Desain Primer PCR Sebagai Biomarker COVID-19 Strain Terbaru Yang Di Identifikasi Di Januari 2021’, *Photon: Jurnal Sain dan Kesehatan*, 11(2), pp. 177–197. doi: 10.37859/jp.v11i2.3645.
- Higashimoto, Y. *et al.* (2020) ‘Dry loop-mediated isothermal amplification assay for detection of SARS-CoV-2 from clinical specimens’, *medRxiv*. doi: 10.1101/2020.09.29.20204297.

Merry Yustia Karim, 2023

KETEPATAN UJI DIAGNOSIS CORONAVIRUS DISEASE 2019 DENGAN METODE REVERSE TRANSCRIPTION LOOP-MEDIATED ISOTHERMAL AMPLIFICATION (RT LAMP): Systematic Review

UPN Veteran Jakarta, Fakultas Kedokteran, Program Studi Kedokteran Program Sarjana
[www.upnvy.ac.id – www.library.upnvy.ac.id – www.repository.upnvy.ac.id]

- Hoffmann, M. *et al.* (2020) 'The novel coronavirus 2019 (2019-nCoV) uses the SARS-coronavirus receptor ACE2 and the cellular protease TMPRSS2 for entry into target cells', *bioRxiv*.
- Huang, X. *et al.* (2022) 'Developing RT-LAMP assays for rapid diagnosis of SARS-CoV-2 in saliva', *EBioMedicine*, 75, p. 103736. doi: 10.1016/j.ebiom.2021.103736.
- Hughes, S. H. (2017) 'Reverse Transcription of Retroviruses and LTR Retrotransposons', *Physiology & behavior*, 176(3), pp. 139–148. doi: 10.1128/microbiolspec.MDNA3-0027-2014.Reverse.
- Iqbal, B. N. *et al.* (2022) 'Diagnostic utility and validation of a newly developed real time loop mediated isothermal amplification method for the detection of SARS CoV-2 infection', *Journal of Clinical Virology Plus*, 2(3), p. 100081. doi: <https://doi.org/10.1016/j.jcvp.2022.100081>.
- Jang, Y. O. *et al.* (2021) 'Rapid COVID-19 molecular diagnostic system using virus enrichment platform', *Biosensors*, 11(10), pp. 1–15. doi: 10.3390/bios11100373.
- Jiang, M. *et al.* (2020) 'Development and validation of a rapid, single-step reverse transcriptase loop-mediated isothermal amplification (RT-LAMP) system potentially to be used for reliable and high-throughput screening of COVID-19', *medRxiv*. doi: 10.1101/2020.03.15.20036376.
- Juscamayta-López, E. *et al.* (2021) 'A Multiplex and Colorimetric Reverse Transcription Loop-Mediated Isothermal Amplification Assay for Sensitive and Rapid Detection of Novel SARS-CoV-2', *Frontiers in Cellular and Infection Microbiology*, 11(June), pp. 1–17. doi: 10.3389/fcimb.2021.653616.
- Khaedir, Y. (2020) 'Perspektif Sains Pandemi Covid-19: Pendekatan Aspek Virologi Dan Epidemiologi Klinik', *Maarif Institute*, 15, pp. 46–47. Available at: <http://jurnal-maarifinstitute.org/index.php/maarif/article/view/76/45>.
- Khan, P., Aufdembrink, L. M. and Engelhart, A. E. (2020) 'Isothermal SARS-CoV-2 diagnostics: Tools for enabling distributed pandemic testing as a means of supporting safe reopenings', *ACS Synthetic Biology*, 9(11), pp. 2861–2880. doi: 10.1021/acssynbio.0c00359.
- Kitajima, H. *et al.* (2021) 'Clinical COVID-19 diagnostic methods: Comparison of reverse transcription loop-mediated isothermal amplification (RT-LAMP) and quantitative RT-PCR (qRT-PCR)', *Journal of Clinical Virology*, 139. doi: 10.1016/j.jcv.2021.104813.
- Kumar, S. *et al.* (2020) 'Morphology, Genome Organization, Replication, and Pathogenesis of Severe Acute Respiratory Syndrome Coronavirus 2 (SARS-CoV-2)', 2, pp. 23–31. doi: 10.1007/978-981-15-4814-7_3.
- Kumar, V. (2021) *Reverse Transcription Polymerase Chain Reaction (RT-PCR), Microbiology notes*. Available at: <https://microbiologynotes.org/reverse-transcription-polymerase-chain-reaction-rt-pcr/> (Accessed: 9 January 2023).
- Levani, Prasty and Mawaddatunnadila (2021) 'Coronavirus Disease 2019 (COVID-19):

- Patogenesis, Manifestasi Klinis dan Pilihan Terapi', *Jurnal Kedokteran dan Kesehatan*, 17(1), pp. 44–57. Available at: <https://jurnal.umj.ac.id/index.php/JKK/article/view/6340>.
- Li, C. and Ren, L. (2020) 'Recent progress on the diagnosis of 2019 Novel Coronavirus.', *Transboundary and emerging diseases*, 67(4), pp. 1485–1491. doi: 10.1111/tbed.13620.
- Li, X. et al. (2020) 'Molecular immune pathogenesis and diagnosis of COVID-19', *Journal of pharmaceutical analysis*, 10(2), pp. 102–108. doi: 10.1016/j.jpha.2020.03.001.
- LIPI, H. (2020) *Alat Deteksi COVID-19 RT-LAMP Buatan LIPI, Pusat Penelitian Kimia LIPI*. Available at: <http://kimia.lipi.go.id/news/read/alat-deteksi-covid-19-rt-lamp-buatan-lipi>.
- Lu, R. et al. (2020) 'A novel reverse transcription loop-mediated isothermal amplification method for rapid detection of sars-cov-2', *International Journal of Molecular Sciences*, 21(8). doi: 10.3390/ijms21082826.
- Lu, R. J. et al. (2021) 'Real-time reverse transcription-polymerase chain reaction assay panel for the detection of severe acute respiratory syndrome coronavirus 2 and its variants', *Chinese Medical Journal*, 134(17), pp. 2048–2053. doi: 10.1097/CM9.0000000000001687.
- Maga, G. (2013) 'Reverse Transcriptase', in *Brenner's Encyclopedia of Genetics*. Elsevier, pp. 222–223. doi: 10.1016/B978-0-12-374984-0.01326-7.
- Millet, J. kaoru and Whittaker, G. r (2015) 'Host cell proteases: Critical determinants of coronavirus tropism and pathogenesis', *Virus research*, 202, pp. 120–134. doi: 10.1016/j.virusres.2014.11.021.
- Moher, D. et al. (2015) "Preferred reporting items for systematic review and meta-analysis protocols (PRISMA-P) 2015 statement", *Systematic Reviews*. doi: <https://doi.org/10.1186/2046-4053-4-1>.
- Nabila, T. T. et al. (2022) 'The design of Indonesian SARS-CoV-2 primers based on phylogenomic analysis of the SARS-CoV-2 clades', *Indonesian Journal of Biotechnology*, 27(1), pp. 19–28. doi: 10.22146/ijbiotech.66854.
- Obande, G. A. and Singh, K. K. B. (2020) 'Current and future perspectives on isothermal nucleic acid amplification technologies for diagnosing infections', *Infection and Drug Resistance*, 13, pp. 455–483. doi: 10.2147/IDR.S217571.
- Österdahl, M. F. et al. (2020) 'Detecting SARS-CoV-2 at point of care: preliminary data comparing loop-mediated isothermal amplification (LAMP) to polymerase chain reaction (PCR)', *BMC Infectious Diseases*, 20(1), p. 783. doi: 10.1186/s12879-020-05484-8.
- Ptasinska, A. et al. (2021) 'Diagnostic accuracy of loop-mediated isothermal amplification coupled to nanopore sequencing (LamPORE) for the detection of SARS-CoV-2 infection at scale in symptomatic and asymptomatic populations',

- Clinical Microbiology and Infection*, 27(9), pp. 1348.e1-1348.e7. doi: <https://doi.org/10.1016/j.cmi.2021.04.008>.
- Robert, K. and Arkadiusz, D. (2020) ‘Molecular and Serological Tests for COVID-19 . A Comparative Review of SARS-CoV-2 Coronavirus Laboratory and Point-of-Care Diagnostics’, *Diagnostics*, 10(6).
- Roberts, A. et al. (2021) ‘A Recent Update on Advanced Molecular Diagnostic Techniques for COVID-19 Pandemic: An Overview’, 12.
- Sahu, K. K., Mishra, A. K. and Lal, A. (2020) ‘COVID-2019: update on epidemiology, disease spread and management’, *Monaldi Archives for Chest Disease*, 90(1). doi: 10.4081/monaldi.2020.1292.
- Santini, A., Man, A. and Voidăzan, S. (2021) ‘Accuracy of Diagnostic Tests’, *The Journal of Critical Care Medicine*, 7(3), pp. 241–248. doi: 10.2478/jccm-2021-0022.
- dos Santos, C. A. et al. (2021) ‘Detection of SARS-CoV-2 in Saliva by RT-LAMP During a Screening of Workers in Brazil, Including Pre-Symptomatic Carriers’, *Journal of the Brazilian Chemical Society*, 32(11), pp. 2071–2077. doi: 10.21577/0103-5053.20210098.
- Santos, C. F. dos et al. (2004) ‘Reverse transcription and polymerase chain reaction: principles and applications in dentistry’, *Journal of Applied Oral Science*, 12(1), pp. 1–11. doi: 10.1590/s1678-77572004000100002.
- Sari, G. ayu putu laksmi puspa (2020) ‘Coronavirus Disease 2019 (COVID-19)’, *Journal of Midwifery and Women’s Health*, 65(6), pp. 833–834. doi: 10.1111/jmwh.13196.
- Stracquadanio, S. et al. (2021) ‘Reverse transcriptase loop-mediated isothermal amplification (RT-LAMP) as a user-friendly system to detect SARS-CoV-2 infection: a multicentric study.’, *The new microbiologica*, 44(3), pp. 181–183. Available at: <http://www.ncbi.nlm.nih.gov/pubmed/34783350>.
- Subsoontorn, P., Lohitnavy, M. and Kongkaew, C. (2020) ‘The diagnostic accuracy of isothermal nucleic acid point-of-care tests for human coronaviruses: A systematic review and meta-analysis’, *Scientific Reports*, 10(1), p. 22349. doi: 10.1038/s41598-020-79237-7.
- Sugiyono (2017) *Metode Penelitian Kuantitatif, Kualitatif dan R&D*. Bandung.
- Supardi (2016) ‘Populasi dan Sampel Penelitian’, *UNISIA*, 0, pp. 100–108. doi: 10.20885/unisia.v0i17.5325.
- Suparman, S. (2016) ‘DESAIN PRIMER PCR SECARA IN SILICO UNTUK AMPLIFIKASI GEN COI PADA KUPU-KUPU Papilio ulysses Linnaeus DARI PULAU BACAN’, *Jurnal Pendidikan Matematika dan IPA*, 7(1), p. 14. doi: 10.26418/jpmipa.v7i1.17341.
- Susilo, A. et al. (2020) ‘Coronavirus Disease 2019: Tinjauan Literatur Terkini’, *Jurnal Penyakit Dalam Indonesia*, 7(1). doi: <http://dx.doi.org/10.7454/jpdi.v7i1.415>.
- Tanimoto, Y. et al. (2022) ‘Comparison of RT-PCR, RT-LAMP, and Antigen

Merry Yustia Karim, 2023

KETEPATAN UJI DIAGNOSIS CORONAVIRUS DISEASE 2019 DENGAN METODE REVERSE TRANSCRIPTION LOOP-MEDIATED ISOTHERMAL AMPLIFICATION (RT LAMP): Systematic Review

UPN Veteran Jakarta, Fakultas Kedokteran, Program Studi Kedokteran Program Sarjana
[www.upnvj.ac.id – www.library.upnvj.ac.id – www.repository.upnvj.ac.id]

- Quantification Assays for the Detection of SARS-CoV-2’, *Japanese Journal of Infectious Diseases*, 75(3), p. JJID.2021.476. doi: 10.7883/yoken.JJID.2021.476.
- Terpos, E. et al. (2020) ‘Hematological findings and complications of COVID-19’, *American Journal of Hematology*, 95(7), pp. 834–847. doi: 10.1002/ajh.25829.
- Triandini, E. et al. (2019) ‘Metode Systematic Literature Review untuk Identifikasi Platform dan Metode Pengembangan Sistem Informasi di Indonesia’, *Indonesian Journal of Information Systems (IJIS)*, 1.
- Tumbelaka, A. R. (2016) ‘Telaah Kritis Makalah Uji Diagnostik’, *Sari Pediatri*, 4(2), p. 98. doi: 10.14238/sp4.2.2002.98-102.
- WHO (2020a) *Tes Diagnostik untuk SARS-CoV-2*, World Health Organization.
- WHO (2020b) *WHO Timeline - COVID-19*, World Health Organization. Available at: <https://www.who.int/news-room/item/27-04-2020-who-timeline---covid-19>.
- Wilkening, S. and Bader, A. (2004) ‘Quantitative real-time polymerase chain reaction: Methodical analysis and mathematical model’, *Journal of Biomolecular Techniques*, 15(2), pp. 107–111.
- Wong, H. B. and Lim, G. H. (2011) ‘Measures of diagnostic accuracy: Sensitivity, specificity, PPV and NPV’, *Proceedings of Singapore Healthcare*, 20(4), pp. 316–318. doi: 10.1177/201010581102000411.
- Wormald, B. et al. (2021) ‘Loop-Mediated Isothermal Amplification Assay for Detecting Tumor Markers and Human Papillomavirus: Accuracy and Supplemental Diagnostic Value to Endovaginal MRI in Cervical Cancer’, *Frontiers in Oncology*, 11(November), pp. 1–13. doi: 10.3389/fonc.2021.747614.
- Wu, C. et al. (2020) ‘Risk Factors Associated With Acute Respiratory Distress Syndrome and Death in Patients With Coronavirus Disease 2019 Pneumonia in Wuhan, China’, *JAMA internal medicine*, 180(7), pp. 934–943. doi: 10.1001/jamainternmed.2020.0994.
- Yang, J. et al. (2021) ‘Comparison of analytical sensitivity of SARS-CoV-2 molecular detection kits’, *International Journal of Infectious Diseases*, 111, pp. 233–241. doi: <https://doi.org/10.1016/j.ijid.2021.08.043>.
- Yanti, B., Ismida, F. D. and Sarah, K. E. S. (2020a) ‘Perbedaan uji diagnostik antigen, antibodi, RT-PCR dan tes cepat molekuler pada Coronavirus Disease 2019’, *Jurnal Kedokteran Unsyiah*, 20, pp. 172–177.
- Yanti, B., Ismida, F. D. and Sarah, K. E. S. (2020b) ‘Perbedaan uji diagnostik antigen, antibodi, RT-PCR dan tes cepat molekuler pada Coronavirus Disease 2019’, *Jurnal Kedokteran Syiah Kuala*, 20(3), pp. 172–177. doi: 10.24815/jks.v20i3.18719.
- Yoo, H. M., Kim, I.-H. and Kim, S. (2021a) ‘Nucleic Acid Testing of SARS-CoV-2.’, *International journal of molecular sciences*, 22(11). doi: 10.3390/ijms22116150.
- Yoo, H. M., Kim, I.-H. and Kim, S. (2021b) ‘Nucleic Acid Testing of SARS-CoV-2’, *International Journal of Molecular Sciences*, 22(11), p. 6150. doi:

- 10.3390/ijms22116150.
- Yu, C. Y. *et al.* (2021) ‘Nucleic acid-based diagnostic tests for the detection SARS-CoV-2: An update’, *Diagnostics*, 11(1), pp. 1–37. doi: 10.3390/diagnostics11010053.
- Yu, F. *et al.* (2020) ‘Quantitative detection and viral load analysis of SARS-CoV-2 in infected patients’, *Clinical Infectious Diseases*, 71(15), pp. 793–798. doi: 10.1093/cid/ciaa345.
- Yustinadewi, P. D., Yustiantara, P. S. and Narayani, I. (2018) ‘Mdr-1 Gene 1199 Variant Primer Design Techniques in Pediatric Patient Buffy Coat Samples With Lla’, *Metamorfosa: Journal of Biological Sciences*, 5(1), p. 105. doi: 10.24843/metamorfosa.2018.v05.i01.p16.
- Yusuf, Z. K. (2010) ‘Polymerase Chain Reaction (PCR)’, *Saintek*, 5, pp. 1–6. Available at: https://repository.ung.ac.id/get/simlit_res/1/355/Polymerase-Chain-Reaction-PCR.pdf.
- El Zein, S. *et al.* (2021) ‘SARS-CoV-2 infection: Initial viral load (iVL) predicts severity of illness/outcome, and declining trend of iVL in hospitalized patients corresponds with slowing of the pandemic’, *PLoS ONE*, 16(9 September), pp. 1–13. doi: 10.1371/journal.pone.0255981.
- Zhang, L. *et al.* (2021) ‘Reverse-transcribed SARS-CoV-2 RNA can integrate into the genome of cultured human cells and can be expressed in patient-derived tissues’, *Proceedings of the National Academy of Sciences of the United States of America*, 118(21). doi: 10.1073/pnas.2105968118.