

DAFTAR PUSTAKA

- Affairs, U. N. D. of E. and S. (2019) *World Population Ageing 2019, World Population Ageing 2019*. doi: <https://doi.org/10.18356/a812e16a-en>.
- Ahn, K. S. *et al.* (2019) ‘Height Loss Was Associated With Osteoporosis in Korean Elderly Men, Not in Women: The Korea National Health and Nutrition Examination Survey 2008–2010’, *Journal of Clinical Densitometry*, 22(1), pp. 59–66. doi: 10.1016/j.jocd.2017.07.001.
- Akkawi, I. and Zmerly, H. (2018) ‘Osteoporosis : Current Concepts’, pp. 122–127.
- Anthamatten, A. and Parish, A. (2019) ‘Clinical Update on Osteoporosis’, *Journal of Midwifery and Women’s Health*, 64(3), pp. 265–275. doi: 10.1111/jmwh.12954.
- Asahi, R. *et al.* (2020) ‘Association of height loss with falls and sarcopenia in community-dwelling older women’, *Osteoporosis and Sarcopenia*, 6(2), pp. 59–64. doi: 10.1016/j.afos.2020.05.003.
- Badan Pusat Statistik (2020) ‘Catalog : 1101001’, *Statistik Indonesia 2020*, 1101001, p. 790. Available at: <https://www.bps.go.id/publication/2020/04/29/e9011b3155d45d70823c141f/statistik-indonesia-2020.html>.
- Barat, B. P. S. P. J. (2022) ‘Indikator Statistik Terkini Provinsi Jawa Barat’, in Hasyuni, F. A. (ed.). Bandung: Badab Pusat Statistik Provinsi Jawa Barat. doi: 32000.2227.
- Barnsley, J. *et al.* (2021) ‘Pathophysiology and treatment of osteoporosis: challenges for clinical practice in older people’, *Aging Clinical and Experimental Research*, 33(4), pp. 759–773. doi: 10.1007/s40520-021-01817-y.
- Basuki Supartono, Sofia Wardhani, P. K. (2021) ‘View of Skrining Osteoporosis Dengan Ultrasonografi Kalkaneus Sebagai Upaya Pencegahan Patah Tulang Pada Usia Lanjut.pdf’. Jurnal Pengabdian dan Pemberdayaan Masyarakat, pp. 122–134.
- Bijelic, R., Milicevic, S. and Balaban, J. (2017) ‘Risk Factors for Osteoporosis in Postmenopausal Women’, *Medical archives (Sarajevo, Bosnia and Herzegovina)*, 71(1), pp. 25–28. doi: 10.5455/medarh.2017.71.25-28.
- Bijelic, R., Milicevic, S. and Balaban, J. (2019) ‘The Influence of Non-preventable Risk Factors on the Development of Osteoporosis in Postmenopausal

- Women', *Materia Socio Medica*, 31(1), p. 62. doi: 10.5455/msm.2019.31.62-65.
- Carolin, R., Supartono, B. and Tjang, Y. S. (2021) 'Jurnal Saintika Medika Efficacy of Osteoporosis Drugs Anabolic and Antiresorptive Classes in Post Menopause Women', 17(2), pp. 112–123.
- Chen, H. L., Deng, L. L. and Li, J. F. (2013) 'Prevalence of osteoporosis and its associated factors among older men with type 2 diabetes', *International Journal of Endocrinology*, 2013. doi: 10.1155/2013/285729.
- Clynes, M. A. *et al.* (2020) 'The epidemiology of osteoporosis', *British Medical Bulletin*, 133(1), pp. 105–117. doi: 10.1093/bmb/ldaa005.
- Cooper, C. and Ferrari, S. (2019) 'IOF Compendium of Osteoporosis', *International Osteoporosis Foundation*, 2nd Editio, pp. 1–76. Available at: <https://www.iofbonehealth.org/compendium-of-osteoporosis>.
- D., X. *et al.* (2018) 'Osteoporosis screening based on body mass index, years since menopause and age among postmenopausal women in South Central China', *International Journal of Clinical and Experimental Medicine*, 11(3), pp. 2543–2550. Available at: <http://www.ijcem.com/files/ijcem0059016.pdf%0Ahttp://ovidsp.ovid.com/ovidweb.cgi?T=JS&PAGE=reference&D=emed19&NEWS=N&AN=621498536>.
- Dahlan, M. S. (2020) *No Title Besar Sampel Dalam Penelitian Kedokteran Dan Kesehatan*. edisi 5. Jakarta: PT. Epidemiologi Indonesia.
- Davoudi-Kiakalayeh, A. *et al.* (2017) 'Alloimmunization in thalassemia patients: New insight for healthcare', *International Journal of Preventive Medicine*, 8. doi: 10.4103/ijpvm.IJPVM.
- Dieny, F. F. and Fitrianti, D. Y. (2017) 'Faktor risiko osteoporosis pada wanita usia 40-80 tahun: status menopause dan obesitas', *Jurnal Gizi Klinik Indonesia*, 14(2), p. 45. doi: 10.22146/ijcn.24872.
- Drake, M. T., Clarke, B. L. and Lewiecki, E. M. (2015) 'The Pathophysiology and Treatment of Osteoporosis', *Clinical Therapeutics*, 37(8), pp. 1837–1850. doi: 10.1016/J.CLINTHERA.2015.06.006.
- Gasparik, A. (2021) 'Family History - BMD Independently - Influences Fracture Risk', *Acta Endocrinologica (Bucharest)*, 17(4), pp. 498–502. doi: 10.4183/aeb.2021.498.
- Humaryanto, H. and Syauqy, A. (2019) 'Gambaran Indeks Massa Tubuh dan Densitas Massa Tulang sebagai Faktor Risiko Osteoporosis pada Wanita', *Jurnal Kedokteran Brawijaya*, 30(3), p. 218. doi:

10.21776/ub.jkb.2019.030.03.10.

International Osteoporosis Foundation (2022) *Risk Factors/ International Osteoporosis Foundation*.

Jaul, E. and Barron, J. (2017) ‘Age-Related Diseases and Clinical and Public Health Implications for the 85 Years Old and Over Population’, *Frontiers in Public Health*, 5(December), pp. 1–7. doi: 10.3389/fpubh.2017.00335.

Lin, C. C. et al. (2015) ‘Osteoporosis: Prevalence and risk factors among Taiwanese metropolitan elderly’, *European Geriatric Medicine*, 6(4), pp. 303–308. doi: 10.1016/j.eurger.2015.03.011.

Liu, X. et al. (2023) ‘Prevalence of osteoporosis in patients with diabetes mellitus: a systematic review and meta-analysis of observational studies’, *BMC endocrine disorders*, 23(1), p. 1. doi: 10.1186/s12902-022-01260-8.

Lo, S. S.-T. (2021) ‘Prevalence of osteoporosis in elderly women in Hong Kong’, *Osteoporosis and Sarcopenia*, 7(3), pp. 92–97. doi: 10.1016/j.afos.2021.09.001.

Lorentzon, M. et al. (2022) ‘Osteoporosis and fractures in women: the burden of disease’, *Climacteric*, 25(1), pp. 4–10. doi: 10.1080/13697137.2021.1951206.

Marini, F. et al. (2018) ‘Genetics of Osteoporosis’, *Multidisciplinary Approach to Osteoporosis*, 1, pp. 25–44. doi: 10.1007/978-3-319-75110-8.

Nawrat-Szołtysik, A. et al. (2020) ‘Osteoporosis in Polish older women: Risk factors and osteoporotic fractures: A cross-sectional study’, *International Journal of Environmental Research and Public Health*, 17(10), pp. 1–9. doi: 10.3390/ijerph17103725.

Pouresmaeli, F. et al. (2018a) ‘A comprehensive overview on osteoporosis and its risk factors’, *Therapeutics and Clinical Risk Management*, 14, pp. 2029–2049. doi: 10.2147/TCRM.S138000.

Pouresmaeli, F. et al. (2018b) ‘A comprehensive overview on osteoporosis and its risk factors’, *Therapeutics and Clinical Risk Management*, 14, pp. 2029–2049. doi: 10.2147/TCRM.S138000.

Pouresmaeli, F. et al. (2018c) ‘Therapeutics and Clinical Risk Management Dovepress A comprehensive overview on osteoporosis and its risk factors’. doi: 10.2147/TCRM.S138000.

Prayitno, P. I. (2020) ‘Analisis Struktural Kovarian dari Indeks Terkait Kesehatan yang Berfokus pada Perasaan Subjektif tentang Kesehatan Lansia di Rumah’, *Syria Studies*, 7(1), pp. 37–72. Available at:

https://www.researchgate.net/publication/269107473_What_is_governance/link/548173090cf22525dcb61443/download%0Ahttp://www.econ.upf.edu/~reynal/Civil_wars_12December2010.pdf%0Ahttps://thinkasia.org/handle/11540/8282%0Ahttps://www.jstor.org/stable/41857625.

- Primasari, A. (2018) *Proses Penuaan dari Aspek Kedokteran Gigi*, USU Press.
- Pusdatin (2020) ‘Infodatin osteoporosis 2020.pdf’, p. 12. Available at: <https://pusdatin.kemkes.go.id/folder/view/01/structure-publikasi-pusdatin-info-datin.html>.
- Puspitarini, D. K., Supartono, B. and Suciati, Y. (2021) ‘Hubungan Antara Kelebihan Berat Badan Dengan Kekuatan Tulang Perempuan Lansia’, *Jurnal Ilmiah Kedokteran Wijaya Kusuma*, 10(2), p. 123. doi: 10.30742/jikw.v10i2.1197.
- Qorbani, M. et al. (2013) ‘Diabetes mellitus, thyroid dysfunctions and osteoporosis: Is there an association?’, *Journal of Diabetes and Metabolic Disorders*, 12(1), pp. 1–5. doi: 10.1186/2251-6581-12-38.
- Resnasari, Shafira Dwi, Basuki Supartono, L. E. P. (2020) ‘The Correlation Between Low Body Mass Index (underweight) With Bone Strength On Eldery Women’, *Saintika Medika*, 16(1), p. 14. doi: 10.22219/sm.vol16.smumm1.10598.
- Salari, N. et al. (2021) ‘Global prevalence of osteoporosis among the world older adults: a comprehensive systematic review and meta-analysis’, *Journal of Orthopaedic Surgery and Research*, 16(1), pp. 1–13. doi: 10.1186/s13018-021-02821-8.
- Setiyoargo, A., Sigit, N. and Maxelly, R. O. (2021) ‘Underweight Sebagai Faktor Risiko Osteoporosis Pada Lansia’, *2-Trik: Tunas-Tunas Riset Kesehatan*, 11(1), p. 26. doi: 10.33846/2teik11106.
- Shen Zewei, Sun Zhijia, Yu Canqing, Guo Yu, Bian Zheng, Pei Pei, Du Huaidong, Chen Junshi, C. and Zhengming, Lyu Jun, L. L. (2020) ‘Association between height loss and calcaneus bone mineral density in Chinese adults’, *Occupational Medicine*, 53(4), p. 130. doi: 10.3760/cma.j.cn112338-20191005-00716.
- Silverman, S. L. and Abrahamsen, B. (2015) ‘The duration and safety of Osteoporosis treatment: Anabolic and antiresorptive therapy’, *The Duration and Safety of Osteoporosis Treatment: Anabolic and Antiresorptive Therapy*, pp. 1–338. doi: 10.1007/978-3-319-23639-1.
- Skrzek, A., Kozieł, S. and Ignasiak, Z. (2014) ‘The optimal value of IMT for the lowest risk of osteoporosis in postmenopausal women aged 40–88 years’,

- HOMO- Journal of Comparative Human Biology*, 65(3), pp. 232–239. doi: 10.1016/j.jchb.2014.01.003.
- Sozen, T., Ozisik, L. and Calik Basaran, N. (2017) ‘An overview and management of osteoporosis’, *European Journal of Rheumatology*, 4(1), pp. 46–56. doi: 10.5152/eurjrheum.2016.048.
- Supartono, B. (2022) ‘DENGAN PROTOKOL KESEHATAN , PENGUKURAN’, *Jurnal Bakti Masyaarakat Indonesia*, 5, pp. 104–115.
- Thompson, L. A. and Chen, H. (2021) ‘Physiology of Aging of Older Adults: Systemic and Oral Health Considerations—2021 Update’, *Dental Clinics of North America*, 65(2), pp. 275–284. doi: 10.1016/j.cden.2020.11.002.
- Tu, K. N. et al. (2018) ‘Osteoporosis: A review of treatment options’, *P and T*, 43(2), pp. 92–104. Available at: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5768298/pdf/ptj4302092.pdf>.
- Waseso, L. B., Supartono, B. and Fauziah, C. (2018) ‘Physical Activity and The Strength of Bone in Menopause Patients in National Sports Hospital in 2017’, *Berkala Kedokteran*, 14(1), p. 69. doi: 10.20527/jbk.v14i1.4587.
- Wei, X. et al. (2017) ‘Identifying risk factors for bone mass transition states for postmenopausal osteoporosis’, *European Journal of Integrative Medicine*, 14, pp. 7–12. doi: 10.1016/J.EUJIM.2017.08.001.
- Yang, X. et al. (2021) ‘Prevalence and risk factors associated with osteoporosis among residents aged above 20 years old in Chongqing, China’, *Archives of Osteoporosis*, 16(1). doi: 10.1007/s11657-021-00910-z.
- Yen, C. C. et al. (2021) ‘Pre-screening for osteoporosis with calcaneus quantitative ultrasound and dual-energy X-ray absorptiometry bone density’, *Scientific Reports*, 11(1), pp. 1–10. doi: 10.1038/s41598-021-95261-7.
- Yoo, J. E. and Park, H. S. (2018) ‘Prevalence and associated risk factors for osteoporosis in Korean men’, *Archives of Osteoporosis*, 13(1). doi: 10.1007/s11657-018-0506-9.
- Yoo, J. and Lee, B. J. (2021) ‘Anthropometric, biochemical, and nutritional risk factors for osteoporosis in Korean adults based on a large cross-sectional study’, *PLoS ONE*, 16(12 December), pp. 1–14. doi: 10.1371/journal.pone.0261361.
- Zaki, A. (2020) *Buku Saku Osteoporosis*. Edisi Peta. Jakarta: HAJA Mandiri.
- Zhang, Q. et al. (2020) ‘Prevalence and contributing factors of osteoporosis in the elderly over 70 years old: An epidemiological study of several community

- health centers in Shanghai’, *Annals of Cardiothoracic Surgery*, 9(2), pp. 231–238. doi: 10.21037/apm.2020.02.09.
- Zhang, X. et al. (2015) ‘Alcohol consumption and hip fracture risk’, *Osteoporosis International*, 26(2), pp. 531–542. doi: 10.1007/s00198-014-2879-y.