

DAFTAR PUSTAKA

- Agus, A., Agussalim, Nurliyani, Umami, N., dan Budisatria, I. G. S. (2019). Evaluation of antioxidant activity, phenolic, flavonoid and vitamin C content of several honeys produced by the Indonesian stingless bee: *Tetragonula laeviceps*. *Livest Res Rural Dev*, 31(10): 152.
- Agussalim, Agus, A., Nurliyani, dan Umami, N. (2019). The sugar content profile of honey produced by the Indonesian stingless bee, *Tetragonula laeviceps*, from different regions. *Livest Res Rural Dev*, 31 (6): 91.
- Al Fady, M. F. (2015). *Madu dan Luka Diabetik*. Yogyakarta: Gosyen Publishing.
- Al-Jadi, A. M., Enchang, F. K., dan Yusoff, K. M., (2014). The effect of Malaysian honey and its major components on the proliferation of cultured fibroblasts. *Turkish Journal of Medical Sciences*, 44(5), 733–740. <https://doi.org/10.3906/sag-1303-43>
- Almeer, R. S., Alarifi, S., Alkahtani, S., Ibrahim, S. R., Ali, D., dan Moneim, A. (2018). The potential hepatoprotective effect of royal jelly against cadmium chloride-induced hepatotoxicity in mice is mediated by suppression of oxidative stress and upregulation of Nrf2 expression. *Biomedicine & pharmacotherapy = Biomedecine & pharmacotherapie*, 106, 1490–1498. <https://doi.org/10.1016/j.biopha.2018.07.089>
- Alvarez-Suarez, J. M., Giampieri, F., dan Battino, M. (2013). Honey as a source of dietary antioxidants: structures, bioavailability and evidence of protective effects against human chronic diseases. *Current medicinal chemistry*, 20(5), 621–638. <https://doi.org/10.2174/092986713804999358>
- Amir, A. (2014). Ekspresi Gen Family Bcl-2 dan Ekspresi Gen Protein Kanal Ion Vdac1 pada Oligozoospermia. *Jurnal Kesehatan Andalas* (Vol. 3, Issue 2). <http://jurnal.fk.unand.ac.id>
- Amiri, M. V., Deldar, H., dan Pirsaraei, Z. A. (2016). Impact of supplementary royal jelly on in vitro maturation of sheep oocytes: genes involved in apoptosis and embryonic development. *Systems biology in reproductive medicine*, 62(1), 31–38. <https://doi.org/10.3109/19396368.2015.1088102>
- Amstad, P. A., Liu, H., Ichimiya, M., Berezesky, I. K., Trump, B. F., Buhimschi, I. A., & Gutierrez, P. L. (2001). BCL-2 is involved in preventing oxidant-induced cell death and in decreasing oxygen radical production. *Redox report : communications in free radical research*, 6(6), 351–362. <https://doi.org/10.1179/135100001101536535>

Aslan, A., Gok, O., Beyaz, S., Can, M. I., Parlak, G., Gundogdu, R., Ozercan, I. H., dan Baspinar, S. (2022). Royal jelly regulates the caspase, Bax and COX-2, TNF- α protein pathways in the fluoride exposed lung damage in rats. *Tissue & cell*, 76, 101754. <https://doi.org/10.1016/j.tice.2022.101754>

Bio Rad. (2017). Apoptosis. Diakses 31 Oktober, 2022, dari <https://www.bio-rad-antibodies.com/apoptosis-overview.html?JSESSIONID=STERLING=DA7290C232588CB6B8C3DCA9319A298B.ecommerce1&evCntryLang=ID-en&cntry=ID&thirdPartyCookieEnabled=true>

Börzsönyi, B., Demendi, C., Rigó, J., Jr, Szentpéteri, I., Rab, A., dan Joó, J. G. (2013). The regulation of apoptosis in intrauterine growth restriction: a study of Bcl-2 and Bax gene expression in human placenta. *The journal of maternal-fetal & neonatal medicine : the official journal of the European Association of Perinatal Medicine, the Federation of Asia and Oceania Perinatal Societies, the International Society of Perinatal Obstetricians*, 26(4), 347–350. <https://doi.org/10.3109/14767058.2012.733770>

Chan, C. W., Deadman, B. J., Manley-Harris, M., Wilkins, A. L., Alber, D. G., dan Harry, E. (2013). Analysis of the flavonoid component of bioactive New Zealand mānuka (*Leptospermum scoparium*) honey and the isolation, characterisation and synthesis of an unusual pyrrole. *Food chemistry*, 141(3), 1772–1781. <https://doi.org/10.1016/j.foodchem.2013.04.092>

Chelladurai, K. S., Christyraj, J. D. S., Rajagopalan, K., Yesudhason, B. V., Venkatachalam, S., Mohan, M., Vasantha, N. C., dan Christyraj, J. R. S. S. (2021). Alternative to FBS in animal cell culture - An overview and future perspective. *Heliyon*, 7(8), e07686. <https://doi.org/10.1016/j.heliyon.2021.e07686>

Chen, D., Xin, X. X., Qian, H. C., Yu, Z. Y., dan Shen, L. R. (2016). Evaluation of the major royal jelly proteins as an alternative to fetal bovine serum in culturing human cell lines. *Journal of Zhejiang University: Science B*, 17(6), 476–483. <https://doi.org/10.1631/jzus.B1500295>

Dahlan, M., Sopiyudin. (2011). *Statistik untuk Kedokteran dan Kesehatan*. Jakarta: Salemba Medika.

Dhaffa, M. (2022). Uji Proliferasi MTS Assay terhadap Adipose Mesenchymal Stem Cells pada Media Kultur DMEM Bebas Serum dengan Penambahan Madu Tetragonula sp. dan Royal Jelly Apis Mellifera.

Dhifanra, M. A. (2020). Uji Efek Lama Waktu Kultur di Media DMEM Bebas Serum dengan Penambahan Madu Tetragonula sp dan Royal Jelly Apis Mellifera terhadap Proliferasi Sel Fibroblas Kulit Preputium

Dirja, B. T. dan Kusuma R. D. (2021). Prospek Media Sel Punca Jaringan Adiposa Terkondisi sebagai Anti-Aging.

Du, X., Fu, X., Yao, K., Lan, Z., Xu, H., Cui, Q., & Yang, E. (2017). Bcl-2 delays cell cycle through mitochondrial ATP and ROS. *Cell cycle (Georgetown, Tex.)*, 16(7), 707–713. <https://doi.org/10.1080/15384101.2017.1295182>

Erejuwa, O. O., Sulaiman, S. A., dan Wahab, M. S. (2014). Effects of honey and its mechanisms of action on the development and progression of cancer. *Molecules (Basel, Switzerland)*, 19(2), 2497–2522. <https://doi.org/10.3390/molecules19022497>

Fachrani, Q. S., Dhifanra, M. A., Nugraha, Y., Yulianti, R., Sahlan, M., Pambudi, S., Nurhasanah, A., dan Pramono, A. (2021). The effect of Indonesian honey Tetragonula sp. And Indonesian royal jelly Apis mellifera (*Ceiba pentandra*) to human preputium cell proliferation in serum-free DMEM. *IOP Conference Series: Earth and Environmental Science*, 755(1). <https://doi.org/10.1088/1755-1315/755/1/012043>

Francis, S. L., Duchi, S., Onofrillo, C., Di Bella, C., dan Choong, P. F. M. (2018). Adipose-Derived Mesenchymal Stem Cells in the Use of Cartilage Tissue Engineering: The Need for a Rapid Isolation Procedure. *Stem cells international*, 2018, 8947548. <https://doi.org/10.1155/2018/8947548>

Griffin, M., Ryan, C. M., Pathan, O., Abraham, D., Denton, C. P., & Butler, P. E. (2017). Characteristics of human adipose derived stem cells in scleroderma in comparison to sex and age matched normal controls: implications for regenerative medicine. *Stem cell research & therapy*, 8(1), 23. <https://doi.org/10.1186/s13287-016-0444-7>

Grossner, T., Haberkorn, U., Hofmann, J., dan Gotterbarm, T. (2022). Effects of Different Basal Cell Culture Media Upon the Osteogenic Response of hMSCs Evaluated by^{99m}Tc-HDP Labeling. *International Journal of Molecular Sciences*, 23(11). <https://doi.org/10.3390/ijms23116288>

Gstraunthaler, G., Lindl, T., dan van der Valk, J. (2013). A plea to reduce or replace fetal bovine serum in cell culture media. *Cytotechnology*, 65(5), 791–793. <https://doi.org/10.1007/s10616-013-9633-8>

Guan, M., Zhang, Y., Huang, Q., He, L., Fang, Q., Zhang, J., Gao, S., Fang, J., Ma, Y., Su, K., & Gao, X. (2019). Fetal bovine serum inhibits neomycin-induced

Melati Nurulita Alvina, 2023

ANALISIS EKSPRESI GEN BCL-2 PADA KULTUR SEL PUNCA ADIPOSA MESENKIMAL DENGAN PENAMBAHAN MADU (TETRAGONULA SP.) DAN ROYAL JELLY (APIS MELLIFERA)

UPN "Veteran" Jakarta, Fakultas Kedokteran, S1 Kedokteran

[www.upnvj.ac.id-www.library.upnvj.ac.id-www.repository.upnvj.ac.id]

apoptosis of hair cell-like HEI-OC-1 cells by maintaining mitochondrial function. *American journal of translational research*, 11(3), 1343–1358.

Guo, J., Wang, Z., Chen, Y., Cao, J., Tian, W., Ma, B., dan Dong, Y. (2021). Active components and biological functions of royal jelly. *Journal of Functional Foods*, 82. <https://doi.org/10.1016/j.jff.2021.104514>

Hu, F. L., Bíliková, K., Casabianca, H., Daniele, G., Salmen Espindola, F., Feng, M., Guan, C., Han, B., Krištof Kraková, T., Li, J. K., Li, L., Li, X. A., Šimúth, J., Wu, L. M., Wu, Y. Q., Xue, X. F., Xue, Y. B., Yamaguchi, K., Zeng, Z. J., ... dan Zhou, J. H. (2019). Standard methods for Apis mellifera royal jelly research. *Journal of Apicultural Research*, 58(2), 1–68. <https://doi.org/10.1080/00218839.2017.1286003>

Jiang, C. min, Liu, X., Li, C. xue, Qian, H. cheng, Chen, D., Lai, C. qiang, dan Shen, L. rong. (2018). Anti-senescence effect and molecular mechanism of the major royal jelly proteins on human embryonic lung fibroblast (HFL-I) cell line. *Journal of Zhejiang University: Science B*, 19(12), 960–972. <https://doi.org/10.1631/jzus.B1800257>

Karimah, F. (2022). Ekspresi Gen Bax dan Bcl-2 pada *Macaca fascicularis* sebagai Hewan Model Penelitian *Papillomavirus*

Karina, K., Rosliana, I., Rosadi, I., Schwartz, R., Sobariah, S., Afifi, I., Widayastuti, T., Remelia, M., Wahyuningsih, K. A., dan Pawitan, J. A. (2020). Safety of Technique and Procedure of Stromal Vascular Fraction Therapy: From Liposuction to Cell Administration. *Scientifica*, 2020. <https://doi.org/10.1155/2020/2863624>

Kwist, K., Bridges, W. C., & Burg, K. J. (2016). The effect of cell passage number on osteogenic and adipogenic characteristics of D1 cells. *Cytotechnology*, 68(4), 1661–1667. <https://doi.org/10.1007/s10616-015-9883-8>

Life Technologies. (t.t). Real-time PCR handbook. Diakses 31 Oktober 2022, dari <https://www.thermofisher.com/content/dam/LifeTech/global/Forms/PDF/real-time-pcr-handbook.pdf>

Lu, Y., Yuan, X., Ou, Y., Cai, Y., Wang, S., Sun, Q., & Zhang, W. (2012). Autophagy and apoptosis during adult adipose-derived stromal cells differentiation into neuron-like cells in vitro. *Neural regeneration research*, 7(16), 1205–1212. <https://doi.org/10.3969/j.issn.1673-5374.2012.16.001>

Marescal, O., dan Cheeseman, I. M. (2020). Cellular Mechanisms and Regulation of Quiescence. *Developmental cell*, 55(3), 259–271. <https://doi.org/10.1016/j.devcel.2020.09.029>

Melati Nurulita Alvina, 2023

ANALISIS EKSPRESI GEN BCL-2 PADA KULTUR SEL PUNCA ADIPOSA MESENKIMAL DENGAN PENAMBAHAN MADU (TETRAGONULA SP.) DAN ROYAL JELLY (APIS MELLIFERA)

UPN "Veteran" Jakarta, Fakultas Kedokteran, S1 Kedokteran

[www.upnvj.ac.id-www.library.upnvj.ac.id-www.repository.upnvj.ac.id]

Miana, V. V., dan Prieto González, E. A. (2018). Adipose tissue stem cells in regenerative medicine. *Ecancermedicalscience*, 12. <https://doi.org/10.3332/ecancer.2018.822>

Ncbi. (t.t). Polymerase Chain Reaction (PCR). Diakses 31 Oktober 2022, dari <https://www.ncbi.nlm.nih.gov/probe/docs/techpcr/>

Neumann, E., Riepl, B., Knedla, A., Lefèvre, S., Tarner, I. H., Grifka, J., Steinmeyer, J., Schölmerich, J., Gay, S., & Müller-Ladner, U. (2010). Cell culture and passaging alters gene expression pattern and proliferation rate in rheumatoid arthritis synovial fibroblasts. *Arthritis research & therapy*, 12(3), R83. <https://doi.org/10.1186/ar3010>

Özkök, A., Akbay, E., Samancı, A. E. T., Mayda, N., & Onur, M. A. (2021). Evaluation of bioactive compounds and proliferation properties of different royal jelly samples. *Progress in Nutrition*, 23(1). <https://doi.org/10.23751/pn.v23i1.9360>

Pasupuleti, V. R., Sammugam, L., Ramesh, N., dan Gan, S. H. (2017). Honey, Propolis, and Royal Jelly: A Comprehensive Review of Their Biological Actions and Health Benefits. Dalam *Oxidative Medicine and Cellular Longevity* (Vol. 2017). Hindawi Limited. <https://doi.org/10.1155/2017/1259510>

Pramono, A., Bustamam, N., Amalia, M., dan Sahlan, M. (2019). Immense addition of royal jelly apis mellifera (ceiba pentandra) insufficient to increase fibroblast preputium proliferation. *IOP Conference Series: Materials Science and Engineering*, 508(1). <https://doi.org/10.1088/1757-899X/508/1/012145>

Rahardianti, R., Nur, E. M. (2017). Akurasi Metode Real PCR untuk Analisa Ekspresi Gen Pmvrp15. *Prosiding Pertemuan Teknis Teknisi Litkayasa Lingkup BBPBAP Jepara Tahun 2017*.

Ramadan, M. F., dan Al-Ghamdi, A. (2012). Bioactive compounds and health-promoting properties of royal jelly: A review. Dalam *Journal of Functional Foods* (Vol. 4, Issue 1, hlm. 39–52). <https://doi.org/10.1016/j.jff.2011.12.007>

Ramadhani, M. S. (2019). Perbandingan Efektivitas Media DMEM Bebas Serum dengan Penambahan Madu *Tetragonula sp.* terhadap Proliferasi Sel Fibroblas Kulit Preputium.

Rizqi, J., Agustiningsih, D., Aris Agung, D., Arfian, N., Studi, P. S., Keperawatan, I., Respati Yogyakarta, U., Kedokteran Kesehatan Masyarakat dan Keperawatan, F., & Gadjah Mada Abstrak, U. (2019). Efek Sitotoksik Madu Dan Silver Dressing Terhadap Sel Fibroblas Dalam Media Tinggi Glukosa: Studi In Vitro.

Jurnal Keperawatan Respati Yogyakarta, 6(2), 587–591.
<http://nursingjurnal.respati.ac.id/index.php/JKRY/index>

Rizqi, J., Fitriawan, A. S., & Widayati, R. W. (2022). *The Effectiveness of Indonesian Honey Stimulate Fibroblast Cell Viability And Migration that Could Potential Promote Wound Healing.*
<http://nursingjurnal.respati.ac.id/index.php/JKRY/index>

Rohanová, D., Boccaccini, A. R., Horkavcová, D., Bozděchová, P., Bezdička, P., dan Častorálová, M., (2014). Is non-buffered DMEM solution a suitable medium for in vitro bioactivity tests?. *Journal of materials chemistry. B*, 2(31), 5068–5076. <https://doi.org/10.1039/c4tb00187g>

Rosdiana, A. dan Hadisaputri, Y. E. (2016). Review Artikel: Studi Pustaka Tentang Prosedur Kultur Sel. *Farmaka*, 14.

Saraswati. (2018). Analisa Protein Bcl-2 Sebagai Penanda Prognosis (Prognosis Marker) Kanker Leher Rahim dari Infeksi Human Papilloma Virus (HPV) Tipe 16 dan 18 di Indonesia.

Sastroasmoro, S. dan Sofyan, I. (2011). *Dasar-dasar Metodologi Penelitian Klinis Edisi Ke-4 2011*. Jakarta: Sagung Seto.

Selvaraj, S. (2022). *An optimization of supplements and physical factors for growth of hemocyte cell culture from Penaeus vannamei in selective medium.*
<https://doi.org/10.21203/rs.3.rs-1488767/v1>

Sergiel, I., Pohl, P., dan Biesaga, M. (2014). Characterisation of honeys according to their content of phenolic compounds using high performance liquid chromatography/tandem mass spectrometry. *Food chemistry*, 145, 404–408. <https://doi.org/10.1016/j.foodchem.2013.08.068>

Strasser, A. dan Vaux, D. L. (2018). Viewing BCL2 and cell death control from an evolutionary perspective. Dalam *Cell Death and Differentiation* (Vol. 25, Issue 1, hlm. 13–20). *Nature Publishing Group*. <https://doi.org/10.1038/cdd.2017.145>

Subowo. (2015). *Biologi Sel Edisi 7*. Jakarta: Sagung Seto.

Susilowati, H., Murakami, K., Yumoto, H., Amoh, T., Hirao, K., Hirota, K., Matsuo, T., dan Miyake, Y. (2017). Royal Jelly Inhibits *Pseudomonas aeruginosa* Adherence and Reduces Excessive Inflammatory Responses in Human Epithelial Cells. *BioMed Research International*, 2017. <https://doi.org/10.1155/2017/3191752>

Thermo Fisher Scientific. (t.t.). PCR Setup—Six Critical Components to Consider. Diakses 27 November 2022, dari <https://www.thermofisher.com/id/en/home/life-science/cloning/cloning-learning-center/invitrogen-school-of-molecular-biology/pcr-education/pcr-reagents-enzymes/pcr-component-considerations.html#Mg>

Thermo Fisher Scientific. (t.t.). Technical Bulletin Nanodrop Spectrophotometers.

Thermo Fisher Scientific. (t.t.). What's the difference between one-step and two-step RT-PCR?. Diakses 7 Januari 2023, dari <https://www.thermofisher.com/id/en/home/brands/thermo-scientific/molecular-biology/molecular-biology-learning-center/molecular-biology-resource-library/spotlight-articles/onestep-vs-twostep-rtpcr.html>

Tsuji, W. (2014). Adipose-derived stem cells: Implications in tissue regeneration. *World Journal of Stem Cells*, 6(3), 312. <https://doi.org/10.4252/wjsc.v6.i3.312>

Uhamka. (2020). Metode Analisis Molekuler: Polymerase Chain Reaction (PCR). Diakses 31 Oktober 2022, dari https://onlinelearning.uhamka.ac.id/pluginfile.php/541333/mod_resource/content/1/TM%202014.%20Metode%20Analisis%20Molekuler%20-%20PCR.pdf

Valk, J. V. D., Bieback, K., Buta, C., Cochrane, B., Dirks, W. G., Fu, J., Hickman, J. J., Hohensee, C., Kolar, R., Liebsch, M., Pistollato, F., Schulz, M., Thieme, D., Weber, T., Wiest, J., Winkler, S., dan Gstraunthaler, G. (2018). Fetal Bovine Serum (FBS): Past - Present - Future. *ALTEX*, 35(1), 99–118. <https://doi.org/10.14573/altex.1705101>

Wang, Y., Nguyen, D. T., Yang, G., Anesi, J., Kelly, J., Chai, Z., Ahmady, F., Charchar, F., & Golledge, J. (2021). A Modified MTS Proliferation Assay for Suspended Cells to Avoid the Interference by Hydralazine and β -Mercaptoethanol. *Assay and drug development technologies*, 19(3), 184–190. <https://doi.org/10.1089/adt.2020.1027>

Watuguly, T. W. dan Samsuria, I. K. (2018). *Aspek Dasar Molekuler Proliferasi dan Apoptosis*. Bandung: ALFABETA.

Wulandari, L. Y. (2019). Ulasan Pustaka: Sel Punca Adiposa Sebagai Alternatif Terapi Penyakit Neurodegeneratif. *Jurnal Farmasi Malahayati* (Vol. 2, Issue 2).

Wulansari, D.D. (2018). *Madu Sebagai Terapi Komplementer*, (1st ed.). Yogyakarta: Graha Ilmu.

Yang, W., Tian, Y., Han, M., dan Miao, X. (2017). Longevity extension of worker honey bees (*Apis mellifera*) by royal jelly: Optimal dose and active ingredient. *Peer J*, 2017(3). <https://doi.org/10.7717/peerj.3118>

Yang, Y. K., Ogando, C. R., Wang See, C., Chang, T. Y., & Barabino, G. A. (2018). Changes in phenotype and differentiation potential of human mesenchymal stem cells aging in vitro. *Stem cell research & therapy*, 9(1), 131. <https://doi.org/10.1186/s13287-018-0876-3>

Yao, T. dan Asayama, Y. (2017). Animal-cell culture media: History, characteristics, and current issues. *Reproductive Medicine and Biology* (Vol. 16, Issue 2, hlm. 99–117). John Wiley and Sons Ltd. <https://doi.org/10.1002/rmb2.12024>

Your Genome. (2021). What is gene expression?. Diakses 27 November 2022, dari <https://www.yourgenome.org/facts/what-is-gene-expression/>

Your Genome. (2021). What is PCR (polymerase chain reaction)?. Diakses 27 November 2022, dari <https://www.yourgenome.org/facts/what-is-pcr-polymerase-chain-reaction/>

Yuslanti, E. R., Bachtiar, B. M., Suniarti, D. F., Sutjiatmo, A. B., & Mozef, T. (2016). Effect of rambutan-honey and its flavonoid on TGF- β 1 induce fibroplasia oral wound healing. *Research Journal of Medicinal Plant*, 10(8), 435–442. <https://doi.org/10.3923/rjmp.2016.435.442>