

DAFTAR PUSTAKA

- Agrawal, CS, Chalise, PR & Bhandari, BB 2008, ‘Correlation of Prostate Volume with International Prostate Symptom Score and Quality Life in Men with Benign Prostatic Hyperplasia’, *Nepal Med Coll J*, Vol. 10, No. 2, hlm. 104-107, diakses tanggal 10 Desember 2016.
<http://www.nmcth.edu/images/gallery/Editorial/zxy5dcsagrawal.pdf>
- Ahmed, NMS, Elsheik, AS, Gilani, SA & Mohamed, AH 2015, ‘Assesing Prostate Pathologies with Trans-abdominal Ultrasound’, *IOSR Journal of Dental and Medical Sciences*, Vol. 14, No. 4, hlm. 88-92, diakses tanggal 10 Desember 2016.
[https://www.researchgate.net/publication/291748115 Assessing Prostate Pathologies with Trans-abdominal Ultrasound](https://www.researchgate.net/publication/291748115_Assessing_Prostate_Pathologies_with_Trans-abdominal_Ultrasound)
- Alawad, AAM, Elamin, SH, & Younis, FH 2015, ‘Correlation between Prostate Volume and Lower Urinary Tract Symptoms in Sudanese Patients with Benign Prostatic Hyperplasia’, *Journal of Medicine and Clinical Science*, Vol. 4, No. 4, hlm. 121-124, diakses tangggal 10 Desember 2016.
<http://basicresearchjournals.org/medicine/pdf/Awad%20et%20al.pdf>
- Biddulth 2016, ‘Pemilihan Modalitas Pemeriksaan Radiologi untuk Diagnosis Benign Prostatic Hyperplasia’, *CDK-241*, Vol. 43, No. 6, hlm. 469-472.
- Chapple, CR, MacDiarmid, SA & Patel, A 2009, *Urodynamics made easy*, 3rd edn, Elsevier Churchill Livingstone, Spain.
- Chorng, KH, MD 2008, ‘Guidelines for Diagnostic Assessment and Advanced Study of Lower Urinary Tract Symptoms Suggestive of Benign Prostatic Hyperplasia’, *Incont Pelvic Floor Dysfunct*, Vol. 2, No. 1, hlm. 7-10, diakses pada tanggal 24 Mei 2017
http://www.tcs.org.tw/tcs_old/issue/Folder/2_1/03R21.pdf
- Dahlan, MS 2010, *Besar sampel dan cara pengambilan sampel dalam penelitian kedokteran dan kesehatan*, seri evidence based medicine 2, edk 3, Salemba Medika, Jakarta.
- Dahlan, MS 2012, *Regresi linear disertai praktik dengan SPSS*, seri. 10, Epidemiologi Indonesia, Jakarta.
- Dahlan, MS 2014, *Statistik untuk kedokteran dan kesehatan deskriptif, bivariat, dan multivariat, dilengkapi aplikasi menggunakan SPSS*, seri. 1, edk 6, Epidemiologi Indonesia, Jakarta.

Ikatan Ahli Urologi Indonesia. Pedoman Penatalaksanaan *BPH* di Indonesia, diakses pada 20 November 2016, <http://www.iaui.or.id/ast/file/BPH.pdf>.

Jarvis, TR, Chan, L, & Tse, V 2012, ‘Practical Uroflowmetry’, *BJU International*, Vol. 110, No. 4, hlm. 28-29, diakses pada tanggal 20 November 2016.
<http://www.shifa.com.pk/journals/filez/28-29.pdf>

Yong, KM, Ku, JH, & Oh, SH 2010, ‘Non-invasive Parameters Predicting Bladder Outlet Obstruction in Korean Men with Lower Urinary Tract Symptoms’, *J Korean Med Sci*, Vol. 25, No. 2, hlm. 272-275, diakses tanggal 10 Desember 2016.
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2811296/>

Kemenkes RI, 2013, ‘Profil Kesehatan Indonesia Tahun 2013’, diakses pada tanggal 5 April 2016.
<http://www.depkes.go.id/resources/download/pusdatin/profil-kesehatan-indonesia/profil-kesehatan-indonesia-2013.pdf>

Lepor, H 2005, ‘Pathophysiology of Lower Urinary Tract Symptoms in The Aging Male Population’, *Rev Urol*, Vol.7, Suppl. 7, hlm. 3-11, diakses tanggal 1 September 2017.
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1477625/>

Chia, CL, Chii, JW, Shu, PH, Yii, HC, Wen, JW, Chun, HH 2004, ‘Relationship between American Urological Association Symptom Index, Prostate Volume, and Disease Specific Quality of Life Question in Patients with Benign Prostatic Hyperplasia’, *Kaohsiung J Med Sci*, Vol 20, No 6, diakses tanggal 1 September 2017.
<http://www.sciencedirect.com/science/article/pii/S1607551X09701184>

Malik, MA, Khan, JH, Gondal, WS, Bajna, IA 2010, ‘Role of Uroflowmetry in Lower Urinary Tract Symptoms Evaluation due to Benign Prostatic Hyperplasia’, *Special Edition Annals*, vol. 14, No. 1, hlm. 34-37, diakses tanggal 10 Januari 2017.
https://www.researchgate.net/publication/279673030_Role_of_Uroflowmetry_in_Lower_Urinary_Tract_Symptoms_Evaluation_due_to_Benign_Prostatic_Hyperplasia_BPH

Sobol, J 2015, *Enlarged prostate*, diakses 28 Desember 2016,
<https://medlineplus.gov/ency/article/000381.htm>

Mescher, AL 2011, *Histolog dasar Junquera : teks & atlas*, edk 12, trans. F Dany, H Hartanto (ed.), EGC, Jakarta.

Mohammed, N, Ansari, AM, Sharma, U, Pradhan, S 2016 , ‘Comparative Study Of Prostatic Volume And Uroflowmetry In Benign Prostatic Hyperplasia Patients With Lower Urinary Tract Symptoms’, *The Internet Journal of*

- Radiology*, Vol. 6, No 2, hlm. 1-8, diakses tanggal 1 September 2017, <https://print.ispub.com/api/0/ispub-article/5922>
- Moore, LK & Agur, AMR 2002, *Anatomi Klinis Dasar*, trans. H Laksman, V Sadikin & V Saputra (eds.), Hipokrates, Jakarta.
- Moslil, HA, Abdel-Meguid, TA 2010, ‘The Relationship Between Prostate Volume, ProstateSpecific Antigen and Age in Saudi Men with Benign Prostatic Conditions’, *African Journal of Urology* 1110-5704, Vol. 16, No, hlm. 117-123, diakses tanggal 1 September 2017, <https://link.springer.com/article/10.1007/s12301-010-0025-4>
- Nickel, JC 2003, ‘Benign Prostatic Hyperplasia : Does Prostate Size Matter?’, *Reviews in Urology*, Vol. 5, No. 4, hlm. 12-17, diakses tanggal 23 Januari 2017, <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1502356/>
- Notoatmodjo, S 2012, *Metodologi penelitian kesehatan*, Rineka Cipta, Jakarta.
- Overland, GB, Vatten, L, Rhodes, T, DeMuro, C, Jacobsen, G, Vada, K, Angelsen, A, Girman, CJ 2001, ‘Lower Urinary Tract Symptoms, Prostate Volume, and Uroflow in Norwegian Community Men’, *Eur Urol*, Vol. 39, No. 1, hlm. 6-41, diakses tanggal 23 Januari 2017, <https://www.ncbi.nlm.nih.gov/pubmed/11173937>
- Pethiyagoda, AUB & Pethiyagoda, K 2016, ‘Correlation between Prostate Volume and Lower Urinary Tract Symptoms (LUTS) as measured by International Prosate Symptom Score (IPSS)’, *International Journal of Scientific and Research Publications*, Vol. 6, No. 4, hlm. 45-47, diakses tanggal 23 Januari 2017, <http://www.ijrsp.org/research-paper-0416/ijrsp-p5207.pdf>
- Purnomo, BB 2011, *Dasar-dasar urologi*, edk 3, Sagung Seto, Jakarta
- Pusat Data dan Informasi Kemenkes RI 2013, *Gambaran kesehatan lanjut usia di Indonesia 2013*(Oscar Primadi, Kepala Pusat Data dan Informasi), Buletin Jendela Data dan Informasi Kesehatan, Jakarta, diakses tanggal 13 November 2016, www.depkes.go.id/download.php?file=download/...lansia.pdf
- Putra, IBOW, Hamid, ARAH, Mochtar, CA. Umbas, R 2016, ‘Relationship of Age, Prostate-Specific Antigen and Prostate Volume in Indonesian Men with Benign Prostatic Hyperplasia’, *Prostate International*, Vol. 3, No. 2, hlm. 1-6, diakses tanggal 10 Desember 2016, <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4916066/>
- Rahardjo, D, Birowo, P, Pakasi, LS 1999, ‘Correlation between prostate volume, prostate specific antigen level, prostate specific antigen density and age in the benign prostate hyperplasia patients’, *Med J Indones*, Vol 8, No 4,

- diakses tanggal 1 September 2017,
<http://download.portalgaruda.org/article.php?article=169976&val=6124&title=Correlation%20between%20prostate%20volume,%20prostate%20specific%20antigen%20level,%20prostate%20specific%20antigen%20density%20and%20age%20in%20the%20benign%20prostate%20hyperplasia%20patients>
- Roehrborn, C 2005, 'Benign Prostatic Hyperplasia: An Overview', *Rev Urol*, 2005; 7(Suppl 9): S3–S14, diakses pada tanggal 8 September 2017,
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1477638/>
- Rosier, PFWMUMC 2014, 'Prostate volume is a sensitive indicator for bladder outlet obstruction', *Eur Urol Suppl*, Netherlands, diakses tanggal 6 September 2017,
[http://www.eusupplements.europeanurology.com/article/S15699056\(14\)60968-4/pdf](http://www.eusupplements.europeanurology.com/article/S15699056(14)60968-4/pdf)
- Sastroasmoro, S 2011, *Dasar-dasar metodologi penelitian klinis*, Sagung Seto, Jakarta
- Sherwood, L 2011, Fisiologi manusia : dari sel ke sistem, edk 6, trans. Brahm UP, Nella Yesdellita (ed.), EGC, Jakarta.
- Shi, JZ, Hai, NQ, Yan, Z, Kai, S, Hui, QW, Guo, QL, Feng, HL, Zheng, L 2013, 'Relationship between age and prostate size', *Asian J Androl*, Vol. 15, No. 1, hlm. 116-120, diakses pada tanggal 3 September 2017,
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3739117>
- Chih, SC 2007, 'Differential Diagnosis of Benign Prostate Hyperplasia with Lower Urinary Tract Symptoms', *Incont Pelvic Floor Dysfunct* ; 1(Suppl 2), hlm. 9-13, diakses tanggal 29 Juni 2017,
http://www.tcs.org.tw/issue/folder/1_1suppl/1-1-suppl-3-6.pdf
- Tanagho, EA & McAninch, JW 2008, Smith's geeneral urology, 17th edn, The McGraw-Hill Companies, United States of America.
- Vesely, S, Knutson, T, Damber, JE, Dicuio, M, Dahlstand, C 2003, 'Relationship Between Age, Prostate Volume, Prostat Specific Antigen, Symptom Score and Uroflowmetry in Men with Lower Urinary Tract Symptoms', *Scand J Urol Nephrol*, Vol. 37, No.4, hlm. 322-328, diakses tanggal 18 Desember 2016, <https://www.ncbi.nlm.nih.gov/pubmed/12944191>
- Yance, F 2004, Hubungan antara kejadian retensi urin dengan besarnya volume prostat dan protrusi prostat intravesika pada pasien pembesaran prostat jinak, Tesis, Universitas Indonesia.