

DAFTAR PUSTAKA

- AACN. 2016. American Association of Critical-Care Nurses (AACN) Practice Alert Family Visitation in the Adult Intensive Care Unit. *Critical Care Nurse*, 36(1), 15–20. <http://ccn.aacnjournals.org/>
- Alderden, J., Rondinelli, J., Pepper, G., Cummins, M., & Whitney, J. A. 2017. Risk factors for pressure injuries among critical care patients: A systematic review. *International Journal of Nursing Studies*, 71, 97–114. <https://doi.org/10.1016/j.ijnurstu.2017.03.012>
- Alimansur, M., & Santoso, P. 2019. Faktor Resiko Dekubitus Pada Pasien Stroke. *Jurnal Ilmu Kesehatan*, 8(1), 82. <https://doi.org/10.32831/jik.v8i1.259>
- Amir, Y., Kottner, J., Schols, J. M. G. A., Lohrmann, C., & Halfens, R. J. G. 2014. Psychometric properties of the dutch national prevalence measurement of care problems used to measure quality of pressure ulcer care in indonesian hospitals. *Advances in Skin and Wound Care*, 27(8), 363–370. <https://doi.org/10.1097/01.ASW.0000452044.58375.43>
- Amir, Y., Lohrmann, C., Halfens, R. J. G., & Schols, J. M. G. A. 2017. Pressure ulcers in four Indonesian hospitals: prevalence, patient characteristics, ulcer characteristics, prevention and treatment. *International Wound Journal*, 14(1), 184–193. <https://doi.org/10.1111/iwj.12580>
- Amirsyah, M., Amirsyah, M., & Putra, M. I. A. P. 2020. Ulkus Dekubitus pada Penderita Stroke. *Kesehatan Cehadum*, 2(03), 1–8.
- Anders, J., Heinemann, A., Leffmann, C., Leutenegger, M., Pröfener, F., & Von Renteln-Kruse, W. 2010. Dekubitalgeschwüre - Pathophysiologie und primärprävention. *Deutsches Arzteblatt*, 107(21), 371–382. <https://doi.org/10.3238/arztebl.2010.0371>
- Arianto, A. B. 2022. Gambaran Karakteristik Pasien Kritis Di Area Critical Unit. *Jurnal Kesehatan*, 10(1), 67–74. <https://doi.org/10.55912/jks.v10i1.51>
- Asriani, F., Setiyarini, S., & Sutono. (2012). *Interupsi Pada Pemberian Nutrisi Enteral Pasien Kritis Dengan Ventilasi Mekanik*. JIK.
- Ayoub, N. M. S., & Mohamed, E. E.-E. 2018. Effect of Olive Oil Massage in Prevention of Pressure Ulcer among Hospitalized Immobilized Elderly. *IOSR Journal of Nursing and Health Science*, 7(1), 27–39. <https://doi.org/10.9790/1959-0701022739>
- Baghdadi, M., Rafiei, H., Rashvand, F., & Oveisi, S. 2020. <p>Effect of Aloe

- vera Gel, Calendula officinalis Ointment and Simple Prophylactic Sacral Dressings for Pressure Injury Development</p>. *Chronic Wound Care Management and Research*, Volume 7, 19–26. <https://doi.org/10.2147/cwcmr.s256537>
- Bell, J. 2005. Are pressure ulcer grading and risk assessment tools useful? *Wounds UK*, 1(2), 62–69. http://woundsinternational.com/pdf/content_79.pdf
- Bereded, D. T., Salih, M. H., & Abebe, A. E. 2018. Prevalence and risk factors of pressure ulcer in hospitalized adult patients; A single center study from Ethiopia. *BMC Research Notes*, 11(1), 1–6. <https://doi.org/10.1186/s13104-018-3948-7>
- Bergstrom, N. 2005. Patients at risk for pressure ulcers and evidence-based care for pressure ulcer prevention. *Pressure Ulcer Research: Current and Future Perspectives*, 35–50. https://doi.org/10.1007/3-540-28804-X_4
- Berktaş Kılınç, C., Zincirci, M., Gün, İ., Turgut, N., Karacalar, S., Duran Yakar, N., Mingir, T., & Altintepe, N. 2021. Correlation of Risk Factor of Pressure Ulcer Using the Braden Risk Assessment Scale. *Correlation of Risk Factor of Pressure Ulcer Using the Braden Risk Assessment Scale*, 37(2), 83–88. <https://doi.org/10.4274/eamr.galenos.2020.96967>
- Br Sembiring, T. 2020. *FAKTOR-FAKTOR RESIKO TERJADINYA DEKUBITUS PADA PASIEN STROKE DI ICU* (Vol. 2507, Issue February).
- Díaz-Valenzuela, A., García-Fernández, F. P., Carmona Fernández, P. J., Valle Cañete, M. J., & Pancorbo-Hidalgo, P. L. 2019. Effectiveness and safety of olive oil preparation for topical use in pressure ulcer prevention: Multicentre, controlled, randomised, and double-blinded clinical trial. *International Wound Journal*, 16(6), 1314–1322. <https://doi.org/10.1111/iwj.13191>
- Dorner, B., Posthauer, M. E., Thomas, D., & National Pressure Ulcer Advisory Panel. 2009. The role of nutrition in pressure ulcer prevention and treatment: National Pressure Ulcer Advisory Panel white paper. *Advances in Skin & Wound Care*, 22(5), 212–221. <https://doi.org/10.1097/01.ASW.0000350838.11854.0a>
- Ebi, W. E., Hirko, G. F., & Mijena, D. A. 2019. Nurses' knowledge to pressure ulcer prevention in public hospitals in Wollega: A cross-sectional study design. *BMC Nursing*, 18(1), 1–12. <https://doi.org/10.1186/s12912-019-0346-y>
- Endah Janitra, F., Adi Wibawa, Y., Sultan Agung, I., & Rumah Sakit Kariadi Semarang, P. 2019. Suhu dan Kelembaban Kulit pada Kejadian Luka Tekan. *JIKP Jurnal Ilmiah Kesehatan PENCERAH*, 8(02), 75–80. <https://stikesmusidrap.e-journal.id/JIKP/article/view/137>

- Erika, E., Fridayana Fitri, R., & Sumiati, A. 2022. Pengaruh Perawatan Luka Menggunakan Gel Lidah Buaya Terhadap Kesembuhan Dekubitus. *Jurnal Indah Sains Dan Klinis*, 2(3), 40–51. <https://doi.org/10.52622/jisk.v2i3.35>
- Essa, R., & Kandeel, H. 2020. Effect of Aloe Vera Gel versus Normal Saline on Pain Relief and Healing Process of Episiotomy. *Journal of Health, Medicine and Nursing, March*. <https://doi.org/10.7176/jhmn/70-09>
- European Pressure Ulcer Advisory Panel and National Pressure Ulcer Advisory Panel, P. P. P. I. A. 2014. Prevention and Treatment of Pressure Ulcers : Quick Reference Guide. In *Clinical Practice Guideline*.
- European Pressure Ulcer Advisory Panel and National Pressure Ulcer Advisory Panel, P. P. P. I. A. 2019. Prevention and Treatment of Pressure Ulcers : Quick Reference Guide. In *Clinical Practice Guideline*. <https://doi.org/10.1097/01>.
- Fadly, A. R., & Siwi, A. S. 2022. Asuhan Keperawatan Penurunan Kapasitas Adaptif Intracranial Pada Tn. N Dengan Post Operasi Cranyotomi Atas Indikasi Epidural Hematom Di Ruang Intensif Care Unite (Icu) Rsud Kardinah Kota Tegal. *Jurnal Kesehatan Pena Medika*, 12(2), 48–54.
- Fallah, M., Soroush, A., Sadeghi, N., Mansouri, F., Mobaderi, T., & Mahdavikian, S. 2022. Comparative evaluation of the effect of aloe vera gel, olive oil, and compound aloe vera gel-olive oil on prevention of pressure ulcer: A randomized controlled trial. *Advanced Biomedical Research*, 11(1), 6. https://doi.org/10.4103/abr.abr_121_21
- Ferawati. 2018. Aplikasi Perawatan Luka dengan Menggunakan Enzymatik Therapy : Aloe vera dalam Manajemen Luka Diabetes. *Journal of Health Sciences*, 122–123.
- Han, Y., Jin, Y., Jin, T., Lee, S. M., & Lee, J. Y. 2019. Impact of Pressure Injuries on Patient Outcomes in a Korean Hospital: A Case-Control Study. *Journal of Wound, Ostomy and Continence Nursing*, 46(3), 194–200. <https://doi.org/10.1097/WON.0000000000000528>
- He, M., Tang, A., Ge, X., & Zheng, J. 2016. Pressure ulcers in the intensive care unit: An analysis of skin barrier risk factors. *Advances in Skin and Wound Care*, 29(11), 493–498. [https://doi.org/10.1097/ASW.0000000000000628.c9](https://doi.org/10.1097/ASW.0000000000000628)
- Hekmatpou, D., Mehrabi, F., Rahzani, K., & Aminiyan, A. 2018. The effect of Aloe Vera gel on prevention of pressure ulcers in patients hospitalized in the orthopedic wards: A randomized triple-blind clinical trial 11 Medical and Health Sciences 1103 Clinical Sciences. *BMC Complementary and Alternative Medicine*, 18(1), 1–11. <https://doi.org/10.1186/s12906-018-2326-2>

- Hekmatpou, D., Mehrabi, F., Rahzani, K., & Aminiyan, A. 2019. The effect of aloe vera clinical trials on prevention and healing of skin wound: A systematic review. *Iranian Journal of Medical Sciences*, 44(1), 1–9.
- Ibnu, I., Budipratama, D., & Maskoen, T. 2017. Terapi Nutrisi pada Pasien ICU. *Medica Hospitalia: Journal of Clinical Medicine*, 2(3), 140–148. <https://doi.org/10.36408/mhjcm.v2i3.185>
- Iranmanesh, S., Rafiei, H., & Sabzevari, S. 2012. Relationship between Braden scale score and pressure ulcer development in patients admitted in trauma intensive care unit. *International Wound Journal*, 9(3), 248–252. <https://doi.org/10.1111/j.1742-481X.2011.00852.x>
- Joint Faculty of Intensive Care Medicine of Ireland., & Intensive Care Society of Ireland. (2011). National Standards for Adult Critical Care Services 2011. *National Standards for Adult Critical Care Services*, 1, 1–19.
- Keller, P. B., Wille, J., Van Ramshorst, B., & Van der Werken, C. (2002). Pressure ulcers in intensive care patients: A review of risks and prevention. *Intensive Care Medicine*, 28(10), 1379–1388. <https://doi.org/10.1007/s00134-002-1487-z>
- Kemenkes. (2012). KMK No. 834 ttg High Care Unit. In *Kemenkes*.
- Kumta, N., Coyer, F., & David, M. 2018. Perioperative factors and pressure ulcer development in postoperative ICU patients: A retrospective review. *Journal of Wound Care*, 27(8), 475–485. <https://doi.org/10.12968/jowc.2018.27.8.475>
- Laily, E. I., Saragih, N. P., & Sirait, L. L. 2019. Pengaruh Penggunaan Extra Virgin Olive Oil Pencegahan Luka Tekan pada Pasien Berisiko dengan Skala Braden. *Coping: Community of Publishing in Nursing*, 7(3), 153–158. <https://ojs.unud.ac.id/index.php/coping/article/view/55798>
- Lima-Serrano, M., González-Méndez, M. I., Martín-Castaño, C., Alonso-Araujo, I., & Lima-Rodríguez, J. S. 2018. Predictive validity and reliability of the Braden scale for risk assessment of pressure ulcers in an intensive care unit. *Medicina Intensiva (English Edition)*, 42(2), 82–91. <https://doi.org/10.1016/j.medine.2018.01.007>
- Liu, X. W., Jin, Y., Ma, T., Qu, B., & Liu, Z. 2015. Differential effects of endotracheal suctioning on gas exchanges in patients with acute respiratory failure under pressure-controlled and volume-controlled ventilation. *BioMed Research International*, 2015, 4–9. <https://doi.org/10.1155/2015/941081>
- Livesley, N. J., & Chow, A. W. 2002. Infected pressure ulcers in elderly individuals. *Clinical Infectious Diseases*, 35(11), 1390–1396.

<https://doi.org/10.1086/344059>

- Lupiáñez-Pérez I, Herrera, J., Kakanani, S., Lupiáñez-Perez, Y., & M Fernández-Gallego, F Martín-Santos, et al. 2017. A cost minimisation analysis of olive oil versus hyperoxygenated fatty acid treatment for the prevention of pressure ulcers in primary health care: A randomised controlled trial. *Wound Repair Regen*, 25:846–51.
- Ma, J. G., Zhu, B., Jiang, L., Jiang, Q., & Xi, X. M. 2022. Gender- and age-based differences in outcomes of mechanically ventilated ICU patients: a Chinese multicentre retrospective study. *BMC Anesthesiology*, 22(1), 1–10. <https://doi.org/10.1186/s12871-021-01555-8>
- Madadi, Z., Zeighami, R., Azimian, J., & . A. J. 2017. The effect of topical olive oil on prevention of bedsore in intensive care units patients. *Int J Res Med Scint J Res Med Sci*, 3 :2342–7.
- Mahmuda, I. N. N. 2019. Pencegahan Dan Tatalaksana Dekubitus Pada Geriatri. *Biomedika*, 11(1), 11. <https://doi.org/10.23917/biomedika.v11i1.5966>
- Mamoto, N., & Gessal, J. 2018. Rehabilitasi Medik pada Pasien Geriatri Ulkus Decubitus. *Jurnal Medik Dan Rehabilitasi*, 01(01), 32–37.
- Manna, B., Nahirniak, P., & Morrison., C. 2021. Wound Debridement. *StatPearls*.
- Marshall, J. C., Bosco, L., Adhikari, N. K., Connolly, B., Diaz, J. V., Dorman, T., Fowler, R. A., Meyfroidt, G., Nakagawa, S., Pelosi, P., Vincent, J. L., Vollman, K., & Zimmerman, J. 2017. What is an intensive care unit? A report of the task force of the World Federation of Societies of Intensive and Critical Care Medicine. *Journal of Critical Care*, 37, 270–276. <https://doi.org/10.1016/j.jcrc.2016.07.015>
- Megawati, S. W. 2019. Analisis Mortalitas Pasien di Ruang Intensive Care Unit (ICU). *Universitas Bhakti Kencana*, 127–135. <https://www.questionpro.com/blog/consecutive-sampling/>
- Meliza, S. C., Ritarwa, K., & Sitohang, N. A. 2020. The Prevention of Ulcers Decubitus with Mobilization and The Usage of Olive Oil on Stroke Patients. *Elkawnie*, 6(2), 189. <https://doi.org/10.22373/ekw.v6i2.6925>
- Melliawati, R. 2018. *Potensi Tanaman Lidah Buaya dan Keunikan Kapang Endofit yang Berasal dari Jaringannya*. BioTrends.
- Menteri Kesehatan RI. 2010. *Keputusan Menteri Kesehatan RI No. 1778 tahun 2010 tentang Pedoman Penyelenggaraan Pelayanan Intensive Care Unit (ICU) di Rumah Sakit* (pp. 1–19).
- Mervis, J. S., & Phillips, T. J. 2019. Pressure ulcers: Pathophysiology, Annisa Kirana Putri, 2023

- epidemiology, risk factors, and presentation. *Journal of the American Academy of Dermatology*, 81(4), 881–890. <https://doi.org/10.1016/j.jaad.2018.12.069>
- Miraj, S., Seyedmehdi, Pourafzali, Ahmadabadi2, Vakili, Z., & Rafiei, Z. 2020. Effect of Olive Oil in Preventing the Development of Pressure Ulcer Grade One in Intensive Care Unit Patients. *International Journal of Preventive Medicine*, 8, 1–5. <https://doi.org/10.4103/ijpvm.IJPVM>
- Mohamad-Abadi, N. M., Haghighat, S., Tajmir-Riahi, M., Asgari, S., & Eghbali-Babadi, M. 2023. The Effect of Aloe Vera Gel on Saphenous Vein Harvest Wound Healing and Local Pain in Non-diabetic Patients Undergoing CABG Surgery: A Clinical Trial. *Shiraz E Medical Journal*, 24(1), 1–9. <https://doi.org/10.5812/semj-122766>
- Moore, Z., Avsar, P., Conaty, L., Moore, D. H., Patton, D., & O'Connor, T. 2019. The prevalence of pressure ulcers in Europe, what does the European data tell us: A systematic review. *Journal of Wound Care*, 28(11), 710–719. <https://doi.org/10.12968/jowc.2019.28.11.710>
- National Pressure Ulcer Advisory Panel European Pressure Ulcer Advisory Panel and Pan Pacific Pressure Injury Alliance. 2014. Prevention and Treatment of Pressure Ulcers : Quick Reference Guide. In *Clinical Practice Guideline*.
- Nazir, F., Zahari, A., & Anas, E. 2018. Pengaruh Pemberian Gel Lidah Buaya (Aloe vera) Terhadap Gambaran Histopatologi Gaster Tikus Wistar yang Diinduksi Indometasin. *Jurnal Kesehatan Andalas*, 6(3), 641. <https://doi.org/10.25077/jka.v6.i3.p641-646.2017>
- Nugroho, T., & Rini, S. H. S. 2021. GAMBARAN DETEKSI DINI LUKA TEKAN DENGAN SKALA BRADEN PADA PASIEN DI RUANG ICU RSUD DR. H. SOEWONDO KENDAL. *Angewandte Chemie International Edition*, 6(11), 951–952., 2013–2015.
- Padmiasih, N. W. 2020. Pengaruh Mobilisasi Progresif Terhadap Kejadian Dekubitus Pada Pasien Dengan Ventilasi Mekanik Di Ruang ICU RSD Mangusada. *Indonesia Academia Health Sciences*, 1, 12–15.
- Panahi, Y., Rastgar, N., Zamani, A., & Sahebkar, A. 2020. Comparing the therapeutic effects of aloe vera and olive oil combination cream versus topical betamethasone for atopic dermatitis: A randomized double-blind clinical trial. *Journal of Pharmacopuncture*, 23(3), 173–178. <https://doi.org/10.3831/KPI.2020.23.3.173>
- Perdanakusuma, D. S. 2017. Cara Mudah Merawat Luka. *Surabaya: Airlangga University Press*, 1st ed, 1–81.
- Primalia, P., & Hudiyawati, D. 2020. Pencegahan dan Perawatan Luka Tekan pada

Annisa Kirana Putri, 2023

ANALISIS ASUHAN KEPERAWATAN INTERVENSI INOVASI TERAPI KOMBINASI ALOE VERA GEL DAN OLIVE OIL UNTUK MENCEGAH TERJADINYA PRESSURE ULCER PADA PASIEN KRITIS DI RUANG INTENSIVE CARE UNIT (ICU)

UPN Veteran Jakarta, Fakultas Ilmu Kesehatan, Pendidikan Profesi Ners Program Profesi
[www.upnvj.ac.id – www.library.upnvj.ac.id – www.repository.upnvj.ac.id]

- Pasien Stroke di Ruang ICU. *Jurnal Berita Ilmu Keperawatan*, 13(2), 110–116.
- Putra, H. S. 2018. Gambaran Karakteristik Pasien di Intensive Care Unit Rumah Sakit Universitas Sumatera Utara Medan. In *Universitas Sumatera Utara*. <http://repositori.usu.ac.id/handle/123456789/7580>
- Rahmanti, A., & Kartika Putri, D. 2016. Mobilisasi Progresif Terhadap Perubahan Tekanan Darah Pasien Di Intensive Care Unit (Icu). *Jurnal Ilmiah Kesehatan Keperawatan*, 12(1), 20–25. <https://doi.org/10.26753/jikk.v12i1.136>
- Rukmi, D. K., Dewi, S. U., Pertami, S. B., Agustina, A. N., Carolina, Y., Janes, H. W., Jainurakhma, Emawati, N., Rahmi, U., & Lubna, S. 2022. *Metodologi Asuhan Keperawatan* (Ronal Wantrianthos (ed.)). Yayasan Kita Menulis.
- Rustina, R. 2016. *Pengaruh Penggunaan Kasur Anti Dekubitus Program Studi S-1 Keperawatan*.
- Rutherford, C., Brown, J. M., Smith, I., McGinnis, E., Wilson, L., Gilberts, R., Brown, S., Coleman, S., Collier, H., & Nixon, J. 2018. A patient-reported pressure ulcer health-related quality of life instrument for use in prevention trials (PU-QOL-P): Psychometric evaluation. *Health and Quality of Life Outcomes*, 16(1), 1–11. <https://doi.org/10.1186/s12955-018-1049-x>
- Safira, & Elita, R. 2021. *Karya Ilmiah Akhir Ners: Asuhan Keperawatan Penurunan Kapasitas Adaptif Intrakranial Pada Pasien Stroke Hemoragik Di Ruang Intensive Care Unit (Icu) Sentral Rumah Sakit Pusat Angkatan Laut Dr. Ramlan Surabaya* (p. Google Scholar).
- Safitri, A., Daro, Y. A., & Sulahyunningsih, E. 2019. EFEKTIVITS MINYAK SUMBAWA DAN VIRGIN COCONUT OIL DALAM PENCEGAHAN LUCA TEKAN PADA PASIEN KRITIS DI ICU RSUD SUMBAWA. *Seminar Nasional Kesehatan Masyarakat UMS*, 503–508. <https://doi.org/10.1016/B978-0-12-813467-2.00077-8>
- Said, S., Haskas, Y., & Semana, A. 2013. Faktor Yang Mempengaruhi Terjadinya Dekubitus Pada Pasien Yang Dirawat Di Ruang Icu Rs Labuang Baji Makassar. *Jurnal Ilmiah Kesehatan Diagnosis*, 2(1), 7–12.
- Sari, E. K., Nisofa, N., Saputra, R. Y., Masriami, M., Khoirudin, M., Lahamukang, R. M., & Thomas, K. Y. I. 2020. Nursing Care of Patient With Sepsis Due To Blast Injury. *Journal of Nursing Science Update (JNSU)*, 8(1), 15–21. <https://doi.org/10.21776/ub.jik.2020.008.01.3>
- Setiani, D. 2014. Efektif Massage dengan Virgin Coconut Oil Terhadap Pencegahan Luka Tekan di Intensive Care Unit. *Jurnal Husada Mahakam*, 3(8), 389–442. <http://repository.urecol.org/index.php/procedding/article/view/681>

- Setiani, D., & Imamah, I. N. 2019. Identifikasi Bakteri dan Faktor Risiko Kejadian Pressure Ulcer di RSUD AWS Samarinda. *Husada Mahakam: Jurnal Kesehatan*, 4(7), 391. <https://doi.org/10.35963/hmjk.v4i7.145>
- Shakibamehr, J., Rad, M., Akrami, R., & Rad, M. 2019. Effectiveness of Tragacanth Gel Cushions in Prevention of Pressure Ulcer in Traumatic Patients: a Randomized Controlled Trial. *Journal of Caring Sciences*, 8(1), 45–49. <https://doi.org/10.15171/jcs.2019.007>
- Shuk-Fan, T., Joanne, Y., Kit-Lun, Y., & Marcus Chun-Wah, Y. 2016. Pressure Ulcer Wound Care for Elderly in Home: A Case Report. *Journal of Dermatology Research and Therapy*, 2(3). <https://doi.org/10.23937/2469-5750/1510028>
- Sönmez, M., & Güneş Yapucu, Ü. 2020. Preventive effect of extra virgin olive-oil on pressure injury development a randomised controlled trial in Turkey. *Complementary Therapies in Clinical Practice*, 40, 101208. <https://doi.org/10.1016/j.ctcp.2020.101208>
- Spear, M. 2013. Pressure ulcers: What are the implications? *Plastic Surgical Nursing*, 33(3), 147–149. <https://doi.org/10.1097/PSN.0b013e3182a57622>
- Sue Moorhead, Swanson, E., Johnson, M., & Maas, M. 2013. *Nursing Outcomes Classification (NOC)*. Missouri: Elsevier.
- Sukurni, Rosa, E. M., Yuniarti, F. A., & Khoiriyati, A. 2018. Efektifitas Skala Braden Dan Skala Waterlow Dalam Mendeteksi Dini Resiko Terjadinya Pressure Ulcer Di Ruang Perawatan Rumah Sakit “X.” *Jurnal Kesehatan Karya Husada*, 6(2), 120–138.
- Suwardianto, H., & Ayu Kartika, D. 2019. *Sleep Hygiene, Strategi Mengurangi Tingkat Nyeri Pasien Kritis*. Lembaga Chakra Brahmana Lentera. <https://books.google.co.id/books?id=OiroDwAAQBAJ>
- Suwardianto, H., Prasetyo, A., & Utami, R. S. 2017. PHISICAL FUNCTION (MOTOR ACTIVITY) PADA PASIEN KRITIS DENGAN SEDATION DI INTENSIVE CARE UNIT. *Hubungan Pengetahuan Tentang Manajemen Bencana Dengan Prevention Masyarakat Dalam Menghadapi Bencana Gunung Meletus Pada Kepala Keluarga Di Rt 06/Rw 01 Dusun Puncu Desa Puncu Kecamatan Puncu-Kediri*, 5(2), 1–8.
- Tayyib, N., Coyer, F., & Lewis, P. A. 2016. Implementing a pressure ulcer prevention bundle in an adult intensive care. *Intensive and Critical Care Nursing*, 37, 27–36. <https://doi.org/10.1016/j.iccn.2016.04.005>
- Tim Pokja SDKI DPP PPNI. 2017. *Standar Diagnosis Keperawatan Indonesia (SDKI)* (Edisi 1). Persatuan Perawat Indonesia.

- Torra i Bou, J.-E., García-Fernández, F. P., Pancorbo-Hidalgo, P. L., & Furtado, K. (2006). Risk Assessment Scales for Predicting the Risk of Developing Pressure Ulcers. *Science and Practice of Pressure Ulcer Management*, 43–57. https://doi.org/10.1007/1-84628-134-2_6
- Trisnaningtyas, W., Retnaningsih, & Rochana, N. 2021. *Gambaran Resiko Luka Tekan (Pressure Injury) Pada Pasien Kritis*. 6(1), 19–29.
- VanGilder, C., Lachenbruch, C., Algrim-Boyle, C., & Meyer, S. 2017. The international pressure ulcer PrevalenceTM Survey: 2006-2015: A 10-year pressure injury prevalence and demographic trend analysis by care setting. *Journal of Wound, Ostomy and Continence Nursing*, 44(1), 20–28. <https://doi.org/10.1097/WON.0000000000000292>
- Vollman, K. M. 2013. Understanding critically ill patients hemodynamic response to mobilization: Using the evidence to make it safe and feasible. *Critical Care Nursing Quarterly*, 36(1), 17–27. <https://doi.org/10.1097/CNQ.0b013e3182750767>
- Wahidin, M. 2017. Penerapan Norton Scale Untuk Mencegah Luka Tekan. *Community of Publishing in Nursing (COPING)*, 5(2), 81–88.
- Walash, A. M., Elhana, O., Abo, K., & El-sol, A. E. H. 2019. Efficacy of Dressing by Aloe Vera Gel on Healing and Pain among Burned Patients. *American Journal of Nursing Research*, 7(6), 1028–1040. <https://doi.org/10.12691/ajnr-7-6-17>
- Wardani, E. M., Nugroho, R. F., Nahdlatul, U., Surabaya, U., Gizi, J., & Surabaya, P. K. 2022. *Implementasi Masase Neuroprefusi dan Alih Baring Terhadap Risiko Dekubitus Pasien Post Stroke*. 1(1), 9–15.
- Yeyen, & Mohammad. 2018. *Hubungan Pengetahuan Perawat dengan Pelaksanaan Asuhan Keperawatan pada Pasien Epidural Hematom di Rumah Sakit Umum Daerah Pohawato*. 1–2(34), 78–90.
- Yilmazer, T., & Tuzer, H. 2019. Pressure Ulcer Prevention Care Bundle: A Cross - Sectional, Content Validation Study. *Wound Management and Prevention*, 65(5), 33–39. <https://doi.org/10.25270/wmp.2019.3339>
- Yu, T. C., Jowsey, T., & Henning, M. 2018. Evaluation of a modified 16-item Readiness for Interprofessional Learning Scale (RIPLS): Exploratory and confirmatory factor analyses. *Journal of Interprofessional Care*, 32(5), 584–591. <https://doi.org/10.1080/13561820.2018.1462153>