

DAFTAR PUSTAKA

- A., R. and K., T. (2021) ‘A clinico-epidemiological study of mask induced facial dermatoses due to increased mask usage in general public during COVID-19 pandemic’, *International Journal of Research in Dermatology*, 7(2), p. 232. doi: 10.18203/issn.2455-4529.intjresdermatol20210574.
- Afriyanti, R. N. (2015) ‘Mikrobiologi Umum’, *Journal Majority*, 4(6), pp. 102–109.
- Ahmad, M. D. F. *et al.* (2021) ‘A novel perspective approach to explore pros and cons of face mask in prevention the spread of SARS-CoV-2 and other pathogens’, *Saudi Pharmaceutical Journal*, 29(2), pp. 121–133. doi: 10.1016/j.jsps.2020.12.014.
- Astrid Teresa (2020) ‘Akne Vulgaris Dewasa : Etiologi, Patogenesis Dan Tatalaksana Terkini’, *Jurnal Kedokteran Universitas Palangka Raya*, 8(1), pp. 952–964. doi: 10.37304/jkupr.v8i1.1500.
- Atmojo dkk, J. T. (2020) ‘The Use of Masks in the Prevention and Management of COVID-19: Rationality, Effectiveness and Current Issues’, *Journal of Health Research*, 3(2), pp. 84–95.
- Canpolat, F., Kurmus, G. I. and Gönül, M. (2018) ‘Acne conglobata’, *The British journal of dermatology and syphilis*, 60(1), p. 18. doi: 10.1177/003591573703100213.
- CDC (2020) ‘Understanding the Difference’, *Cdc*, p. 2015. Available at: <https://www.cdc.gov/niosh/npptl/pdfs/UnderstandingDifference3-508.pdf>.
- Chaiyabutr, C. *et al.* (2021) ‘Adverse skin reactions following different types of mask usage during the COVID-19 pandemic’, *Journal of the European Academy of Dermatology and Venereology*, 35(3), pp. e176–e178. doi: 10.1111/jdv.17039.
- Chaiyabutr, C., Sukakul, T., Pruksaeakanan, C., Thumrongtharadol, J., & Boonchai, W. (2021). „Adverse skin reactions following different types of mask usage during the COVID-19 pandemic“. *Journal of the European Academy of Dermatology and Venereology*, 35(3), e176–e178. <https://doi.org/10.1111/jdv.17039>
- Dhivyadharshini, J., Somasundaram, J. and Brundha, M. P. (2020) ‘Composition and uses of N95 masks -a review’, *European Journal of Molecular and Clinical Medicine*, 7(1), pp. 1529–1540.

- Dogan, E. I., & Kaya, F. (2021). „Dermatological findings in patients admitting to dermatology clinic after using face masks during Covid-19 pandemic: A new health problem.“ *Dermatologic Therapy*, March, 1–7. <https://doi.org/10.1111/dth.14934>
- Dréno, B. (2017) ‘What is new in the pathophysiology of acne, an overview’, *Journal of the European Academy of Dermatology and Venereology*, 31, pp. 8–12. doi: 10.1111/jdv.14374.
- Foo, C. C. I., Goon, A. T. J., Leow, Y. H., & Goh, C. L. (2006). „Adverse skin reactions to personal protective equipment against severe acute respiratory syndrome - A descriptive study in Singapore.“ *Contact Dermatitis*, 55(5), 291–294. <https://doi.org/10.1111/j.1600-0536.2006.00953.x>
- Fox, L. *et al.* (2016) ‘Treatment modalities for acne’, *Molecules*, 21(8), pp. 1–20. doi:10.3390/molecules21081063.
- Giacalone, S., Minuti, A., Spigariolo, C. B., Passoni, E., & Nazzaro, G. (2021). „Facial dermatoses in the general population due to wearing of personal protective masks during the COVID-19 pandemic: first observations after lockdown.“ *Clinical and Experimental Dermatology*, 46(2), 368–369. <https://doi.org/10.1111/ced.14376>
- Goldsmith, L. A., Katz, S. I., Gilchrest, B. A., Paller, A. S., Leffell, D. J., & Wolff, K. (Eds.). (2012). *Fitzpatrick’s Dermatology in General Medicine* (8 ed.). McGraw-Hill
- Gomolin, T. A., Cline, A., & Russo, M. (2020). „Maskne: Exacerbation or Eruption of Acne During the COVID-19 Pandemic“. *The Journal of Cutaneous Medicine*, 4(5), 438–439. <https://doi.org/10.25251/skin.4.5.7>
- Han, C., Shi, J., Chen, Y., & Zhang, Z. (2020). „Increased flare of acne caused by long-time mask wearing during COVID-19 pandemic among general population.“ *Dermatologic Therapy*, 33(4), 3–5. <https://doi.org/10.1111/dth.13704>
- Hauk, L. (2017) ‘Acne Vulgaris: Treatment Guidelines from the AAD’, *American family physician*, 95(11), pp. 740–741.
- Hayat, W. *et al.* (2020) ““ Maskne ” (Mask Induced Acne) in Health Care Professionals of Tertiary Care Hospitals of Lahore During Covid-19 Pandemic”, *Pakistan Postgraduate Medical Journal*, 31(2), pp. 61–65.
- Heng, A. H. S. and Chew, F. T. (2020) ‘Systematic review of the epidemiology of acne vulgaris’, *Scientific Reports*, 10(1), pp. 1–29. doi: 10.1038/s41598-020-62715-3.
- Hidajat, D. (2020) ‘MASKNE: Akne Akibat Masker’, *Unram Medical Journal*, 9(3), pp. 202–

214. doi: 10.29303/jku.v9i3.433.
- Hidajat, D. (2020). „Maskne: Akne Akibat Masker.“ *Jurnal Kedokteran*, 9(2)(2), 202-214.
- İnan Doğan, E. and Kaya, F. (2021) ‘Dermatological findings in patients admitting to dermatology clinic after using face masks during Covid-19 pandemic: A new health problem’, *Dermatologic Therapy*, 34(3), pp. 1–7. doi: 10.1111/dth.14934.
- Inayah, D. R. (2022) ‘Penggunaan Masker dan Kejadian Maskne Di Era Pandemi Covid-19 : Sebuah’, *Lombok Medical Journal*, 1(1), pp. 52–60. Available at: file:///C:/Users/asus/Downloads/520-Article Text-1684-1-10-20220119 (3).pdf.
- Kang, S., Amagai, M., Bruckner, A. L., Enk, A. H., Margolis, D. J., McMichael, A. J., & Orringer, J. S. (Eds.). (2019). *Fitzpatrick’s Dermatology Volume I* (9 ed.). McGraw-Hill Education.
- Kosasih, L. P. (2020) ‘MASKNE: Mask-Induced Acne Flare During Coronavirus Disease-19. What is it and How to Manage it? | Open Access Macedonian Journal of Medical Sciences’, 8,pp. 411–415. Available at: <https://www.id-press.eu/mjms/article/view/5388>.
- Lehmann, H. P. et al. (2002) ‘Acne therapy: A methodologic review’, *Journal of the American Academy of Dermatology*, 47(2), pp. 231–240. doi: 10.1067/mjd.2002.120912.
- Leung, A. K. C. et al. (2020) ‘Dermatology: How to manage acne vulgaris’, *Drugs in Context*, 10, pp. 1–18. doi: 10.7573/dic.2021-8-6.
- Li, K. K. W. et al. (2020) ‘FFP3, FFP2, N95, surgical masks and respirators: what should we be wearing for ophthalmic surgery in the COVID-19 pandemic?’, *Graefe’s Archive for Clinical and Experimental Ophthalmology*, 258(8), pp. 1587–1589. doi: 10.1007/s00417-020-04751-3.
- Lynn, D. et al. (2016) ‘The epidemiology of acne vulgaris in late adolescence’, *Adolescent Health, Medicine and Therapeutics*, p. 13. doi: 10.2147/ahmt.s55832.
- Mauliza, M., Elmiyati, E. and Andri, A. (2020) ‘Pengaruh Penggunaan Kosmetik Terhadap Acne Vulgaris Pada Remaja Putri Kelas I Dan Kelas II Sma Negeri 4 Banda Aceh’, *Jurnal Ilmu Kedokteran dan Kesehatan*, 7(1), pp. 433–439. doi: 10.33024/jikk.v7i1.2320.
- Narang, I., Sardana, K., Bajpai, R., & Garg, V. K. (2019). „Seasonal aggravation of acne in summers and the effect of temperature and humidity in a study in a tropical setting.“ *Journal of Cosmetic Dermatology*, 18(4), 1098–1104. <https://doi.org/10.1111/jocd.12777>
- Oon, H. H. et al. (2019) ‘Acne management guidelines by the Dermatological society of

- Singapore', *Journal of Clinical and Aesthetic Dermatology*, 12(7), pp. 34–50.
- Panonsih, R. N. et al. (2021) 'Hubungan Stress Dan Kebersihan Wajah Terhadap Kejadian Akne Vulgaris Pada Mahasiswa Kedokteran Universitas Malahayati', *Malahayati Nursing Journal*, 3(1), pp. 11–18. doi: 10.33024/manuju.v3i1.3398.
- PERDOSKI (2017) *Panduan Praktik Klinis, PPK PERDOSKI*. doi: 10.1021/jo900140t.
- Ramesh, A., & Thamizhinian, K. (2021). „A clinico-epidemiological study of mask induced facial dermatoses due to increased mask usage in general public during COVID-19 pandemic.“ *International Journal of Research in Dermatology*, 7(2), 232. <https://doi.org/10.18203/issn.2455-4529.intjresdermatol20210574>
- Rosner, E. (2020). „Adverse Effects of Prolonged Mask Use among Healthcare Professionals during COVID-19.“ *Journal of Infectious Diseases and Epidemiology*, 6(3), 6–10. <https://doi.org/10.23937/2474-3658/1510130>
- Searle, T., Ali, F. R., & Al-Niaimi, F. (2021). „Identifying and addressing “Maskne” in clinical practice.“ *Dermatologic Therapy*, 34(1). <https://doi.org/10.1111/dth.14589>
- Sibero, H. T., Sirajudin, A. and Anggraini, D. (2019) ‘Prevalensi dan Gambaran Epidemiologi Akne Vulgaris di Provinsi Lampung The Prevalence and Epidemiology of Acne Vulgaris in Lampung’, *Jurnal Farmasi Komunitas*, 3(2), pp. 62–68. Available at: <https://ejournal.unair.ac.id/JFK/article/view/21922>.
- Sinaga, F. (2022) ‘Gambaran Pemakaian Kosmetik Pada Pasien Akne Vulgaris Di Poliklinik Kulit Dan Kelamin Rsu Royal Prima Dan Murni Teguh Memorial Hospital Kota Medan’, *Nommensen Journal of Medicine*, 8(1), pp. 10–13. doi: 10.36655/njm.v8i1.626.
- Sinha, A., & Singh, A. R. (2020). „An unforeseen hazard of masks being in vogue.“ *International Journal of Occupational and Environmental Medicine*, 11(4), 213–214. <https://doi.org/10.34172/ijoem.2020.2211>
- Stewart, C. L. et al. (2020) ‘Personal Protective Equipment and COVID-19: A Review for Surgeons’, *Annals of surgery*, 272(2), pp. e132–e138. doi: 10.1097/SLA.0000000000003991.
- Syahidah, A. et al. (2017) ‘Phytochemical analysis, identification and quantification of antibacterial active compounds in betel leaves, piper betle methanolic extract’, *Pakistan Journal of Biological Sciences*, 20(2), pp. 70–81. doi: 10.3923/pjbs.2017.70.81.
- Tan, A. U., Schlosser, B. J. and Paller, A. S. (2018) ‘A review of diagnosis and treatment of acne in adult female patients’, *International Journal of Women’s Dermatology*, 4(2), pp. 56–

71. doi: 10.1016/j.ijwd.2017.10.006.

- Techasatian, L., Lebsing, S., Uppala, R., Thaowandee, W., Chaiyarat, J., Supakunpinyo, C., Panombualert, S., Mairiang, D., Saengnipanthkul, S., Wichajarn, K., Kiatchoosakun, P., & Kosalaraksa, P. (2020). „The Effects of the Face Mask on the Skin Underneath: A Prospective Survey During the COVID-19 Pandemic.“ *Journal of Primary Care and Community Health*, 11. <https://doi.org/10.1177/2150132720966167>
- Teo, W. L. (2021). „Diagnostic and management considerations for “maskne” in the era of COVID-19.“ *Journal of the American Academy of Dermatology*, 84(2), 520–521. <https://doi.org/10.1016/j.jaad.2020.09.063> Teo, W. L. (2021). „The “Maskne” microbiome – pathophysiology and therapeutics.“ *International Journal of Dermatology*. <https://doi.org/10.1111/ijd.15425>
- Teo, W. L. (2021). „Diagnostic and management considerations for “maskne” in the era of COVID-19.“ *Journal of the American Academy of Dermatology*, 84(2), 520–521. <https://doi.org/10.1016/j.jaad.2020.09.063>.
- Teo, W. L. (2021). „The “Maskne” microbiome – pathophysiology and therapeutics.“ *International Journal of Dermatology*. <https://doi.org/10.1111/ijd.15425>
- Wan-Lin, T. (2021) ‘Diagnostic and management considerations for “maskne” in the era of COVID-19’, *Journal of the American Academy of Dermatology*, 84(2), pp. 517–520.
- WHO (2020) ‘Mask use in the context of COVID-19’, *World Health Organization*, (December), pp. 1–22. Available at: [https://www.who.int/publications/i/item/advice-on-the-use-of-masks-in-the-community-during-home-care-and-in-healthcare-settings-in-the-context-of-the-novel-coronavirus-\(2019-ncov\)-outbreak](https://www.who.int/publications/i/item/advice-on-the-use-of-masks-in-the-community-during-home-care-and-in-healthcare-settings-in-the-context-of-the-novel-coronavirus-(2019-ncov)-outbreak).
- Yang, J. et al. (2020) ‘A Review of Advancement on Influencing Factors of Acne: An Emphasis on Environment Characteristics’, *Frontiers in Public Health*, 8(September), pp. 1–16. doi: 10.3389/fpubh.2020.00450.
- Yenny, S. W. (2019) ‘Resistensi Antibiotik Pada Pengobatan Akne Vulgaris’, *Media Dermato Venereologica Indonesiana*, 45(2), pp. 111–115. doi: 10.33820/mdvi.v45i2.24.
- Zhang, J. Z. et al. (2021) ‘Association between acne and smoking: systematic review and meta-analysis of observational studies’, *Chinese Medical Journal*, 134(15), pp. 1887–1888. doi: 10.1097/CM9.0000000000001286.
- Zhang, Z. et al. (2022) ‘Dermatomal somatosensory evoked potentials and cortical

somatosensory evoked potentials assessment in congenital scoliosis', *BMC Neurology*, 22(1), pp. 1–9. doi: 10.1186/s12883-022-02579-4.

Zuo, Y., Hua, W., Luo, Y., & Li, L. (2020). „Skin reactions of N95 masks and medial masks among health-care personnel: A self-report questionnaire survey in China.“ *Contact Dermatitis*, 83(2), 145–147. <https://doi.org/10.1111/cod.13555>