

DAFTAR PUSTAKA

- Ali, M. *et al.* (2022) ‘SARS-CoV-2 Variants of Concern (VOC): A Review’, *Clinical Research in Immunology*, 4(1), pp. 13–16.
- Aparicio, H.J. *et al.* (2019) ‘Temporal Trends in Ischemic Stroke Incidence in Younger Adults in the Framingham Study’, *Stroke*, 50(6), pp. 1558–1560. <https://doi.org/10.1161/STROKEAHA.119.025171>.
- Arnold Fiebelkorn, C. *et al.* (2018) ‘Frequency of Acute and Subacute Infarcts in a Population-Based Study’, *Mayo Clinic Proceedings*, 93(3), pp. 300–306. <https://doi.org/10.1016/j.mayocp.2017.11.021>.
- Avula, A. *et al.* (2020) ‘COVID-19 presenting as stroke’, *Brain, Behavior, and Immunity*, 87, pp. 115–119. <https://doi.org/10.1016/j.bbi.2020.04.077>.
- Balgis, B., Sumardiyyono, S. and Handayani, S. (2022) ‘HUBUNGAN ANTARA PREVALENSI HIPERTENSI, PREVALENSI DM DENGAN PREVALENSI STROKE di INDONESIA (ANALISIS DATA RISKESDAS DAN PROFIL KESEHATAN 2018)’, *Jurnal Kesehatan Masyarakat (Undip)*, 10(3), pp. 379–384. <https://doi.org/10.14710/jkm.v10i3.33243>.
- Belani, P. *et al.* (2020) ‘COVID-19 Is an Independent Risk Factor for Acute Ischemic Stroke’, *American Journal of Neuroradiology*, 41(8), pp. 1361–1364. <https://doi.org/10.3174/ajnr.A6650>.
- Boehme, A.K., Esenwa, C. and Elkind, M.S.V. (2017) ‘Stroke Risk Factors, Genetics, and Prevention’, *Circulation Research*, 120(3), pp. 472–495. <https://doi.org/10.1161/CIRCRESAHA.116.308398>.
- Brihn, A. *et al.* (2021) ‘Diagnostic Performance of an Antigen Test with RT-PCR for the Detection of SARS-CoV-2 in a Hospital Setting — Los Angeles County, California, June–August 2020’, *MMWR. Morbidity and Mortality Weekly Report*, 70(19), pp. 702–706. <https://doi.org/10.15585/mmwr.mm7019a3>.
- Budianto, P. *et al.* (2021) ‘PATOFISIOLOGI & ETIOLOGI’, in *STROKE ISKEMIK AKUT: DASAR DAN KLINIS*. Surakarta: Ilmu Penyakit Saraf Rumah Sakit Universitas Sebelas Maret, p. 33.
- Campbell, B.C. v. *et al.* (2019) ‘Ischaemic stroke’, *Nature Reviews Disease Primers*, 5(1), p. 70. <https://doi.org/10.1038/s41572-019-0118-8>.
- Cascella, M. *et al.* (2022) *Features, Evaluation, and Treatment of Coronavirus (COVID-19)*. Treasure Island (FL): StatPearls Publishing.
- Chandra, A. *et al.* (2017) ‘The cerebral circulation and cerebrovascular disease I: Anatomy’, *Brain Circulation*, 3(2), p. 45. https://doi.org/10.4103/bc.bc_10_17.
- Cheung, K.S. *et al.* (2020) ‘Gastrointestinal Manifestations of SARS-CoV-2 Infection and Virus Load in Fecal Samples From a Hong Kong Cohort: Systematic Review and Meta-analysis’, *Gastroenterology*, 159(1), pp. 81–95. <https://doi.org/10.1053/j.gastro.2020.03.065>.
- Chohan, S., Venkatesh, P. and How, C. (2019) ‘Long-term complications of stroke and secondary prevention: an overview for primary care physicians’, *Singapore Medical Journal*, 60(12), pp. 616–620. <https://doi.org/10.11622/smedj.2019158>.

- Chugh, C. (2019) ‘Acute Ischemic Stroke: Management Approach’, *Indian Journal of Critical Care Medicine*, 23(S2), pp. 140–146. <https://doi.org/10.5005/jp-journals-10071-23192>.
- Czap, A.L. and Sheth, S.A. (2021) ‘Overview of Imaging Modalities in Stroke’, *Neurology*, 97(20 Supplement 2), pp. S42–S51. <https://doi.org/10.1212/WNL.00000000000012794>.
- Dillon, W.P. (2017) ‘Neuroimaging in Neurological Disorders’, in S.L. Hauser (ed.) *Harrison’s Neurology in Clinical Medicine*. 4th edn. California: McGraw-Hill Education, p. 13.
- Dutta, D. et al. (2022) ‘COVID-19 Diagnosis: A Comprehensive Review of the RT-qPCR Method for Detection of SARS-CoV-2’, *Diagnostics*, 12(6), p. 1503. <https://doi.org/10.3390/diagnostics12061503>.
- Elkhalifa, A.M. (2018) ‘Effects of cigarette smoking on coagulation screening tests and platelet counts in a Sudanese male adults population’, *Saudi Medical Journal*, 39(9), pp. 897–901. <https://doi.org/10.15537/smj.2018.9.22630>.
- Ellul, M.A. et al. (2020) ‘Neurological associations of COVID-19’, *The Lancet Neurology*, 19(9), pp. 767–783. [https://doi.org/10.1016/S1474-4422\(20\)30221-0](https://doi.org/10.1016/S1474-4422(20)30221-0).
- Feske, S.K. (2021) ‘Ischemic Stroke’, *The American Journal of Medicine*, 134(12), pp. 1457–1464. <https://doi.org/10.1016/j.amjmed.2021.07.027>.
- Finsterer, J. et al. (2022) ‘Ischemic stroke in 455 COVID-19 patients’, *Clinics*, 77, pp. 1–4. <https://doi.org/10.1016/j.climsp.2022.100012>.
- Gaillard, T. and Miller, E. (2018) ‘Guidelines for Stroke Survivors With Diabetes Mellitus’, *Stroke*, 49(6). <https://doi.org/10.1161/STROKEAHA.118.020745>.
- Gardener, H. et al. (2020) ‘Race and Ethnic Disparities in Stroke Incidence in the Northern Manhattan Study’, *Stroke*, 51(4), pp. 1064–1069. <https://doi.org/10.1161/STROKEAHA.119.028806>.
- Garrigues, E. et al. (2020) ‘Post-discharge persistent symptoms and health-related quality of life after hospitalization for COVID-19’, *Journal of Infection*, 81(6), pp. e4–e6. <https://doi.org/10.1016/j.jinf.2020.08.029>.
- Ghoneem, A. et al. (2022) ‘Association of Socioeconomic Status and Infarct Volume With Functional Outcome in Patients With Ischemic Stroke’, *JAMA Network Open*, 5(4), p. e229178. <https://doi.org/10.1001/jamanetworkopen.2022.9178>.
- GOCGUN, N. and İKİZCELİ, T. (2021) ‘Imaging Findings of Ischemic Stroke Associated with COVID-19’, *Phoenix Medical Journal* [Preprint]. <https://doi.org/10.38175/phnx.875923>.
- Goldberg, Michael F. et al. (2020) ‘Cerebrovascular Disease in COVID-19’, *American Journal of Neuroradiology*, 41(7), pp. 1170–1172. <https://doi.org/10.3174/ajnr.A6588>.
- Grewal, P. et al. (2020) ‘Acute Ischemic Stroke and COVID-19: Experience From a Comprehensive Stroke Center in Midwest US’, *Frontiers in Neurology*, 11. <https://doi.org/10.3389/fneur.2020.00910>.
- Hauer, A.J. et al. (2017) ‘Age-Specific Vascular Risk Factor Profiles According to Stroke Subtype’, *Journal of the American Heart Association*, 6(5). <https://doi.org/10.1161/JAHA.116.005090>.

- Hernández-Díaz, Z. (2017) ‘Confounding Imaging Findings in Subacute-Chronic Cerebral Infarction’, *Austin Journal of Cerebrovascular Disease & Stroke*, 4(3). <https://doi.org/10.26420/austinjcerebrovascdisstroke.2017.1063>.
- Hidayat, R. et al. (2022) ‘Ischemic stroke in COVID-19 patients: a cross-sectional study from an Indonesian COVID-19 referral hospital’, *The Egyptian Journal of Neurology, Psychiatry and Neurosurgery*, 58(1), p. 93. <https://doi.org/10.1186/s41983-022-00528-z>.
- Holmes, E.J. and Misra, R.R. (2017) *Interpretation of Emergency Head CT*. 2nd edn. United Kingdom: Cambridge University Press.
- Howard, V.J. et al. (2019) ‘Sex and Race Differences in the Association of Incident Ischemic Stroke With Risk Factors’, *JAMA Neurology*, 76(2), pp. 179–186. <https://doi.org/10.1001/jamaneurol.2018.3862>.
- Ismail, N. et al. (2022) ‘ASSOCIATION OF SMOKING AND SEVERITY OF COVID-19 INFECTION AMONG 5,889 PATIENTS IN MALAYSIA: A MULTI-CENTER OBSERVATIONAL STUDY’, *International Journal of Infectious Diseases*, 116, pp. 189–196. <https://doi.org/10.1016/j.ijid.2022.01.011>.
- Jiang, C. et al. (2019) ‘Ischemic Stroke in Pontine and Corona Radiata: Location Specific Impairment of Neural Network Investigated With Resting State fMRI’, *Frontiers in Neurology*, 10. <https://doi.org/10.3389/fneur.2019.00575>.
- John, S. et al. (2020) ‘Clinical characteristics and admission patterns of stroke patients during the COVID 19 pandemic: A single center retrospective, observational study from the Abu Dhabi, United Arab Emirates’, *Clinical Neurology and Neurosurgery*, 199, p. 106227. <https://doi.org/10.1016/j.clineuro.2020.106227>.
- Ju, Y.W. et al. (2022) ‘Causes and Trends of Disabilities in Community-Dwelling Stroke Survivors: A Population-Based Study’, *Brain & Neurorehabilitation*, 15(1). <https://doi.org/10.12786/bn.2022.15.e5>.
- Karvigh, S.A. et al. (2021) ‘Ischemic Stroke in Patients with COVID-19 Disease: A Report of 10 Cases from Iran’, *Cerebrovascular Diseases*, 50(2), pp. 239–244. <https://doi.org/10.1159/000513279>.
- Kementrian Kesehatan RI (2021) *Profil Kesehatan Indonesia 2021*.
- Khariri, K. and Saraswati, R.D. (2021) ‘Transisi Epidemiologi Stroke sebagai Penyebab Kematian pada Semua Kelompok Usia di Indonesia’, *Seminar Nasional Riset Kedokteran (SENSORIK)*, 2, pp. 81–85.
- Khedr, E.M. et al. (2021) ‘Clinical and Radiological Characteristics of Acute Cerebrovascular Diseases Among Egyptian Patients With COVID-19 in Upper Egypt’, *Frontiers in Neurology*, 12. <https://doi.org/10.3389/fneur.2021.635856>.
- Kızırk, M.A., Müftüoğlu, Z. and Yıldırım, T. (2021) ‘Limitations and challenges on the diagnosis of COVID-19 using radiology images and deep learning’, in *Data Science for COVID-19*. Elsevier, pp. 91–115. <https://doi.org/10.1016/B978-0-12-824536-1.00007-1>.
- Koh, S.-H. and Park, H.-H. (2017) ‘Neurogenesis in Stroke Recovery’, *Translational Stroke Research*, 8(1), pp. 3–13. <https://doi.org/10.1007/s12975-016-0460-z>.
- Kshatri, J.S. et al. (2022) ‘Analysis of the COVID-19 testing parameters and progression of the pandemic at the district level: findings from the ICMR Hundred Million Test (HMT) database during the first wave in India’, *International Journal Arinda Maharanai, 2023*
- GAMBARAN BRAIN CT SCAN PASIEN STROKE ISKEMIK DENGAN COVID-19 DI RS PON TAHUN 2021
UPN “Veteran” Jakarta, Fakultas Kedokteran, S1 Kedokteran
[www.upnvj.ac.id – www.library.upnvj.ac.id – www.repository.upnvj.ac.id]

- of Infectious Diseases*, 122, pp. 497–505.
<https://doi.org/10.1016/j.ijid.2022.06.027>.
- Kuriakose, D. and Xiao, Z. (2020) ‘Pathophysiology and Treatment of Stroke: Present Status and Future Perspectives’, *International Journal of Molecular Sciences*, 21(20), p. 7609. <https://doi.org/10.3390/ijms21207609>.
- Kurian, C. *et al.* (2022) ‘Bihemispheric ischemic strokes in patients with COVID-19’, *Brain Circulation*, 8(1), p. 10. https://doi.org/10.4103/bc.bc_65_21.
- Kurnianto, A. *et al.* (2020) ‘Penyakit Stroke dan Infeksi Corona Virus Disease 2019 (COVID-19): Sebuah Tinjauan Literatur’, *Medica Hospitalia : Journal of Clinical Medicine*, 7(1A), pp. 241–248. <https://doi.org/10.36408/mhjcm.v7i1A.458>.
- Kutsuna, S. (2021) ‘Clinical Manifestations of Coronavirus Disease 2019’, *JMA Journal*, 4(2), pp. 76–80. <https://doi.org/10.31662/jmaj.2021-0013>.
- Li, Y. *et al.* (2020) ‘Acute cerebrovascular disease following COVID-19: a single center, retrospective, observational study’, *Stroke and Vascular Neurology*, 5(3), pp. 279–284. <https://doi.org/10.1136/svn-2020-000431>.
- Lima, C.F.C. *et al.* (2020) ‘Acute ischemic stroke in a patient with COVID-19’, *Arquivos de Neuro-Psiquiatria*, 78(7), pp. 454–455. <https://doi.org/10.1590/0004-282x20200057>.
- Liu, J.L. *et al.* (2022) ‘Descriptive analysis of Acute Ischemic stroke in COVID-19 patients through the course of the COVID-19 pandemic’, *Journal of Clinical Neuroscience*, 96, pp. 221–226. <https://doi.org/10.1016/j.jocn.2021.10.023>.
- Lu, Y. *et al.* (2020) ‘Characteristics of acute ischemic stroke in hospitalized patients in Tibet: a retrospective comparative study’, *BMC Neurology*, 20(1), p. 380. <https://doi.org/10.1186/s12883-020-01957-0>.
- Mao, L. *et al.* (2020) ‘Neurologic Manifestations of Hospitalized Patients With Coronavirus Disease 2019 in Wuhan, China’, *JAMA Neurology*, 77(6), p. 683. <https://doi.org/10.1001/jamaneurol.2020.1127>.
- Mendes, A. *et al.* (2021) ‘Incidence, characteristics and clinical relevance of acute stroke in old patients hospitalized with COVID-19’, *BMC Geriatrics*, 21(1), p. 52. <https://doi.org/10.1186/s12877-021-02006-2>.
- Merkler, A.E. *et al.* (2020) ‘Risk of Ischemic Stroke in Patients With Coronavirus Disease 2019 (COVID-19) vs Patients With Influenza’, *JAMA Neurology*, 77(11), p. 1366. <https://doi.org/10.1001/jamaneurol.2020.2730>.
- Nuñez, M. *et al.* (2021) ‘Blood supply to the corticospinal tract: A pictorial review with application to cranial surgery and stroke’, *Clinical Anatomy*, 34(8), pp. 1224–1232. <https://doi.org/10.1002/ca.23782>.
- Olesen, K.K.W. *et al.* (2019) ‘Diabetes Mellitus Is Associated With Increased Risk of Ischemic Stroke in Patients With and Without Coronary Artery Disease’, *Stroke*, 50(12), pp. 3347–3354. <https://doi.org/10.1161/STROKEAHA.119.026099>.
- Ostwaldt, A.-C. *et al.* (2018) ‘Comparative Analysis of Markers of Mass Effect after Ischemic Stroke’, *Journal of Neuroimaging*, 28(5), pp. 530–534. <https://doi.org/10.1111/jon.12525>.
- Oxley, T.J. *et al.* (2020) ‘Large-Vessel Stroke as a Presenting Feature of Covid-19 in the Young’, *New England Journal of Medicine*, 382(20), p. e60. <https://doi.org/10.1056/NEJMc2009787>.

- Ozturk, S. (2021) ‘COVID-19 and Stroke: A Neurological Perspective’, in *Stroke*. Exon Publications, pp. 171–178. <https://doi.org/10.36255/exonpublications.stroke.covid19.2021>.
- Padroni, M. et al. (2022) ‘Stroke admissions during the COVID-19 pandemic: a single-center retrospective analysis’, *Neurological Sciences*, 43(9), pp. 5169–5174. <https://doi.org/10.1007/s10072-022-06207-4>.
- Pascarella, G. et al. (2020) ‘COVID-19 diagnosis and management: a comprehensive review’, *Journal of Internal Medicine*, 288(2), pp. 192–206. <https://doi.org/10.1111/joim.13091>.
- Patel, U. et al. (2021) ‘Pre-existing cerebrovascular disease and poor outcomes of COVID-19 hospitalized patients: a meta-analysis’, *Journal of Neurology*, 268(1), pp. 240–247. <https://doi.org/10.1007/s00415-020-10141-w>.
- Peng, T.J. et al. (2021) ‘Prior Stroke and Age Predict Acute Ischemic Stroke Among Hospitalized COVID-19 Patients: A Derivation and Validation Study’, *Frontiers in Neurology*, 12. <https://doi.org/10.3389/fneur.2021.741044>.
- al Qawasmeh, M. et al. (2022) ‘Functional outcomes of COVID-19 patients with acute ischemic stroke: A prospective, observational, single-center study in North Jordan’, *Medicine*, 101(26), p. e29834. <https://doi.org/10.1097/MD.00000000000029834>.
- Qureshi, A.I. et al. (2021) ‘Acute Ischemic Stroke and COVID-19’, *Stroke*, 52(3), pp. 905–912. <https://doi.org/10.1161/STROKEAHA.120.031786>.
- Ropper, A.H. et al. (2019) ‘Stroke and Cerebrovascular Diseases’, in *Adams and Victor’s Principles of Neurology*. 11th edn. Boston: McGraw-Hill Education, pp. 798–853.
- Ruksakulpiwat, S. (2022) ‘The impact of COVID-19 on patients with stroke: an integrative review’, *Journal of Health Research*, 36(4), pp. 652–662. <https://doi.org/10.1108/JHR-12-2020-0615>.
- Saleh Saad T Alotaib et al. (2020) ‘An overview on Stroke Diagnosis & Management Approach’, *Archives of Pharmacy Practice*, 11(4), pp. 60–65.
- Sanyasi, R.D.L.R. and Pramudita, E.A. (2020) ‘Ischemic stroke in coronavirus disease 19 (COVID-19) positive patient: a case report’, *Journal of the Medical Sciences (Berkala Ilmu Kedokteran)*, 52(03). <https://doi.org/10.19106/JMedSciSI005203202015>.
- Saputra, Y.E. et al. (2021) ‘Gambaran Faktor Risiko Lanjut Usia Terhadap Kematian Pasien COVID-19’, *JURNAL PANDU HUSADA*, 2(2), p. 114. <https://doi.org/10.30596/jph.v2i2.6402>.
- Sari, P.M., Agniana, A.M. and Ardhi, M.S. (2022) ‘Trends of ischemic stroke admission during two years of COVID-19 pandemic: A retrospective cross-sectional study at a tertiary hospital in Indonesia’, *Bali Medical Journal*, 11(2), pp. 864–869. <https://doi.org/10.15562/bmj.v11i2.3498>.
- Sciacca, S. et al. (2019) ‘Midbrain, Pons, and Medulla: Anatomy and Syndromes’, *RadioGraphics*, 39(4), pp. 1110–1125. <https://doi.org/10.1148/rg.2019180126>.
- Sennfält, S. et al. (2019) ‘Long-Term Survival and Function After Stroke’, *Stroke*, 50(1), pp. 53–61. <https://doi.org/10.1161/STROKEAHA.118.022913>.

- Shahjouei, S. *et al.* (2021) ‘SARS-CoV-2 and Stroke Characteristics’, *Stroke*, 52(5). <https://doi.org/10.1161/STROKEAHA.120.032927>.
- Simon, R.P., Aminoff, M.J. and Greenberg D. A. (2017) *Clinical Neurology*. 10th edn. USA: McGraw-Hill Education.
- Smith, A.G. and Rowland Hill, C. (2018) ‘Imaging assessment of acute ischaemic stroke: a review of radiological methods’, *The British Journal of Radiology*, p. 20170573. <https://doi.org/10.1259/bjr.20170573>.
- Smith, W.S., Hemphill, J.C. and Johnston, S.C. (2018) *Harrison’s Principles of Internal Medicine*. 20th edn. United States: McGraw-Hill Education.
- Spence, J.D. *et al.* (2020) ‘Mechanisms of Stroke in COVID-19’, *Cerebrovascular Diseases*, 49(4), pp. 451–458. <https://doi.org/10.1159/000509581>.
- Strambo, D. *et al.* (2022) ‘Ischemic stroke in COVID-19 patients: Mechanisms, treatment, and outcomes in a consecutive Swiss Stroke Registry analysis’, *European Journal of Neurology*, 29(3), pp. 732–743. <https://doi.org/10.1111/ene.15199>.
- Sugianto, P. *et al.* (2022) ‘Description of Stroke Patients with History of Smoking Activities’, *AKSONA*, 2(2), pp. 46–50.
- Sugiyono (2018) *Metode Penelitian Kuantitatif*. Bandung: Alfabeta.
- Susilo, A. *et al.* (2020) ‘Coronavirus Disease 2019: Tinjauan Literatur Terkini’, *Jurnal Penyakit Dalam Indonesia*, 7(1), p. 45. <https://doi.org/10.7454/jpdi.v7i1.415>.
- Tambunan, L.P.S., Sjahrir, H. and Arina, C.A. (2019) ‘The Difference of Stroke Risk Factor between Batakne and Non-Batakne at H. Adam Malik General Hospital Medan’, *Indonesian Journal of Medicine*, 4(2), pp. 122–134. <https://doi.org/10.26911/theijmed.2019.04.02.06>.
- Tang, X. and Zheng, F. (2022) ‘A review of ischemic stroke in COVID-19: currently known pathophysiological mechanisms’, *Neurological Sciences*, 43(1), pp. 67–79. <https://doi.org/10.1007/s10072-021-05679-0>.
- Tavanaei, R. *et al.* (2021) ‘Changed pattern of hospital admission in stroke during COVID-19 pandemic period in Iran: a retrospective study’, *Neurological Sciences*, 42(2), pp. 445–453. <https://doi.org/10.1007/s10072-020-05030-z>.
- Tong, J.Y. *et al.* (2020) ‘The Prevalence of Olfactory and Gustatory Dysfunction in COVID-19 Patients: A Systematic Review and Meta-analysis’, *Otolaryngology–Head and Neck Surgery*, 163(1), pp. 3–11. <https://doi.org/10.1177/0194599820926473>.
- Trifan, G. *et al.* (2020) ‘Characteristics of a Diverse Cohort of Stroke Patients with SARS-CoV-2 and Outcome by Sex’, *Journal of Stroke and Cerebrovascular Diseases*, 29(11), p. 105314. <https://doi.org/10.1016/j.jstrokecerebrovasdis.2020.105314>.
- TUNÇ, A. *et al.* (2020) ‘Coexistence of COVID-19 and acute ischemic stroke report of four cases’, *Journal of Clinical Neuroscience*, 77, pp. 227–229. <https://doi.org/10.1016/j.jocn.2020.05.018>.
- Unnithan, A.K.A., Das, J.M. and Mehta, P. (2022) *Hemorrhagic Stroke*. Treasure Island: StatPearls Publishing.
- Utomo, T.Y., Tobing, N.H.M.L. and Natasha, M.M.O. (2022) ‘Characteristics of ischemic stroke patients performed by DSA actions at Chasbullah Abdul Madjid Arinda Maharanai, 2023’

- Bekasi regional general hospital', *International Journal of Health Sciences and Research*, 12(6), pp. 102–115.
- Wajngarten, M. and Silva, G.S. (2019) 'Hypertension and Stroke: Update on Treatment', *European Cardiology Review*, 14(2), pp. 111–115. <https://doi.org/10.15420/ecr.2019.11.1>.
- Wang, M. et al. (2022) 'Association Between Ischemic Stroke and COVID-19 in China: A Population-Based Retrospective Study', *Frontiers in Medicine*, 8. <https://doi.org/10.3389/fmed.2021.792487>.
- Wu, Z. and McGoogan, J.M. (2020) 'Characteristics of and Important Lessons From the Coronavirus Disease 2019 (COVID-19) Outbreak in China', *JAMA*, 323(13), p. 1239. <https://doi.org/10.1001/jama.2020.2648>.
- Yaghi, S. et al. (2020) 'SARS-CoV-2 and Stroke in a New York Healthcare System', *Stroke*, 51(7), pp. 2002–2011. <https://doi.org/10.1161/STROKEAHA.120.030335>.
- Yanez, N.D. et al. (2020) 'COVID-19 mortality risk for older men and women', *BMC Public Health*, 20(1), p. 1742. <https://doi.org/10.1186/s12889-020-09826-8>.
- Yang, J.-L., Lin, C.-M. and Hsu, Y.-L. (2022) 'Long-Term Functionality Prediction for First Time Ischemic Middle Cerebral Artery Stroke Patients Receiving Conventional Medical Treatment', *Neuropsychiatric Disease and Treatment*, Volume 18, pp. 275–288. <https://doi.org/10.2147/NDT.S350266>.
- Yousufuddin, M. and Young, N. (2019) 'Aging and ischemic stroke', *Aging*, 11(9), pp. 2542–2544. <https://doi.org/10.18632/aging.101931>.
- Zhang, F.-L. et al. (2017) 'Prevalence of stroke and associated risk factors: a population based cross sectional study from northeast China', *BMJ Open*, 7(9), p. e015758. <https://doi.org/10.1136/bmjopen-2016-015758>.