

## DAFTAR PUSTAKA

- Ahmad, N., Adam, S. I. M., Nawi, A. M., Hassan, M. R., & Ghazi, H. F. (2016). Abdominal Obesity Indicators: Waist Circumference or Waist-to-hip Ratio in Malaysian Adults Population. *International Journal of Preventive Medicine*, 7, 82. <https://doi.org/10.4103/2008-7802.183654>
- Arikunto, S. (2019). Prosedur Penelitian: Suatu Pendekatan Praktik. Rineka Cipta (Accessed: 19 April 2023).
- Bagaimana Cara Mengukur Indeks Massa Tubuh (IMT) / Berat Badan Normal? - Direktorat P2PTM. (2021). <https://p2ptm.kemkes.go.id/infographic-p2ptm/obesitas/bagaimana-cara-mengukur-indeks-massa-tubuh-imt-berat-badan-normal> (Accessed: 19 April 2023).
- Besiroglu, H., Dursun, M., Otuncemur, A., & Ozbek, E. (2017). The association between triglyceride high density lipoprotein cholesterol ratio and benign prostate hyperplasia in non-diabetic patients:a cross-sectional study. *The Aging Male*, 1–7. <https://doi.org/10.1080/13685538.2017.1303828>
- Calogero, A. E., Burgio, G., Condorelli, R. A., Cannarella, R., & La Vignera, S. (2019). Epidemiology and risk factors of lower urinary tract symptoms/benign prostatic hyperplasia and erectile dysfunction. *The Aging Male*, 22(1), 12–19. <https://doi.org/10.1080/13685538.2018.1434772>
- Cannarella, R., Condorelli, R. A., Barbagallo, F., La Vignera, S., & Calogero, A. E. (2021). Endocrinology of the Aging Prostate: Current Concepts. *Frontiers in Endocrinology*, 12. <https://doi.org/10.3389/fendo.2021.554078>
- Chatterjee, A., Gallan, A. J., He, D., Fan, X., Mustafi, D., Yousuf, A., Antic, T., Karczmar, G. S., & Oto, A. (2019). Revisiting quantitative multi-parametric MRI of benign prostatic hyperplasia and its differentiation from transition zone cancer. *Abdominal Radiology*, 44(6), 2233–2243. <https://doi.org/10.1007/s00261-019-01936-1>
- Dahlan, S. (2018). Langkah-Langkah Membuat Proposal Penelitian Bidang Kedokteran dan Kesehatan (2nd ed.). CV Sagung Seto (Accessed: 19 April 2023).
- Foo, K. T. (2015). Diagnosis and treatment of benign prostate hyperplasia in Asia. *Translational Andrology and Urology*, 4(4), 478–483. <https://doi.org/10.3978/j.issn.2223-4683.2015.08.07>
- Goodarzi, M. O. (2018). Genetics of obesity: what genetic association studies have taught us about the biology of obesity and its complications. *The Lancet Diabetes & Endocrinology*, 6(3), 223–236. [https://doi.org/10.1016/S2213-8587\(17\)30200-0](https://doi.org/10.1016/S2213-8587(17)30200-0)

- Gratzke, C., Bachmann, A., Descazeaud, A., Drake, M. J., Madersbacher, S., Mamoulakis, C., Oelke, M., Tikkinen, K. A. O., & Gravas, S. (2015). EAU Guidelines on the Assessment of Non-neurogenic Male Lower Urinary Tract Symptoms including Benign Prostatic Obstruction. *European Urology*, 67(6), 1099–1109. <https://doi.org/10.1016/j.eururo.2014.12.038>
- Hardini, N., & Citrawati, M. (2021). Korelasi Skor Gleason dengan Kadar Prostat Spesifik Antigen (PSA) Pada Pasien Karsinoma Prostat. *Majalah Kedokteran Andalas*, 44(2) (Accessed: 19 April 2023).
- Hasanah, F. (2018). Hubungan Antara Usia dan Volume Prostat Terhadap Skor IPSS Pada Pasien Bph Dengan Gejala LUTS di RSPAD Gatot Soebroto Periode September 2016-September 2017 [UPN Veteran Jakarta]. <http://repository.upnvj.ac.id/4795/1/AWAL.pdf> (Accessed: 19 April 2023).
- Ikatan Ahli Urologi Indonesia. (2021). Panduan Pelaksanaan Klinis Pembesaran Prostat Jinak (BPH). Available at: <Https://Iau.or.Id/Oncology> (Accessed 2 Jul. 2023).
- Ilham Akbar Choirul Umam, Irawiraman, H., & Sawitri, E. (2020). Hubungan Usia dengan Kadar Prostate Specific Antigen pada Penderita Benign Prostatic Hyperplasia di Laboratorium Patologi Anatomi RSUD Abdul Wahab Sjahranie Samarinda. *Jurnal Sains Dan Kesehatan*, 2(4), 467–471. <https://doi.org/10.25026/jsk.v2i4.224>
- Jin, Z. S. M. , M. D. , Ph. D., & Falzarano, S. M. (n.d.). Pathology Outlines - Benign prostatic hyperplasia. Retrieved July 2, 2023, from <https://www.pathologyoutlines.com/topic/prostatenodhyper.html>
- Jung, J. H., Ahn, S. V., Song, J. M., Chang, S.-J., Kim, K. J., Kwon, S. W., Park, S.-Y., & Koh, S.-B. (2016). Obesity as a Risk Factor for Prostatic Enlargement: A Retrospective Cohort Study in Korea. *International Neurourology Journal*, 20(4), 321–328. <https://doi.org/10.5213/inj.1632584.292>
- Krisna, D. M., Maulana, A., & Kresnoadi, E. (2016). Faktor yang Berhubungan Dengan Rawat Inap Pada Pasien Pembesaran Prostat Jinak di Rumah Sakit Bhayangkara Mataram. *Berkala Ilmiah Kedokteran Duta Wacana*, 1(2), 102. <https://doi.org/10.21460/bikdw.v1i2.11>
- Krisna, D. M., Maulana, A., & Kresnoadi, E. (2017). Correlation between Prostate-Specific-Antigen (PSA) Level and Prostate Volume in Benign Prostatic Hyperplasia at Bhayangkara Hospital Mataram. *Journal Of Medicine & Health*, 1(6). <https://doi.org/10.28932/jmh.v1i6.549>
- Lokeshwar, S. D., Harper, B. T., Webb, E., Jordan, A., Dykes, T. A., Neal Jr, D. E., Terris, M. K., & Klaassen, Z. (2019). Epidemiology and treatment modalities for the management of benign prostatic hyperplasia. *Translational Andrology and Urology*, 8(5), 529–539. <https://doi.org/10.21037/tau.2019.10.01>

- Madersbacher, S., Sampson, N., & Culig, Z. (2019). Pathophysiology of Benign Prostatic Hyperplasia and Benign Prostatic Enlargement: A Mini-Review. *Gerontology*, 65(5), 458–464. <https://doi.org/10.1159/000496289>
- Mampa, E., Haffejee, M., & Fru, P. (2021). The correlation between obesity and prostate volume in patients with benign prostatic hyperplasia at Charlotte Maxeke Johannesburg Academic Hospital. *African Journal of Urology*, 27(1), 60. <https://doi.org/10.1186/s12301-021-00160-y>
- Masters, R. K., Reither, E. N., Powers, D. A., Yang, Y. C., Burger, A. E., & Link, B. G. (2013). The impact of obesity on US mortality levels: the importance of age and cohort factors in population estimates. *American Journal of Public Health*, 103(10), 1895–1901. <https://doi.org/10.2105/AJPH.2013.301379>
- McAninch, J. W., & Lue, T. F. (Eds.). (2020). Smith & Tanagho's General Urology (19th ed.). McGraw Hill. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK557495/> (Accessed: 19 April 2023)
- Meng, J., Liu, Y., Guan, S.-Y., Ma, H., Zhang, X., Fan, S., Hu, H., Zhang, M., & Liang, C. (2019). Age, height, BMI and FBG predict prostate volume in ageing benign prostatic hyperplasia: Evidence from 5285 patients. *International Journal of Clinical Practice*, 73(12). <https://doi.org/10.1111/ijcp.13438>
- Mescher, A. L. (2016). Histologi dasar junqueira : teks & atlas / Anthony L. Mescher (J. Tambayong, Ed.; 14th ed.). Penerbit Buku Kedokteran EGC (Accessed: 19 April 2023).
- Moore, K. L. (2014). Clinically Oriented Anatomy (7th ed.). Wolters Kluwer Health/Lippincott Williams & Wilkins (Accessed: 19 April 2023).
- Navisa, C. C., Sandhika, W., & Arwati, H. (2019). Hubungan antara Kadar Prostate Specific Antigen Serum dan Skor Gleason pada Adenokarsinoma Prostat. *Jurnal Kedokteran Brawijaya*, 30(3), 181. <https://doi.org/10.21776/ub.jkb.2019.030.03.3>
- Pandey, A., LaMonte, M., Klein, L., Ayers, C., Psaty, B. M., Eaton, C. B., Allen, N. B., de Lemos, J. A., Carnethon, M., Greenland, P., & Berry, J. D. (2017). Relationship Between Physical Activity, Body Mass Index, and Risk of Heart Failure. *Journal of the American College of Cardiology*, 69(9), 1129–1142. <https://doi.org/10.1016/j.jacc.2016.11.081>
- Parsons, J. K., Sarma, A. V., McVary, K., & Wei, J. T. (2013). Obesity and Benign Prostatic Hyperplasia: Clinical Connections, Emerging Etiological Paradigms and Future Directions. *Journal of Urology*, 189(1S). <https://doi.org/10.1016/j.juro.2012.11.029>
- Parsons, Jk., & Patel, N. (2014). Epidemiology and etiology of benign prostatic hyperplasia and bladder outlet obstruction. *Indian Journal of Urology*, 30(2), 170. <https://doi.org/10.4103/0970-1591.126900>

- Partin, A. W., Peters, C. A., Kavoussi, L. R., Dmochowski, R. R., & Wein, A. J. (2020). Campbell Walsh Wein Urology, 12th Edition (12th ed., Vols. 1–3). Elsevier (Accessed: 19 April 2023).
- Pezaro, C., Woo, H. H., & Davis, I. D. (2014). Prostate cancer: measuring PSA. Internal Medicine Journal, 44(5), 433–440. <https://doi.org/10.1111/imj.12407>
- Powell, T., Kellner, D., & Ayyagari, R. (2020). Benign Prostatic Hyperplasia: Clinical Manifestations, Imaging, and Patient Selection for Prostate Artery Embolization. Techniques in Vascular and Interventional Radiology, 23(3), 100688. <https://doi.org/10.1016/j.tvir.2020.100688>
- Purnomo, B. (2014). Dasar-Dasar Urologi (3rd ed.). Sagung Seto.
- Putra, I. B. O. W., Hamid, A. R. A. H., Mochtar, C. A., & Umbas, R. (2016). Relationship of age, prostate-specific antigen, and prostate volume in Indonesian men with benign prostatic hyperplasia. Prostate International, 4(2), 43–48. <https://doi.org/10.1016/j.prnil.2016.03.002>
- Raffelstha, F., Herizal, H., & Yulistini, Y. (2020). Korelasi Indeks Massa Tubuh dengan International Prostate Symptom Score. Jurnal Ilmu Kesehatan Indonesia, 1–2 (Accessed: 19 April 2023).
- Sherwood, L. (2016). Fisiologi manusia : dari sel ke sistem / Lauralee Sherwood (L. I. & H. Mandera, Y. Suyono, M. Iskandar, & V. Isella, Eds.; 9th ed.). EGC (Accessed: 19 April 2023).
- Sugiyono. (2018). Metode Penelitian Kuantitatif, Kualitatif, dan R&D (19th ed.). Alfabeta (Accessed: 19 April 2023).
- Thristy, I. (2016). Prostat Spesifik Antigen. Jurnal Umsu (Accessed: 19 April 2023).
- Yhuwono, Y. (2018). Hubungan indeks massa tubuh dengan tekanan darah pada lansia di Desa Pesucen, Banyuwangi. Jurnal Kesehatan Masyarakat Indonesia, 13(1), 1–2 (Accessed: 19 April 2023).
- Yin, Z., Yang, J.-R., Rao, J.-M., Song, W., & Zhou, K.-Q. (2015). Association between benign prostatic hyperplasia, body mass index, and metabolic syndrome in Chinese men. Asian Journal of Andrology, 17(5), 826. <https://doi.org/10.4103/1008-682X.148081>