

## DAFTAR PUSTAKA

- Agoes, A. (2010). Tanaman obat indonesia, buku kedua. *Salemba Medika: Jakarta, Indonesia.*
- Ahmed, E. M. (2015). Hydrogel: Preparation, Characterization, and Applications: A Review. *Journal of advanced research*, 6(2), 105-121.
- Allen, L., & Ansel, H. C. (2013). *Ansel's Pharmaceutical Dosage Forms and Drug Delivery Systems*. Lippincott Williams & Wilkins.
- Anukam, N. C., Izang, E. A., Poroye, E. D., Chris-Otubor, G. O., & Damun, P. A. (2019). Some Physicochemical Characteristics of Heinsia Crinita Mucilage. *World Journal of Pharmaceutical Sciences*, 31-37.
- Aprilianti, N., Hajrah, H., & Sastyarina, Y. (2020). Optimasi Polivinilalkohol (PVA) Sebagai Basis Sediaan Gel Antijerawat. In *Proceeding of Mulawarman Pharmaceuticals Conferences (Proc. Mul. Pharm. Conf.)* (Vol. 11, pp. 17-21).
- Azis, R.F.N.I. (2016). Optimasi Hidroksi Propil Metil Selulosa dan Gliserin pada Sediaan Gel Dispersi Padat Ibuprofen–Polietilen Glikol. *Skripsi*. Fakultas Farmasi Universitas Jember, Jember.
- Bakr, R. O., Amer, R. I., Attia, D., Abdelhafez, M. M., Al-Mokaddem, A. K., El-Gendy, A. E. N. G., ... & Gad, S. S. (2021). In-Vivo Wound Healing Activity of A Novel Composite Sponge Loaded With Mucilage and Lipoidal Matter of Hibiscus Species. *Biomedicine & Pharmacotherapy*, 135, 111225.

- Bukhari, S. N. A., Ali, A., Hussain, M. A., Tayyab, M., Alotaibi, N. F., Elsherif, M. A., & Ejaz, H. (2022). Extraction Optimization of Mucilage from Seeds of Mimosa pudica by Response Surface Methodology. *Polymers*, 14(9), 1904.
- Boakye-Gyasi, M. E., Owusu, F. W. A., Entsie, P., Agbenorhevi, J. K., Banful, B. K. B., & Bayor, M. T. (2021). Pectin From Okra (*Abelmoschus Esculentus L.*) Has Potential as A Drug Release Modifier In Matrix Tablets. *The Scientific World Journal*, 2021.
- Booq, R. Y., Alshehri, A. A., Almughem, F. A., Zaidan, N. M., Aburayan, W. S., Bakr, A. A., ... & Tawfik, E. A. (2021). Formulation and Evaluation of Alcohol-Free Hand Sanitizer Gels To Prevent The Spread Of Infections During Pandemics. *International journal of environmental research and public health*, 18(12), 6252.
- Clarke E.C.G., Moffat, A.C., Osselton, M.D., and Widdop, B. (2005). Clarkès Analysis of Drugs and Poisons.
- Deore, U. V., & Mahajan, H. S. (2021). Isolation and structural characterization of mucilaginous polysaccharides obtained from the seeds of Cassia uniflora for industrial application. *Food Chemistry*, 351, 129262.
- Dick, M., Dal Magro, L., Rodrigues, R. C., de Oliveira Rios, A., & Flôres, S. H. (2019). Valorization of *Opuntia monacantha* (Willd.) Haw. cladodes to obtain a mucilage with hydrocolloid features: Physicochemical and functional performance. *International Journal of Biological Macromolecules*, 123, 900-909.
- Donovan, M. D., & Flanagan, D. R. (2020). Bioavailability of disperse dosage forms. In *Pharmaceutical Dosage Forms* (pp. 315-376). CRC Press.

- Draelos, Z. D. (2005). Cosmetic formulation of skin care products. In *Cosmetic Formulation of Skin Care Products* (pp. 25-26). CRC Press.
- Emelda, E. (2020). Formulasi dan Uji Sifat Fisik Sediaan Gel Tunggal dan Kombinasi Ekstrak Etanolik Daun Sirih Merah (*Pipper crocatum*) dan Minyak Kayu manis (*Cinnamon oil*). *Journal Indonesian Pharmacy and Natural Medicine Journal*, 4(2), 43-53.
- Gad, S. C. (Ed.). (2008). *Pharmaceutical manufacturing handbook: production and processes*. John Wiley & Sons. 293-294
- Gupta, S., Parvez, N., & Sharma, P. K. (2015). Extraction and characterization of *Hibiscus rosasinensis* mucilage as pharmaceutical adjuvant. *World Appl. Sci. J*, 33(1), 136-141.
- Haile, T. G., Sibhat, G. G., & Molla, F. (2020). Physicochemical characterization of *Grewia ferruginea* Hochst. ex A. Rich mucilage for potential use as a pharmaceutical excipient. *BioMed Research International*, 2020.
- Jana, S., Saha, A., Nayak, A. K., Sen, K. K., & Basu, S. K. (2013). Aceclofenac-loaded chitosan-tamarind seed polysaccharide interpenetrating polymeric network microparticles. *Colloids and Surfaces B: Biointerfaces*, 105, 303-309.
- Jani, G. K., Shah, D. P., Prajapati, V. D., & Jain, V. C. (2009). Gums and mucilages: versatile excipients for pharmaceutical formulations. *Asian J Pharm Sci*, 4(5), 309-323.
- Kaleemullah, M., Jiyauddin, K., Thiban, E., Rasha, S., Al-Dhalli, S., Budiasih, S., & Eddy, Y. (2017). Development and Evaluation of Ketoprofen Sustained

- Release Matrix Tablet Using Hibiscus Rosa-Sinensis Leaves Mucilage. *Saudi pharmaceutical journal*, 25(5), 770-779.
- Kassakul, W., Praznik, W., Viernstein, H., Hongwiset, D., Phrutivorapongkul, A., & Leelaporpnpisid, P. (2014). Characterization Of The Mucilages Extracted From Hibiscus Rosa-Sinensis Linn And Hibiscus Mutabilis Linn And Their Skin Moisturizing Effect. *Int J Pharm Pharm Sci*, 6(11), 453-7.
- Kashyap, A., Das, A., & Ahmed, A. B. (2020). Formulation and evaluation of transdermal topical gel of ibuprofen. *Journal of drug delivery and therapeutics*, 10(2), 20-25.
- Kemenkes, R. I. (2014). Farmakope Indonesia Edisi V. Jakarta: Direktorat Jendral Bina Kefarmasian dan Alat Kesehatan Republik Indonesia.
- Kulkarni, V. S., & Shaw, C. (2015). *Essential chemistry for formulators of semisolid and liquid dosages*. Academic Press.
- Kusumastuti, M. R. (2022). Potensi Tepung Kolang-Kaling (*Arenga pinnata* Merr.). Doctoral dissertation. Unika Soegijapranata Semarang.
- Lachman, L., Herbert, A. L., & Joseph, L. K. (2008). Teori dan Praktek Industri Farmasi Edisi III, 1119-1120. *Penerbit Universitas Indonesia, Jakarta*.
- Lataran, M. J., Poureini, F., Mohammadi, M., Najafpour, G. D., & Hamed, S. (2023). Extraction of Mucilage from Quince (*Cydonia Oblonga* M.) Seed and Investigation of its Biological Activities.
- Layas, N. A., Aljabri, S. O., Mohamed, A. T., Alshaafi, A. M., Algondi, A. K., & Alshrif, M. M. (2021). Extraction and evaluation of *Lepidium sativum*'and

- flax seeds mucilage as a pharmaceutical granulation binder. *British Journal of Pharmacy*, 6(1), 1-11.
- Li, Z., Zhang, L., Mao, C., Song, Z., Li, X., & Liu, C. (2021). Preparation and characterization of konjac glucomannan and gum arabic composite gel. *International Journal of Biological Macromolecules*, 183, 2121-2130.
- Lieberman, H., Rieger, M., & Banker, G. S. (Eds.). (2020). *Pharmaceutical dosage forms: Disperse systems*. CRC Press.
- Tosif, M. M., Najda, A., Bains, A., Kaushik, R., Dhull, S. B., Chawla, P., & Walasek-Janusz, M. (2021). A comprehensive review on plant-derived mucilage: Characterization, functional properties, applications, and its utilization for nanocarrier fabrication. *Polymers*, 13(7), 1066.
- Mahato, R. I., & Narang, A. S. (2017). *Pharmaceutical dosage forms and drug delivery*. CRC Press.
- Martin, A., Swarbrick, J., & Cammarata, J. (2008). Farmasi Fisika Dasar-Dasar Farmasi Fisik dalam Ilmu Farmasetik Edisi Ketiga jilid 2. *Universitas Indonesia Press, Jakarta*, 81, 494-580.
- Mikušová, V., Ferková, J., Žigrayová, D., Krchňák, D., & Mikuš, P. (2022). Comparative Study of Polysaccharide-Based Hydrogels: Rheological and Texture Properties and Ibuprofen Release. *Gels*, 8(3), 168.
- Mishra, P., Rai, A., & Kumar, S. (2022). Systematic Review and Pharmacological Potential of Hibiscus Rosa-Sinensis as Antidiabetic Drug.

- Nayak, A. K., Hasnain, M. S., & Pal, D. (Eds.). (2019). *Natural Polymers for Pharmaceutical Applications: Volume 1: Plant-Derived Polymers*. CRC Press.
- Nazir, S., Wani, I. A., & Masoodi, F. A. (2017). Extraction optimization of mucilage from Basil (*Ocimum basilicum L.*) seeds using response surface methodology. *Journal of Advanced Research*, 8(3), 235-244.
- Nurfitriyana, N. (2016). *Pengaruh Variasi Konsentrasi beberapa Jus Buah terhadap Sifat Optik Aktif dengan Menggunakan Polarimeter* (Doctoral dissertation, Universitas Islam Negeri Alauddin Makassar).
- Nurpangesti, A. D. (2021). Formulasi Dan Uji Aktivitas Gel Jerawat Ekstrak Etanol Daun Murbei (*Morus Alba L.*) terhadap Bakteri *Staphylococcus Epidermidis* dan *Propionibacterium Acne*. Doctoral dissertation. Stikes Bhakti Husada Mulia.
- Otalora, M. C., Wilches-Torres, A., & Castaño, J. A. G. (2021). Extraction and Physicochemical Characterization of Dried Powder Mucilage from *Opuntia ficus-indica* Cladodes and *Aloe Vera* Leaves: A Comparative Study. *Polymers*, 13(11), 1689.
- Pal, K., & Banerjee, I. (Eds.). (2018). *Polymeric gels: characterization, properties and biomedical applications*. Woodhead Publishing.
- Prabowo, I., & Adriany, R. (2021). Characterization and concentration optimization of hibiscus rosa-sinensis l. Mucilage powder as superdisintegrant. *International Journal of Applied Pharmaceutics*, 13(Special Issue 2), 49-52.

Republik Indonesia. (2016). *Instruksi Presiden Republik Indonesia Nomor 6 Tahun 2016 Tentang Percepatan Pengembangan Industri Farmasi Dan Alat Kesehatan Presiden Republik Indonesia*, Jakarta.

Rowe, R. C., Sheskey, P., & Quinn, M. (2009). *Handbook of Pharmaceutical Excipients*. Libros Digitales-Pharmaceutical Press.

Sari, K. (2017). karakteristik fisik dan aktivitas tabir surya sediaan emulgel ekstrak etanol daging buah limpasu (*bacaurea lanceolata*) dengan variasi konsentrasi gelling agent HPMC.

Sari, Y. E. S. (2017). Efektivitas Perasan Daun Bunga Sepatu (*Hibiscus rosa-sinensis L*) Terhadap Pertumbuhan *Staphylococcus aureus*.

Sivaraman, C. M., & Saju, F. (2021). Medicinal value of *Hibiscus rosa sinensis*: a review. *International Journal of Pharmacognosy and Chemistry*, 1-11.

Sugiyono, D. (2013). Metode penelitian pendidikan pendekatan kuantitatif, kualitatif dan R&D.

Syaiful, S. D. (2016). *Formulasi dan Uji Stabilitas Fisik Ekstrak Etanol Daun Kemangi (Ocimum Sanctum L) Sebagai Sediaan Hand Santizer* (Doctoral dissertation, Universitas Islam Negeri Alauddin Makassar).

un Nabi, S.A.A., Sheraz, M.A., Ahmed, S., Mustaan, N. and Ahmad, I. (2016). Pharmaceutical gels: a review. *RADS Journal of Pharmacy and Pharmaceutical Sciences*, 4(1). 40-48

Vignesh, R. M., & Nair, B. R. (2018). Extraction and Characterisation of mucilage from the leaves of *Hibiscus rosa-sinensis* Linn.(Malvaceae). *International Journal of Pharmaceutical Sciences and Research*, 6(2), 542-555.

Yadav, A., Chaudhari, P., Khatri, S., & Thapa, C. (2021). Formulation, In-Vitro Evaluation and Comparative Study of Itopride Hydrochloride Loaded Sustained Release Matrix Tablet Using Okra Mucilage as a Natural Binder. *tablet*, 13, 25.

Yang, K., Zhou, Y., Guo, J., Feng, X., Wang, X., Wang, L., ... & Sun, W. (2020). Low Frequency Magnetic Field Plus High Ph Promote The Quality Of Pork Myofibrillar Protein Gel: A Novel Study Combined with Low Field NMR and Raman Spectroscopy. *Food Chemistry*, 326, 126896.

Yati, K., Jufri, M., Gozan, M., Mardiastuti, M., & Dwita, L. P. (2018). Pengaruh Variasi Konsentrasi Hidroxy Propyl Methyl Cellulose (Hpmc) terhadap Stabilitas Fisik Gel Ekstrak Tembakau (*Nicotiana Tabaccum* L.) dan Aktivitasnya terhadap Streptococcus Mutans. *Pharmaceutical Sciences and Research*, 5(3), 4.

Yu, B., Zhao, S., Long, Y., Bai, B., & Schuman, T. (2022). Comprehensive Evaluation Of A High-Temperature Resistant Re-Crosslinkable Preformed Particle Gel For Water Management. *Fuel*, 309, 122086.