

## DAFTAR PUSTAKA

- Aabideen, Z. U., Mumtaz, M. W., Akhtar, M. T., Mukhtar, H., Raza, S. A., Touqeer, T., & Saari, N. (2020). Anti-Obesity Attributes; UHPLC-QTOF-MS/MS-Based Metabolite Profiling and Molecular Docking Insights of Taraxacum officinale. *Molecules (Basel, Switzerland)*, 25(21). <https://doi.org/10.3390/molecules25214935>
- Abdelaal, M., le Roux, C. W., & Docherty, N. G. (2017). Morbidity and mortality associated with obesity. *Annals of Translational Medicine*, 5(7), 1–12. <https://doi.org/10.21037/atm.2017.03.107>
- Afshin, A., Forouzanfar, M. H., Reitsma, M. B., Sur, P., Estep, K., Lee, A., Marczak, L., Mokdad, A. H., Moradi-Lakeh, M., Naghavi, M., Salama, J. S., Vos, T., Abate, K. H., Abbafati, C., Ahmed, M. B., Al-Aly, Z., Alkerwi, A., Al-Raddadi, R., Amare, A. T., ... Murray, C. J. L. (2017). Health Effects of Overweight and Obesity in 195 Countries over 25 Years. *New England Journal of Medicine*, 377(1), 13–27. <https://doi.org/10.1056/nejmoa1614362>
- Aliyah, Aswad, M., Hajrah, & Permana, A. D. (2021). Development and validation of spectrophotometric methods for quantitative determination of total phenolic and total flavonoid content of lyophilizate of the leaf of sweet potato leaf. *IOP Conference Series: Earth and Environmental Science*, 807(2). <https://doi.org/10.1088/1755-1315/807/2/022067>
- Ard, J. D., Miller, G., & Kahan, S. (2016). Nutrition Interventions for Obesity. *Medical Clinics of North America*, 100(6), 1341–1356. <https://doi.org/10.1016/j.mcna.2016.06.012>
- Badrunasar, A. dan H. S. B. (2017). Tumbuhan Liar Berkhasiat Obat. In *Book Tumbuhan Liar Berkhasiat Obat: Vol. ISBN 978-6*.
- Barton, B., & Peat, J. (2014). *Medical Statistics, A Guide to SPSS, Data Analysis and Critical Appraisal*. Blackwell Publishing. <https://doi.org/10.1002/9781444317800.ch8>
- Bermawie, N., Octivia, T., Sukamto, Nurhayati, Hera, R., Joko, P., & Nur, M. (2020). Potensi Tanaman Rempah , Obat Dan Atsiri Menghadapi Masa Pandemi Covid 19. In *Balai Penelitian Tanaman Rempah dan Obat*.
- Blüher, M. (2019). Obesity: global epidemiology and pathogenesis. *Nature Reviews Endocrinology*, 15(5), 288–298. <https://doi.org/10.1038/s41574-019-0176-8>
- Boccellino, M., & D'Angelo, S. (2020). Anti-obesity effects of polyphenol intake: Current status and future possibilities. *International Journal of Molecular Sciences*, 21(16), 1–24. <https://doi.org/10.3390/ijms21165642>
- Bougarne, N., Weyers, B., Desmet, S. J., Deckers, J., Ray, D. W., Staels, B., & De Bosscher, K. (2018). Molecular actions of PPAR $\alpha$  in lipid metabolism and inflammation. *Endocrine Reviews*, 39(5), 760–802

- <https://doi.org/10.1210/er.2018-00064>
- Cacique, A. P., Barbosa, É. S., de Pinho, G. P., & Silvério, F. O. (2020). Maceration extraction conditions for determining the phenolic compounds and the antioxidant activity of *catharanthus roseus* (L.) g. don. *Ciencia e Agrotecnologia*, 44, 1–12. <https://doi.org/10.1590/1413-7054202044017420>
- Cai, L., Wan, D., Yi, F., & Luan, L. (2017). Purification, Preliminary characterization and Hepatoprotective effects of polysaccharides from dandelion Root. *Molecules*, 22(9), 1–15. <https://doi.org/10.3390/molecules22091409>
- Cho, A. S., Jeon, S. M., Kim, M. J., Yeo, J., Seo, K. Il, Choi, M. S., & Lee, M. K. (2010). Chlorogenic acid exhibits anti-obesity property and improves lipid metabolism in high-fat diet-induced-obese mice. *Food and Chemical Toxicology*, 48(3), 937–943. <https://doi.org/10.1016/j.fct.2010.01.003>
- Choi, J., Yoon, K. D., & Kim, J. (2018). Chemical constituents from *Taraxacum officinale* and their  $\alpha$ -glucosidase inhibitory activities. *Bioorganic and Medicinal Chemistry Letters*, 28(3), 476–481. <https://doi.org/10.1016/j.bmcl.2017.12.014>
- Davaatseren, M., Jeon, H., Jeong, H., Hwang, J., Ho, J., Kim, H., Jung, M., Young, D., & Jeong, M. (2013). Taraxacum official (dandelion) leaf extract alleviates high-fat diet-induced nonalcoholic fatty liver. *Food and Chemical Toxicology*, 58, 30–36. <https://doi.org/10.1016/j.fct.2013.04.023>
- Déclaire Mabou, F., Belinda, I., & Yossa, N. (2021). TERPENES : structural classification and biological activities. *IOSR Journal Of Pharmacy And Biological Sciences (IOSR-JPBS)* e-ISSN, 16(3), 2319–7676. <https://doi.org/10.9790/3008-1603012540>
- Di Napoli, A., & Zucchetti, P. (2021). A comprehensive review of the benefits of *Taraxacum officinale* on human health. *Bulletin of the National Research Centre*, 45(1), 1–7. <https://doi.org/10.1186/s42269-021-00567-1>
- Díaz, K., Espinoza, L., Madrid, A., Pizarro, L., & Chamy, R. (2018). Isolation and Identification of Compounds from Bioactive Extracts of *Taraxacum officinale* Weber ex F. H. Wigg. (Dandelion) as a Potential Source of Antibacterial Agents. *Evidence-Based Complementary and Alternative Medicine*, 2018. <https://doi.org/10.1155/2018/2706417>
- Ding, X., Jian, T., Li, J., Lv, H., Tong, B., Li, J., Meng, X., Ren, B., & Chen, J. (2020). Chicoric Acid Ameliorates Nonalcoholic Fatty Liver Disease via the AMPK/Nrf2/NF  $\kappa$  B Signaling Pathway and Restores Gut Microbiota in High-Fat-Diet-Fed Mice. *Oxidative Medicine and Cellular Longevity*, 2020. <https://doi.org/10.1155/2020/9734560>
- DiPiro, J. T. G. C. Y. L. M. P. S. T. H. T. D. N. and V. E. (2020). *Pharmacotherapy: A Pathophysiologic Approach* (Eleventh). McGraw Hill.
- Do, Q. D., Angkawijaya, A. E., Tran-Nguyen, P. L., Huynh, L. H., Soetaredjo, F. E., Ismadji, S., & Ju, Y. H. (2014). Effect of extraction solvent on total phenol

- content, total flavonoid content, and antioxidant activity of *Limnophila aromatica*. *Journal of Food and Drug Analysis*, 22(3), 296–302. <https://doi.org/10.1016/j.jfda.2013.11.001>
- Edori, O. S., & Marcus, A. C. (2019). *Biochemistry & Analytical Biochemistry Phytochemical and Anti-microbial Screening of Phyllanthus fraternus and Taraxacum officinale Leaves*. January. <https://doi.org/10.4172/2161-1009.1000376>
- Evans, W. C. (2009). Trease and Evans' Pharmacognosy: Sixteenth Edition. In *Trease and Evans' Pharmacognosy: Sixteenth Edition*.
- Farnsworth, N. R. (1966). Biological and Phytochemical Screening of Plants. *Science*, 151(3712), 874–875. <https://doi.org/10.1126/science.151.3712.874>
- Febrina, L., Rusli, R., & Mufliahah, F. (2015). Optimalisasi Ekstraksi Dan Uji Metabolit Sekunder Tumbuhan Libo (*Ficus Variegata Blume*). *Journal Of Tropical Pharmacy And Chemistry*, 3(2), 74–81. <https://doi.org/10.25026/jtpc.v3i2.153>
- Frey, B. B. (2018). *The SAGE Encyclopedia of Educational Research, Measurement, and Evaluation*. SAGE PUBLISHER.
- Fruh, S. M. (2017). Obesity: Risk factors, complications, and strategies for sustainable long-term weight management. *American Association of Nurse Practitioners*, 29(1), 3–14. <https://doi.org/10.1002/2327-6924.12510>
- Fryar, C. D., Carroll, M. D., & Ogden, C. L. (2018). Prevalence of Overweight, Obesity, and Severe Obesity Among Children and Adolescents Aged 2–19 Years: United States, 1963–1965 Through 2015–2016. *National Center for Health Statistics Health E-Stats, September*, 1–6.
- Gadde, K. M., Martin, C. K., Berthoud, H. R., & Heymsfield, S. B. (2018). Obesity: Pathophysiology and Management. *Journal of the American College of Cardiology*, 71(1), 69–84. <https://doi.org/10.1016/j.jacc.2017.11.011>
- García-Carrasco, B., Fernandez-Dacosta, R., Dávalos, A., Ordovás, J., & Rodriguez-Casado, A. (2015). In vitro Hypolipidemic and Antioxidant Effects of Leaf and Root Extracts of *Taraxacum Officinale*. *Medical Sciences*, 3(2), 38–54. <https://doi.org/10.3390/medsci3020038>
- Garcia-Castello, E. M., Rodriguez-Lopez, A. D., Mayor, L., Ballesteros, R., Conidi, C., & Cassano, A. (2015). Optimization of conventional and ultrasound assisted extraction of flavonoids from grapefruit (*Citrus paradisi* L.) solid wastes. *Lwt*, 64(2), 1114–1122. <https://doi.org/10.1016/j.lwt.2015.07.024>
- Ghasemzadeh, A., Jaafar, H. Z. E., Juraimi, A. S., & Tayebi-Meigooni, A. (2015). Comparative evaluation of different extraction techniques and solvents for the assay of phytochemicals and antioxidant activity of hashemi rice bran. *Molecules*, 20(6), 10822–10838. <https://doi.org/10.3390/molecules200610822>
- Gil-Rodríguez, A. M., & Beresford, T. P. (2020). Lipase inhibitory activity assay for fermented milk. *MethodsX*, 7, 100999.

- <https://doi.org/10.1016/j.mex.2020.100999>
- González-Castejón, M., García-Carrasco, B., Fernández-Dacosta, R., Dávalos, A., & Rodriguez-Casado, A. (2014). Reduction of adipogenesis and lipid accumulation by taraxacum officinale (dandelion) extracts in 3T3L1 adipocytes: An in vitro study. *Phytotherapy Research*, 28(5), 745–752. <https://doi.org/10.1002/ptr.5059>
- Grauso, L., Emrick, S., Bonanomi, G., & Lanzotti, V. (2019). Metabolomics of the alimurgic plants Taraxacum officinale, Papaver rhoeas and Urtica dioica by combined NMR and GC-MS analysis. *Phytochemical Analysis*, 30(5), 535–546. <https://doi.org/10.1002/pca.2845>
- Grauso, L., Emrick, S., de Falco, B., Lanzotti, V., & Bonanomi, G. (2019). Common dandelion: a review of its botanical, phytochemical and pharmacological profiles. *Phytochemistry Reviews*, 18(4), 1115–1132. <https://doi.org/10.1007/s11101-019-09622-2>
- Habibi, A. I., Firmansyah, R. A., & Setyawati, S. M. (2018). Skrining Fitokimia Ekstrak n-Heksan Korteks Batang Salam (Syzygium polyanthum). *Indonesian Journal of Chemical Science*, 7(1), 1–4.
- Hayat, J., Akodad, M., Moumen, A., Baghour, M., Skalli, A., Ezrari, S., & Belmalha, S. (2020). Phytochemical screening, polyphenols, flavonoids and tannin content, antioxidant activities and FTIR characterization of Marrubium vulgare L. from 2 different localities of Northeast of Morocco. *Helijon*, 6(11), e05609. <https://doi.org/10.1016/j.heliyon.2020.e05609>
- Heinrich, M., Barnes, J., Gibbons, S., M., E., Williamson, A., Kinghorn, D., & Phillipson, J. D. (2012). *FUNDAMENTALS OF PHARMACOGNOSY AND PHYTOTHERAPY* (2th ed.). Elsevier Inc.
- Herrera-pool, E., Ramos-díaz, A. L., Lizardi-jim, M. A., García-cruz, U., & Pacheco, N. (2021). *Ultrasonics Sonochemistry Effect of solvent polarity on the Ultrasound Assisted extraction and antioxidant activity of phenolic compounds from habanero pepper leaves ( Capsicum chinense ) and its identification by UPLC-PDA-ESI-MS / MS.* 76(June). <https://doi.org/10.1016/j.ulstsonch.2021.105658>
- Heymsfield, S. B., & Wadden, T. A. (2017). Mechanisms, Pathophysiology, and Management of Obesity. *New England Journal of Medicine*, 376(3), 254–266. <https://doi.org/10.1056/nejmra1514009>
- Hruby, A., & B. Hu, F. (2015). The Epidemiology of Obesity: A Big Picture. *Pharmacoconomics*, 7(1), 673–689. <https://doi.org/10.1007/s40723-014-0243-x>
- Huaman-Castilla, N. L., Martínez-Cifuentes, M., Camilo, C., Pedreschi, F., Mariotti-Celis, M., & Pérez-Correa, J. R. (2019). The impact of temperature and ethanol concentration on the global recovery of specific polyphenols in an integrated HPLE/RP process on Carménère pomace extracts. *Molecules*, 24(17), 1–16. <https://doi.org/10.3390/molecules24173145>

- Hutapea, J., Djumidi, S., Sugeng, S., & Soerahso. (2000). *Inventaris Tanaman Obat Indonesia (I) Jilid I*. Departemen Kesehatan RI, Badan Penelitian dan Pengembangan Kesehatan.
- Huvenne, H., Dubern, B., Clément, K., & Poitou, C. (2016). Rare Genetic Forms of Obesity: Clinical Approach and Current Treatments in 2016. *Obesity Facts*, 9(3), 158–173. <https://doi.org/10.1159/000445061>
- Iqbal, E., Salim, K. A., & Lim, L. B. L. (2015). Phytochemical screening, total phenolics and antioxidant activities of bark and leaf extracts of Goniothalamus velutinus (Airy Shaw) from Brunei Darussalam. *Journal of King Saud University - Science*, 27(3), 224–232. <https://doi.org/10.1016/j.jksus.2015.02.003>
- Ivanov, I. G. (2014). *Polyphenols Content and Antioxidant Activities of Taraxacum*. 6(4).
- Jaiswal, Preet, & Tripti. (2017). Production and Optimization of Lipase Enzyme from Mesophiles and Thermophiles. *Journal of Microbial & Biochemical Technology*, 09(03), 126–131. <https://doi.org/10.4172/1948-5948.1000355>
- Jędrzejek, D., Kontek, B., Lis, B., Stochmal, A., & Olas, B. (2017). Evaluation of antioxidant activity of phenolic fractions from the leaves and petals of dandelion in human plasma treated with H<sub>2</sub>O<sub>2</sub> and H<sub>2</sub>O<sub>2</sub>/Fe. *Chemico-Biological Interactions*, 262, 29–37. <https://doi.org/10.1016/j.cbi.2016.12.003>
- Jędrzejek, D., Lis, B., Rolnik, A., Stochmal, A., & Olas, B. (2019). Comparative phytochemical, cytotoxicity, antioxidant and haemostatic studies of Taraxacum officinale root preparations. *Food and Chemical Toxicology*, 126(February), 233–247. <https://doi.org/10.1016/j.fct.2019.02.017>
- Jyothi, R. M. R., & Rabban, S. I. (2015). Anti-obesity activity of *Taraxacum officinale* in high fat diet induced obese rats. 7(4), 244–248.
- Kancherla, N., Dhakshinamoothi, A., Chitra, K., & Komaram, R. B. (2019). Preliminary Analysis of Phytoconstituents and Evaluation of Anthelmintic Property of *Cayratia auriculata* (In Vitro). *Maedica*, 14(4), 350–356. <https://doi.org/10.26574/maedica.2019.14.4.350>
- Kania-Dobrowolska, M., & Baraniak, J. (2022). Dandelion (*Taraxacum officinale* L.) as a Source of Biologically Active Compounds Supporting the Therapy of Co-Existing Diseases in Metabolic Syndrome. *Foods*, 11(18). <https://doi.org/10.3390/foods11182858>
- Kementerian Kesehatan RI. (2019). *Sebelas Ramuan Jamu Saintifik*. Balai Besar Penelitian dan Pengembangan Tanaman Obat dan Tradisional (B2P2TOOT).
- Kementerian Kesehatan RI. (2000). *Parameter Standar Umum Ekstrak Tumbuhan Obat*.
- Kementerian Kesehatan RI. (2017). *FARMAKOPE HERBAL INDONESIA EDISI II*. Kementerian Kesehatan RI. <https://doi.org/10.1201/b12934-13>
- Kementerian Kesehatan RI. (2018). Epidemi Obesitas. In *Jurnal Kesehatan* (pp. 1–

- 8). <http://www.p2ptm.kemkes.go.id/dokumen-ptm/factsheet-obesitas-kit-informasi-obesitas>
- Kim, D. H., Park, Y. H., Lee, J. S., Jeong, H. Il, Lee, K. W., & Kang, T. H. (2020). Anti-obesity effect of DKB-117 through the inhibition of pancreatic lipase and  $\alpha$ -amylase activity. *Nutrients*, 12(10), 1–13. <https://doi.org/10.3390/nu12103053>
- Kojta, I., Chacińska, M., & Błachnio-Zabielska, A. (2020). Obesity, bioactive lipids, and adipose tissue inflammation in insulin resistance. *Nutrients*, 12(5). <https://doi.org/10.3390/nu12051305>
- Lasoń, E., Ogonowski, J., & Chemistry, O. (2010). *Lipase – characterization , applications and methods of immobilization.* 2, 100–102.
- Latos-Brožio, M., & Masek, A. (2019). Structure-Activity Relationships Analysis of Monomeric and Polymeric Polyphenols (Quercetin, Rutin and Catechin) Obtained by Various Polymerization Methods. *Chemistry and Biodiversity*, 16(12). <https://doi.org/10.1002/cbdv.201900426>
- Leal, V. de O., & Mafra, D. (2013). Adipokines in obesity. *Clinica Chimica Acta*, 419, 87–94. <https://doi.org/10.1016/j.cca.2013.02.003>
- Lee, S., Lee, D., & Kang, H. (2020). *Effect of Extraction Ethanol Concentration on Antioxidant and Anti-Inflammatory Activity of 30-Year-Old and 120-Year-Old Dangyuja ( Citrus maxima ( Burm .) Merr .).* 26(2), 109–113.
- Liao, C. C., Ou, T. T., Wu, C. H., & Wang, C. J. (2013). Prevention of diet-induced hyperlipidemia and obesity by caffeic acid in C57BL/6 mice through regulation of hepatic lipogenesis gene expression. *Journal of Agricultural and Food Chemistry*, 61(46), 11082–11088. <https://doi.org/10.1021/jf4026647>
- Lin, X., & Li, H. (2021). Obesity: Epidemiology, Pathophysiology, and Therapeutics. *Frontiers in Endocrinology*, 12(September), 1–9. <https://doi.org/10.3389/fendo.2021.706978>
- Lis, B., & Olas, B. (2019). Pro-health activity of dandelion (*Taraxacum officinale* L.) and its food products – history and present. *Journal of Functional Foods*, 59(February), 40–48. <https://doi.org/10.1016/j.jff.2019.05.012>
- Liu, T. T., Liu, X. T., Chen, Q. X., & Shi, Y. (2020). Lipase Inhibitors for Obesity: A Review. *Biomedicine and Pharmacotherapy*, 128(May). <https://doi.org/10.1016/j.biopha.2020.110314>
- Mandal, S. C., Mandal, V., & Das, A. K. (2015). Qualitative Phytochemical Screening. In *Essentials of Botanical Extraction*. <https://doi.org/10.1016/b978-0-12-802325-9.00009-4>
- McKinney, L., Skolnik, N., & Chrusch, A. (2013). Diagnosis and Management of Obesity. *American Academy of Family Physician*, 1–26. [www.aafp.org](http://www.aafp.org)
- Mehrzed, R. (2020). Obesity Global Impact and Epidemiology. In *Obesity* (1st ed.). Elsevier Inc. <https://doi.org/10.1016/b978-0-12-818839-2.00001-6>
- Mingrone, G., & Castagneto, M. (2015). The Pathophysiology of Obesity. In

- Minimally Invasive Bariatric and Metabolic Surgery* (pp. 17–23). Springer International Publishing Switzerland. <https://doi.org/10.1007/978-3-319-15356-8>
- Moini, J., Ahangari, R., Miller, C., & Samsam, M. (2020). What is obesity? In *Global Health Complications of Obesity* (pp. 1–16). Elsevier Inc. <https://doi.org/https://doi.org/10.1016/B978-0-12-819751-6.00001-3>.
- Mukhtarini. (2014). Ekstraksi, Pemisahan Senyawa, dan Identifikasi Senyawa Aktif. *J. Kesehat.*, VII(2), 361. <https://doi.org/10.1007/s11293-018-9601-y>
- Mutha, R. E., Tatiya, A. U., & Surana, S. J. (2021). Flavonoids as natural phenolic compounds and their role in therapeutics: an overview. *Future Journal of Pharmaceutical Sciences*, 7(1). <https://doi.org/10.1186/s43094-020-00161-8>
- Oussaada, S. M., van Galen, K. A., Cooiman, M. I., Kleinendorst, L., Hazebroek, E. J., van Haelst, M. M., ter Horst, K. W., & Serlie, M. J. (2019). The pathogenesis of obesity. *Metabolism: Clinical and Experimental*, 92, 26–36. <https://doi.org/10.1016/j.metabol.2018.12.012>
- Parbuntari, H., Etika, S. B., Mulia, M., & Delvia, E. (2019). A Preliminary Screening of the Different of Secondary Metabolites Ruku-Ruku Leaves (*Ocimum tenuiflorum* Linnen) in West Sumatera. *Eksakta : Berkala Ilmiah Bidang MIPA*, 20(2), 17–24. <https://doi.org/10.24036/eksakta/vol20-iss2/193>
- Parfati, N., Rani, K. C., & Jayani, N. I. E. (2018). Penyiapan Simplisia Kelor. *Fakultas Farmasi Universitas Surabaya*, 1–24.
- Pastor-Villaescusa, B., Rodriguez, E. S., & Rangel-Huerta, O. D. (2018). Polyphenols in obesity and metabolic syndrome. In *Obesity: Oxidative Stress and Dietary Antioxidants* (pp. 213–239). <https://doi.org/10.1016/B978-0-12-812504-5.00011-8>
- Pfingstgraf, I. O., Taulescu, M., Pop, R. M., Orăsan, R., Vlase, L., Uifalean, A., Todea, D., Alexescu, T., Toma, C., & Pârvu, A. E. (2021). Protective effects of taraxacum officinale l. (dandelion) root extract in experimental acute on chronic liver failure. *Antioxidants*, 10(4), 1–14. <https://doi.org/10.3390/antiox10040504>
- Pohanka, M. (2019). Biosensors and bioassays based on lipases, principles and applications, a review. *Molecules*, 24(3). <https://doi.org/10.3390/molecules24030616>
- Qi, X. (2018). Review of the Clinical Effect of Orlistat. *IOP Conference Series: Materials Science and Engineering*, 301(1). <https://doi.org/10.1088/1757-899X/301/1/012063>
- Rodríguez De Luna, S. L., Ramírez-Garza, R. E., & Serna Saldívar, S. O. (2020). Environmentally Friendly Methods for Flavonoid Extraction from Plant Material: Impact of Their Operating Conditions on Yield and Antioxidant Properties. *Scientific World Journal*, 2020. <https://doi.org/10.1155/2020/6792069>
- Rufino, A. T., Costa, V. M., Carvalho, F., & Fernandes, E. (2021). Flavonoids as

- antiobesity agents: A review. *Medicinal Research Reviews*, 41(1), 556–585. <https://doi.org/10.1002/med.21740>
- Saad, B., Ghareeb, B., & Kmail, A. (2021). Metabolic and Epigenetics Action Mechanisms of Antibesity Medicinal Plants and Phytochemicals. *Evidence-Based Complementary and Alternative Medicine*, 2021. <https://doi.org/10.1155/2021/9995903>
- Safrina, U., Wardiyah, W., & Cartika, H. (2022). Evaluation of Total Flavonoid, Total Phenolic, and Antioxidant Activity of Etlingera elatior (Jack) R.M.Sm Flower, Fruit, and Leaf. *Majalah Obat Tradisional*, 27(1), 50. <https://doi.org/10.22146/mot.72210>
- Satria, D. (2013). Complementary and Alternative Medicine: A fact or Promise? *Idea Nursing Journal*, 4(3), 82–90.
- Setyowati, W. A. E., Ariani, S. R. D., Ashadi, Mulyani, B., & Rahmawati, C. P. (2014). Skrining Fitokimia dan Identifikasi Komponen Utama Ekstrak Metanol Kulit Durian (*Durio zibethinus* Murr.) Varietas Petruk. *Seminar Nasional Kimia Dan Pendidikan Kimia*, VI, 271–280.
- Shah, B. N., & Seth, A. K. (2010). *Textbook of Pharmacognosy and Phytochemistry*. Elsevier Inc.
- Sharifi-Rad, M., Roberts, T. H., Matthews, K. R., Bezerra, C. F., Morais-Braga, M. F. B., Coutinho, H. D. M., Sharopov, F., Salehi, B., Yousaf, Z., Sharifi-Rad, M., del Mar Contreras, M., Varoni, E. M., Verma, D. R., Iriti, M., & Sharifi-Rad, J. (2018). Ethnobotany of the genus Taraxacum—Phytochemicals and antimicrobial activity. *Phytotherapy Research*, 32(11), 2131–2145. <https://doi.org/10.1002/ptr.6157>
- Sheskin, D. J. (2011). Parametric and non parametric statistical procedures: Third edition. In *Handbook of Parametric and Nonparametric Statistical Procedures: Third Edition*.
- Shraim, A. M., Ahmed, T. A., Rahman, M. M., & Hijji, Y. M. (2021). Determination of total flavonoid content by aluminum chloride assay: A critical evaluation. *Lwt*, 150(June), 111932. <https://doi.org/10.1016/j.lwt.2021.111932>
- Stoytcheva, M., Montero, G., Zlatev, R., A. Leon, J., & Gochev, V. (2012). Analytical Methods for Lipases Activity Determination: A Review. *Current Analytical Chemistry*, 8(3), 400–407. <https://doi.org/10.2174/157341112801264879>
- Subandi, S., Utami, P. W., & Brotosudarmo, T. H. P. (2019). The activity of flavonoid isolates from papaya (*carica papaya* l.) seed as pancreatic lipase inhibitor. *IOP Conference Series: Materials Science and Engineering*, 546(6). <https://doi.org/10.1088/1757-899X/546/6/062031>
- Sudhakar, M., Sasikumar, S. J., Silambanan, S., Natarajan, D., Ramakrishnan, R., Nair, A. J., & Kiran, M. S. (2020). Chlorogenic acid promotes development of brown adipocyte-like phenotype in 3T3-L1 adipocytes. *Journal of Functional*

- Foods*, 74(July), 104161. <https://doi.org/10.1016/j.jff.2020.104161>
- Sukweenadhi, J., Yunita, O., Setiawan, F., Kartini, Siagian, M. T., Danduru, A. P., & Avanti, C. (2020). Antioxidant activity screening of seven Indonesian herbal extract. *Biodiversitas*, 21(5), 2062–2067. <https://doi.org/10.13057/biodiv/d210532>
- Thaker, V. V. (2021). Genetic and Epigenetic Causes of Obesity. *AM:STARs: Obesity and Diabetes in the Adolescent*, Vol. 28, No. 2, 28(2), 379–405. <https://doi.org/10.1542/9781581109405-genetic>
- Vekic, J., Zeljkovic, A., Stefanovic, A., Jelic-Ivanovic, Z., & Spasojevic-Kalimanovska, V. (2019). Obesity and dyslipidemia. *Metabolism: Clinical and Experimental*, 92, 71–81. <https://doi.org/10.1016/j.metabol.2018.11.005>
- Wang, H. N., Xiang, J. Z., Qi, Z., & Du, M. (2022). Plant extracts in prevention of obesity. *Critical Reviews in Food Science and Nutrition*, 62(8), 2221–2234. <https://doi.org/10.1080/10408398.2020.1852171>
- WHO. (2018). NONCOMMUNICABLE DISEASES COUNTRY PROFILES 2018. In *World Health Organization*. WHO. <https://doi.org/10.1002/9781119097136.part5>
- WHO Regional office for Europe. (2022). *WHO European Regional Obesity Report 2022*.
- Widayanti, E., & Supriyati, N. (2009). Identifikasi Tanaman Jombang (*Taraxacum officinale*) yang Tumbuh di Batu Malang. *Jurnal Ilmiah Sains*, 19(1), 41–45.
- Widyaningrum, I., Wibisono, N., & Kusumawati, A. H. (2020). Effect of extraction method on antimicrobial activity against *staphylococcus aureus* of tapak liman (*elephantopus scaber* l.) leaves. *International Journal of Health & Medical Sciences*, 3(October), 105–110.
- World Health Organization, A. 2000. (2000). *0957708211\_Eng.Pdf* (pp. 8–45).
- World Obesity Federation. (2022). *Obesity Atlas 2022. March*. <https://www.worldobesity.org/resources/resource-library/world-obesity-atlas-2022%0Ahttps://data.worldobesity.org/publications/?cat=15#JO>
- Xie, P. jun, Huang, L. xin, Zhang, C. hong, Ding, S. sha, Deng, Y. jun, & Wang, X. jie. (2018). Skin-care effects of dandelion leaf extract and stem extract: Antioxidant properties, tyrosinase inhibitory and molecular docking simulations. *Industrial Crops and Products*, 111(16), 238–246. <https://doi.org/10.1016/j.indcrop.2017.10.017>
- Xue, Y., Zhang, S., Du, M., & Zhu, M. (2017). Dandelion extract suppresses reactive oxidative species and inflammasome in intestinal epithelial cells Dandelion extract suppresses reactive oxidative species and inflammasome in intestinal epithelial cells. *Journal of Functional Foods*, 29(February), 10–18. <https://doi.org/10.1016/j.jff.2016.11.032>
- Zhang, J., Kang, M., Kim, M., Kim, M., Song, J., Lee, Y., & Kim, J. (2008). *Pancreatic lipase inhibitory activity of taraxacum officinale in vitro and in*

- vivo* \*. 2, 200–203.
- Zhang, Q. W., Lin, L. G., & Ye, W. C. (2018). Techniques for extraction and isolation of natural products: A comprehensive review. *Chinese Medicine (United Kingdom)*, 13(1), 1–26. <https://doi.org/10.1186/s13020-018-0177-x>
- Zhang, Y., Cai, P., Cheng, G., & Zhang, Y. (2022). A Brief Review of Phenolic Compounds Identified from Plants: Their Extraction, Analysis, and Biological Activity. *Natural Product Communications*, 17(1). <https://doi.org/10.1177/1934578X211069721>