

DAFTAR PUSTAKA

- Ahmed, M., Ramos, T. A. D. S., Damanik, F., Quang Le, B., Wieringa, P., Bennink, M., Van Blitterswijk, C., De Boer, J., & Moroni, L. (2015). A combinatorial approach towards the design of nanofibrous scaffolds for chondrogenesis. *Scientific Reports*, 5(October). <https://doi.org/10.1038/srep14804>
- Ang, S. L., Shaharuddin, B., Chuah, J. A., & Sudesh, K. (2020). Electrospun poly(3-hydroxybutyrate-co-3-hydroxyhexanoate)/silk fibroin film is a promising scaffold for bone tissue engineering. *International Journal of Biological Macromolecules*, 145, 173–188. <https://doi.org/10.1016/j.ijbiomac.2019.12.149>
- Ansari, S., Sami, N., Yasin, D., Ahmad, N., & Fatma, T. (2021). Biomedical applications of environmental friendly poly-hydroxyalkanoates. *International Journal of Biological Macromolecules*, 183, 549–563. <https://doi.org/10.1016/j.ijbiomac.2021.04.171>
- Arora, A., Mahajan, A., & Katti, D. S. (2017). TGF- β 1 presenting enzymatically cross-linked injectable hydrogels for improved chondrogenesis. *Colloids and Surfaces B: Biointerfaces*, 159, 838–848. <https://doi.org/10.1016/j.colsurfb.2017.08.035>
- Augustyniak, E., Trzeciak, T., Richter, M., Kaczmarczyk, J., & Suchorska, W. (2015). The role of growth factors in stem cell-directed chondrogenesis: a real hope for damaged cartilage regeneration. *International Orthopaedics*, 39(5), 995–1003. <https://doi.org/10.1007/s00264-014-2619-0>
- Barlian, A., Judawisastra, H., Alfarafisa, N. M., Wibowo, U. A., & Rosadi, I. (2018). Chondrogenic differentiation of adipose-derived mesenchymal stem cells induced by L-ascorbic acid and platelet rich plasma on silk fibroin scaffold. *PeerJ*, 2018(11), 1–20. <https://doi.org/10.7717/peerj.5809>
- Börzsönyi, B., Demendi, C., Rigó, J., Szentpéteri, I., Rab, A., & Joó, J. G. (2013). The regulation of apoptosis in intrauterine growth restriction: A study of Bcl-2 and Bax gene expression in human placenta. *Journal of Maternal-Fetal and Neonatal Medicine*, 26(4), 347–350. <https://doi.org/10.3109/14767058.2012.733770>
- Brown, C., McKee, C., Bakshi, S., Walker, K., Hakman, E., Halassy, S., Svinarich, D., Dodds, R., Govind, C. K., & Chaudhry, G. R. (2019). Mesenchymal stem cells: Cell therapy and regeneration potential. *Journal of Tissue Engineering and Regenerative Medicine*, 13(9), 1738–1755. <https://doi.org/10.1002/term.2914>
- Chen, Q., Shou, P., Zheng, C., Jiang, M., Cao, G., Yang, Q., Cao, J., Xie, N., Velletri, T., Zhang, X., Xu, C., Zhang, L., Yang, H., Hou, J., Wang, Y., & Shi, Y. (2016). Fate decision of mesenchymal stem cells: Adipocytes or osteoblasts? *Cell Death and Differentiation*, 23(7), 1128–1139.

<https://doi.org/10.1038/cdd.2015.168>

- Choi, J. H., Kim, D. K., Song, J. E., Oliveira, J. M., Reis, R. L., & Khang, G. (2018). Silk Fibroin-Based Scaffold for Bone Tissue Engineering. *Advances in Experimental Medicine and Biology*, 1077, 371–387. https://doi.org/10.1007/978-981-13-0947-2_20
- Collins, T., Alexander, D., & Barkatali, B. (2021). Platelet-rich plasma: a narrative review. *EFORT Open Reviews*, 64(4), 225–235. <https://doi.org/10.1302/2058-5241.6.200017>
- Do Amaral, R. J. F. C., Da Silva, N. P., Haddad, N. F., Lopes, L. S., Ferreira, F. D., Filho, R. B., Cappelletti, P. A., De Mello, W., Cordeiro-Spinetti, E., & Balduino, A. (2016). Platelet-Rich Plasma Obtained with Different Anticoagulants and Their Effect on Platelet Numbers and Mesenchymal Stromal Cells Behavior In Vitro. *Stem Cells International*, 2016. <https://doi.org/10.1155/2016/7414036>
- Dymond, J. S. (2013). Explanatory Chapter : Quantitative PCR. In *Laboratory Methods in Enzymology: DNA* (1st ed., Vol. 529). Elsevier Inc. <https://doi.org/10.1016/B978-0-12-418687-3.00023-9>
- Falzarano, M. S., & Ferlini, A. (2019). Urinary Stem Cells as Tools to Study Genetic Disease: Overview of the Literature. *Journal of Clinical Medicine*, 8(5), 627. <https://doi.org/10.3390/jcm8050627>
- Green, M. R., & Sambrook, J. (2020). Quantifying and Storing RNA. *Cold Spring Harbor Protocols*, 2020(3), 61–67. <https://doi.org/10.1101/pdb.top101709>
- Gudmann, N. S., & Karsdal, M. A. (2016). Type II Collagen. In *Biochemistry of Collagens, Laminins and Elastin: Structure, Function and Biomarkers* (Vol. 1, Issue Ii). Elsevier Inc. <https://doi.org/10.1016/B978-0-12-809847-9.00002-7>
- Guo, W., Yang, K., Qin, X., Luo, R., Wang, H., & Huang, R. (2022). Polyhydroxyalkanoates in tissue repair and regeneration. *Engineered Regeneration*, 3(1), 24–40. <https://doi.org/10.1016/j.engreg.2022.01.003>
- Gurusamy, N., Alsayari, A., Rajasingh, S., & Rajasingh, J. (2018). Adult Stem Cells for Regenerative Therapy. In *Progress in Molecular Biology and Translational Science* (1st ed., Vol. 160). Elsevier Inc. <https://doi.org/10.1016/bs.pmbts.2018.07.009>
- Harsan, H., Mariya, S., Islam, A. A., Wahjoepramono, E. J., & Yusuf, I. (2015). Isolation of Mesenchymal Stem Cells from Adipose Tissue. *The Indonesian Biomedical Journal*, 7(3), 153. <https://doi.org/10.18585/inabj.v7i3.181>
- Insomphun, C., Chuah, J. A., Kobayashi, S., Fujiki, T., & Numata, K. (2017). Influence of Hydroxyl Groups on the Cell Viability of Polyhydroxyalkanoate (PHA) Scaffolds for Tissue Engineering. *ACS Biomaterials Science and Engineering*, 3(12), 3064–3075.

Andrea Salsabila Rosadi, 2024

ANALISIS GEN KOLAGEN TIPE II BIOMARKER KON드로GENESIS ADIPOSE MESENCHYMAL STEM CELL DENGAN PENAMBAHAN PLATELET RICH PLASMA PADA SCAFFOLD NANOFIBER PHA DAN SILK

UPN "Veteran" Jakarta, Fakultas Kedokteran, S1 Kedokteran

www.upnvj.ac.id-www.library.upnvj.ac.id-www.repository.upnvj.ac.id

<https://doi.org/10.1021/acsbiomaterials.6b00279>

- James, R., Haridas, N., & Deb, K. D. (2019). Clinical applications of mesenchymal stem cells. *Biointegration of Medical Implant Materials*, 101–116. <https://doi.org/10.1016/B978-0-08-102680-9.00005-6>
- Kabiri, A., Hashemibeni, B., Pourazar, A., Mardani, M., Esfandiari, E., & Esmaeili, A. (2014). Platelet-rich plasma application in chondrogenesis. *Advanced Biomedical Research*, 3(1), 138. <https://doi.org/10.4103/2277-9175.135156>
- KARADAĞ SARI, Ç. (2022). Factors Affecting Platelet Count in Platelet-Rich Plasma. *Dokuz Eylül Üniversitesi Tıp Fakültesi Dergisi*, 36(2), 159–166. <https://doi.org/10.18614/deutip.1174537>
- Karina, K., Rosliana, I., Rosadi, I., Schwartz, R., Sobariah, S., Afini, I., Widyastuti, T., Remelia, M., Wahyuningsih, K. A., & Pawitan, J. A. (2020). Safety of Technique and Procedure of Stromal Vascular Fraction Therapy: From Liposuction to Cell Administration. *Scientifica*, 2020. <https://doi.org/10.1155/2020/2863624>
- Keirouz, A., Zakharova, M., Kwon, J., Robert, C., Koutsos, V., Callanan, A., Chen, X., Fortunato, G., & Radacsi, N. (2020). High-throughput production of silk fibroin-based electrospun fibers as biomaterial for skin tissue engineering applications. *Materials Science and Engineering C*, 112, 1–21. <https://doi.org/10.1016/j.msec.2020.110939>
- Khan, W. S., & Pastides, P. S. (2013). What are stem cells? *Tissue Engineering and the Musculoskeletal System: A Limitless Cure?*, 5–16. <https://doi.org/10.1093/actrade/9780199603381.003.0001>
- Koetsier, G., & Cantor, E. (2019). A Practical Guide to Analyzing Nucleic Acid Concentration and Purity with Microvolume Spectrophotometers. *New England Biolabs*, 1(1), 1–8. https://www.neb.com/-/media/catalog/application-notes/mvs_analysis_of_na_concentration_and_purity.pdf?rev=be7c8e19f4d34e558527496ea51623dc
- Krawczenko, A., & Klimczak, A. (2022). Adipose Tissue-Derived Mesenchymal Stem/Stromal Cells and Their Contribution to Angiogenic Processes in Tissue Regeneration. *International Journal of Molecular Sciences*, 23(5). <https://doi.org/10.3390/ijms23052425>
- Lang, S., Loibl, M., & Herrmann, M. (2018). Platelet-rich plasma in tissue engineering: Hype and hope. *European Surgical Research*, 59(3–4), 265–275. <https://doi.org/10.1159/000492415>
- Li, G., & Sun, S. (2022). Silk Fibroin-Based Biomaterials for Tissue Engineering Applications. *Molecules*, 27(9). <https://doi.org/10.3390/molecules27092757>
- Liou, J. J., Rothrauff, B. B., Alexander, P. G., & Tuan, R. S. (2018). Effect of Platelet-Rich Plasma on Chondrogenic Differentiation of Adipose- and Bone

Andrea Salsabila Rosadi, 2024

ANALISIS GEN KOLAGEN TIPE II BIOMARKER KONDROGENESIS ADIPOSE MESENCHYMAL STEM CELL DENGAN PENAMBAHAN PLATELET RICH PLASMA PADA SCAFFOLD NANOFIBER PHA DAN SILK

UPN "Veteran" Jakarta, Fakultas Kedokteran, S1 Kedokteran

[www.upnvj.ac.id-www.library.upnvj.ac.id-www.repository.upnvj.ac.id]

- Marrow-Derived Mesenchymal Stem Cells. *Tissue Engineering - Part A*, 24(19–20), 1432–1443. <https://doi.org/10.1089/ten.tea.2018.0065>
- Miana, V. V., & Prieto González, E. A. (2018). Adipose tissue stem cells in regenerative medicine. *Ecancermedicalscience*, 12, 1–14. <https://doi.org/10.3332/ecancer.2018.822>
- Mohammadi, A., Bagheri, H., & Qahremani, R. (2022). *Stem cell for researchers. October*. <https://doi.org/10.5281/zenodo.6987263>
- Ngoc Ha, G., Thi Tuyet Trinh, T., Xuan Truyen, N., Van Tien, H., & Hoai Lam, T. (2019). Affordable Method for Water Contact Angle Measurement. *Tap Chí Khoa Học Công Nghệ và Thực Phẩm*, 19(1), 11–18.
- Nguyen, T. P., Nguyen, Q. V., Nguyen, V. H., Le, T. H., Huynh, V. Q. N., Vo, D. V. N., Trinh, Q. T., Kim, S. Y., & Van Le, Q. (2019). Silk fibroin-based biomaterials for biomedical applications: A review. *Polymers*, 11(12), 1–25. <https://doi.org/10.3390/polym11121933>
- Nikolova, M. P., & Chavali, M. S. (2019). Recent advances in biomaterials for 3D scaffolds: A review. *Bioactive Materials*, 4(October), 271–292. <https://doi.org/10.1016/j.bioactmat.2019.10.005>
- O’Shea, D. G., Curtin, C. M., & O’Brien, F. J. (2022). Articulation inspired by nature: a review of biomimetic and biologically active 3D printed scaffolds for cartilage tissue engineering. *Biomaterials Science*, 2462–2483. <https://doi.org/10.1039/d1bm01540k>
- Oravcová, J., & Labašová, E. (2022). The analysis of surface roughness of the samples produced by 3D printing. *Journal of Physics: Conference Series*, 2413(1). <https://doi.org/10.1088/1742-6596/2413/1/012010>
- Pavlovic, V., Ciric, M., Jovanovic, V., & Stojanovic, P. (2016). Platelet Rich Plasma: A short overview of certain bioactive components. *Open Medicine (Poland)*, 11(1), 242–247. <https://doi.org/10.1515/med-2016-0048>
- Piao, L., Park, H., & Jo, C. H. (2017). Theoretical prediction and validation of cell recovery rates in preparing platelet-rich plasma through a centrifugation. *PLoS ONE*, 12(11), 1–25. <https://doi.org/10.1371/journal.pone.0187509>
- Pryadko, A., Surmeneva, M. A., & Surmenev, R. A. (2021). Review of hybrid materials based on polyhydroxyalkanoates for tissue engineering applications. *Polymers*, 13(11). <https://doi.org/10.3390/polym13111738>
- Pulingam, T., Appaturi, J. N., Parumasivam, T., Ahmad, A., & Sudesh, K. (2022). Biomedical Applications of Polyhydroxyalkanoate in Tissue Engineering. *Polymers*, 14(11), 1–24. <https://doi.org/10.3390/polym14112141>
- QtvPcr, B. (2006). Real-Time PCR Applications Guide. *Methods*, 2–4.
- Rahardianti, R., & Nur, E. M. (2017). Akurasi Metode Real Pcr untuk Analisa Ekspresi Gen PmVRP15. *Prosiding Pertemuan Teknis Teknisi Litkayasa*

Lingkup BBPBAP Jepara, 1–166.

- Razmara, E., Bitaraf, A., Yousefi, H., Nguyen, T. H., Garshasbi, M., Cho, W. C. S., & Babashah, S. (2019). Non-coding RNAs in cartilage development: An updated review. *International Journal of Molecular Sciences*, *20*(18). <https://doi.org/10.3390/ijms20184475>
- Rosadi, I., Karina, K., Rosliana, I., Sobariah, S., Afini, I., Widyastuti, T., & Barlian, A. (2019). In vitro study of cartilage tissue engineering using human adipose-derived stem cells induced by platelet-rich plasma and cultured on silk fibroin scaffold. *Stem Cell Research and Therapy*, *10*(1), 1–15. <https://doi.org/10.1186/s13287-019-1443-2>
- Rosadi, I., Karina, K., Wahyuningsih, K. A., Rosliana, I., Widyastuti, T., Sobariah, S., Afini, I., & Barlian, A. (2020). Kondrogenesis Adipose-Derived Stem Cells Menggunakan Platelet-Rich Plasma Pada Scaffold Sutra. *Al-Kauniah: Jurnal Biologi*, *13*(1), 31–38. <https://doi.org/10.15408/kauniah.v13i1.12053>
- Salam, A., Khan, M. Q., Hassan, T., Hassan, N., Nazir, A., Hussain, T., Azeem, M., & Kim, I. S. (2020). In-vitro assessment of appropriate hydrophilic scaffolds by co-electrospinning of poly(1,4 cyclohexane isosorbide terephthalate)/polyvinyl alcohol. *Scientific Reports*, *10*(1), 1–10. <https://doi.org/10.1038/s41598-020-76471-x>
- Saqlain, N., Mazher, N., Fateen, T., & Siddique, A. (2023). Comparison of single and double centrifugation methods for preparation of Platelet-Rich Plasma (PRP). *Pakistan Journal of Medical Sciences*, *39*(3), 634–637. <https://doi.org/10.12669/pjms.39.3.7264>
- Sarkhosh-Inanlou, R., Shafiei-Irannejad, V., Azizi, S., Jouyban, A., Ezzati-Nazhad Dolatabadi, J., Mobed, A., Adel, B., Soleymani, J., & Hamblin, M. R. (2021). Applications of scaffold-based advanced materials in biomedical sensing. *TrAC - Trends in Analytical Chemistry*, *143*. <https://doi.org/10.1016/j.trac.2021.116342>
- Shafeeq, N. K. (2021). Polymer Chain Reaction (PCR): Principle and Applications. *Ibn AL- Haitham Journal For Pure and Applied Sciences*, *34*(4), 35–44. <https://doi.org/10.30526/34.4.2699>
- Shukla, L., Yuan, Y., Shayan, R., Greening, D. W., & Karnezis, T. (2020). Fat Therapeutics: The Clinical Capacity of Adipose-Derived Stem Cells and Exosomes for Human Disease and Tissue Regeneration. *Frontiers in Pharmacology*, *11*(March), 1–23. <https://doi.org/10.3389/fphar.2020.00158>
- Si, Z., Wang, X., Sun, C., Kang, Y., Xu, J., Wang, X., & Hui, Y. (2019). Adipose-derived stem cells: Sources, potency, and implications for regenerative therapies. *Biomedicine and Pharmacotherapy*, *114*(February), 108765. <https://doi.org/10.1016/j.biopha.2019.108765>
- Simonacci, F., Bertozzi, N., Grieco, M. P., & Raposio, E. (2019). From liposuction

Andrea Salsabila Rosadi, 2024

ANALISIS GEN KOLAGEN TIPE II BIOMARKER KONDROGENESIS ADIPOSE MESENCHYMAL STEM CELL DENGAN PENAMBAHAN PLATELET RICH PLASMA PADA SCAFFOLD NANOFIBER PHA DAN SILK

UPN "Veteran" Jakarta, Fakultas Kedokteran, S1 Kedokteran

www.upnvj.ac.id-www.library.upnvj.ac.id-www.repository.upnvj.ac.id

- to adipose-derived stem cells: Indications and technique. *Acta Biomedica*, 90(2), 197–208. <https://doi.org/10.23750/abm.v90i2.6619>
- Sobhani, A., Khanlarkhani, N., Baazm, M., Mohammadzadeh, F., Najafi, A., Mehdinejadi, S., & Aval, F. S. (2017). Multipotent stem cell and current application. *Acta Medica Iranica*, 55(1), 6–23.
- Stashak, T. S., & Theoret, C. L. (2014). Chapter 19 – Integumentary System: Wound Healing, Management, and Reconstruction. In *Equine Emergencies* (Fourth Edi). Elsevier Inc. <https://doi.org/10.1016/B978-1-4557-0892-5.00019-2>
- Sun, W., Gregory, D. A., Tomeh, M. A., & Zhao, X. (2021). Silk fibroin as a functional biomaterial for tissue engineering. *International Journal of Molecular Sciences*, 22(3), 1–28. <https://doi.org/10.3390/ijms22031499>
- Suryani, D., Pawitan, J. A., Lilianty, J., Purwoko, R. Y., Liem, I. K., & Damayanti, L. (2013). Comparison of fetal bovine serum and platelet-rich plasma on human lipoaspirate-derived mesenchymal stem cell proliferation. *Medical Journal of Indonesia*, 22(3), 146–151. <https://doi.org/10.13181/mji.v22i3.583>
- Tamaddon, M., Gilja, H., Wang, L., Oliveira, J. M., Sun, X., Tan, R., & Liu, C. (2020). Osteochondral scaffolds for early treatment of cartilage defects in osteoarthritic joints: from bench to clinic. *Biomaterials Translational*, 1(1), 3–17. <https://doi.org/10.3877/cma.j.issn.2096-112X.2020.01.002>
- Utaminingsih, S., & Sophian, A. (2022). Analysis of Purity and Concentration of DNA Isolation Results on Chondroitin Samples. *BiosciED: Journal of Biological Science and Education*, 3(2), 56–61. <https://doi.org/10.37304/bed.v3i2.5425>
- Wang, X., Lou, T., Zhao, W., Song, G., Li, C., & Cui, G. (2016). The effect of fiber size and pore size on cell proliferation and infiltration in PLLA scaffolds on bone tissue engineering. *Journal of Biomaterials Applications*, 30(10), 1545–1551. <https://doi.org/10.1177/0885328216636320>
- Wei, X., Yang, X., Han, Z. P., Qu, F. F., Shao, L., & Shi, Y. F. (2013). Mesenchymal stem cells: A new trend for cell therapy. *Acta Pharmacologica Sinica*, 34(6), 747–754. <https://doi.org/10.1038/aps.2013.50>
- Worku, M. G. (2021). Pluripotent and multipotent stem cells and current therapeutic applications: Review. *Stem Cells and Cloning: Advances and Applications*, 14, 3–7. <https://doi.org/10.2147/SCCAA.S304887>
- Zhang, R., Ma, J., Han, J., Zhang, W., & Ma, J. (2019). Mesenchymal stem cell related therapies for cartilage lesions and osteoarthritis. *American Journal of Translational Research*, 11(10), 6275–6289. <http://www.ncbi.nlm.nih.gov/pubmed/31737182> <http://www.pubmedcentral.nih.gov/articlerender.fcgi?artid=PMC6834499>
- Zhou, Z., Cui, J., Wu, S., Geng, Z., & Su, J. (2022). Silk fibroin-based biomaterials

for cartilage/ osteochondral repair. *Theranostics*, 12(11), 5103–5124.
<https://doi.org/10.7150/thno.74548>

Andrea Salsabila Rosadi, 2024

***ANALISIS GEN KOLAGEN TIPE II BIOMARKER KONDROGENESIS ADIPOSE MESENCHYMAL
STEM CELL DENGAN PENAMBAHAN PLATELET RICH PLASMA PADA SCAFFOLD NANOFIBER
PHA DAN SILK***

UPN "Veteran" Jakarta, Fakultas Kedokteran, S1 Kedokteran

[www.upnvj.ac.id-www.library.upnvj.ac.id-www.repository.upnvj.ac.id]