

DAFTAR PUSTAKA

- Afkarian, M. 2015, ‘Diabetic kidney disease in children and adolescents’, *National Institute of Health*, 30(1), pp. 1–7. doi: 10.1007/s00467-014-2796-5. Diabetic.
- American Heart Association 2022, *How High Blood Pressure Can Lead to Kidney Damage or Failure*, *heart.org*. Available at: [https://www.embase.com/search/results?subaction=viewrecord&id=L610663429&from=export](https://www.heart.org/en/health-topics/high-blood-pressure/health-threats-from-high-blood-pressure/how-high-blood-pressure-can-lead-to-kidney-damage-or-failure#:~:text=Over%2C uncontrolled high blood,nephrons that filter your blood. (Accessed: 28 December 2023).</p><p>Bash, L. D. et al. 2008, ‘Poor Glycemic Control in Diabetes and The Risk of Incident Chronic Kidney Disease Even in The Absence of Albuminuria and Retinopathy: The Atherosclerosis Risk in Communities (Aric) Study’, <i>NIH Public Access</i>, 23(1), pp. 1–7. doi: 10.1001/archinte.168.22.2440. Poor.</p><p>Bentata, Y. et al. 2016, ‘Does smoking increase the risk of progression of nephropathy and/or cardiovascular disease in type 2 diabetic patients with albuminuria and those without albuminuria?’, <i>American Journal of Cardiovascular Disease</i>, 6(2), pp. 66–69. Available at: <a href=).
- BPJS 2020, ‘Program SCF Bantu Jaga Likuiditas Rumah Sakit’, *BPJS Kesehatan*, pp. 5–20. Available at: <https://bpjs-kesehatan.go.id/bpjs/arsip/detail/1403>.
- BPS 2022, *Persentase Merokok Pada Penduduk Umur \geq 15 Tahun Menurut Provinsi (Persen)*, *bps.go.id*. Available at: <https://www.bps.go.id/id/statistics-table/2/MTQzNSMy/persentase-merokok-pada-penduduk-umur--15-tahun-menurut-provinsi.html> (Accessed: 24 December 2023).
- BPS 2023, *Statistik Indonesia*. Edited by Direktorat Diseminasi Statistik. Badan Pusat Statistik.
- BPS 2024, ‘Persentase Merokok Pada Penduduk Umur \geq 15 Tahun Menurut Kelompok Umur’, *Badan Pusat Statistik*. Available at: <https://www.bps.go.id/indicator/30/1435/1/persentase-merokok-pada-penduduk-umur-15-tahun-menurut-provinsi.html>.
- CDC 2022a, *Chronic Kidney Disease Basics*, *cdc.gov*. Available at: <https://www.cdc.gov/kidneydisease/basics.html> (Accessed: 18 March 2023).
- CDC 2022b, *Diabetes and Chronic Kidney Disease*, *cdc.gov*. Available at:

- <https://www.cdc.gov/diabetes/managing/diabetes-kidney-disease.html> (Accessed: 19 March 2023).
- Clarke, A. L. et al. 2015, ‘Motivations and barriers to exercise in chronic kidney disease: A qualitative study’, *Nephrology Dialysis Transplantation*, 30(11), pp. 1885–1892. doi: 10.1093/ndt/gfv208.
- Coll-De-Tuero, G. et al. 2012, ‘Chronic kidney disease in the type 2 diabetic patients: Prevalence and associated variables in a random sample of 2642 patients of a Mediterranean area’, *BMC Nephrology*, 13(1). doi: 10.1186/1471-2369-13-87.
- Damtie, S. et al. 2018, ‘Chronic Kidney Disease and Associated Risk Factors Assessment among Diabetes Mellitus Patients at A Tertiary Hospital, Northwest Ethiopia’, *Ethiopian journal of health sciences*, 28(6), pp. 691–700. doi: 10.4314/ejhs.v28i6.3.
- Deng, Y. et al. 2021, ‘Global, Regional, and National Burden of Diabetes-Related Chronic Kidney Disease From 1990 to 2019’, *Frontiers in Endocrinology*, 12(July). doi: 10.3389/fendo.2021.672350.
- Dita Maria Virginia and Fenty 2015, ‘Dislipidemia sebagai Faktor Risiko Penurunan Nilai Estimasi Laju Filtrasi Glomerulus (eLFG) pada Diabetes Mellitus Tipe II (Dyslipidemia as A Risk Factor of Declining Estimated Glomerular Filtration Rate (eGFR) Value on Diabetes Mellitus Type II)’, *Jurnal Ilmu Kefarmasian Indonesia*, 13(1), pp. 17–22.
- Duan, J. et al. 2019, ‘Prevalence and risk factors of chronic kidney disease and diabetic kidney disease in Chinese rural residents: a cross-sectional survey’, *Scientific Reports*, 9(1), pp. 1–11. doi: 10.1038/s41598-019-46857-7.
- Fujii, H. et al. 2013, ‘Impact of dietary fiber intake on glycemic control, cardiovascular risk factors and chronic kidney disease in Japanese patients with type 2 diabetes mellitus: The Fukuoka Diabetes Registry’, *Nutrition Journal*, 12(1), pp. 1–8. doi: 10.1186/1475-2891-12-159.
- Gembillo, G. et al. 2021, ‘Kidney disease in diabetic patients: From pathophysiology to pharmacological aspects with a focus on therapeutic inertia’, *International Journal of Molecular Sciences*, 22(9). doi: 10.3390/ijms22094824.
- Giandalia, A. et al. 2021, ‘Gender differences in diabetic kidney disease: Focus on hormonal, genetic and clinical factors’, *International Journal of Molecular Sciences*, 22(11). doi: 10.3390/ijms22115808.
- Goro, K. K. et al. 2019, ‘Patient Awareness, Prevalence, and Risk Factors of Chronic Kidney Disease among Diabetes Mellitus and Hypertensive Patients at Jimma University Medical Center, Ethiopia’, *BioMed Research International*, 2019. doi: 10.1155/2019/2383508.

- Gündoğdu, Y. and Anaforoğlu, İ. 2022, ‘Effects of Smoking on Diabetic Nephropathy’, *Frontiers in Clinical Diabetes and Healthcare*, 3(February), pp. 1–7. doi: 10.3389/fcdhc.2022.826383.
- Guo, W. et al. 2022, ‘Systemic immune-inflammation index is associated with diabetic kidney disease in Type 2 diabetes mellitus patients: Evidence from NHANES 2011-2018’, *Frontiers in Endocrinology*, 13(December), pp. 1–12. doi: 10.3389/fendo.2022.1071465.
- Hardinsyah and Supariasa, I. D. N. (eds) 2014, *Buku Ilmu Gizi Teori dan Aplikasi*. 2017th edn, *Penerbit Buku Kedokteran: Jakarta*. 2017th edn. Jakarta: Penerbit Buku Kedokteran EGC.
- Harjutsalo, V. and Groop, P. H. 2014, ‘Epidemiology and risk factors for diabetic kidney disease’, *Advances in Chronic Kidney Disease*, 21(3), pp. 260–266. doi: 10.1053/j.ackd.2014.03.009.
- Harris, R. C. and Zhang, M.-Z. 2020, ‘The role of gender disparities in kidney injury’, *Annals of Translational Medicine*, 8(7), pp. 514–514. doi: 10.21037/atm.2020.01.23.
- Hashmi, M. F., Benjamin, O. and Lappin, S. L. 2022, *End-Stage Renal Disease*. StatPearls Publishing. Available at: https://www.ncbi.nlm.nih.gov/books/NBK499861/#_NBK499861_pubdet_.
- Hervinda, S., Novadian and Tjekyan, R. M. S. 2014, ‘Prevalensi dan Faktor Resiko Penyakit Gagal Ginjal Kronik di RSUP Dr. Mohammad Hoesin Palembang Tahun 2012’, *Mks*, 4(4), pp. 276–282.
- Hong, X. et al. 2021, ‘Stronger Association of Albaminuria with the Risk of Vascular Complications than Estimated Glomerular Filtration Rate in Type 2 Diabetes’, *Kidney and Blood Pressure Research*, 46(5), pp. 550–562. doi: 10.1159/000515163.
- Hussain, S. et al. 2021, ‘Diabetic kidney disease: An overview of prevalence, risk factors, and biomarkers’, *Clinical Epidemiology and Global Health*, 9(May 2020), pp. 2–6. doi: 10.1016/j.cegh.2020.05.016.
- Irwan 2016, *Epidemiologi Penyakit Tidak Menular*. 1st edn. Edited by U. P. Hastanto and I. Candrawnita. Yogyakarta: Deepublish.
- Jose, M. J. et al. 2016, ‘The role of smoking as a modifiable risk factor in diabetic nephropathy’, *Journal of Association of Physicians of India*, 64(July), pp. 34–38.
- Joshi, R. et al. 2023, ‘Prevalence and risk factors of chronic kidney disease among

- patients with type 2 diabetes mellitus at a tertiary care hospital in Nepal: a cross-sectional study', *BMJ Open*, 13(2), pp. 1–7. doi: 10.1136/bmjopen-2022-067238.
- Kemenkes RI 2016, *Permenkes RI No. 25*.
- Kemenkes RI 2018a, 'Hasil Riset Kesehatan Dasar Tahun 2018', *Kementerian Kesehatan RI*, pp. 1689–1699.
- Kemenkes RI 2018b, 'Laporan Nasional RKD 2018', *Badan Penelitian dan Pengembangan Kesehatan*, p. 674. Available at: http://labdata.litbang.kemkes.go.id/images/download/laporan/RKD/2018/Laporan_Nasional_RKD2018_FINAL.pdf.
- Kementerian Kesehatan RI 2020, *KMK RI*. Indonesia.
- Kementrian Kesehatan Republik Indonesia 2018, 'Peran pemerintah dalam pencegahan dan pengendalian gangguan ginjal', *Penyakit Tropik di Indonesia*, (November), pp. 5–8.
- Kim, B. Y. et al. 2021, 'Associations between obesity, weight change and decreased renal function in Korean type 2 diabetic patients: a longitudinal follow-up study', *BMC Endocrine Disorders*, 21(1), pp. 1–7. doi: 10.1186/s12902-021-00853-z.
- Koska, J. et al. 2022, 'Advanced Glycation End Products Predict Loss of Renal Function and High-Risk Chronic Kidney Disease in Type 2 Diabetes. Diabetes Care 2022;44:684–691', *Diabetes Care*, 45(6), pp. e111–e112. doi: 10.2337/dci22-0013.
- Kovesdy, C. P. 2022, 'Epidemiology of chronic kidney disease: an update 2022', *Kidney International Supplements*, 12(1), pp. 7–11. doi: 10.1016/j.kisu.2021.11.003.
- Kumela Goro, K. et al. 2019, 'Patient Awareness, Prevalence, and Risk Factors of Chronic Kidney Disease among Diabetes Mellitus and Hypertensive Patients at Jimma University Medical Center, Ethiopia', *BioMed Research International*, 2019. doi: 10.1155/2019/2383508.
- Leikis, M. J. et al. 2006, 'Exercise performance falls over time in patients with chronic kidney disease despite maintenance of hemoglobin concentration.', *Clinical journal of the American Society of Nephrology : CJASN*, 1(3), pp. 488–495. doi: 10.2215/CJN.01501005.
- Lin, H. C. et al. 2014, 'Physical activity is associated with decreased incidence of chronic kidney disease in type 2 diabetes patients: A retrospective cohort study in Taiwan', *Primary Care Diabetes*, 8(4), pp. 315–321. doi:

- 10.1016/j.pcd.2014.04.004.
- Liu, J. J. et al. 2020, 'Risk of progressive chronic kidney disease in individuals with early-onset type 2 diabetes: A prospective cohort study', *Nephrology Dialysis Transplantation*, 35(1), pp. 115–121. doi: 10.1093/ndt/gfy211.
- Matovinović, M. S. 2009, 'Pathophysiology and Classification of Kidney Disease', *Ejifcc*, 20(December 2004), pp. 2–11. Available at: <http://www.ifcc.org>.
- Maulana, J. and Winarko, A. 2018, 'Hipertensi Sebagai Faktor Risiko Penyakit Ginjal Kronik Diabetes Melitus Stadium 5 (Studi Kasus di RSI Sultan Agung dan RSUD Kota Semarang)', *Jurnal Kesehatan Pena Medika*, 8(1), pp. 76–82.
- Moehlecke, M. et al. 2010, 'Effect of metabolic syndrome and of its individual components on renal function of patients with type 2 diabetes mellitus', *Brazilian Journal of Medical and Biological Research*, 43(7), pp. 687–693. doi: 10.1590/S0100-879X2010007500054.
- Mohammedi, K. et al. 2018, 'Associations between body mass index and the risk of renal events in patients with type 2 diabetes', *Nutrition and Diabetes*, 8(1). doi: 10.1038/s41387-017-0012-y.
- Mondal, K. and Mukherjee, D. 2020, 'Study To Assess Association of C-Reactive Protein With Nephropathy in People Living With Type 2 Diabetes Mellitus'. Available at: <http://dx.doi.org/10.1101/2020.09.23.20200519>.
- Nazzal, Z. et al. 2020, 'Prevalence and risk factors of chronic kidney disease among Palestinian type 2 diabetic patients: a cross-sectional study', *BMC Nephrology*, 21(1), pp. 1–8. doi: 10.1186/s12882-020-02138-4.
- Nazzal, Z. et al. 2022, 'Prevalence and risk factors of chronic kidney disease in Palestinian patients with diabetes: a cross-sectional study', *The Lancet*, 399, p. S8. doi: 10.1016/s0140-6736(22)01143-6.
- Ninomiya, T. et al. 2009, 'Albuminuria and kidney function independently predict cardiovascular and renal outcomes in diabetes', *Journal of the American Society of Nephrology*, 20(8), pp. 1813–1821. doi: 10.1681/ASN.2008121270.
- Nurwanti, E. et al. 2019, 'Rural – Urban Differences in Dietary Behavior and Obesity: Result of the Riskesdas Study in 10-18 Year Old Indonesian Children and Adolescent', *Nutrients*, 11(2813), pp. 1–14. Available at: www.mdpi.com/journal/nutrients.
- Oshima, M. et al. 2023, 'Sex differences in risk factors for end-stage kidney disease and death in type 2 diabetes: A retrospective cohort study', *Journal of Diabetes*, 15(3), pp. 246–254. doi: 10.1111/1753-0407.13367.

- Palazhy, S. and Viswanathan, V. 2017, 'Lipid Abnormalities in Type 2 Diabetes Mellitus Patients with Overt Nephropathy', pp. 128–134.
- PERKENI 2021, 'Pedoman Pengelolaan dan Pencegahan Diabetes Melitus Tipe 2 di Indonesia 2021'. PB. PERKENI. Available at: Buku Pedoman.
- PERNEFRI 2017, '9 th Report Of Indonesian Renal Registry 2016', pp. 1–46.
- Perpustakaan Kemenkes RI 2023, 'Penyakit Ginjal Kronis', p. 18. Available at: <https://perpustakaan.kemkes.go.id/wp-content/uploads/2023/06/Kemenkes-RI-Penyakit-Ginjal-Kronis-1.pdf>.
- Peta Indonesia 2020, *Portal Informasi Indonesia*. Available at: <https://indonesia.go.id/peta-indonesia/22> (Accessed: 15 December 2023).
- Pongrac Barlovic, D., Tikkainen-Dolenc, H. and Groop, P. H. 2019, 'Physical Activity in the Prevention of Development and Progression of Kidney Disease in Type 1 Diabetes', *Current Diabetes Reports*, 19(7). doi: 10.1007/s11892-019-1157-y.
- Radio Republik Indonesia 2023, *NTB Sasaran Pasar Rokok Ilegal*, *rri.go.id*. Available at: <https://www.rri.go.id/hukum/482266/ntb-sasaran-pasar-rokok-illegal> (Accessed: 4 January 2024).
- Rigalleau, V. et al. 2015, 'Association of advanced glycation end products and chronic kidney disease with macroangiopathy in type 2 diabetes', *Journal of Diabetes and its Complications*, 29(2), pp. 270–274. doi: 10.1016/j.jdiacomp.2014.10.011.
- Rini, S. et al. 2018, 'Faktor Risiko Penyakit Ginjal Kronik Diabetes (PGK-DM) pada Diabetes Mellitus Tipe-2 (Studi di RSUD DR Soedarso Kota Pontianak Provinsi Kalimantan Barat)', *Jurnal Epidemiologi Kesehatan Komunitas*, 3(2), p. 101. doi: 10.14710/jekk.v3i2.4029.
- Riyadina, W., Rahajeng, E. and Driyah, S. 2020, 'Gambaran Gangguan Fungsi Ginjal Kasus Baru Penderita Diabetes Melitus, Jantung Koroner, dan Strok pada Studi Kohor di Bogor Indonesia', *Media Penelitian dan Pengembangan Kesehatan*, 30(4), pp. 295–304. doi: 10.22435/mpk.v30i4.3231.
- Roy, S. et al. 2021, 'Risk Factors and Comorbidities Associated with Diabetic Kidney Disease', *Journal of Primary Care and Community Health*, 12. doi: 10.1177/21501327211048556.
- Shigidi, M. M. and Karrar, W. N. 2021, 'Risk factors associated with the development of diabetic kidney disease in Sudanese patients with type 2 diabetes mellitus: A case-control study', *Diabetes & Metabolic Syndrome: Clinical Research & Reviews*, 15(6). doi:

- [https://doi.org/10.1016/j.dsx.2021.102320.](https://doi.org/10.1016/j.dsx.2021.102320)
- Shih, H. M. *et al.* 2020, ‘Addition of Metabolic Syndrome to Albuminuria Provides a New Risk Stratification Model for Diabetic Kidney Disease Progression in Elderly Patients’, *Scientific Reports*, 10(1), pp. 1–9. doi: 10.1038/s41598-020-63967-9.
- Siddiqui, K. *et al.* 2022, ‘Risk factors of chronic kidney disease among type 2 diabetic patients with longer duration of diabetes’, *Frontiers in Endocrinology*, 13(December), pp. 1–8. doi: 10.3389/fendo.2022.1079725.
- Silarak, T., Piyabunditkul, L. and Kittipichai, W. 2020, ‘Predictive Factors of Chronic Kidney Disease in Patients with Diabetes Mellitus at Sisaket Province’, *The Journal of Baromarajonani College of Nusing, Nakhonratchasima*, 23(2), pp. 94–106. Available at: <https://www.tci-thaijo.org/index.php/Jolbcnm/article/view/105945/83992>.
- Sun, J. *et al.* 2022, ‘Childhood diabetes mellitus and early-onset kidney diseases later in life: a nationwide population-based matched cohort study’, *BMC Medicine*, 20(1), pp. 1–12. doi: 10.1186/s12916-022-02634-4.
- Sutadji, J. T., Pranoto, A. and Prasetyo, R. V. 2023, ‘Risk Factors of Chronic Kidney Disease (CKD) in Type 2 Diabetes Mellitus (DM) Patients at Dr. Soetomo General Academic Hospital, Surabaya’, *JUXTA: Jurnal Ilmiah Mahasiswa Kedokteran Universitas Airlangga*, 14(1), pp. 12–16. doi: 10.20473/juxta.v14i12023.12-16.
- Tim Riskesdas 2018a, *Laporan Provinsi Kalimantan Utara, Laporan Riskesdas Nasional 2018*.
- Tim Riskesdas 2018b, *Laporan Provinsi Maluku Utara Riskesdas 2018, Dinas Kesehatan Maluku Utara*. Available at: <https://ejournal2.litbang.kemkes.go.id/index.php/lpb/article/view/3756>.
- Tim Riskesdas 2018c, *Laporan Riset Kesehatan Dasar 2018 Provinsi Sulawesi Tenggara, Lembaga Penerbit Badan Penelitian dan Pengembangan Kesehatan (LPB)*. Available at: [http://repository.litbang.kemkes.go.id/3899/1/Riskesdas Sulawesi Tenggara 2018.pdf](http://repository.litbang.kemkes.go.id/3899/1/Riskesdas_Sulawesi_Tenggara_2018.pdf).
- Wahyuni, S., Saleh, I. and Budiaستutik, I. 2017, ‘Faktor-Faktor Yang Berhubungan Dengan Kejadian Gagal Ginjal Terminal Pada Penderita Diabetes Mellitus Tipe 2 Di RSUD Dr. Soedarmo Dan RSU. Yarsi Pontianak’, *JUMANTIK: Jurnal Mahasiswa dan Peneliti Kesehatan*, 3(1). Available at: <http://openjurnal.unmuhpnk.ac.id/index.php/JJUM/article/view/351>.
- Wang, C.-P. *et al.* 2021, ‘Inter-relationship of risk factors and pathways associated

- with chronic kidney disease in patients with type 2 diabetes mellitus: a structural equation modelling analysis', *RSPH Public Health*, 190, pp. 135–144. doi: <https://doi.org/10.1016/j.puhe.2020.02.007>.
- Wang, X. et al. 2023a, 'Examining the Links Between Physical Activity, Sitting Time, and Renal Function in T2DM Patients', *Diabetes, Metabolic Syndrome and Obesity*, 16, pp. 2469–2476. doi: 10.2147/DMSO.S408677.
- Wang, X. et al. 2023b, 'Examining the Links Between Physical Activity, Sitting Time, and Renal Function in T2DM Patients', *Diabetes, Metabolic Syndrome and Obesity*, 16(August), pp. 2469–2476. doi: 10.2147/DMSO.S408677.
- Webster, A. C. et al. 2017, 'Chronic Kidney Disease', *The Lancet*, 389(10075), pp. 1238–1252. doi: 10.1016/S0140-6736(16)32064-5.
- Weiner, D. E. 2009, 'Public Health Consequences of Chronic Kidney Disease', *NIH Public Access*, 86(5), pp. 566–569. doi: 10.1038/clpt.2009.137.Public.
- Xia, Y. et al. 2022, 'Associations Between Obesity and Kidney Disease in Chinese Men and Women With Type 2 Diabetes: A Retrospective Cohort Study', *Canadian Journal of Diabetes*, 46(1), pp. 47-52.e3. doi: 10.1016/j.jcjd.2021.05.005.
- Xie, D. et al. 2023, 'Global burden and influencing factors of chronic kidney disease due to type 2 diabetes in adults aged 20–59 years, 1990–2019', *Scientific Reports*, 13(1), pp. 1–11. doi: 10.1038/s41598-023-47091-y.
- Yang, Y. et al. 2021, 'The prevalence of diabetes mellitus with chronic kidney disease in adults and associated factors in Songjiang District, Shanghai', *Annals of Palliative Medicine*, 10(7), pp. 7214–7224. doi: 10.21037/apm-21-803.
- Yu, M. K. et al. 2013, 'Risk factor, age and sex differences in chronic kidney disease prevalence in a diabetic cohort: The Pathways Study', *National Institute of Healthtute of Health*, 36(3), pp. 245–251. doi: 10.1159/000342210.Risk.
- Yun, K. J. et al. 2016, 'Risk factors for the development and progression of diabetic kidney disease in patients with type 2 diabetes mellitus and advanced diabetic retinopathy', *Diabetes and Metabolism Journal*, 40(6), pp. 473–481. doi: 10.4093/dmj.2016.40.6.473.
- Zaman, S. Bin, Hossain, N. and Rahman, M. 2018, 'Associations between body mass index and chronic kidney disease in type 2 diabetes mellitus patients: Findings from the northeast of Thailand', *Diabetes and Metabolism Journal*, 42(4), pp. 330–337. doi: 10.4093/dmj.2017.0052.

- Zhang, Y. *et al.* 2019, ‘Lower body mass index is not of more benefit for diabetic complications’, *Journal of Diabetes Investigation*, 10(5), pp. 1307–1317. doi: 10.1111/jdi.13003.
- Zheng, L. *et al.* 2020, ‘Early-onset type 2 diabetes as a risk factor for end-stage renal disease in patients with diabetic kidney disease’, *Preventing Chronic Disease*, 17(14), pp. 20–25. doi: 10.5888/PCD17.200076.