

DAFTAR PUSTAKA

- Abdulai, T. *et al.* 2019, ‘Prevalence of impaired fasting glucose, type 2 diabetes and associated risk factors in undiagnosed Chinese rural population: The Henan Rural Cohort Study’, *BMJ Open*, 9(8). Available at: <https://doi.org/10.1136/bmjopen-2019-029628>.
- Aeschbachera, S. *et al.* 2014, ‘Association of smoking and nicotine dependence with pre-diabetes in young and healthy adults’, *Swiss Medical Weekly*, 144. Available at: <https://doi.org/10.4414/smw.2014.14019>.
- Aladeniyi, I. *et al.* 2017, ‘The Prevalence and Correlates of Pre-Diabetes and Diabetes Mellitus Among Public Category Workers in Akure, Nigeria’, *The Open Public Health Journal*, 10(1), pp. 167–176. Available at: <https://doi.org/10.2174/1874944501710010167>.
- Alberti, K.G.M.M. *et al.* 2006, *Metabolic syndrome-a new world-wide definition. A Consensus Statement from the International Diabetes Federation, Diabetic Medicine*.
- Aldossari, K.K. *et al.* 2018, ‘Prevalence of Prediabetes, Diabetes, and Its Associated Risk Factors among Males in Saudi Arabia: A Population-Based Survey’, *Journal of Diabetes Research*. Hindawi Limited. Available at: <https://doi.org/10.1155/2018/2194604>.
- Alomari, A. and Al Hisnah, S. 2022, ‘Prevalence of Prediabetes and Associated Risk Factor Assessment Among Adults Attending Primary Healthcare Centers in Al Bahah, Saudi Arabia: A Cross-Sectional Study’, *Cureus*, pp. 1–11. Available at: <https://doi.org/10.7759/cureus.29465>.
- Al-Sharafi, B.A. *et al.* 2021, ‘Family History, Consanguinity and Other Risk Factors Affecting the Prevalence of Prediabetes and Undiagnosed Diabetes Mellitus in Overweight and Obese Yemeni Adults’, *Diabetes, Metabolic Syndrome and Obesity*, 14, pp. 4853–4863. Available at: <https://doi.org/10.2147/DMSO.S344440>.
- Al-Zahrani, J.M. *et al.* 2019, ‘Prevalence of Prediabetes, Diabetes and Its Predictors among Females in Alkharj, Saudi Arabia: A Cross-Sectional Study’. Available at: <https://doi.org/10.5334/aogh.246>.
- American Diabetes Association 2023, ‘Diagnosis’. Available at: <https://diabetes.org/about-diabetes/diagnosis> (Accessed: 4 October 2023).
- Ampeire, I.P., Kawugezi, P.C. and Mulogo, E.M. 2023, ‘Prevalence of prediabetes and associated factors among community members in rural Isingiro district’,

- BMC Public Health*, 23(1). Available at: <https://doi.org/10.1186/s12889-023-15802-9>.
- Ampeire, I.P., Kawugezi, P.C. and Mulogo, E.M. 2023, ‘Prevalence of prediabetes and associated factors among community members in rural Isingiro district’, *BMC Public Health*, 23(1). Available at: <https://doi.org/10.1186/s12889-023-15802-9>.
- Andriani, R.N. *et al.* 2022, ‘Analysis of Prediabetes Risk Factors at Primary Health Care Centers’.
- Apidechkul, T. *et al.* 2022, ‘Epidemiology of prediabetes mellitus among hill tribe adults in Thailand’, *PLoS ONE*, 17(7), pp. 1–13. Available at: <https://doi.org/10.1371/journal.pone.0271900>.
- Arimby, A.E. and Apriningsih 2016, *Determinan Kunjungan Lansia ke Posbindu Senja Sejahtera Cinere, Depok Tahun 2015*.
- Ario, M.D. 2014, ‘Effect of Nicotine in Cigarette for Type 2 Diabetes Mellitus’, *J MAJORITY*, 3(7), pp. 1–6.
- Astuti, A. 2019, ‘Usia, Obesitas dan Aktifitas Fisik Beresiko Terhadap Prediabetes’, *Jurnal Endurance*, 4(2), p. 319. Available at: <https://doi.org/10.22216/jen.v4i2.3757>.
- Badan Penelitian dan Pengembangan Kesehatan Departemen Kesehatan Republik Indonesia 2013, *Riset Kesehatan Dasar 2013*.
- Bagheri, F. *et al.* 2016, ‘Healthy and unhealthy dietary patterns are related to prediabetes: A case-control study’, *British Journal of Nutrition*, 116(5), pp. 874–881. Available at: <https://doi.org/10.1017/S0007114516002634>.
- Balitbangkes 2019, *Laporan Nasional Riskeidas 2018*.
- Basit, A. *et al.* 2018, ‘Prevalence of diabetes, pre-diabetes and associated risk factors: second National Diabetes Survey of Pakistan (NDS), 2016-2017’, *BMJ Open*, 8, p. 20961. Available at: <https://doi.org/10.1136/bmjopen-2017-020961>.
- BPS 2022, *Jumlah Penduduk Menurut Kabupaten/Kota di Provinsi DKI Jakarta*. Available at: <https://jakarta.bps.go.id/indicator/12/1270/1/jumlah-penduduk-menurut-kabupaten-kota-di-provinsi-dki-jakarta-.html> (Accessed: 6 January 2024).
- Budiastutik, I. *et al.* 2022, ‘High Prevalence of Prediabetes and Associated Risk Factors in Urban Areas of Pontianak, Indonesia: A Cross-Sectional Study’, *Journal of Obesity*, 2022. Available at: <https://doi.org/10.1155/2022/4851044>.

- Cai, X. *et al.* 2020, ‘Association between prediabetes and risk of all cause mortality and cardiovascular disease: Updated meta-analysis’, *The BMJ*, 370, pp. 848–849. Available at: <https://doi.org/10.1136/bmj.m2297>.
- Campagna, D. *et al.* 2019, ‘Smoking and diabetes: Dangerous liaisons and confusing relationships’, *Diabetology and Metabolic Syndrome*. BioMed Central Ltd. Available at: <https://doi.org/10.1186/s13098-019-0482-2>.
- CDC 2022, ‘Prediabetes - Your Chance to Prevent Type 2 Diabetes’. Available at: <https://www.cdc.gov/diabetes/basics/prediabetes.html> (Accessed: 22 October 2023).
- CDC 2022, ‘Prediabetes - Your Chance to Prevent Type 2 Diabetes | CDC’. Available at: <https://www.cdc.gov/diabetes/basics/prediabetes.html> (Accessed: 15 August 2023).
- Center for Disease Control and Prevention 2022, ‘Prediabetes - Your Chance to Prevent Type 2 Diabetes’. Available at: <https://www.cdc.gov/diabetes/basics/prediabetes.html> (Accessed: 4 October 2023).
- Center for Disease Control and Prevention 2023, ‘Diabetes Tests’. Available at: <https://www.cdc.gov/diabetes/basics/getting-tested.html#:~:text=A%20fasting%20blood%20sugar%20level,higher%20indicates%20you%20have%20diabetes>. (Accessed: 18 October 2023).
- Chen, C.-M. and Yeh, M.C. 2013, *The prevalence and determinants of impaired fasting glucose in the population of Taiwan*. Available at: <http://www.biomedcentral.com/1471-2458/13/1123>.
- Chen, M.Q. *et al.* 2021, ‘Interaction of general or central obesity and hypertension on diabetes: Sex-specific differences in a rural population in Northeast China’, *Diabetes, Metabolic Syndrome and Obesity*, 14, pp. 1061–1072. Available at: <https://doi.org/10.2147/DMSO.S295960>.
- Chowdhury, A. and S, D. 2019, ‘Prevalence and risk factor of prediabetes: A cross-sectional study among young medical students in Mangalore’, *National Journal of Physiology, Pharmacy and Pharmacology*, (0), p. 1. Available at: <https://doi.org/10.5455/njPPP.2019.9.0206110032019>.
- Dany, F. *et al.* 2017, ‘Faktor Risiko Prediabetes: Isolated Impaired Fasting Glucose (i-IFG), Isolated Impaired Glucose Tolerance (i-IGT) dan Kombinasi IFG-IGT (Analisis Lanjut Riskesdas 2013)’, *Buletin Penelitian Kesehatan*, 45(2). Available at: <https://doi.org/10.22435/bpk.v45i2.6366.113-124>.
- Dany, F. *et al.* 2020, ‘Urban-rural distinction of potential determinants for prediabetes in Indonesian population aged ≥ 15 years: A cross-sectional

- analysis of Indonesian Basic Health Research 2018 among normoglycemic and prediabetic individuals', *BMC Public Health*, 20(1). Available at: <https://doi.org/10.1186/s12889-020-09592-7>.
- Decroli, E. 2022, *Prediabetes*. Pertama. Andalas University Press.
- Diabetes Australia 2020, ‘Pre-diabetes’. Available at: <https://www.diabetesaustralia.com.au/about-diabetes/pre-diabetes/> (Accessed: 22 October 2023).
- Díaz-Redondo, A. *et al.* 2015, ‘Modifiable risk factors associated with prediabetes in men and women: A cross-sectional analysis of the cohort study in primary health care on the evolution of patients with prediabetes’, *BMC Family Practice*, 16(1). Available at: <https://doi.org/10.1186/s12875-014-0216-3>.
- Díaz-Redondo, A. *et al.* 2015, ‘Modifiable risk factors associated with prediabetes in men and women: A cross-sectional analysis of the cohort study in primary health care on the evolution of patients with prediabetes’, *BMC Family Practice*, 16(1). Available at: <https://doi.org/10.1186/s12875-014-0216-3>.
- Djausal, A.N. 2015, *Effect of Central Obesity As Risk Factor of Metabolic Syndrome*.
- Elyantari, G. *et al.* 2018, ‘Total cholesterol and HDL cholestrol as risk Factor of prediabetes and diabetes in palembang city’, *Jurnal Kebidanan dan Keperawatan Aisyiyah*, 14(2), pp. 1–7.
- Eonju, J. *et al.* 2019, ‘Relationship between Prediabetes and Depression in Korean Adults’, *Diabetes*, 68(Supplement_1). Available at: <https://doi.org/10.2337/DB19-833-P>.
- Food and Drug Administration 2023, ‘How Smoking Can Increase Risk for and Affect Diabetes | FDA’. Available at: <https://www.fda.gov/tobacco-products/health-effects-tobacco-use/how-smoking-can-increase-risk-and-affect-diabetes> (Accessed: 8 January 2024).
- Formagini, T. *et al.* 2023, ‘Prediabetes prevalence and awareness by race, ethnicity, and educational attainment among U.S. adults’, *Frontiers in Public Health*, 11. Available at: <https://doi.org/10.3389/fpubh.2023.1277657>.
- Fujiati, I.I. *et al.* 2017, ‘Development and validation of prediabetes risk score for predicting prediabetes among Indonesian adults in primary care: Cross-sectional diagnostic study’, *Interventional Medicine and Applied Science*, 9(2), pp. 76–85. Available at: <https://doi.org/10.1556/1646.9.2017.18>.
- Hamoudi, R. *et al.* 2019, ‘Prediabetes and diabetes prevalence and risk factors comparison between ethnic groups in the United Arab Emirates’, *Scientific Reports*, 9(1). Available at: <https://doi.org/10.1038/s41598-019-53505-7>.

- Harahap, A.M., Ariati, A. and Siregar, Z.A. 2020, 'Hubungan Indeks Massa Tubuh Dengan Kadar Gula Darah Pada Penderita Diabetes Mellitus Di Desa Sisumut, Kecamatan Kotapinang', 19(2). Available at: <http://bit.ly/OJSIbnuSina>.
- Harahap, W.G. and Nurwahyuni, A. 2019, 'Factors Related to the Incidence of Hypertension Among Prospective Pilgrims in Medan, Indonesia During Embarkation Period 2016', *KnE Life Sciences*, 4(10), p. 261. Available at: <https://doi.org/10.18502/kls.v4i10.3728>.
- Hariri, S. et al. 2021, 'Prevalence and determinants of diabetes and prediabetes in southwestern Iran: the Khuzestan comprehensive health study (KCHS)', *BMC Endocrine Disorders*, 21(1). Available at: <https://doi.org/10.1186/s12902-021-00790-x>.
- Hossain, M.B. et al. 2022, 'Prevalence of, and risk factors for, diabetes and prediabetes in Bangladesh: Evidence from the national survey using a multilevel Poisson regression model with a robust variance', *PLOS Global Public Health*, 2(6), p. e0000461. Available at: <https://doi.org/10.1371/journal.pgph.0000461>.
- Huda, M., Bustan, M.N. and Gobel, F.A. 2022, 'Diabetes Melitus dan Hiperkolesterol Sebagai Faktor Kematian Jemaah Haji Pada Embarkasi Sultan Hasanuddin Makassar', *Journal of Muslim Community Health (JMCH)*, 3(3), pp. 155–161. Available at: <https://doi.org/10.52103/jmch.v3i3.997>.
- Huda, M., Bustan, M.N. and Gobel, F.A. 2022, 'Diabetes Melitus dan Hiperkolesterol Sebagai Faktor Kematian Jemaah Haji Pada Embarkasi Sultan Hasanuddin Makassar', *Journal of Muslim Community Health (JMCH)* 2022, 3(3), pp. 155–161. Available at: <https://doi.org/10.52103/jmch.v3i3.997>.
- Hu, Z. et al. 2019, 'A Case-Control Study on Risk Factors and Their Interactions with Prediabetes among the Elderly in Rural Communities of Yiyang City, Hunan Province', *Journal of Diabetes Research*, 2019. Available at: <https://doi.org/10.1155/2019/1386048>.
- International Diabetes Federation 2017, *IDF Diabetes Atlas Eighth Edition*.
- International Diabetes Federation 2021, *IDF Diabetes Atlas 10th edition*. Available at: www.diabetesatlas.org.
- Ismail, R. et al. 2023, 'Prevalence and factors associated with prediabetes and diabetes mellitus among adults: Baseline findings of PURE Malaysia cohort study', *Clinical Epidemiology and Global Health*, 21. Available at: <https://doi.org/10.1016/j.cegh.2023.101279>.

- Jayanti, K.D. 2017, ‘Pelaksanaan Sistem Surveilans Kesehatan Haji di Dinas Kesehatan Kota Surabaya’, 13(2), pp. 1–4.
- Junker, K. *et al.* 2021, ‘The prevalence and correlates of pre-diabetes in middle- To older-aged Irish adults using three diagnostic methods’, *PLoS ONE*, 16(6 June). Available at: <https://doi.org/10.1371/journal.pone.0253537>.
- Junker, K. *et al.* 2021, ‘The prevalence and correlates of pre-diabetes in middle- To older-aged Irish adults using three diagnostic methods’, *PLoS ONE*, 16(6 June). Available at: <https://doi.org/10.1371/journal.pone.0253537>.
- Kautzky-Willer, A., Harreiter, J. and Pacini, G. 2016, ‘Sex and Gender Differences in Risk, Pathophysiology and Complications of Type 2 Diabetes Mellitus’. Available at: <https://doi.org/10.1210/er.2015-1137>.
- Kelishadi, R. *et al.* 2015, *Systematic review on the association of abdominal obesity in children and adolescents with cardio-metabolic risk factors, Journal of Research in Medical Sciences*.
- Kemenag 2022, *Daftar Tunggu Jemaah Haji Indoensia Menurut Jenis Kelamin*. Available at: <https://satudata.kemenag.go.id/dataset/detail/daftar-tunggu-jemaah-haji-indonesia-menurut-jenis-kelamin> (Accessed: 9 January 2024).
- Kemenag 2022, *Jumlah Pendaftar Baru Jemaah Haji Indonesia Menurut Jenis Pekerjaan*. Available at: <https://satudata.kemenag.go.id/dataset/detail/jumlah-pendaftar-baru-jemaah-haji-indonesia-menurut-jenis-pekerjaan> (Accessed: 9 January 2024).
- Kemenkes 2023, ‘Waspadai Dua Penyakit Yang Sering Menyerang Jemaah Haji Lansia di Tanah Suci – Sehat Negeriku’. Available at: <https://sehatnegeriku.kemkes.go.id/baca/rilis-media/20230608/5243190/waspadai-dua-penyakit-yang-sering-menyerang-jemaah-haji-lansia-di-tanah-suci/> (Accessed: 9 January 2024).
- Kemenkes RI 2020, *Keputusan Menteri Kesehatan Republik Indonesia*.
- Kementerian Kesehatan Puskes Hajji 2018, *Petunjuk Teknis Pemeriksaan dan Pembinaan Haji (Petunjuk Teknis Permenkes No 15 Tahun 2016)*.
- Kementerian Kesehatan Republik Indonesia 2020, ‘Penyakit yang Menyerang Jamaah Haji dan Cara Mengobatinya’. Available at: <https://puskeshaji.kemkes.go.id/berita/2020/7/14/penyakit-yang-menyerang-jamaah-haji-dan-cara-mengobatinya> (Accessed: 3 October 2023).
- Kementerian Kesehatan Republik Indonesia 2022, ‘63,25 Persen Jamaah Haji Indonesia Resiko Tinggi’. Available at: <https://sehatnegeriku.kemkes.go.id/baca/rilis->

media/20220619/5640204/6325-persen-jamaah-haji-indonesia-resiko-tinggi/ (Accessed: 3 October 2023).

Kementerian Kesehatan RI 2016, *Permenkes Nomor 15 Tahun 2016*.

Kementerian Kesehatan RI 2019, ‘Ratusan Jemaah Haji DKI Jakarta Lakukan Latihan dan Pengukuran Kebugaran’. Available at: <https://www.kemkes.go.id/id/rilis-kesehatan/ratusan-jemaah-haji-dki-jakarta-lakukan-latihan-dan-pengukuran-kebugaran> (Accessed: 17 January 2024).

Kementerian Kesehatan RI 2021, *Pedoman Pengelolaan Prediabetes untuk Tenaga Kesehatan di Fasilitas Pelayanan Kesehatan Tingkat Pertama (FTKP)*. Jakarta.

Kristanti, E.E., Huriah, T. and Khairiyati, A. 2016, ‘Karakteristik Prediabetes di Puskesmas Pesantren I Kota Kediri’, 2(2).

Krysiak, R. et al. 2018, ‘Sexual functioning and depressive symptoms in women with various types of prediabetes — a pilot study’, *Endokrynologia Polska*, 69(2), pp. 175–181. Available at: <https://doi.org/10.5603/EP.2018.0021>.

Lailler, G. et al. 2023, ‘Prevalence and risk factors associated with prediabetes and undiagnosed diabetes in France: The national CONSTANCES cohort’, *Diabetes Epidemiology and Management*, 10. Available at: <https://doi.org/10.1016/j.deman.2022.100121>.

Lailler, G. et al. 2023, ‘Prevalence and Risk Factors Associated with Prediabetes and Undiagnosed Diabetes in France: The national CONSTANCES cohort’, *Diabetes Epidemiology and Management*, 10. Available at: <https://doi.org/10.1016/j.deman.2022.100121>.

Lee, J. 1994, *Letters to the Editor Odds Ratio or Relative Risk for Cross-Sectional Data?*, *International Journal of Epidemiology* © International Epidemiological Association. Available at: <http://ije.oxfordjournals.org/>.

Liberty, I. et al. 2022, ‘Skrining faktor risiko prediabetes yang dapat dimodifikasi di komunitas’, *Jurnal Pengabdian Masyarakat: Humanity and Medicine*, 3(2), pp. 84–91. Available at: <https://doi.org/10.32539/hummed.v3i2.84>.

Liberty, I.A. 2016, ‘Hubungan Obesitas dengan Kejadian Prediabetes pada Wanita Usia Produktif’, 3(2), pp. 108–113.

Liberty, I.A. et al. 2023, ‘Predictors of Prediabetes Among Communities Without a Family History of Type 2 Diabetes Mellitus: A Case-Control Study’, *Cureus* [Preprint]. Available at: <https://doi.org/10.7759/cureus.44131>.

- Liberty and Kodim, N. 2017, ‘Assess prediabetes risk, as a golden period for prevention of diabetes’, *Asian Journal of Pharmaceutical and Clinical Research*, 10(6), pp. 349–353. Available at: <https://doi.org/10.22159/ajpcr.2017.v10i6.18215>.
- Lima, C.H.R. *et al.* 2022, ‘Prevalence of prediabetes in adults and its association with sociodemographic, nutritional, metabolic and mental disorders factors: Home Health Survey, Piauí, Brazil’, *Revista de Nutrição*, 35. Available at: <https://doi.org/10.1590/1678-9865202235E220046>.
- Li, S. *et al.* 2015, ‘Prevalence of diabetes mellitus and impaired fasting glucose, Associated with risk factors in rural Kazakh adults in Xinjiang, China’, *International Journal of Environmental Research and Public Health*, 12(1), pp. 554–565. Available at: <https://doi.org/10.3390/ijerph120100554>.
- Lumbuun, N. and Kodim, N. 2017, ‘Pengaruh Konsumsi Fruktosa pada Minuman Kemasan terhadap Toleransi Glukosa Terganggu pada Kelompok Usia Muda di Perkotaan di’, 2(1).
- Lwanga, S.K. and Lemeshow, S. 1990, *Sample size determination in health studies : a practical manual*.
- Mahat, R.K. *et al.* 2019, ‘Health risks and interventions in prediabetes: A review’, *Diabetes and Metabolic Syndrome: Clinical Research and Reviews*. Elsevier Ltd, pp. 2803–2811. Available at: <https://doi.org/10.1016/j.dsx.2019.07.041>.
- Maliszewska, K., Adamska-Patrunko, E. and Krętowski, A. 2019, ‘The interplay between muscle mass decline, obesity, and type 2 diabetes’, *Polish Archives of Internal Medicine. Medycyna Praktyczna*, pp. 809–816. Available at: <https://doi.org/10.20452/pamw.15025>.
- Mas’ud, I. *et al.* 2020, ‘The implementation of health istithaa to the pilgrims with tuberculosis: A cross-sectional study in Jakarta, Indonesia’, *Medical Journal of Indonesia*, 29(2), pp. 198–203. Available at: <https://doi.org/10.13181/mji.oa.203517>.
- Milita, F., Handayani, S. and Setiaji, B. 2021, *Kejadian Diabetes Mellitus Tipe II pada Lanjut Usia di Indonesia (Analisis Riskesdas 2018)*. Available at: <https://jurnal.umj.ac.id/index.php/JKK>.
- Moradpour, F. *et al.* 2022, ‘Prevalence of prediabetes, diabetes, diabetes awareness, treatment, and its socioeconomic inequality in west of Iran’, *Scientific Reports*, 12(17892), pp. 1–11. Available at: <https://doi.org/10.1038/s41598-022-22779-9>.
- Mujiono, M., Udijono, A. and Kusuma, D. 2023, ‘Faktor-Faktor yang Berhubungan dengan Kejadian Prediabetes’, *MEDIA KESEHATAN MASYARAKAT*

- INDONESIA*, 22(5), pp. 314–318. Available at: <https://doi.org/10.14710/mkmi.22.5.314-318>.
- National Institute of Diabetes and Digestive and Kidney Diseases 2018, ‘Insulin Resistance & Prediabetes’. Available at: [https://www.niddk.nih.gov/health-information/diabetes/overview/what-is-diabetes/prediabetes-insulin-resistance#:~:text=Prediabetes%20usually%20occurs%20in%20people,rather%20than%20entering%20your%20cells.%20\(Accessed:%2023%20October%202023\)](https://www.niddk.nih.gov/health-information/diabetes/overview/what-is-diabetes/prediabetes-insulin-resistance#:~:text=Prediabetes%20usually%20occurs%20in%20people,rather%20than%20entering%20your%20cells.%20(Accessed:%2023%20October%202023).). (Accessed: 10 January 2024).
- Net, J.B. van der *et al.* 2008, ‘Cox proportional hazards models have more statistical power than logistic regression models in cross-sectional genetic association studies’, *European Journal of Human Genetics* 2008 16:9, 16(9), pp. 1111–1116. Available at: <https://doi.org/10.1038/ejhg.2008.59>.
- Nguyen, V.D. *et al.* 2019, ‘Prevalence of undiagnosed diabetes and pre-diabetes and its associated risk factors in Vietnam’, *Journal of Global Health Science*, 1. Available at: <https://doi.org/10.35500/jghs.2019.1.e7>.
- NIDDK 2018, ‘Insulin Resistance & Prediabetes’. Available at: <https://www.niddk.nih.gov/health-information/diabetes/overview/what-is-diabetes/prediabetes-insulin-resistance#:~:text=Prediabetes%20usually%20occurs%20in%20people,rather%20than%20entering%20your%20cells.> (Accessed: 23 October 2023).
- Noventi, I., Rusdianingseh and Khafid, M. 2019, ‘Prevalensi, Karakteristik dan Faktor Resiko Prediabetes di Wilayah Pesisir, Pegunungan dan Perkotaan’.
- Oktarina, R., Wulan, T.I. and C, M.A. 2021, *Diabetes mellitus tipe II dengan Hipertensi*.
- Okwechime, I.O., Roberson, S. and Odoi, A. 2015, ‘Prevalence and predictors of pre-diabetes and diabetes among adults 18 years or older in Florida: A multinomial logistic modeling approach’, *PLoS ONE*, 10(12). Available at: <https://doi.org/10.1371/journal.pone.0145781>.
- Okwechime, I.O., Roberson, S. and Odoi, A. 2015, ‘Prevalence and Predictors of Pre-Diabetes and Diabetes among Adults 18 Years or Older in Florida: A Multinomial Logistic Modeling Approach’. Available at: <https://doi.org/10.1371/journal.pone.0145781>.
- Pahlawati, A. and Nugroho, S. 2019, ‘Hubungan Tingkat Pendidikan dan Usia dengan Kejadian Diabetes Melitus di Wilayah Kerja Puskesmas Palaran Kota Samarinda Tahun 2019’, pp. 1–5.
- Palit, I.D. *et al.* 2021, ‘Hubungan Antara Aktivitas Fisik dengan Kualitas Hidup pada Lansia di Desa Salurang Kecamatan Tabukan Sleatan Tengah Kabupaten Kepulauan Sangihe’, *Jurnal KESMAS*, 10(6).

- Parhofer, K.G. 2015, ‘Interaction between glucose and lipid metabolism: More than diabetic dyslipidemia’, *Diabetes and Metabolism Journal*, 39(5), pp. 353–362. Available at: <https://doi.org/10.4093/dmj.2015.39.5.353>.
- Permenag 2021, *PMA Nomor 13 Tahun 2021 - Penyelenggaraan Ibadah Haji Reguler*.
- Permenkes 2014, *Peraturan Menteri Kesehatan No 41 Tahun 2014*.
- Persadia and Perkeni 2020, *Pedoman Pengelolaan dan Pencegahan Prediabetes di Indonesia 2019*.
- Pranata, S. and Khasanah, D.U. 2017, *Merawat Penderita Diabetes Mellitus*. Yogyakarta: Pustaka Panasea.
- Purwanto, S. 2016, *Indeks rawat Inap di Arab Saudi Jemaah Haji Embaraksi Surabaya dengan Hipertensi*.
- Puskes Haji 2020, ‘Penyakit yang Menyerang Jamaah Haji dan Cara Mengobatinya - PUSKES Haji’. Available at: <https://puskeshaji.kemkes.go.id/berita/2020/7/14/penyakit-yang-menyerang-jamaah-haji-dan-cara-mengobatinya> (Accessed: 6 January 2024).
- Rahayu, A. 2019, *Studi Prevalensi dan Faktor Risiko Prediabetes pada Wanita Calon Jemaah Haji Indonesia Tahun 2018*.
- Rahim, F.F. et al. 2020, ‘Prevalence and factors associated with prediabetes and diabetes in fishing communities in Penang, Malaysia: A cross-sectional study’, *PLoS ONE*, 15(2). Available at: <https://doi.org/10.1371/journal.pone.0228570>.
- Ramadhani, N.F. et al. 2022, ‘Hubungan Aktivitas Fisik dengan Diabetes Melitus Pada Wanita Usia 20-25 di DKI Jakarta (Analisis Data Posbindu PTM 2019)’, 2(2), pp. 72–78.
- Ramadhani, N.R. and Adnan, N. 2017, ‘Obesitas Umum Berdasarkan Indeks Masa Umum Berdasarkan Indeks Masa Tubuh dan Obesitas Abdominal Berdasarkan Lingkar Pinggang terhadap Kejadian Prediabetes’, 16(3), pp. 34–41.
- Ramadhani, N.R. and Adnan, N. 2017, ‘Obesitas Umum Berdasarkan Indeks Massa Tubuh dan Obesitas Abdominal Berdasarkan Lingkar Pinggang Terhadap Kejadian Prediabetes’, *Jurnal Ilmu Kesehatan*, 16(3), pp. 1–8.
- Rodriguez, B.S.Q. and Mahdy, H. 2023, *Gestational Diabetes*. StatPearls Publishing. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK545196/> (Accessed: 5 January 2024).

Rudiyanto 2013, *Riwayat Penyakit Terdiagnosis pada Pemeriksaan Kesehatan di Embaraksi dan Kematian Jemaah Haji Indonesia Tahun 2012.*

Saidah, Rani, H.A. and Mawardi 2023, ‘Faktor yang Berhubungan dengan Penyakit Tidak Menular pada Jemaah Haji Provinsi Aceh’, 2(1), pp. 99–108. Available at: <https://doi.org/10.54259/sehatrakyat.v2i1.1424>.

Sari, D.A.M. *et al.* 2020, ‘Prevalensi dan faktor penentu prediabetes pada wanita muda obesitas di Kota Denpasar tahun 2019’, *Intisari Sains Medis*, 11(3), pp. 1000–1004. Available at: <https://doi.org/10.15562/ism.v11i3.701>.

Schmidt, C. *et al.* 2023, ‘Psychosocial work conditions and prediabetes risks: a cross-sectional study in middle-aged men and women’, *Scientific Reports*, 13(1). Available at: <https://doi.org/10.1038/s41598-023-28420-7>.

Schrieks, I.C. *et al.* 2015, ‘The effect of alcohol consumption on insulin sensitivity and glycemic status: a systematic review and meta-analysis of intervention studies’, *Diabetes care*, 38(4), pp. 723–732. Available at: <https://doi.org/10.2337/DC14-1556>.

Shakya, P. *et al.* 2022, ‘Prevalence of prediabetes and associated factors of prediabetic stages: a cross-sectional study among adults in Nepal’, *BMJ Open*, 12, p. 64516. Available at: <https://doi.org/10.1136/bmjopen-2022-064516>.

Sharafi, M. *et al.* 2023, ‘Predictive value of triglycerides to high-density lipoprotein cholesterol and triglyceride glycemic index for diabetes incidence in pre-diabetes patients: a prospective cohort study’, *Journal of Health, Population and Nutrition*, 42(67), pp. 1–8. Available at: <https://doi.org/10.1186/s41043-023-00410-5>.

Shen, Y. *et al.* 2018, ‘Gestational diabetes with diabetes and prediabetes risks: a large observational study’, *European Journal of Endocrinology*, 179(1), pp. 51–58. Available at: <https://doi.org/10.1530/EJE-18-0130>.

Shi, M., Zhang, X. and Wang, H. 2022, ‘The Prevalence of Diabetes, Prediabetes and Associated Risk Factors in Hangzhou, Zhejiang Province: A Community-Based Cross-Sectional Study’, *Diabetes, Metabolic Syndrome and Obesity*, 15, pp. 713–721. Available at: <https://doi.org/10.2147/DMSO.S351218>.

Shou, J., Chen, P.J. and Xiao, W.H. 2020, ‘Mechanism of increased risk of insulin resistance in aging skeletal muscle’, *Diabetology & Metabolic Syndrome* 2020 12:1, 12(1), pp. 1–10. Available at: <https://doi.org/10.1186/S13098-020-0523-X>.

Singh, S., Shankar, R. and Singh, G.P. 2017, ‘Prevalence and Associated Risk Factors of Hypertension: A Cross-Sectional Study in Urban Varanasi’,

- International Journal of Hypertension*, 2017. Available at: <https://doi.org/10.1155/2017/5491838>.
- Sitorus, J. *et al.* 2021, ‘Characteristics of Prediabetes in Maros District, South Sulawesi, Indonesia’, 25, pp. 9622–9626. Available at: <http://annalsofrscb.ro>.
- Sivaraman, S.C. *et al.* 2013, ‘Glucagon-like peptide-1 based therapies: Effects beyond blood glucose control’, *British Journal of Diabetes and Vascular Disease*, 13(5–6), pp. 229–237. Available at: <https://doi.org/10.1177/1474651413504119>.
- Soewondo, P. and Pramono, L.A. 2011, ‘Prevalence and predictors of pre-diabetes in Indonesia’, 20(4), p. 283.
- Sukenty, N.T. *et al.* 2018, ‘Faktor Perilaku dan Gaya Hidup yang Mempengaruhi Status Prediabetes Pasien Puskesmas Pati II’, *Jurnal Promosi Kesehatan Indonesia*, 13(2).
- Surya Kusuma, I. and Syarif, S. 2023, ‘Predictors Of Prediabetes and Undiagnosed Diabetes Mellitus Based on HbA1c Levels in Indonesia’, p. 185. Available at: <https://doi.org/10.26553/jikm.2023.14.2.185>.
- Syahitda, R. and Nissa, C. 2018, *Aktivitas fisik, stress, dan asupan makanan terhadap tekanan darah pada wanita prediabetes*, *Jurnal Gizi Indonesia (The Indonesian Journal of Nutrition)*. Available at: <https://ejournal.undip.ac.id/index.php/jgi/>.
- Tangjittipokin, W. *et al.* 2022, ‘Prevalence and Characteristics of Prediabetes and Metabolic Syndrome in Seemingly Healthy Persons at a Health Check-Up Clinic’, *Journal of Multidisciplinary Healthcare*, 15, pp. 1585–1594. Available at: <https://doi.org/10.2147/JMDH.S374164>.
- Tchernof, A. and Després, J.P. 2013, ‘Pathophysiology of human visceral obesity: An update’, *Physiological Reviews*, 93(1), pp. 359–404. Available at: <https://doi.org/10.1152/PHYSREV.00033.2011>.
- Trisnawati, S., Widarsa, T. and Suastika, K. 2013, ‘Faktor Risiko Diabetes Mellitus Tipe 2 Pasien Rawat Jalan di Puskesmas Wilayah Kecamatan Denpasar Selatan’, *Public Health and Preventive Medicine Archive*, 1(1), pp. 1–6.
- Utami, N. kadek N., Subawa, A.A.N. and Yasa, I.W.P.S. 2017, ‘Tingginya Kadar Low Density Lipoprotein dan Trigliserida pada Kejadian Diabetic Foot Ulcer (DFU) di Rumah Sakit Umum Pusat Sangalah Periode Januari-Desember 2014’, 6(2), pp. 1–6.
- Vatcheva, K.P. *et al.* 2020, ‘Sex and age differences in prevalence and risk factors for prediabetes in Mexican-Americans’, *Diabetes Research and Clinical Practice*, 159. Available at: <https://doi.org/10.1016/j.diabres.2019.107950>.

- Wagner, R. *et al.* 2013, ‘Family history of diabetes is associated with higher risk for prediabetes: A multicentre analysis from the German Center for Diabetes Research’, *Diabetologia*, 56(10), pp. 2176–2180. Available at: <https://doi.org/10.1007/s00125-013-3002-1>.
- Wahjudi, P. and Putriana, M.F. 2014, ‘Karakteristik dan Status Kesehatan Jamaah Haji Kabupaten Banyuwangi 2012’, *IKESMA*, 10(1).
- Wahjudi, P. and Putriana, M.F. 2014, ‘Karakteristik dan Status Kesehatan Jamaah Haji Kabupaten Banyuwangi Tahun 2012’, 10(1), pp. 1–12.
- Wang, J. *et al.* 2017, ‘The Association between Leisure-Time Physical Activity and Risk of Undetected Prediabetes’, *Journal of Diabetes Research*, 2017. Available at: <https://doi.org/10.1155/2017/4845108>.
- WHO 2021, ‘Obesity and overweight’. Available at: [https://www.who.int/news-room/fact-sheets/detail/obesity-and-overweight#:~:text=Body%20mass%20index%20\(BMI\)%20is,\(kg%2Fm2\)](https://www.who.int/news-room/fact-sheets/detail/obesity-and-overweight#:~:text=Body%20mass%20index%20(BMI)%20is,(kg%2Fm2)). (Accessed: 24 October 2023).
- WHO 2023, ‘Hypertension’. Available at: <https://www.who.int/news-room/fact-sheets/detail/hypertension> (Accessed: 2 September 2023).
- World Health Organization 2023, *Diabetes*. Available at: <https://www.who.int/news-room/fact-sheets/detail/diabetes> (Accessed: 15 September 2023).
- World Health Organization 2006, *Guidelines for the Management of Dyslipidaemia in Patients with Diabetes Mellitus Quick Reference Guide*.
- Wu, H. *et al.* 2019, ‘Sex differences in the association between socioeconomic status and diabetes prevalence and incidence in China: cross-sectional and prospective studies of 0.5 million adults’, *Diabetologia*, 62(8), pp. 1420–1429. Available at: <https://doi.org/10.1007/s00125-019-4896-z>.
- Wu, W.C. *et al.* 2015, ‘Clinical risk factors of prediabetes in Taiwanese women without substance uses (tobacco, alcohol, or areca nut)’, *Journal of the Formosan Medical Association*, 114(12), pp. 1233–1239. Available at: <https://doi.org/10.1016/j.jfma.2014.10.007>.
- Xiaomei, Y.S. *et al.* 2019, ‘Prevalence of Diabetes and Prediabetes in Adults from a Third-Tier City in Eastern China: A Cross-Sectional Study’, *Diabetes Therapy*, 10(1473–1485), pp. 1–13. Available at: <https://doi.org/10.6084/m9.figshare.8263844>.
- Yan, Z. *et al.* 2023, ‘The Interaction Between Age and Risk Factors for Diabetes and Prediabetes: A Community-Based Cross-Sectional Study’, *Diabetes*,

- Metabolic Syndrome and Obesity*, 16, pp. 85–93. Available at: <https://doi.org/10.2147/DMSO.S390857>.
- Yesmin, M., Ali, M. and Saha, S. 2023, ‘The prevalence and influencing factors of coexisting prediabetes and prehypertension among Bangladeshi adults’, *BMC Public Health*, 23(1). Available at: <https://doi.org/10.1186/s12889-023-16090-z>.
- Zhang, M. et al. 2015, ‘Associations between dietary patterns and impaired fasting glucose in Chinese men: A cross-sectional study’, *Nutrients*, 7(9), pp. 8072–8089. Available at: <https://doi.org/10.3390/nu7095382>.
- Zhao, M. et al. 2016, ‘Prevalence of pre-diabetes and its associated risk factors in rural areas of Ningbo, China’, *International Journal of Environmental Research and Public Health*, 13(8). Available at: <https://doi.org/10.3390/ijerph13080808>.
- Zhao, M. et al. 2016, ‘Prevalence of pre-diabetes and its associated risk factors in rural areas of Ningbo, China’, *International Journal of Environmental Research and Public Health*, 13(8). Available at: <https://doi.org/10.3390/ijerph13080808>.