

DAFTAR PUSTAKA

- A.A, M.P. and Boy, E. (2020) ‘Prevalensi Nyeri Pada Lansia’, *MAGNA MEDICA: Berkala Ilmiah Kedokteran dan Kesehatan*, 6(2), p. 138. Available at: <https://doi.org/10.26714/magnamed.6.2.2019.138-145>.
- Abbasijahromi, A. *et al.* (2020) ‘Compare the effect of aromatherapy using lavender and Damask rose essential oils on the level of anxiety and severity of pain following C-section: A double-blinded randomized clinical trial’, *Journal of Complementary and Integrative Medicine*, 17(3). Available at: <https://doi.org/10.1515/jcim-2019-0141>.
- Adam, I., Salih, Y. and Hamdan, H.Z. (2023) ‘Association of Maternal Anemia and Cesarean Delivery: A Systematic Review and Meta-Analysis’, *Journal of Clinical Medicine*, 12(2), p. 490. Available at: <https://doi.org/10.3390/jcm12020490>.
- Adiputri, N.W. *et al.* (2023) ‘Efektivitas Aromaterapi Lavender Terhadap Peningkatan Lama Tidur Pada Ibu Hamil Trimester III’, *JOMIS (Journal of Midwifery Science)*, 7(1), pp. 19–28. Available at: <https://doi.org/10.36341/jomis.v7i1.2833>.
- Ali, A.H. *et al.* (2021) ‘Endorphin: function and mechanism of action’, *Science Archives*, 02(01), pp. 09–13. Available at: <https://doi.org/10.47587/SA.2021.2102>.
- Andriati, R., Pratiwi, R.D. and Sari Indah, F.P. (2019) ‘The Differences In The Autogenic Relaxation Therapy’s Influences On Reducing Pain Levels In Postoperative Sectio Caesaria Patients’, *Malaysian Journal of Medical Research*, 03(04), pp. 33–37. Available at: <https://doi.org/10.31674/mjmr.2019.v03i04.005>.
- Angolile, C.M. *et al.* (2023) ‘Global increased cesarean section rates and public health implications: A call to action’, *Health Science Reports*, 6(5). Available at: <https://doi.org/10.1002/hsr.2.1274>.
- Atmawan, D.B. *et al.* (2023) ‘Relationship Between Pain Severity in Post-Caesarean Section and Its Preoperative Factors’, *Jurnal Anestesiologi Indonesia*, 15(3), pp. 198–205. Available at: <https://doi.org/10.14710/jai.v0i0.57730>.
- Bahrudin, M. (2018) ‘PATOFISIOLOGI NYERI (PAIN)’, *Saintika Medika*, 13(1), p. 7. Available at: <https://doi.org/10.22219/sm.v13i1.5449>.
- Black, J.M. (2014) *Keperawatan Medikal Bedah manajemen klinis untuk hasil yang diharapkan*. singapur: Elsevier.

- Buckle, J. (2015) *Clinical Aromatherapy*. London: Elsevier. Available at: <https://doi.org/10.1016/C2012-0-02578-1>.
- Carvalho, F.A.E. de and Tenório, S.B. (2013) ‘Comparative study between doses of intrathecal morphine for analgesia after caesarean’, *Brazilian Journal of Anesthesiology (English Edition)*, 63(6), pp. 492–499. Available at: <https://doi.org/10.1016/j.bjane.2013.01.001>.
- Demir, A. et al. (2015) ‘Pain control using pethidine in combination with diazepam compared to diclofenac in combination with hyoscine-n-butyl bromide: In patients undergoing extracorporeal shock wave lithotripsy’, *Central European journal of urology*, 68, pp. 201–206. Available at: <https://doi.org/10.5173/ceju.2015.479>.
- Emrich, N.L.A. et al. (2023) ‘Risk Factors for Severe Pain and Impairment of Daily Life Activities after Cesarean Section—A Prospective Multi-Center Study of 11,932 Patients’, *Journal of Clinical Medicine*, 12(22), p. 6999. Available at: <https://doi.org/10.3390/jcm12226999>.
- Gebke, K.B. et al. (2023) ‘A practical guide to recognize, assess, treat and evaluate (RATE) primary care patients with chronic pain’, *Postgraduate Medicine*, 135(3), pp. 244–253. Available at: <https://doi.org/10.1080/00325481.2021.2017201>.
- Gyadi, A., Puspita, N. and Oktiningrum, M. (2023) ‘Pengaruh Back Massage Dengan Lavender Essential Oil Pada Kualitas Tidur Ibu Hamil Trimester III’, *Jurnal Inovasi Riset Ilmu Kesehatan*, 1(1), pp. 190–209.
- Haniyah, S. and Setyawati, M.B. (2018a) ‘The Effectiveness of Lavender Aromatherapy Technique on Pain Reduction of Post Caesarean Section Patients in Ajibarang Hospital’, *Jurnal Keperawatan Soedirman*, 13(3), p. 119. Available at: <https://doi.org/10.20884/1.jks.2018.13.3.831>.
- Haniyah, S. and Setyawati, M.B. (2018b) ‘The Effectiveness of Lavender Aromatherapy Technique on Pain Reduction of Post Caesarean Section Patients in Ajibarang Hospital’, *Jurnal Keperawatan Soedirman*, 13(3), p. 119. Available at: <https://doi.org/10.20884/1.jks.2018.13.3.831>.
- Herlyssa and Theresia EVK (2020) ‘Aromatherapy Administration and Pain Scale 24 Hour Post-Caesarean Section’, *SEAJOM: The Southeast Asia Journal of Midwifery*, 6(2), pp. 63–67. Available at: <https://doi.org/10.36749/seajom.v6i2.125>.
- Hussen, I. et al. (2022) ‘Post-operative pain and associated factors after cesarean section at Hawassa University Comprehensive Specialized Hospital, Hawassa, Ethiopia: A cross-sectional study’, *Annals of Medicine & Surgery*, 81. Available at: <https://doi.org/10.1016/j.amsu.2022.104321>.

- Johnson, J. (2014) *Keperawatan Maternitas Demystified*. 1st edn. Yogyakarta: Rapha Publishing.
- Kaya, A. et al. (2023) ‘The effectiveness of aromatherapy in the management of labor pain: A meta-analysis’, *European Journal of Obstetrics & Gynecology and Reproductive Biology*: X, 20, p. 100255. Available at: <https://doi.org/10.1016/j.eurox.2023.100255>.
- Kozier, B. et al. (2010) *Buku Ajar Fundamental Keperawatan Konsep, Proses & Praktik*. Jakarta: EGC.
- Kurniasari, F., Darmayanti, N. and Astuti, S. (2017) ‘Pemanfaatan aromaterapi pad berbagai produk (Parfum solid, Lipbalm, dan Lilin anti nyamuk)’, *Jurnal Pengabdian Kepada Masyarakat*, 1(2), pp. 13–17.
- Laila, N. (2011) *Buku Pintar Menstruasi*. Yogyakarta: Buku biru.
- Lestari, N. (2019) *Karya Ilmiah Akhir Ners Stikes Perintis Padang*. Stikes Perintis Padang.
- Lestari, P. et al. (2022) ‘Influence Oxytocin Massage on Reduce Lactation Problems and Support Infants Growth’, *Open Access Macedonian Journal of Medical Sciences*, 10(T8), pp. 81–85. Available at: <https://doi.org/10.3889/oamjms.2022.9487>.
- Maharianingsih, N.M. and Ariasanti, N.M.W. (2022) ‘Comparison of Aromatherapy Effect of Lavender and Rosemary to Stress in Adults’, *Indonesian Journal of Clinical Pharmacy*, 11(1), pp. 33–40. Available at: <https://doi.org/10.15416/ijcp.2022.11.1.33>.
- Mansour, S.-S. and Saadoon, O.H. (2022) ‘Effect of Benson’s relaxation therapy on pain and sleep quality among post Cesarean mothers’, *Egyptian Nursing Journal*, 19(2), p. 88. Available at: https://doi.org/10.4103/enj.enj_47_21.
- Marcelina, L., Zarlis, R. and Permatasari, I. (2022) ‘Pengaruh Endorphine Massage Terhadap Tingkat Kecemasan pada Ibu Postpartum Primipara di Wilayah Puskesmas Cibeber Dan Puskesmas Jombang Cilegon’, *Jurnal Keperawatan Widya Gantari Indonesia*, 6(1).
- Mardana, I.K.R.P. and EM, T.A. (2017) *PENILAIAN NYERI*. denpasar: RSUP SANGLAH DENPASAR.
- Martin, M. et al. (2022) ‘Cesarean section and breastfeeding outcomes in an Indigenous Qom community with high breastfeeding support’, *Evolution, Medicine, and Public Health*, 10(1), pp. 36–46. Available at: <https://doi.org/10.1093/emph/eocab045>.

- Mu'aimah, M., Purnani, W. and Sunaningsih, S. (2022) 'Pengaruh Aromaterapi Lavender Terhadap Kualitas Tidur Ibu Hamil di Wilayah Kerja Puskesmas Tiron Kabupaten Kediri', *Judika (Jurnal Nusantara Medika)*, 6, pp. 31–37. Available at: <https://doi.org/10.29407/judika.v6i1.17932>.
- Muttaqin, A. (2012) *Buku Ajar Asuhan Keperawatan Klien dengan Gangguan Kardiovaskuler dan Hematologi*. Jakarta: Salemba Medika.
- Nila S, G., Kristiningrum, W. and Dian Afriyani, L. (2019) 'Efektivitas Aromaterapi Lavender Untuk Mengurangi Kecemasan Menghadapi Persalinan Pada Ibu Hamil Trimester III di Wilayah Kerja Puskesmas Bergas', *Journal of Holistics and Health Science*, 1(1), pp. 99–107. Available at: <https://doi.org/10.35473/jhhs.v1i1.16>.
- Noviani, N.W. and Praminingrum, I.G.A.R. (2022) 'Penyuluhan Manfaat Aromaterapi Lavender dalam Persiapan Persalinan bagi Ibu Hamil di Desa Padangsambian Kaja Denpasar Barat Bali', *Jurnal Pengabdian UNDIKMA*, 3(1), p. 95. Available at: <https://doi.org/10.33394/jpu.v3i1.4965>.
- Nunes, E. et al. (2020) 'Comparison of the effect of photobiomodulation therapy and Ibuprofen on postoperative pain after endodontic treatment: randomized, controlled, clinical study', *Lasers in Medical Science*, 35. Available at: <https://doi.org/10.1007/s10103-019-02929-8>.
- Pamungkas, A. (2023) *Buku Ajar Keperawatan Komunitas*. Malang: Literasi Nusantara Abadi.
- Perna, A. et al. (2022) 'Increased Frequency of Hand Hygiene and Other Infection Prevention Practices Correlates with Reduced Surgical Wound Infection Rates in Spinal Surgery during the COVID-19 Pandemic', *Journal of Clinical Medicine*, 11(24), p. 7528. Available at: <https://doi.org/10.3390/jcm11247528>.
- PPNI (2016) *Standar Diagnosis Keperawatan Indonesia: Definisi dan Indikator Diagnostik*. 1st edn. Jakarta: DPP PPNI.
- PPNI (2018a) *Standar Intervensi Keperawatan Indonesia: Definisi dan Kriteria Hasil Keperawatan*. 1st edn. Jakarta: DPP PPNI.
- PPNI (2018b) *Standar Luaran Keperawatan Indonesia: Definisi dan Kriteria Hasil Keperawatan*. 1st edn. Jakarta: DPP PPNI.
- Raja, S.N. et al. (2020) 'The revised International Association for the Study of Pain definition of pain: concepts, challenges, and compromises', *PAIN*, 161(9).
- Safitri, J. and Yuliasari, D. (2020) 'Terapi Relaksasi (Napas Dalam) dalam Mengurangi Nyeri Persalinan', *Jurnal Dunia Kesmas*, 9(3).

- Sari, D.N. and Rumhaeni, A. (2020) ‘Foot Massage Menurunkan Nyeri Post Operasi Sectio Caesarea Pada Post Partum’, *Jurnal Kesehatan Komunitas*, 6(2), pp. 164–170. Available at: <https://doi.org/10.25311/keskom.Vol6.Iss2.528>.
- Sulistiyowati (2011) *Pengaruh Aromaterapi Lavender Terhadap Nyeri dan Kecemasan Melahirkan Primi Kala I*. Universitas Indonesia.
- Sutton, C.D. and Carvalho, B. (2017) ‘Optimal Pain Management After Cesarean Delivery’, *Anesthesiology Clinics*, 35(1), pp. 107–124. Available at: <https://doi.org/10.1016/j.anclin.2016.09.010>.
- Toubia, T. and Khalife, T. (2019) ‘The Endogenous Opioid System: Role and Dysfunction Caused by Opioid Therapy’, *Clinical Obstetrics & Gynecology*, 62(1), pp. 3–10. Available at: <https://doi.org/10.1097/GRF.0000000000000409>.
- Utami, R.N. and Khoiriyah, K. (2020) ‘Penurunan Skala Nyeri Akut Post Laparotomi Menggunakan Aromaterapi Lemon’, *Ners Muda*, 1(1), p. 23. Available at: <https://doi.org/10.26714/nm.v1i1.5489>.
- Wardhana, M. et al. (2022) *Seksio Sesarea. Panduan Klinis*.
- Widiyono et al. (2022) *Buku Ajar Terapi Komplementer Keperawatan*. Kediri: Lembaga Chakra Brahmana Lentera,.
- Zamani Habibabad, H. et al. (2023) ‘Effect of chamomile aromatherapy with and without oxygen on pain of women in post cesarean section with spinal anesthesia: A randomized clinical trial’, *Heliyon*, 9(4), p. e15323. Available at: <https://doi.org/10.1016/j.heliyon.2023.e15323>.
- Zimpel, S.A. et al. (2020) ‘Complementary and alternative therapies for post-caesarean pain.’, *The Cochrane database of systematic reviews*, 9(9), p. CD011216. Available at: <https://doi.org/10.1002/14651858.CD011216.pub2>.