

## DAFTAR PUSTAKA

American College of Surgeon Committee on Trauma 2004, *Advanced Trauma Life Support Seventh Edition*, diakses pada tanggal 27 April 2015.  
<https://www.facs.org/quality%20programs/trauma/atls>.

Appley, AG 2001, *Buku Ajar Ortopedi dan Fraktur Sistem Apley Edisi 7*, Penerbit Widya Medika, Jakarta.

Armis 2002, *Principles of Fractures Car*, MEDIKA Faculty of Medicine Gadjah Mada, Yogyakarta.

Astrid M, Nurachmah E, Budiharto 2008, *Pengaruh Latihan Range of Motion (ROM) Terhadap Kekuatan Otot, Luas Gerak Sendi dan Kemampuan Fungsional Pasien Stroke di RS Sint Carolus*, Skripsi Fakultas Ilmu Keperawatan, *Jurnal FIK UI*, Jakarta.

Barbara KGE 2010, *Buku Ajar Praktik Keperawatan Klinis*, EGC, Jakarta.

Beaupre LA, Davies DM, Jones CA, and Cinats JG 2001, ‘Exercise combined with Continous Passive motion or slider board therapy compared with exercise only’, *Physical Therapy*, vol. 81, hlm.1029-1037.

Bennet LA. Brarley SC, Hart JAL & Bailey MJ 2005, ‘A comparison of 2 Continous passive protocols after total knee arthroplasty’, *Journal of Arthroplasty*, vol.20, hlm.225–233.

Braddom, RL 2007, *Physical Medicine and Rehabilitation*, El Sevevier. New Jersey, USA.

Carpenito, LJ 2006, *Book of Nursing Diagnosis Edisi 10*, Alih Bahasa: Monica Ester, EGC, Jakarta.

Dahlan, S 2008, *Dasar-Dasar Metodologi Penelitian Klinis*, PT Arkans, Jakarta.

Dahlan, S 2009, *Besar Sampel dan Cara Pengambilan Sampel*, Salemba Medika, Jakarta.

- Denis M, Moffet H, Caron F, Ouellet D, Paquet, J & Nolet L 2006, 'Effectiveness of Continous Passive motion and conventional physical therapy after total knee arthroplasty', *Physical Therapy*, vol.86, hlm.174-185.
- Depkes RI 2009, *Profil Kesehatan Indonesia*, Depertemen Republik Indonesia, Jakarta.
- Departemen Kesehatan Indonesia 2013, *Riset Kesehatan Dasar*, Jakarta.
- Dorland WAN 2002, *Kamus Saku Kedokteran Dorland Edisi 28*, Penerbit EGC, Jakarta.
- Downey, et al 2001, *The Physiological Basis of Rehabilitation Medicine ed.2*, Washington: USA.
- Elstrom, J.A. et al 2005, *Handbook of Fractures Ed 3*.Mc Grow Hill Companies. USA
- Evelyn, C 2002, *Anatomi dan Fisiologi untuk Paramedis*, EGC, Jakarta.
- Frank, HN 2008, *Interactive Atlas of Human Anatomy*, USA.
- Guyton & Hall 2007, *Buku Ajar Fisiologi Kedokteran*, EGC, Jakarta.
- Hoppenfeld SP. *Surgical Exposures in Orthopaedics: The Anatomic Approach*. Lippincott, Williams, and Wilkins, PA, Copyright 2009, Philadelphia.
- Ichanner's. 2009, *Pengetahuan Perawatan Tentang Mobilisasi Dini*. (<http://www.elearning.unej.ac.id> diakses pada 10 Januari 2016).
- Indriani DIR 2006, 'Model Hubungan dan Estimasi Tingkat Kecelakaan Lalu Lintas. Surabaya', *Jurnal Berita Kedokteran Masyarakat Surabaya Vol 22, No 3*.
- Ismail, SS 2011, *Dasar-Dasar Metodologi Penelitian Klinis (3 ed)*, Sagung Seto, Jakarta.
- Jay R. Leiberman, Published by American Academy of Orthopaedic Surgeons, Rosemont IL. AAOS Comprehensive Orthopaedic Review, Copyright 2009, USA.
- Jesudason, C & Stiller, K 2002, 'Are bed exercise necessary following hip arthroplasty?', *Australian Journal of Physiotherapy*, vol.48, hlm.73-81.

John, MF, Published by American Academy of Orthopaedic Surgeons, Orthopaedic Knowledge Update 10, Rosemont IL. Copyright 2011.

Jong, D 2010, *Buku Ajar Ilmu Bedah*, EGC, Jakarta.

Lau SKK & Chiu, KY 2001, 'Use of Continuous Passive motion after total knee arthroplasty', *Journal of Arthroplasty* vol.16, hlm336 – 339.

Lemeshow, PS 1999, *Sample of Populations*, John Wiley and Sons Inc, USA

Lenssen AF, De Bie RA, Bulstra SK and van Steyn MJA 2003a. 'Continous Pssive Motion in rehabilitation following total knee arthroplasty', A randomized controlled trail, *Physical Therapy Reviews*, vol 8 : 123 – 129.

Lenssen TAF, van Steyn MJA, Crijns YHF, Waltje EMH, Roox GM, Geesink RJT et al 2008, 'Effectiveness of prolonged use of continous passive motion, as an adjunct to physiotherapy, after total knee arthroplasty'. *BMC Musculoskeletal Disorders*, vol 9 : 60

Lestari, YED 2014, 'Pengaruh ROM Exercise Dini pada Pasien Post Operasi Fraktur Ekstremitas Bawah Fraktur Femur dan Fraktur Cruris Terhadap Lama Hari Rawat di Ruang Bedah RSUPD Gambiran Kota Kediri', *Jurnal Ilmu Kesehatan*, Vol.3, No.1

Mawarti, Herin & Farid 2011, 'Pengaruh ROM (Range of Motion) pasif terhadap peningkatan kekuatan otot pada pasien stroke dengan hemiparese', *Jurnal Keperawatan dan Kebidanan*, vol.1, hlm.1-10.  
<http://jurnal.pdii.lipi.id/adminjurnal4.hemiparese.pdf> diperoleh pada 22 Mei 2015.

Mark, D, Miller MD, Stephen R. Thompson MBBS MEd FRCSC, Jennifer Hart MPAS PA-C ATC. Review of Orthopaedics, 6th Edition, an imprint of Elsevier, Philadelphia, Copyright 2012.

McDonald, SJ, Bourne, RB, Rorabeck, CH, Mc, Calden, RW, Kramer, J and Vaz, M 2000, 'Prospective randomized clinical trial of contionous passive motion after total knee arthroplasty', *Clinical Orthopaedics and Related Research*, vol.380, hlm.20-35

Patell, P 2007, *Radiologi*, EMS, Jakarta

- Paterno MV, Archdeacon, MT, Ford, KR, Galvin, D, Hewett, TE 2015, 'Early Rehabilitation Following Surgical Fixation of a Femoral Shaft Fracture', *Journal of the American Physical Therapy Association*, vol.86, hlm558 – 572.
- Perry, P & Potter 2005, *Buku Ajar Fundamental Keperawatan, Konsep, Proses dan Praktik* (4 ed.), EGC, Jakarta
- Price, WA 2006, *Patofisiologi Konsep Klinis Proses-Proses Penyakit*, EGC, Jakarta
- Purwanti, R & Purwaningsih, W 2013, 'Pengaruh Latihan ROM Aktif Terhadap Kekuatan Otot pada Pasien Post Operasi Fraktur Humerus di RSUD Dr. Moewardi, Surakarta', *Jurnal GASTER*, Vol. 10 No. 2 Agustus 2013.
- Puspawati, Erni Yulia 2010, *Perbedaan efektivitas ROM 2x sehari dan ROM 1x sehari terhadap peningkatan & kecepatan waktu pencapaian kekuatan otot pasien stroke iskemik di RSD Kalisat Jember*, diakses tanggal 25 maret 2015. [http://alumni.unair.ac.id/kumpulanfile/2871844777\\_abs.pdf.htm](http://alumni.unair.ac.id/kumpulanfile/2871844777_abs.pdf.htm)
- Putz, R., 2013, *Sobotta Atlas Anatomi Manusia Edisi 23*. Penerbit Buku Kedokteran EGC, Jakarta.
- R.A.Moyer, RA 1981, *Biophysical faktors in Range of Motion excercise*, Physician Sportsmed.
- Rahmawati, I 2012, *Analisis Kejadian Fraktur Terbanyak pada Korban Kecelakaan Lalu Lintas serta Faktor-faktor yang Mempengaruhi Angka Kejadiannya*, Skripsi Program Pendidikan Dokter, Universitas Islam Indonesia.
- Rasjad, PC2007, *Pengantar Ilmu Bedah Ortopedi*, Yarsif Watampone, Jakarta.
- Reksoprodjo 2005, *Kumpulan Kuliah Ilmu Bedah*, Jakarta.
- Reeves, Charlene J, Roux, Gayle, Lockhart, Robin 2001, *Keperawatan Medikal Bedah Edisi 1*, Penerjemah : dr. Joko Setyono, Salemba Medika, Jakarta.
- Rinanto, FS 2010, *Faktor-faktor yang berhubungan dengan Penatalaksanaan Mobilisasi pada Pasien Post Operasi Fraktur*, Skripsi FK UPN Veteran Jakarta, Jakarta
- Ronei, S, Pinto, NG 2012, 'Effect of Range of Motion on Muncles Strength and Thickness', *Journal of Strength and Conditioning Research* , hlm.2140-2141.
- RSUP Fatmawati, *Profil Umum RSUP Fatmawati*, Diakses 18 Januari 2016. <http://www.fatmawatihospital.com/konten/details/profil>

- S, Wiwit 2010, *Stroke dan Penanganannya: memahami, mencegah dan mengobati stroke*, Katahati:hlm.150, Yogyakarta.
- Setiohadi, BS 2007, *Buku Ajar Ilmu Penyakit Dalam*, Penerbitan Ilmu Penyakit Dalam Fakultas Kedokteran Universitas Indonesia, Jakarta.
- Skinner, HB 2006, *Curent Diagnosis and Treatment in Orthopedics*, The Mac Graw Hill Companies, USA.
- Sloane, E 2003, *Anatomi dan Fisiologi untuk Pemula*,EGC, Jakarta.
- Slovik, DM 2006, *Excercise in Rehab Medicine*, Zeed Champaign: Human Kinetics, USA.
- Smeltzer CS, Brunner & Suddarth 2008, *Buku Ajar Keperawatan Medikal Bedah Ed.8*, EGC, Jakarta.
- Smeltzer C. Suzanne, Brunner & Suddarth 2002, *Buku Ajar Keperawatan Medikal Bedah*, EGC, Jakarta
- Snell, RS 2006, *Anatomi Klinik* (6 ed.), EGC, Jakarta.
- Stokkes, EK 2011, *Rehabilitation Outcome Measures*, El Sevier. Dublin
- Suratun, Heryanti, Manurung, Santa, & Een, R 2008, *Klien gangguan system musculoskeletal: seri asuhan keperawatan*, EGC, Jakarta.
- Syamsuhidayat, R 2001, *Buku Ajar Ilmu Bedah Edisi Revisi*, EGC, Jakarta.
- T.M.Gillete, GW 1991, *Relationship of Body Core Temperature and Warm-up to Knee Range of Motion* (12 ed.), J.Orthop.Sports Phys. Ther, USA.
- Thompson 2001, Netter's Concise Atlas of Orthopaedic Anatomy, 1st ed, Elvesier inc, Philadelphia.
- Viswanathan, P 2010, 'Effect of Continous Passive Motion followingtotal knee arthroplasty on knee range of motion and function : A systematic review', *New Zealand Journal of Physiotherapy*, March 2010, Vol.38, hlm.14-20
- W.E.Pretince 1999, *Restoring Range of Motion and Improving Flexibility*, USA.
- Walker, B 2007, *The Anatomy of Sport Injuries*, Lotus Publishing, Berkeley.

World Health Organization. *Projection of Number of Death*. 2013, 8 April 2014.  
[http://apps.who.int/gho/data/node.imr.SA\\_0000001453](http://apps.who.int/gho/data/node.imr.SA_0000001453)

Wibawani, WB 2005, *Hubungan antara Lingkup Gerak Sendi Fleksi - Ekstensi Shoulder terhadap Umur*, Skripsi s1 Keperawatan, FIK Universitas Muhamadiyah Surakarta.

Widyawati, I 2010, *Pengaruh latihan gerak sendi bawah secara aktif (active lower range of motion exercise) terhadap tanda dan gejala neuropati diabetikum pada penderita diabetes melitus tipe II di persedia UNIT RSUP dr. Soetomo Surabaya*, Program Studi Pasca Sarjana Fakultas Ilmu Keperawatan Universitas Indonesia.

Wijaya, T 2009, *Analisa Data Menggunakan SPSS*, Universitas Atmajaya Yogyakarta, Yogyakarta.

