

## DAFTAR PUSTAKA

- Agne-Djigo, A., Kwadjode, K. M., Idohou-Dossou, N., Diouf, A., Guiro, A. T., & Wade, S. (2013). Energy intake from human milk covers the requirement of 6-month-old Senegalese exclusively breast-fed infants. *British Journal of Nutrition*, *110*(10), 1849–1855. <https://doi.org/10.1017/s0007114513001074>
- Akgun N, Keskin HL, Ustuner I, Pekcan G, Avsar AF. (Mei, 2017). Factors affecting pregnancy weight gain and relationships with maternal/fetal outcomes in Turkey. *Saudi Med J*, *38*(5):503-508. doi: 10.15537/smj.2017.5.19378. PMID: 28439600; PMCID: PMC5447211.
- American College of Obstetricians and Gynecologists (ACOG). (2013). *Weight Gain During Pregnancy*. <https://www.acog.org/clinical/clinical-guidance/committee-opinion/articles/2013/01/weight-gain-during-pregnancy>
- Andrade C. (2021). A Student's Guide to the Classification and Operationalization of Variables in the Conceptualization and Design of a Clinical Study: Part 2. *Indian journal of psychological medicine*, *43*(3), 265–268. <https://doi.org/10.1177/0253717621996151>
- Andreas, N. J., Kampmann, B., & Mehring Le-Doare, K. (2015). Human breast milk: A review on its composition and bioactivity. *Early human development*, *91*(11), 629–635. <https://doi.org/10.1016/j.earlhumdev.2015.08.013>
- Antonakou, A., Skenderi, K. P., Chiou, A., Anastasiou, C. A., Bakoula, C., & Matalas, A.-L. (2013). Breast milk fat concentration and fatty acid pattern during the first six months in exclusively breastfeeding Greek women. *European Journal of Nutrition*, *52*(3), 963–973. <https://doi.org/10.1007/s00394-012-0403-8>
- Aumeistere, L., Ciprovica, I., Zavadaska, D., Celmalniece, K. (2017). Lactose content of breast milk among lactating women in Latvia. *31*, 26–39.
- Badan Pusat Statistik. (2023). *BRS No. 43/07/32/Th. XXV tentang Profil Kemiskinan di Jawa Barat Maret 2023*.
- Ballard, O., & Morrow, A. L. (2013). Human Milk Composition: Nutrients and Bioactive Factors. *Pediatric Clinics of North America*, *60*(1), 49. <https://doi.org/10.1016/j.pcl.2012.10.002>

- Be'er, M., Mandel, D., Yelak, A., Gal, D. L., Mangel, L., & Lubetzky, R. (2020). The Effect of Physical Activity on Human Milk Macronutrient Content and Its Volume. *Breastfeeding Medicine*. doi:10.1089/bfm.2019.0292
- Bertani, A., Paola, G. D., Russo, E., & Tuzzolino, F. (2018). How to describe bivariate data. *Journal of Thoracic Disease*, 10(2), 1133-1137. <https://doi.org/10.21037/jtd.2018.01.134>
- Binder, C. *et al.* (2023). Maternal diet influences human milk protein concentration and adipose tissue marker, *Nutrients*, 15(2), p. 433. doi:10.3390/nu15020433.
- Binns, C., Lee, M., & Low, W. Y. (2016). The Long-Term Public Health Benefits of Breastfeeding. *Asia-Pacific journal of public health*, 28(1), 7–14. <https://doi.org/10.1177/1010539515624964>
- Borràs-Novell, C., Herranz Barbero, A., Balcells Esponera, C. *et al.* (2023). Influence of maternal and perinatal factors on macronutrient content of very preterm human milk during the first weeks after birth. *J Perinatol* 43, 52–59 <https://doi.org/10.1038/s41372-022-01475-6>
- Burianova, I., Bronsky, J., Pavlikova, M., Janota, J., & Maly, J. (2019). Maternal body mass index, parity and smoking are associated with human milk macronutrient content after preterm delivery. *Early human development*, 137, 104832. <https://doi.org/10.1016/j.earlhumdev.2019.104832>
- Butts CA, Hedderley DI, Herath TD, Paturi G, Glyn-Jones S, Wiens F, Stahl B, Gopal P. (2018). Human Milk Composition and Dietary Intakes of Breastfeeding Women of Different Ethnicity from the Manawatu-Wanganui Region of New Zealand. *Nutrients*, 10(9):1231. <https://doi.org/10.3390/nu10091231>
- Bzikowska, A., Czerwonogrodzka-Senczyna, A., Weker, H., & Wesołowska, A. (2018). Correlation between human milk composition and maternal nutritional status. *Roczniki Panstwowego Zakladu Higieny*, 69(4), 363–367. <https://doi.org/10.32394/rpzh.2018.0041>
- Canova, S., Cortinovis, D. L., & Ambrogi, F. (2017). How to describe univariate data. *Journal of thoracic disease*, 9(6), 1741–1743. <https://doi.org/10.21037/jtd.2017.05.80>
- Cessda. (n.d.). Quantitative coding - data management expert guide. <https://dmeg.cessda.eu/Data-Management-Expert-Guide/3.-Process/Quantitative-coding>

- Chung, M.-Y. (2014) Factors affecting human milk composition, *Pediatrics & Neonatology*, 55(6), pp. 421–422. doi:10.1016/j.pedneo.2014.06.003.
- Cole, J.I. (2021) *Human milk: Nutritional content and role in health and disease*. New York: Nova Science Publishers.
- Czosnykowska-Łukacka, M., Królak-Olejniak, B. & Orczyk-Pawiłowicz, M. (2018) Breast milk macronutrient components in prolonged lactation, *Nutrients*, 10(12), p. 1893. doi:10.3390/nu10121893.
- Dafaallah S, Amin M, Abbas T, Mohammed A, Kabbara E. (2018). Biochemical Differences in Human Breast Milk Contents According to Infant's Gender. *J Mol Biol Biotech.* 3(1). <https://doi.org/10.1016/j.jfca.2022.104889>
- de la Garza Puentes, A., Martí Alemany, A., Chisaguano, A. M., Montes Goyanes, R., Castellote, A. I., Torres-Espínola, F. J., García-Valdés, L., Escudero-Marín, M., Segura, M. T., Campoy, C., & López-Sabater, M. C. (2019). The Effect of Maternal Obesity on Breast Milk Fatty Acids and Its Association with Infant Growth and Cognition-The PREOBE Follow-Up. *Nutrients*, 11(9), 2154. <https://doi.org/10.3390/nu11092154>
- Dieterich, C. M., Felice, J. P., O'Sullivan, E., & Rasmussen, K. M. (2013). Breastfeeding and health outcomes for the mother-infant dyad. *Pediatric clinics of North America*, 60(1), 31–48. <https://doi.org/10.1016/j.pcl.2012.09.010>
- Doan, T., Gay, C. L., Kennedy, H. P., Newman, J., & Lee, K. A. (2014). Nighttime breastfeeding behavior is associated with more nocturnal sleep among first-time mothers at one month postpartum. *Journal of clinical sleep medicine : JCSM : official publication of the American Academy of Sleep Medicine*, 10(3), 313–319. <https://doi.org/10.5664/jcsm.3538>
- Dritsakou, K. et al. (2017). The impact of maternal- and neonatal-associated factors on human milk's macronutrients and energy, *The Journal of Maternal-Fetal & Neonatal Medicine*, 30(11), pp. 1302–1308. doi: 10.1080/14767058.2016.1212329.
- Drugs and Lactation Database (LactMed®) [Internet]. Bethesda (MD): *National Institute of Child Health and Human Development*; 2006-. *Vitamin K*. [Updated 2022 Sep 19]. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK500922/>

- Fujimori, M., França, E.L., Fiorin, V. et al. (2015). Changes in the biochemical and immunological components of serum and colostrum of overweight and obese mothers. *BMC Pregnancy Childbirth*, 15(166). <https://doi.org/10.1186/s12884-015-0574-4>
- Godhia, M.L., & Patel, N. (2013). Colostrum - Its Composition, Benefits As A Nutraceutical : A Review. *Current Research in Nutrition and Food Science Journal*, 1, 37-47.
- Hadley, K., Ryan, A., Forsyth, S., Gautier, S., & Salem, N. (2016). The essentiality of arachidonic acid in infant development. *Nutrients*, 8(4), 216. <https://doi.org/10.3390/nu8040216>
- Han, S.M. et al. (2021) ‘Maternal and infant factors influencing human milk oligosaccharide composition: Beyond Maternal Genetics’, *The Journal of Nutrition*, 151(6), pp. 1383–1393. doi:10.1093/jn/nxab028.
- Hausman Kedem, M., Mandel, D., Domani, K. A., Mimouni, F. B., Shay, V., Marom, R., Lubetzky, R. (2013). The Effect of Advanced Maternal Age upon Human Milk Fat Content. *Breastfeeding Medicine*, 8(1), 116–119. doi:10.1089/bfm.2012.0035
- Hilviu, D., Gabbatore, I., Parola, A., & Bosco, F. M. (2022). A cross-sectional study to assess pragmatic strengths and weaknesses in healthy ageing. *BMC Geriatrics*, 22(1). <https://doi.org/10.1186/s12877-022-03304-z>
- Hosseini, M., Valizadeh, E., Hosseini, N., et al. (2020). The Role of Infant Sex on Human Milk Composition. *Breastfeeding Medicine*, 15(5), p.341-346. doi:10.1089/bfm.2019.0205
- Hurrle, S., & Hsu, W. H. (2017). The etiology of oxidative stress in insulin resistance. *Biomedical journal*, 40(5), 257–262. <https://doi.org/10.1016/j.bj.2017.06.007>
- Jans, G., Devlieger, R., De Preter, V., et al. (2018). Bariatric Surgery Does Not Appear to Affect Women’s Breast-Milk Composition. *The Journal of Nutrition*. 148(7), p.1096-1102. doi:10.1093/jn/nxy085
- Kang, S., Kim, Y. M., Lee, J. A., Kim, D. H., & Lim, J. S. (2019). Early Menarche is a Risk Factor for Short Stature in Young Korean Females: An Epidemiologic Study. *Journal of clinical research in pediatric endocrinology*, 11(3), 234–239. <https://doi.org/10.4274/jcrpe.galenos.2018.2018.0274>

- Kementerian Kesehatan Indonesia, (2023). Hasil Survei Status Gizi Indonesia (SSGI) 2022. <https://kesmas.kemkes.go.id/assets/uploads/contents/attachments/09fb5b8ccfd088080f2521ff0b4374f.pdf>
- Khanna, D., Peltzer, C., Kahar, P., et al. (2022). Body Mass Index (BMI): A Screening Tool Analysis. *Cureus*, *14*(2), e22119. <https://doi.org/10.7759/cureus.22119>
- Khor, G. L., Tan, S. S., Stoutjesdijk, E., Ng, K. W. T., Khouw, I., Bragt, M., Schaafsma, A., Dijck-Brouwer, D. A. J., & Muskiet, F. A. J. (2020). Temporal Changes in Breast Milk Fatty Acids Contents: A Case Study of Malay Breastfeeding Women. *Nutrients*, *13*(1), 101. <https://doi.org/10.3390/nu13010101>
- Kim, S. Y., & Yi, D. Y. (2020). Components of human breast milk: From macronutrient to microbiome and microrna. *Clinical and Experimental Pediatrics*, *63*(8), 301–309. <https://doi.org/10.3345/cep.2020.00059>
- Koletzko, B. (2016). Human milk lipids. *Annals of Nutrition and Metabolism*, *69*(Suppl. 2), 27–40. <https://doi.org/10.1159/000452819>
- Kurniati, A. M., Sunardi, D., Sungkar, A., & Bardosono, S. (2017). Associations of maternal body composition and nutritional intake with fat content of Indonesian mothers' breast milk. *Paediatrica Indonesiana*, *56*(5), 297. <https://doi.org/10.14238/pi56.5.2016.297-303>
- Lawrence, R. A. (2022). *Breastfeeding* (9th ed., pp. 93-144). Elsevier. <https://doi.org/10.1016/B978-0-323-68013-4.00004-3>.
- Leghi, G.E., Netting, M.J., Middleton, P.F., Wlodek, M.E., Geddes, D.T., Muhlhausler, B.S., (2020). The Impact of Maternal Obesity on Human Milk Macronutrient Composition: A Systematic Review and Meta-Analysis. *Nutrients*, *12*(4), p.934. Available at: <https://doi.org/10.3390/nu12040934>.
- Lim CC, Mahmood T. (2015). Obesitas pada kehamilan. *Best Pract. Res. Clin. Obstet. Gynaecol.* *29* :309–319
- Lockyer, F., McCann, S., & Moore, S. E. (2021). Breast Milk Micronutrients and Infant Neurodevelopmental Outcomes: A Systematic Review. *Nutrients*, *13*(11), 3848. <https://doi.org/10.3390/nu13113848>
- Lubetzky, R., Sever, O., Mimouni, F. B., & Mandel, D. (2015). Human Milk Macronutrients Content: Effect of Advanced Maternal Age. *Breastfeeding medicine : the official journal of the Academy of Breastfeeding Medicine*, *10*(9), 433–436. <https://doi.org/10.1089/bfm.2015.0072>

Estri Efani, 2020

**KORELASI IMT IBU MENYUSUI DENGAN KADAR LEMAK ASI DI PUSKESMAS BOJONG, KLAPANUNGGAL, KABUPATEN BOGOR TAHUN 2024**

UPN Veteran Jakarta, Fakultas Kedokteran, Kedokteran

[[www.upnvj.ac.id](http://www.upnvj.ac.id) – [www.library.upnvj.ac.id](http://www.library.upnvj.ac.id) - [www.repository.upnvj.ac.id](http://www.repository.upnvj.ac.id)]

- Lubis, G., & Amelin, F. (2019). Association of Lactation Period and Maternal Body Mass Index with Breast Milk Macronutrient Content of West Sumatera Breastfeeding Mothers. *Proceedings of the Proceedings of the 1st EAI International Conference on Medical And Health Research, ICoMHER November 13-14th 2018, Padang, West Sumatera, Indonesia.*
- Maheshwari, A. (2022) 'Fats in human milk: 2022 updates on chemical composition', *Newborn*, 1(4), pp. 384–396. doi:10.5005/jp-journals-11002-0050.
- Mangel, L. *et al.* (2017). The effect of maternal habitus on macronutrient content of human milk colostrum, *Journal of Perinatology*, 37(7), pp. 818–821. doi:10.1038/jp.2017.51.
- Menteri Kesehatan Republik Indonesia. (2012). *Peraturan Menteri Kesehatan Republik Indonesia Nomor 33 Tahun 2012 Tentang Pemberian ASI Eksklusif*
- Miolski, J., Raus, M., Radusinović, M., & Zdravković, V. (2022). Breast milk components and factors that may affect lactation success. *Acta Facultatis Medicae Naissensis*, 39(2), 141–149. <https://doi.org/10.5937/afmnai39-31436>
- Mosca, F., & Gianni, M. L. (2017). Human milk: composition and health benefits. *La Pediatria medica e chirurgica : Medical and surgical pediatrics*, 39(2), 155. <https://doi.org/10.4081/pmc.2017.155>
- Noor, S., Tajik, O., & Golzar, J. (2022). Simple Random Sampling. *International Journal of Education & Language Studies*, 1(2), 78-82. doi: 10.22034/ijels.2022.162982
- Notarbartolo, V., Giuffrè, M., Montante, C., Corsello, G., & Carta, M. (2022). Composition of Human Breast Milk Microbiota and Its Role in Children's Health. *Pediatric gastroenterology, hepatology & nutrition*, 25(3), 194–210. <https://doi.org/10.5223/pghn.2022.25.3.194>
- Notoatmodjo, S. (2018). *Metodologi penelitian kesehatan* (Edisi 3.). Jakarta : PT. Rineka Cipta.
- Nuttall F. Q. (2015). Body Mass Index: Obesity, BMI, and Health: A Critical Review. *Nutrition today*, 50(3), 117–128. <https://doi.org/10.1097/NT.0000000000000092>
- Pan American Health Organization, (2015). *Breastfeeding and Non-Communicable Diseases(NCDs)*.[https://www3.paho.org/hq/index.php?option=com\\_content&vi](https://www3.paho.org/hq/index.php?option=com_content&vi)

ew=article&id=9977:2014-breastfeeding-and-non-communicable-diseases-ncds&Itemid=0&lang=en#gsc.tab=0

- Paneni, F., Costantino, S., & Cosentino, F. (2014). Insulin resistance, diabetes, and cardiovascular risk. *Current atherosclerosis reports*, 16(7), 419. <https://doi.org/10.1007/s11883-014-0419-z>
- Peng, X., Li, J., Yan, S., Chen, J., Lane, J., Malard, P., & Liu, F. (2021). Xiang study: An association of breastmilk composition with maternal body mass index and infant growth during the first 3 month of life. *Nutrition Research and Practice*, 15(3), 367. <https://doi.org/10.4162/nrp.2021.15.3.367>
- Perkins, J. M., Subramanian, S. V., Davey Smith, G., & Özaltin, E. (2016). Adult height, nutrition, and population health. *Nutrition reviews*, 74(3), 149–165. <https://doi.org/10.1093/nutrit/nuv105>
- Perrella, S., Gridneva, Z., Lai, C. T., Stinson, L., George, A., Bilston-John, S., & Geddes, D. (2021). Human milk composition promotes optimal infant growth, development and health. *Seminars in Perinatology*, 45(2), 151380. <https://doi.org/10.1016/j.semperi.2020.151380>
- Pillay J, & Davis TJ. (2023). Physiology, Lactation - *statpearls* - NCBI bookshelf. Treasure Island (FL): StatPearls Publishing. Available at : <https://www.ncbi.nlm.nih.gov/books/NBK499981/> (Accessed: 27 October 2023).
- Prion, S., & Haerling, K. A. (2014). Making Sense of Methods and Measurement: Spearman-Rho Ranked-Order Correlation Coefficient. *Clinical Simulation in Nursing*, 10(10), 535–536. doi:10.1016/j.ecns.2014.07.00
- Rahman,M.,Tabash,M.,Salamzadeh,A.,Abduli,S. & Rahaman,M.(2022).Sampling Techniques (Probability) for Quantitative Social Science Researchers: A Conceptual Guidelines with Examples. *SEEU Review*,17(1) 42-51. <https://doi.org/10.2478/seeur-2022-0023>
- Regan L. Bailey, Keith P. West Jr., Robert E. Black; The Epidemiology of Global Micronutrient Deficiencies. *Ann Nutr Metab*, 1 June 2015; 66 (Suppl. 2): 22–33. <https://doi.org/10.1159/000371618>
- Rosmaria. (2018). Correlation of Percentage of Body's Fat of Breasfeeding Mother to Aterm Infant With Fat Content and Breast Milk Protein. *Journal of Midwifery*, 3(27) 10.25077/jom.3.2.27-36.2018.

- Ross MG, Kavasery MP, Cervantes MK, Han G, Horta B, Coca KP, Costa SO, Desai M. (2024). High-Fat, High-Calorie Breast Milk in Women with Overweight or Obesity and Its Association with Maternal Serum Insulin Concentration and Triglycerides Levels. *Children*, 11(2):141. <https://doi.org/10.3390/children11020141>
- Ross, Michael G., Manasa P. Kavasery, MacKenzie K. Cervantes, Guang Han, Bernardo Horta, Kelly P. Coca, Suleyma O. Costa, and Mina Desai. (2024). High-Fat, High-Calorie Breast Milk in Women with Overweight or Obesity and Its Association with Maternal Serum Insulin Concentration and Triglycerides Levels. *Children* 11(2), 141. <https://doi.org/10.3390/children11020141>
- Samuel, T. M., Thielecke, F., Lavalle, L., Chen, C., Fogel, P., Giuffrida, F., Dubascoux, S., Martínez-Costa, C., Haaland, K., Marchini, G., Agosti, M., Rakza, T., Costeira, M. J., Picaud, J. C., Billeaud, C., & Thakkar, S. K. (2022). Mode of Neonatal Delivery Influences the Nutrient Composition of Human Milk: Results From a Multicenter European Cohort of Lactating Women. *Frontiers in nutrition*, 9(834394). <https://doi.org/10.3389/fnut.2022.834394>
- Samuel, T. M., Zhou, Q., Giuffrida, F., Munblit, D., Verhasselt, V. & Thakkar, S. K. (2020). Nutritional and Non-nutritional Composition of Human Milk Is Modulated by Maternal, Infant, and Methodological Factor. *Frontiers in Nutrition*, 7(172). <https://doi.org/10.3389/fnut.2020.576133>
- Sastroasmoro, Sudigdo (2014). *Dasar-Dasar Metodologi Penelitian Klinis* (Edisi 2). Jakarta : Sagung Seto
- Shah, R., Sarah, S. & Alhawaj., A.F. (2023) *Physiology, breast milk - statpearls - NCBI bookshelf, Physiology, Breast Milk*. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK539790/> (Accessed: 27 October 2023).
- Sherry, C.L., Oliver, J.S. and Marriage, B.J. (2015) ‘Docosahexaenoic acid supplementation in lactating women increases breast milk and plasma docosahexaenoic acid concentrations and alters infant omega 6:3 fatty acid ratio’, *Prostaglandins, Leukotrienes and Essential Fatty Acids*, 95, pp. 63–69. doi:10.1016/j.plefa.2015.01.005.
- Simon Sarkadi, L., Zhang, M., Muránszky, G., Vass, R. A., Matsyura, O., Benes, E., & Vari, S. G. (2022). Fatty Acid Composition of Milk from Mothers with Normal Weight, Obesity, or Gestational Diabetes. *Life (Basel, Switzerland)*, 12(7), 1093. <https://doi.org/10.3390/life12071093>

- Sims, C., Lipsmeyer, M., Turner, D., & Andres, A. (2020). Human milk composition differs by maternal BMI in the first 9 months postpartum. *Current Developments in Nutrition*, 4(112), 548–557. [https://doi.org/10.1093/cdn/nzaa054\\_152](https://doi.org/10.1093/cdn/nzaa054_152)
- Spatz, D. L., Davanzo, R., Müller, J. A., Powell, R., Rigourd, V., Yates, A., Geddes, D. T., van Goudoever, J. B., & Bode, L. (2021). Promoting and Protecting Human Milk and Breastfeeding in a COVID-19 World. *Frontiers in pediatrics*, 8, 633700. <https://doi.org/10.3389/fped.2020.633700>
- Subandrate, S., Amalia, E., Athiah, M., Safyudin, S., Prasetyo, M. N., & Arrafi, M. H. (2021). Macronutrient and micronutrient content in breast milk. *Conferences of Medical Sciences Dies Natalis Faculty of Medicine Universitas Sriwijaya*, 3(1), 51–56. <https://doi.org/10.32539/confmednatalisunsri.v3i1.66>
- Suliga, E., Rokita, W., Adamczyk-Gruszka, O. *et al.* (2018). Factors associated with gestational weight gain: a cross-sectional survey. *BMC Pregnancy Childbirth*, 18(465) <https://doi.org/10.1186/s12884-018-2112-7>
- Tucker, Z., & O'Malley, C. (2022). Mental Health Benefits of Breastfeeding: A Literature Review. *Cureus*, 14(9), e29199. <https://doi.org/10.7759/cureus.29199>
- Urteaga, N. *et al.* (2018) Nutritional status and human milk intake of exclusively breast-fed infants at high altitude in La Paz, Bolivia, *British Journal of Nutrition*, 120(2), pp. 158–163. doi:10.1017/S0007114518001137.
- Wiciński, M., Sawicka, E., Gębalski, J., Kubiak, K., & Malinowski, B. (2020). Human Milk Oligosaccharides: Health Benefits, Potential Applications in Infant Formulas, and Pharmacology. *Nutrients*, 12(1), 266. <https://doi.org/10.3390/nu12010266>
- World Health Organization (WHO). Development of Global Gestational Weight Gain Standart. <https://www.who.int/teams/nutrition-and-food-safety/development-of-global-gestational-weight-gain-standards>,
- Xiaofeng W., & Zhenshun Cheng. (2020). Cross-Sectional Studies: Strengths, Weaknesses, and Recommendations, *Chest*, 158(1), 2020, p.S65-S71, ISSN 0012-3692, <https://doi.org/10.1016/j.chest.2020.03.012>.
- Yang, T., Zhang, Y., Ning, Y., You, L., Ma, D., Zheng, Y., Yang, X., Li, W., Wang, J., & Wang, P. (2014). Breast milk macronutrient composition and the associated factors in urban Chinese mothers. *Chinese medical journal*, 127(9), 1721–1725

Young, B. E., Patinkin, Z. W., Pyle, L., de la Houssaye, B., Davidson, B. S., Geraghty, S., Morrow, A. L., & Krebs, N. (2017). Markers of Oxidative Stress in Human Milk do not Differ by Maternal BMI But are Related to Infant Growth Trajectories. *Maternal and child health journal*, 21(6), 1367–1376. <https://doi.org/10.1007/s10995-016-2243-2>