

DAFTAR PUSTAKA

- Abdillah, A. *et al.* (2022) ‘The Effectiveness of Range of Motion (ROM) on Increasing Muscle Strength in Stroke Patients : Literature Review’, 2(2), pp. 55–60.
- Adiputra, I. M. S. *et al.* (2021) *Metodologi Penelitian Kesehatan*. Yayasan Kita Menulis.
- Adler, S. S., Beckers, D. and Buck, M. (2014) *PNF in Practice*, Springer. Springer International Publishing. doi: 10.1016/s0031-9406(05)60432-4.
- Adrian, S. J. (2019) ‘Diagnosis dan tatalaksana terbaru pada dewasa’, *Cdk-274*, 46(3), pp. 172–178. Available at: <http://www.cdkjournal.com/index.php/CDK/article/view/503> Adiakses pada tanggal 28 oktober 2020.
- Alfiani, N. F. (2019) *Teknik Pemeriksaan Range of Motion*.
- Anandan, D. *et al.* (2020) ‘Effect of task specific training with proprioceptive neuromuscular facilitation on stroke survivors’, *Biomedicine (India)*, 40(3), pp. 363–366. doi: 10.51248/v40i3.27.
- Azzollini, V., Dalise, S. and Chisari, C. (2021) ‘How Does Stroke Affect Skeletal Muscle ? State of the Art and Rehabilitation Perspective’, 12(December). doi: 10.3389/fneur.2021.797559.
- Chaturvedi, P. *et al.* (2017) ‘Effects of Early Proprioceptive Neuromuscular Facilitation Exercises on Functional Outcome and Quality of Life in Patients with Stroke’, *MGM Journal of Medical Sciences*, 4(3), pp. 130–133. doi: 10.5005/jp-journals-10036-1155.
- Chaturvedi, P. *et al.* (2018) ‘Proprioceptive neuromuscular facilitation (PNF) vs. task specific training in acute stroke: the effects on neuroplasticity’, *MOJ Anatomy & Physiology*, 5(2). doi: 10.15406/mojap.2018.05.00181.
- Dinesh, M., Thenmozhi, P. and Kalabarathi, S. (2022) ‘Proprioceptive Neuromuscular Facilitation Neck Pattern and Trunk Specific Exercise on Trunk Control and Balance— an Experimental Study’, *International Journal of Therapeutic Massage and Bodywork: Research, Education, and Practice*, 15(4), pp. 9–17. doi: 10.3822/ijtmb.v15i4.727.
- van Dongen, L. *et al.* (2021) ‘Stroke survivors’ experiences with rebuilding life in the community and exercising at home: A qualitative study’, *Nursing Open*, 8(5), pp. 2567–2577. doi: 10.1002/nop2.788.
- Elshebiny, A. *et al.* (2023) ‘Awareness of Stroke Risk Factors, Warning Signs, and

- Preventive Behaviour Among Diabetic Patients in Al-Ahsa, Saudi Arabia', *Cureus*, 15(2). doi: 10.7759/cureus.35337.
- Elsheikh, S. et al. (2024) 'Atrial fibrillation and stroke: State-of-the-art and future directions', *Current Problems in Cardiology*, 49(1). doi: 10.1016/j.cpcardiol.2023.102181.
- Feigin, V. L. et al. (2022) 'World Stroke Organization (WSO): Global Stroke Fact Sheet 2022', *International Journal of Stroke*, 17(1), pp. 18–29. doi: 10.1177/17474930211065917.
- Gittins, M. et al. (2021) 'Stroke impairment categories: A new way to classify the effects of stroke based on stroke-related impairments', *Clinical Rehabilitation*, 35(3), pp. 446–458. doi: 10.1177/0269215520966473.
- Gunning, E. and Uszynski, M. K. (2019) 'Effectiveness of the Proprioceptive Neuromuscular Facilitation Method on Gait Parameters in Patients With Stroke: A Systematic Review', *Archives of Physical Medicine and Rehabilitation*, 100(5), pp. 980–986. doi: 10.1016/j.apmr.2018.11.020.
- Guo, X. et al. (2022) 'Technology-assisted assessment of spasticity: a systematic review', *Journal of NeuroEngineering and Rehabilitation*, 19(1), pp. 1–17. doi: 10.1186/s12984-022-01115-2.
- Hatwar, V. et al. (2023) 'Integrative Approach for Rehabilitation of an 11-Year-Old Child With Bilateral Hemiplegia', *Cureus*, 15(10). doi: 10.7759/cureus.47950.
- Hauser, S. L. and Josephsen, S. A. (2017) *Harisson's Neurology In Clinical Medicine*. 4th edn. McGraw-Hill Education.
- Hindle, K. et al. (2012) 'Proprioceptive neuromuscular facilitation (PNF): Its mechanisms and effects on range of motion and muscular function', *Journal of Human Kinetics*, 31(1), pp. 105–113. doi: 10.2478/v10078-012-0011-y.
- Joshi, D. and Chitra, J. (2017) 'Effect of scapular proprioceptive neuromuscular facilitation on shoulder pain, range of motion, and upper extremity function in hemiplegic patients: A randomized controlled trial', *Indian Journal of Health Sciences and Biomedical Research KLEU*, 10(3), pp. 269–275.
- Kalavina, R. et al. (2019) 'The challenges and experiences of stroke patients and their spouses in Blantyre, Malawi', *Malawi Medical Journal*, 31(2), pp. 112–117. doi: 10.4314/mmj.v31i2.2.
- Kemenkes RI (2018) *Laporan Riskesdas 2018 Kementerian Kesehatan Republik Indonesia, Laporan Nasional Riskesdas 2018*. Jakarta. Available at: [http://www.yankes.kemkes.go.id/assets/downloads/PMK No. 57 Tahun 2013 tentang PTRM.pdf](http://www.yankes.kemkes.go.id/assets/downloads/PMK%20No.%2057%20Tahun%202013%20tentang%20PTRM.pdf).

Kementerian Kesehatan RI (2023) *Mengenal ADL pada Pasien Pasca Stroke, Kementerian Kesehatan RI.*

Khan, F. et al. (2022) ‘Prediction of Factors Affecting Mobility in Patients with Stroke and Finding the Mediation Effect of Balance on Mobility: A Cross-Sectional Study’, *International Journal of Environmental Research and Public Health*, 19(24). doi: 10.3390/ijerph192416612.

Kuriakose, D. and Xiao, Z. (2020) ‘Pathophysiology and Treatment of Stroke: Present Status and Future Perspectives’, *International Journal of Molecular Sciences*, 21(20), pp. 1–24.

Kwah, L. K. et al. (2012) ‘Half of the adults who present to hospital with stroke develop at least one contracture within six months: An observational study’, *Journal of Physiotherapy*, 58(1), pp. 41–47. doi: 10.1016/S1836-9553(12)70071-1.

Lawrence, E. S. et al. (2001) ‘Estimates of the prevalence of acute stroke impairments and disability in a multiethnic population’, *Stroke*, 32(6), pp. 1279–1284. doi: 10.1161/01.STR.32.6.1279.

Linda D, U., Kathleen M, S. and Mary E, L. (2022) ‘Critical Care Nursing Diagnosis and Management’, pp. 729–788.

Lingga, L. (2018) *All About Stroke*. PT Elex Media Komputindo.

Marek, K. et al. (2023) ‘Objectivizing Measures of Post-Stroke Hand Rehabilitation through Multi-Disciplinary Scales’, *Journal of Clinical Medicine*, 12(23). doi: 10.3390/jcm12237497.

Matosinho, C. V. O. et al. (2021) ‘Incidence and potential predictors of early onset of upper-limb contractures after stroke’, *Disability and Rehabilitation*, 43(5), pp. 678–684. doi: 10.1080/09638288.2019.1637949.

Mindouri, A. S. et al. (2021) ‘The efficacy of proprioceptive neuromuscular facilitation (PNF) in patients with stroke’, *International Journal of Advanced Research in Medicine*, 3(2), pp. 79–81. doi: 10.22271/27069567.2021.v3.i2b.218.

Mukherjee, U. et al. (2020) ‘Sensori-motor recovery in post-stroke shoulder pain: a correlation study’, *International Journal Of Community Medicine And Public Health*, 7(12), p. 4854. doi: 10.18203/2394-6040.ijcmph20205152.

Murphy, S. J. and Werring, D. J. (2020) *Stroke*, StatPearls Publishing. Available at: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7409792/> (Accessed: 17 September 2023).

Nguyen, P. T., Chou, L. W. and Hsieh, Y. L. (2022) ‘Proprioceptive Neuromuscular

- Facilitation-Based Physical Therapy on the Improvement of Balance and Gait in Patients with Chronic Stroke: A Systematic Review and Meta-Analysis', *Life*, 12(6). doi: 10.3390/life12060882.
- Nisa, I. S. (2018) *Range of Motion*.
- Nofrel, V., Lukman, M. and Mambang Sari, C. W. (2020) 'Pengaruh Latihan Range Of Motion terhadap Peningkatan Kemampuan Melakukan Activity Daily Living pada Penderita Pasca Stroke', *Jurnal Ilmiah Universitas Batanghari Jambi*, 20(2), p. 564. doi: 10.33087/jiubj.v20i2.992.
- Poomalai, G., Prabhakar, S. and Sirala Jagadesh, N. (2023) 'Functional Ability and Health Problems of Stroke Survivors: An Explorative Study', *Cureus*, 15(1), pp. 1–6. doi: 10.7759/cureus.33375.
- Rantepadang, A. (2022) *Penanganan Pasien Stroke*. Bintang Pustaka.
- Riskesdas (2018) *Laporan Nasional Riskesdas 2018*. Jakarta.
- Shahid, J., Kashif, A. and Shahid, M. K. (2023) 'A Comprehensive Review of Physical Therapy Interventions for Stroke Rehabilitation: Impairment-Based Approaches and Functional Goals', *Brain Sciences*, 13(5). doi: 10.3390/brainsci13050717.
- Silalahi, H. et al. (2023) 'The Effect of Range of Motion (ROM) Application on Muscle Strength in Elderly Stroke Sufferers at the Tresna Werdha Asisi Social Institute Sukabumi City the Year 2022', 1(3), pp. 195–206.
- Simon, R. P., Aminoff, M. J. and Greenberg, D. A. (2018) *Clinical Neurology*. 10th edn. McGraw-Hill Education.
- Souza, I. G. De et al. (2021) 'Protocols Used by Occupational Therapists on Shoulder Pain after Stroke: Systematic Review and Meta-Analysis', *Occupational Therapy International*, 2021. doi: 10.1155/2021/8811721.
- The, F. P. et al. (2020) 'Influence of proprioceptive neuromuscular facilitation toward activities of daily living ability in post stroke patients', *Journal of Physics: Conference Series*, 1529(3). doi: 10.1088/1742-6596/1529/3/032031.
- Tim Pokja SDKI DPP PPNI (2016) *Standar Diagnosis Keperawatan Indonesia (SDKI)*. Jakarta: PPNI.
- Tim Pokja SIKI DPP PPNI (2018) *Standar Intervensi Keperawatan Indonesia (SIKI)*. Jakarta: Persatuan Perawat Indonesia.
- Tim Pokja SLKI DPP PPNI (2018) *Standar Luaran Keperawatan Indonesia (SLKI)*. Jakarta: Persatuan Perawat Indonesia.

Waruwahang, A. J. *et al.* (2023) ‘THE EFFECT OF RANGE OF MOTION (ROM) EXERCISES ON STROKE PATIENTS’, 13(3), pp. 1–8.

Webb, A. J. S. and Werring, D. J. (2022) ‘New Insights into Cerebrovascular Pathophysiology and Hypertension’, *Stroke*, 53(4), pp. 1054–1064. doi: 10.1161/STROKEAHA.121.035850.

WHO (2022) *World health statistics 2022 (Monitoring health of the SDGs)*. Available at: <http://apps.who.int/bookorders>.

Zeng, H. *et al.* (2021) ‘Prevalence and Risk Factors for Spasticity After Stroke : A Systematic Review and Meta-Analysis’, 11(January). doi: 10.3389/fneur.2020.616097.