

## DAFTAR PUSTAKA

- Abdullah, S. O. Bin, Sørensen, R. H., & Nielsen, F. E. (2021). Prognostic accuracy of sofa, qsofa, and sirs for mortality among emergency department patients with infections. *Infection and Drug Resistance*, 14, 2763–2775. <https://doi.org/10.2147/IDR.S304952>
- Agnello, L., Giglio, R. V., Bivona, G., Scazzone, C., Gambino, C. M., Iacona, A., Ciaccio, A. M., Lo Sasso, B., & Ciaccio, M. (2021). The Value of a Complete Blood Count (CBC) for Sepsis Diagnosis and Prognosis. *Diagnostics*, 11(10), 1–19. <https://doi.org/10.3390/diagnostics11101881>
- Ahn, Y. H., Lee, J., Oh, D. K., Lee, S. Y., Park, M. H., Lee, H., Lim, C.-M., Lee, S.-M., Lee, H. Y., Lim, C.-M., Hong, S.-B., Oh, D. K., Suh, G. Y., Jeon, K., Ko, R.-E., Cho, Y.-J., Lee, Y. J., Lim, S. Y., Park, S., ... Investigators, the K. S. A. (KSA). (2023). Association between the timing of ICU admission and mortality in patients with hospital-onset sepsis: a nationwide prospective cohort study. *Journal of Intensive Care*, 11(1), 16. <https://doi.org/10.1186/s40560-023-00663-6>
- Akhirul, T., & Fitriana, N. F. (2020). Hubungan Rensponse Time Pelayanan Instalasi Gawat Darurat ( IGD ) Dengan Tingkat Kepuasan Pasien. *Jurnal Keperawatan Muhammadiyah*, 001(September), 263–271. <https://doi.org/10.30651/jkm.v0i0.5332>
- Ala, A., Vahdati, S. S., Jalali, M., & Parsay, S. (2020). Rapid Emergency Medicine Score as a Predictive Value for 30-day Outcome of Nonsurgical Patients Referred to the Emergency Department. *Indian Journal of Critical Care Medicine*, 4(6), 418–422. <https://doi.org/10.5005/jp-journals-10071-23456>
- Ambaringrum, S. L., Hernaningsih, Y., Kusuma, E., & Kahar, H. (2022). Cut-Off Value of Procalcitonin in Sepsis and Septic Shock patients at Dr. Soetomo Hospital. *Indonesian Journal of Clinical Pathology and Medical Laboratory*, 28(2), 179–184. <https://doi.org/10.24293/ijcpml.v28i2.1827>
- Anderson, D., Kutsogiannis, D. J., & Sligl, W. I. (2020). Sepsis in Traumatic Brain Injury: Epidemiology and Outcomes. *Canadian Journal of Neurological Sciences / Journal Canadien des Sciences Neurologiques*, 47(2), 197–201. <https://doi.org/10.1017/cjn.2019.320>
- Askim, Å., Moser, F., Gustad, L. T., Stene, H., Gundersen, M., Åsvold, B. O., Dale, J., Bjørnse, L. P., Damås, J. K., & Solligård, E. (2017). Poor performance of quick-SOFA (qSOFA) score in predicting severe sepsis and mortality – a prospective study of patients admitted with infection to the emergency department. *Scandinavian Journal of Trauma, Resuscitation and Emergency*

*Medicine*, 25(1), 1–9. <https://doi.org/10.1186/s13049-017-0399-4>

Asmarawati, T. P., Suryantoro, S. D., Rosyid, A. N., Marfiani, E., Windradi, C., Mahdi, B. A., & Sutanto, H. (2022). Predictive Value of Sequential Organ Failure Assessment (SOFA), Quick Sequential Organ Failure Assessment (qSOFA), Acute Physiology and Chronic Health Evaluation (APACHE II), and New Early Warning Signs (NEWS-2) Scores Estimate Mortality of COVID-19 Patie. *Indian Journal of Critical Care Medicine*, 26(4), 464–471. <https://doi.org/10.5005/jp-journals-10071-24170>

Badan Pusat Statistik. (2023a). *Profil Statistik Kesehatan 2023 Volume 7* (I. Maylasari & I. E. Harahap (ed.); 7 ed.). Badan Pusat Statistik. <https://www.bps.go.id/id/publication/2023/12/20/feffe5519c812d560bb131ca/profil-statistik-kesehatan-2023.html>

Badan Pusat Statistik. (2023b). *Statistik Penduduk Lanjut Usia 2023 Volume 20* (Y. Rachmawati, R. Sinang, & B. Santoso (ed.)). Badan Pusat Statistik.

Basham, M. A., Ghumro, H. A., Syed, M. U. S., Saeed, S., Pervez, S. A., Farooque, U., Kumar, N., Imtiaz, Z., Sajjad, M., Jamal, A., Siddiqui, I. A., & Idris, F. (2020). Validity of Sequential Organ Failure Assessment and Quick Sequential Organ Failure Assessment in Assessing Mortality Rate in the Intensive Care Unit With or Without Sepsis. *Cureus*, 12(10), 1–9. <https://doi.org/10.7759/cureus.11071>

Bedoya, A. D., Clement, M. E., Phelan, M., Steorts, R. C., O'Brien, C., & Goldstein, B. A. (2019). Minimal Impact of Implemented Early Warning Score and Best Practice Alert for Patient Deterioration. *Critical Care Medicine*, 47(1), 49–55. <https://doi.org/10.1097/CCM.0000000000003439>.Minimal

Bhatnagar, M., Sirohi, N., & Dubey, A. B. (2021). Prediction of hospital outcome in emergency medical admissions using modified early warning score (MEWS): Indian experience. *Journal of Family Medicine and Primary Care*, 10(1), 192–198. <https://doi.org/10.4103/jfmpc.jfmpc>

Bidarti, A. (2020). *Teori Kependudukan*. Lindan Bestari.

Bridwell, R. E., Carius, B. M., Long, B., Oliver, J. J., & Schmitz, G. (2019). Sepsis in Pregnancy : Recognition and Resuscitation. *Western Journal of Emergency Medicine*, 20(5), 822–832. <https://doi.org/10.5811/westjem.2019.6.43369>

Brink, A., Alisma, J., Verdonschot, R. J. C. G., Rood, P. P. M., Zietse, R., Lingsma, H. F., Stephanie, & Schuit, C. E. (2019). Predicting mortality in patients with suspected sepsis at the Emergency Department ; A retrospective cohort study comparing qSOFA , SIRS and National Early Warning Score. *PLoS ONE*, 14(1), 1–14. <https://doi.org/10.1371/journal.pone.0211133>

- Brunetti, E., Isaia, G., Rinaldi, G., Brambati, T., De Vito, D., Ronco, G., & Bo, M. (2022). Comparison of Diagnostic Accuracies of qSOFA, NEWS, and MEWS to Identify Sepsis in Older Inpatients With Suspected Infection. *Journal of the American Medical Directors Association*, 23(5), 865-871.e2. <https://doi.org/10.1016/j.jamda.2021.09.005>
- CDC. (2023). *What is Sepsis?* Centers for Disease Control and Prevention. <https://www.cdc.gov/sepsis/what-is-sepsis.html>
- Chen, L., Zheng, H., Chen, L., Wu, S., & Wang, S. (2021). National Early Warning Score in Predicting Severe Adverse Outcomes of Emergency Medicine Patients : A Retrospective Cohort Study. *Journal of Multidisciplinary Healthcare*, 14, 2067–2078. <https://doi.org/https://doi.org/10.2147/JMDH.S324068>
- Churpek, M. M., Snyder, A., Han, X., Sokol, S., Pettit, N., Howell, M. D., & Edelson, D. P. (2017). Quick Sepsis-related Organ Failure Assessment, Systemic Inflammatory Response Syndrome, and Early Warning Scores for Detecting Clinical Deterioration in Infected Patients outside the Intensive Care Unit. *American Journal of Respiratory and Critical Care Medicine*, 195(7), 906–911. <https://doi.org/10.1164/rccm.201604-0854OC>
- Çintesun, E., Incesu Çintesun, F. N., Ezveci, H., Akyürek, F., & Çelik, Ç. (2018). Systemic inflammatory response markers in preeclampsia. *Journal of laboratory physicians*, 10(3), 316–319. [https://doi.org/10.4103/JLP.JLP\\_144\\_17](https://doi.org/10.4103/JLP.JLP_144_17)
- Coppler, P. J., & Elmer, J. (2022). Novel pupillary assessment in post anoxic coma. *Resuscitation*, 176, 66–67. <https://doi.org/10.1016/j.resuscitation.2022.05.016>
- Delinda, N., Halimuddin, & Nurhidayah, I. (2021). Length Of Stay Pasien Di Instalasi Gawat Darurat. *Jurnal Ilmiah Mahasiswa Fakultas Keperawatan*, V(1), 179–191.
- Dewi, R. S., Radji, M., & Andalusia, R. (2018). Evaluation of Antibiotic Use Among Sepsis Patients in an Intensive Care Unit: A cross-sectional study at a referral hospital in Indonesia. *Sultan Qaboos University Medical Journal*, 18(3), e367–e373. <https://doi.org/10.18295/squmj.2018.18.03.017>
- Dharma, K. K. (2021). *Metodologi Penelitian Keperawatan (Pedoman Melaksanakan dan Menetapkan Hasil Penelitian)*. Trans Info Media.
- Djuang, M. H., Muniro, F. D., Sanjaya, B. D., & Chiuman, L. (2022). Sepsis Risk Factors in Elderly Patients At Royal Prima Medan General Hospital. *Jambura Journal of Health Sciences and Research*, 4(3), 596–603. <https://doi.org/10.35971/jjhsr.v4i3.12488>
- Do, S. N., Luong, C. Q., Nguyen, M. H., Pham, D. T., Nguyen, N. T., Huynh, D.

- Q., Hoang, Q. T. A., Dao, C. X., Vu, T. D., Bui, H. N., Nguyen, H. T., Hoang, H. B., Le, T. T. P., Nguyen, L. T. B., Duong, P. T., Nguyen, T. D., Le, V. H., Pham, G. T. T., Bui, T. Van, ... Nguyen, A. D. (2022). Predictive validity of the quick Sequential Organ Failure Assessment (qSOFA) score for the mortality in patients with sepsis in Vietnamese intensive care units. *PLoS ONE*, 17(10), 1–16. <https://doi.org/10.1371/journal.pone.0275739>
- Dolin, H. H., Papadimos, T. J., Chen, X., & Pan, Z. K. (2019). Characterization of Pathogenic Sepsis Etiologies and Patient Profiles: A Novel Approach to Triage and Treatment. *Microbiology Insights*, 12(1), 117863611882508. <https://doi.org/10.1177/1178636118825081>
- Durr, D., Niemi, T., Despraz, J., Tusgul, S., Dami, F., Akroud, R., Carron, P.-N., Le Pogam, M.-A., Calandra, T., & Meylan, S. (2022). National Early Warning Score (NEWS) Outperforms Quick Sepsis-Related Organ Failure (qSOFA) Score for Early Detection of Sepsis in the Emergency Department. In *Antibiotics* (Vol. 11, Nomor 11, hal. 1–7). <https://doi.org/10.3390/antibiotics11111518>
- Elvera, & Astarina, Y. (2021). *Metodologi Penelitian* (1 ed.). Penerbit Andi. <https://books.google.co.id/books?id=p2rDEAAAQBAJ>
- Emergency Nurses Association. (2018). *Keperawatan Gawat Darurat dan Bencana Sheehy* (A. Kurniati, Y. Trisyani, & S. Ikaristi (ed.); 1st Indone). Elsevier Singapore Pte Ltd. <https://books.google.co.id/books?id=sez3DwAAQBAJ&printsec=frontcover#v=onepage&q&f=true>
- Engebretsen, S., Bogstrand, S. T., Jacobsen, D., Vitelli, V., & Rimstad, R. (2020). NEWS2 versus a single-parameter system to identify critically ill medical patients in the emergency department. *Resuscitation Plus*, 3. <https://doi.org/10.1016/j.resplu.2020.100020>
- Ernawati, A. (2021). Tinjauan Kasus COVID-19 Berdasarkan Jenis Kelamin, Golongan Usia, dan Kepadatan Penduduk di Kabupaten Pati. *Jurnal Litbang: Media Informasi Penelitian, Pengembangan dan IPTEK*, 17(2), 131–146. <https://doi.org/https://doi.org/10.33658/jl.v17i2.280>
- Evans, L., Rhodes, A., Alhazzani, W., Antonelli, M., Coopersmith, C. M., French6, C., Machado, F. R., McIntyre, L., Ostermann, M., Prescott, H. C., Schorr, C., Simpson, S., Wiersinga, W. J., Alshamsi, F., Angus, D. C., Arabi, Y., Azevedo, L., Beale, R., Beilman, G., ... Levy, M. (2021). Surviving Sepsis Campaign : International Guidelines for Management of Sepsis and Septic Shock 2021. *Critical Care Medicine*, 49(11), 1063–1143. <https://doi.org/10.1097/CCM.0000000000005337>
- Fleischmann-Struzek, C., Mellhammar, L., Rose, N., Cassini, A., Rudd, K. E., Schlattmann, P., Allegranzi, B., & Reinhart, K. (2020). Incidence and

- mortality of hospital - and ICU - treated sepsis : results from an updated and expanded systematic review and meta - analysis. *Intensive Care Medicine*, 46(8), 1552–1562. <https://doi.org/10.1007/s00134-020-06151-x>
- Font, M. D., Thyagarajan, B., & Khanna, A. K. (2020). Sepsis and Septic Shock – Basics of diagnosis, pathophysiology and clinical decision making. *Medical Clinics of North America*, 104(4), 573–585. <https://doi.org/10.1016/j.mcna.2020.02.011>
- Gauer, R., Forbes, D., & Boyer, N. (2020). Sepsis: Diagnosis and Management. *American Family Physician*, 101(7), 409–418. [www.aafp.org/afp](http://www.aafp.org/afp)
- Gibbs, J. T., Louissaint, J., & Tapper, E. B. (2022). Rate of Successful Extubation in Mechanically Ventilated Patients with Cirrhosis and Hepatic Coma. *Digestive Diseases and Sciences*, 67(11), 5336–5344. <https://doi.org/10.1007/s10620-022-07400-3>
- Goulden, R., Hoyle, M., Monis, J., Railton, D., Riley, V., Martin, P., Martina, R., & Nsutebu, E. (2018). qSOFA , SIRS and NEWS for predicting inhospital mortality and ICU admission in emergency admissions treated as sepsis. *Emergency Medicine Journal*, 35(6), 345–349. <https://doi.org/10.1136/emermed-2017-207120>
- Güçsav, M. O., Alıcı, İ. O., & Kömürcüoğlu, B. (2022). Comparison of National Early Warning System-2 and quick Sepsis-related Organ Failure Assessment scores in predicting severe coronavirus disease 2019: a validation study. *Eurasian Journal of Pulmonology*, 24(3), 185–192. <https://doi.org/10.14744/ejp.2022.6002>
- Gül, F., Arslantaş, M. K., Cinel, İ., & Kumar, A. (2017). Changing Definitions of Sepsis. *Turkish journal of anaesthesiology and reanimation*, 45(3), 129–138. <https://doi.org/10.5152/TJAR.2017.93753>
- Gyawali, B., Ramakrishna, K., & Dhamoon, A. S. (2019). Sepsis : The evolution in definition, pathophysiology, and management. *SAGE Open Medicine*, 7, 1–13. <https://doi.org/10.1177/2050312119835043>
- Habiburrahman, M., & Putra, A. B. (2023). Manajemen Komprehensif Sepsis Akibat Infeksi Saluran Kemih pada Kehamilan. *Cermin Dunia Kedokteran*, 50(6), 311–320. <https://doi.org/10.55175/cdk.v50i6.919>
- Hardisman. (2021a). *Penelitian Diagnostik dan Prognostik: Langkah Praktis Analisis Data dengan Program JAMOVI, IBM-SPSS , dan STATA*. Prenada Media. <https://books.google.co.id/books?id=JWc4EAAAQBAJ>
- Hardisman. (2021b). *Tanya Jawab Metodologi Penelitian Kesehatan: Referensi Praktis Mahasiswa S1, S2, S3, PPDS dan Peneliti Pemula*. Gosyen Publishing.

- Heldt, S., Neuböck, M., Kainzbauer, N., Shao, G., Tschoellitsch, T., Duenser, M., Kaiser, B., Winkler, M., Paar, C., Meier, J., Lamprecht, B., & Salzer, H. J. F. (2022). qSOFA score poorly predicts critical progression in COVID-19 patients. *Wiener Medizinische Wochenschrift*, 172(9), 211–219. <https://doi.org/10.1007/s10354-021-00856-4>
- Herlina, Nugroho, A. P. D., Maemun, S., Pertiwi, I., Intan, A. D., Nanda, S., & Murtiani, F. (2021). Kematian pada Pasien COVID-19 Berdasarkan Komorbid dan Tingkat Keparahan. *The Indonesian Jounal Of Infectious Disease*, 8(1), 44–54. <https://doi.org/10.32667/ijid.v8i1.135>
- Herman, Rahman, & Asti, H. (2019). Prokalsitonin dan Kultur Darah Sebagai Penanda Sepsis di RSUP Dr Wahidin Sudirohusodo Makassar. *Jurnal Media Analis Kesehatan*, 10(2), 152–162. <https://doi.org/10.32382/mak.v10i2.1316>
- Holten, A. R., Nore, K. G., Tveiten, C. E. V. W. K., & Theresa Mariero Olasveengen\Tonby, K. (2020). Predicting severe COVID-19 in the Emergency Department. *Resuscitation Plus*, 4, 1–7. <https://doi.org/10.1016/j.resplu.2020.100042>
- Hsu, C.-P., Chen, H.-Y., Chen, W.-L., Chen, J.-H., Huang, C.-C., Wu, P.-H., & Chung, J.-Y. (2021). Clinical physiological parameters for the prediction of gram-negative bacterial infection in the emergency department. *BMC Infectious Diseases*, 21(1), 66. <https://doi.org/10.1186/s12879-020-05758-1>
- Hsu, C., Tsai, Y., Lin, C., Chang, Y., Chen, H., Chang, Y., Chen, Y., Huang, K., Wang, Y., Wang, C., Lin, M., & Fang, W.-F. (2021). Application of a 72 h National Early Warning Score and Incorporation with Sequential Organ Failure Assessment for Predicting Sepsis Outcomes and Risk Stratification in an Intensive Care Unit : A Derivation and Validation Cohort Study. *Journal of Personalized Medicine*, 11(9), 1–14. <https://doi.org/10.3390/jpm11090910>
- Iriani, N., Dewi, G. A. K. R. S., Sudjud, S., Talli, A. S. D., Surianti, Setyowati, R. D. N., Lisarani, V., Arjang, Nurmillah, & Nuraya, T. (2022). *Metodologi Penelitian*. Rizmedia Pustaka Indonesia.
- Irmawatini, & Nurhaedah. (2019). *Bahan ajar kesehatan lingkungan : metodologi penelitian*. Kmentrian Kesehatan RI.
- Jamnani, A. N., Baradari, A. G., Kargar-soleimanabad, S., & Javaheri, S. (2023). Predictive performance of SOFA ( Sequential Organ Failure Assessment ) and qSOFA ( quick Sequential Organ Failure Assessment ) for in-hospital mortality in ICU patients with COVID-19 of referral center in the north of Iran a retrospective study. *Annals of Medicine & Surgery*, 85(11), 5414–5419. <https://doi.org/10.1097/MS9.0000000000001304>
- Jannah, M., Kamsani, S. R., & Ariffin, N. M. (2021). Perkembangan Usia Dewasa : Tugas Dan Hambatan Pada Korban Konflik Pasca Damai. *Bunayya : Jurnal*

- Pendidikan Anak,* 7(2), 115–143.  
<https://doi.org/10.22373/bunayya.v7i2.10430>
- Kafle, D. R., Sah, R. P., & Karki, D. R. (2021). Non Traumatic Coma in the Intensive Care Unit: Etiology and Prognosis. *Kathmandu University Medical Journal*, 19(75), 371–374. <https://doi.org/10.3126/kumj.v19i3.49719>
- Kang, C., Choi, S., Jang, E. J., Joo, S., Jeong, J. H., Oh, S. Y., Ryu, H. G., & Lee, H. (2024). Prevalence and outcomes of chronic comorbid conditions in patients with sepsis in Korea: a nationwide cohort study from 2011 to 2016. *BMC Infectious Diseases*, 24(1), 1–11. <https://doi.org/10.1186/s12879-024-09081-x>
- Karlsen, E. E., Rønsåsbjørg, N. A., Skrede, S., & Mosevoll, K. A. (2023). Scoring systems for early detection of sepsis on the ward. *Skåningsverktøy for tidlig oppdagelse av sepsis på sengepost*. *Tidsskrift for den Norske laegeforening : tidsskrift for praktisk medicin, ny række*, 143(2). <https://doi.org/10.4045/tidsskr.21.0905>
- Kartika, I. I. (2021). *Buku Ajar Dasar-Dasar Riset Keperawatan dan Pengolahan Data Statistik*. Trans Info Media.
- Kemenkes RI. (2009). *UU RI No 36 Tahun 2009 Tentang Kesehatan* (hal. 111).
- Kemenkes RI. (2010). *Keputusan Menteri Kesehatan Republik Indonesia Nomor: 1778/MENKES/SK/XII/2010 Tentang Pedoman Penyelenggaraan Pelayanan Intensive Care Unit (ICU) di Rumah sakit* (1778/MENKES/SK/XII/2010). Kementerian Kesehatan Republik Indonesia. <https://perdatinaceh.files.wordpress.com/2018/01/kepmenkes-no-1778-tahun-2010-tentang-pedoman-pelayanan-icu-di-rumah-sakit.pdf>
- Kemenkes RI. (2014). *Permenkes No 37 Tahun 2014 Tentang Penentuan Kematian dan Pemanfaatan Organ Donor*.
- Kemenkes RI. (2018). *Peraturan Menteri Kesehatan Republik Indonesia Nomor 47 Tahun 2018 Tentang Pelayanan Kegawatdaruratan*. Kementerian Kesehatan Republik Indonesia.
- Kementrian Kesehatan. (2016). *Peraturan Menteri Kesehatan Nomor 25 Tahun 2016 tentang Rencana Aksi Nasional Kesehatan Lanjut Usia Tahun 2016-2019*. BN.2016/NO. 1091, kemenkes.go.id : 5 hlm.
- Khwannimit, B., Bhurayanontachai, R., & Vattanavanit, V. (2019). *Comparison of the accuracy of three early warning scores with SOFA score for predicting mortality in adult sepsis and septic shock patients admitted to intensive care unit*. 48, 240–244. <https://doi.org/10.1016/j.hrtlng.2019.02.005>
- Klimpel, J., Weidhase, L., Bernhard, M., Gries, A., & Petros, S. (2019). The impact

- of the Sepsis-3 definition on ICU admission of patients with infection. *Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine*, 27(98), 1–6. <https://doi.org/10.1186/s13049-019-0680-9>
- Kundiman, V., Kumaat, L., & Kiling, M. (2019). Hubungan Kondisi Overcrowded Dengan Ketepatan Pelaksanaan Triase Di Instalasi Gawat Darurat RSU GMIM Pancaran Kasih Manado. *Jurnal Keperawatan*, 7(1), 1–7. <https://doi.org/https://doi.org/10.35790/jkp.v7i1.22880>
- Lestari, R. D., & Harsanti, T. (2022). Determinan Kejadian Morbiditas Lansia Perdesaan di Provinsi Sulawesi Tenggara Tahun 2020. *Seminar Nasional Official Statistics 2022*, 2022(1), 373–382. <https://doi.org/10.34123/semnasoffstat.v2022i1.1462>
- Li, A., Ling, L., Qin, H., Arabi, Y. M., Myatra, S. N., Egi, M., Kim, J. H., Nor, M. B. M., Son, D. N., Fang, W., Wahyuprajitno, B., Hashmi, M., Faruq, M. O., Patjanasoontorn, B., Bahrani, M. J. Al, Shrestha, B. R., Shrestha, U., Nafees, K. M. K., Sann, K. K., ... Phua, J. (2024). Prognostic evaluation of quick sequential organ failure assessment score in ICU patients with sepsis across different income settings. *Critical Care*, 28(30), 1–11. <https://doi.org/10.1186/s13054-024-04804-7>
- Loisa, E., Kallonen, A., Hoppu, S., & Tirkkonen, J. (2022). Trends in the national early warning score are prospective three-centre observational study with. *Resuscitation Plus*, 10, 1–8. <https://doi.org/10.1016/j.resplu.2022.100251>
- Lolombulan, J. H. (2020). *Analisis Data Statistika Bagi Peneliti Kedokteran Dan Kesehatan*. Penerbit Andi. <https://books.google.co.id/books?id=m14MEAAAQBAJ>
- Mahapatra, S., & Heffner, A. C. (2023). *Septic Shock*. StatPearls. <https://www.ncbi.nlm.nih.gov/books/NBK430939/>
- Masson, H., & Stephenson, J. (2022). Investigation into the predictive capability for mortality and the trigger points of the National Early Warning Score 2 (NEWS2) in emergency department patients. *Emergency Medicine Journal*, 39(9), 685 LP – 690. <https://doi.org/10.1136/emermed-2020-210190>
- Meah, V. L., Cockcroft, J. R., Backx, K., Shave, R., & Stöhr, E. J. (2016). Cardiac output and related haemodynamics during pregnancy: a series of meta-analyses. *Heart*, 102(7), 518–526. <https://doi.org/10.1136/heartjnl-2015-308476>
- Mellhammar, L., Linder, A., Tverring, J., Christensson, B., Boyd, J. H., Sendi, P., Åkesson, P., & Kahn, F. (2019). NEWS2 Is Superior to qSOFA in Detecting Sepsis with Organ Dysfunction in the Emergency Department. *Journal of Clinical Medicine*, 8(8), 1–13. <https://doi.org/10.3390%2Fjcm8081128>

- Mignot-Evers, L., Raaijmakers, V., Buunk, G., Brouns, S., Romano, L., Van Herpt, T., Gharbharan, A., Dileman, J., & Haak, H. (2021). Comparison of SIRS criteria and qSOFA score for identifying culture-positive sepsis in the emergency department: A prospective cross-sectional multicentre study. *BMJ Open*, 11(6), 1–8. <https://doi.org/10.1136/bmjopen-2020-041024>
- Moulton, V. R. (2018). Sex Hormones in Acquired Immunity and Autoimmune Disease. *Frontiers in Immunology*, 9(2279), 1–21. <https://doi.org/10.3389/fimmu.2018.02279>
- Müller, M., Guignard, V., Schefold, J. C., Leichtle, A. B., Exadaktylos, A. K., & Pfortmueller, C. A. (2017). Utility of quick sepsis-related organ failure assessment (qSOFA) to predict outcome in patients with pneumonia. *PLOS ONE*, 12(12), e0188913. <https://doi.org/10.1371/journal.pone.0188913>
- Müller, M., Schefold, J. C., Leichtle, A. B., Srivastava, D., Lindner, G., Exadaktylos, A. K., & Pfortmueller, C. A. (2019). qSOFA score not predictive of in-hospital mortality in emergency patients with decompensated liver cirrhosis. *Medizinische Klinik - Intensivmedizin und Notfallmedizin*, 114(8), 724–732. <https://doi.org/10.1007/s00063-018-0477-z>
- Mulyono, D., Nurdiana, & Kapti, R. E. (2019). Performa Rapid Emergency Medicine Score dalam Memprediksi Outcome Pasien Trauma Kepala di Instalasi Gawat Darurat. *Jurnal Kedokteran Brawijaya*, 30(4), 302–308. <https://doi.org/10.21776/ub.jkb.2019.030.04.13>
- Myatra, S. N., Mani, R., Trikha, A., Bhalla, A., Kundu, A. K., Poddar, B., Chaudhary, D., Shah, D., Babu, E. L., Sachdeva, H., Chadha, I. A., Peter, J., Divatia, J., Sodhi, K., Kashyap, L., Karnik, N., Durga, P., Bhattacharya, P., Nasa, P., ... Kumar, K. (2023). *Guidelines for Intensive Care Unit Admission and Discharge Criteria* (hal. 7). Ministry of Health & Family Welfare Government of India.
- Myrstad, M. (2023). Is NEWS2 good news for the early detection of sepsis ? *Tidsskr Nor Laegeforen*, 143(2), 2–4. <https://doi.org/10.4045/tidsskr.22.0761>
- Nafiah, R. H., & Suharsono, T. (2019). Modified Early Warning Score ( MEWS ) as Predictor of Deterioration Risk on Patient with Stroke in Emergency Unit in Malang. *International Journal of Nursing Education*, 11(4), 117–121.
- Nakayama, I., Izawa, J., Mouri, H., Kitamura, T., & Shiotsuka, J. (2018). Mortality and detailed characteristics of pre - ICU qSOFA - negative patients with suspected sepsis : an observational study. *Annals of Intensive Care*, 8(44), 1–9. <https://doi.org/10.1186/s13613-018-0389-3>
- Novosad, S. A., Sapiano, M. R. P., Grigg, C., Lake, J., Robyn, M., Dumyati, G., Felsen, C., Blog, D., Dufort, E., Zansky, S., Wiedeman, K., Avery, L., Dantes, R. B., Jernigan, J. A., Magill, S. S., Fiore, A., & Epstein, L. (2016). Vital Signs:

- Epidemiology of Sepsis: Prevalence of Health Care Factors and Opportunities for Prevention. *MMWR. Morbidity and Mortality Weekly Report*, 65(33), 864–869. <https://doi.org/10.15585/mmwr.mm6533e1>
- Oczkowski, S., Alshamsi, F., Belley-cote, E., Centofanti, J. E., Møller, M. H., Nunnaly, M. E., & Alhazzani, W. (2022). Surviving Sepsis Campaign Guidelines 2021 : highlights for the practicing clinician. *Pol Arch Intern Med*, 132(7–8), 1–8. <https://doi.org/10.20452/pamw.16290>
- Oduncu, A. F., Kıyan, G. S., & Yalçınlı, S. (2021). Comparison of qSOFA , SIRS , and NEWS scoring systems for diagnosis , mortality , and morbidity of sepsis in emergency department. *The American Journal of Emergency Medicine*, 48, 54–59. <https://doi.org/10.1016/j.ajem.2021.04.006>
- Pairattanakorn, P., Angkasekwainai, N., Sirijatuphat, R., Wangchinda, W., Tancharoen, L., & Thamlikitkul, V. (2021). Diagnostic and Prognostic Utility Compared Among Different Sepsis Scoring Systems in Adult Patients With Sepsis in Thailand: A Prospective Cohort Study. *Open Forum Infectious Diseases*, 8(1). <https://doi.org/10.1093/ofid/ofaa573>
- Pan, S., Lv, Z., Wang, R., Shu, H., Yuan, S., Yu, Y., & Shang, Y. (2022). Sepsis-Induced Brain Dysfunction: Pathogenesis, Diagnosis, and Treatment. *Oxidative Medicine and Cellular Longevity*, 2022(1). <https://doi.org/10.1155/2022/1328729>
- Panna, M. S. A. (2021). *Determination of Death: Ethical and Biomedical Update with International Consensus* (P. A. Clark (ed.); hal. Ch. 2). IntechOpen. <https://doi.org/10.5772/intechopen.100604>
- Perceka, A. L. (2020). Hubungan Mutu Pelayanan Keperawatan dengan Kepuasan Pasien di Ruangan IGD RSUD dr. Slamet Garut. *Jurnal Ilmiah Administrasi Publik (JIAP)*, 6(2), 270–277. <https://doi.org/10.21776/ub.jiap.2020.006.02.14>
- PERDICI. (2017). *Penatalaksanaan Sepsis dan Syok Septik (Optimalisasi FASTHUGSBID)* (F. J. V Pangalila & A. Mansjoer (ed.)). Perhimpunan Dokter Intensive Care Indonesia (PERDICI).
- Purba, A. K. R., Mariana, N., Aliska, G., Wijaya, S. H., Wulandari, R. R., Hadi, U., Hamzah, Nugroho, C. W., Schans, J. van der, & Postma, M. J. (2020). The burden and costs of sepsis and reimbursement of its treatment in a developing country: An observational study on focal infections in Indonesia. *International Journal of Infectious Diseases*, 96, 211–218. <https://doi.org/10.1016/j.ijid.2020.04.075>
- Purwadi, H. N., Aristadila, N. S., & Latief, K. (2019). Analisis Ketahanan Hidup Pasien Sepsis di Rumah Sakit Umum Kabupaten Tangerang. *Jurnal Ilmiah Kesehatan Masyarakat*, 11(2), 174–180.

- <https://doi.org/https://doi.org/10.52022/jikm.v11i2.2>
- Putra, I. M. P. (2018). Pendekatan Sepsis dengan Skor SOFA. *Cermin Dunia Kedokteran*, 45(8), 606–609. <https://doi.org/10.55175/cdk.v45i8.632>
- Putri, R., Halimuddin, & Nurhidayah, I. (2023). Overcrowded Di Instalasi Gawat Darurat Rumah Sakit Umum Daerah Dr. Zainoel Abidin. *Jurnal Ilmu Keperawatan (JIK)*, 11(1), 43–52. <https://doi.org/https://jurnal.usk.ac.id/JIK/article/view/32980>
- Reinhart, K., Daniels, R., Kissoon, N., Machado, F. R., Schachter, R. D., & Finfer, S. (2017). Recognizing Sepsis as a Global Health Priority — A WHO Resolution. *New England Journal of Medicine*, 377(5), 414–417. <https://doi.org/10.1056/NEJMp1707170>
- Ren, C., Yao, R., Zhang, H., Feng, Y., & Yao, Y. (2020). Sepsis-associated encephalopathy: a vicious cycle of immunosuppression. *Journal of Neuroinflammation*, 17(1), 14. <https://doi.org/10.1186/s12974-020-1701-3>
- Rhee, C., Dantes, R., Epstein, L., Murphy, D. J., Seymour, C. W., Iwashyna, T. J., Kadri, S. S., Angus, D. C., Danner, R. L., Fiore, A. E., Jernigan, J. A., Martin, G. S., Septimus, E., Warren, D. K., Karcz, A., Chan, C., Menchaca, J. T., Wang, R., Gruber, S., ... Program, for the C. D. C. P. E. (2017). Incidence and Trends of Sepsis in US Hospitals Using Clinical vs Claims Data, 2009–2014. *JAMA*, 318(13), 1241–1249. <https://doi.org/10.1001/jama.2017.13836>
- Rosidawati, I., & Ariyani, H. (2020). Karakteristik Pasien Instalasi Gawat Darurat (IGD) Rumah Sakit Umum Daerah Singaparna Medika Citrautama (RSUD SMC) Kabupaten Tasikmalaya. *Jurnal Kesehatan Bakti Tunas Husada :Jurnal Ilmu Ilmu Keperawatan, Analis Kesehatan dan Farmasi*, 20(2), 162–169. <https://doi.org/10.36465/jkbth.v20i2.608>
- Rosyidah, M., & Fijra, R. (2021). *Metode Penelitian*. Deepublish Publisher.
- Royal College of Physicians. (2017). *National Early Warning Score (NEWS) 2: Standardising the assessment of acute-illness severity in the NHS*. (Nomor December). Updated report of a working party.
- Rudd, K. E., Johnson, S. C., Agesa, K. M., Shackelford, K. A., Tsoi, D., Kievlan, D. R., Colombara, D. V, Ikuta, K. S., Kissoon, N., Finfer, S., Fleischmannstruzek, C., Machado, F. R., Reinhart, K. K., Rowan, K., Seymour, C. W., Watson, R. S., West, T. E., Marinho, F., Hay, S. I., ... Naghavi, M. (2020). Global , regional , and national sepsis incidence and mortality, 1990 – 2017 : analysis for the Global Burden of Disease Study. *The Lancet*, 395(10219), 200–211. [https://doi.org/10.1016/S0140-6736\(19\)32989-7](https://doi.org/10.1016/S0140-6736(19)32989-7)
- Sanguanwit, P., Thudsaringkarnsakul, W., & Angkoontassaneeyarat, C. (2024). Comparison of qSOFA , SIRS , NEWS and REWS Scores in Predicting Severity and 28-day Mortality of older Sus- pected Sepsis Cases ; a Prognostic

- Accuracy Study. *Archives of Academic Emergency Medicine*, 12(1), 1–9.
- Sari, L. M., Nashrulloh, D., & Qoyum, N. I. F. (2023). *Epidemiologi*. Insan Cendekia Mandiri.
- Savarimuthu, S. M., Cairns, C., Allorto, N. L., Weissman, G. E., Kohn, R., Wise, R. D., & Anesi, G. L. (2020). qSOFA as a predictor of ICU outcomes in a resource-limited setting in KwaZulu-Natal Province, South Africa. *Southern African Journal of Critical Care*, 36(2), 92–95. <https://doi.org/10.7196/SAJCC.2020.V36I2.433>
- Sepsis Alliance. (2019). *Diabetes and Why It Increases Sepsis Risk*. Sepsis Alliance. <https://www.sepsis.org/news/diabetes-and-why-it-increases-sepsis-risk/>
- Setiyawan, S., Octaverlita, G. V., & Suryandari, D. (2023). The relationship between sequential organ failure assessment (SOFA) score and mortality in COVID-19 patients with. *Jurnal Keperawatan Padjadjaran (JKP)*, 11(1), 12–17. <https://doi.org/10.24198/jkp.v11i1.2099>
- Setyawan, F. E. B., & Supriyanto, S. (2019). *Manajemen Rumah Sakit*. Zifatama Jawara.
- Shaddad, N., Ali, A., & Kholidhha, A. N. (2021). Uji Diagnostik dengan Menggunakan Kriteria qSOFA dalam Mendiagnosis Awal Pasien Sepsis di Rumah Sakit Umum Bahteramas Provinsi Sulawesi Tenggara. *Medula*, 8(2), 82–89. [https://doi.org/https://garuda.kemdikbud.go.id/journal/view/7775?issue=Vol%208,%20No%202%20\(2021\)#!](https://doi.org/https://garuda.kemdikbud.go.id/journal/view/7775?issue=Vol%208,%20No%202%20(2021)#!)
- Shetty, A. L., Thompson, K., Byth, K., Macaskill, P., Green, M., Fullick, M., Lander, H., & Iredell, J. (2018). Serum lactate cut-offs as a risk stratification tool for in-hospital adverse outcomes in emergency department patients screened for suspected sepsis. *BMJ Open*, 8(1), e015492. <https://doi.org/10.1136/bmjopen-2016-015492>
- Singer, A. J., Ng, J., Thode Jr., H. C., Spiegel, R., & Weingart, S. (2017). Quick SOFA Scores Predict Mortality in Adult Emergency Department Patients With and Without Suspected Infection. *Annals of Emergency Medicine*, 69(4), 475–479. <https://doi.org/10.1016/j.annemergmed.2016.10.007>
- Singer, M., Deutschman, C. S., Seymour, C. W., Shankar-Hari, M., Annane, D., Bauer, M., Bellomo, R., Bernard, G. R., Chiche, J.-D., Coopersmith, C. M., Hotchkiss, R. S., Levy, M. M., Marshall, J. C., Martin, G. S., Opal, S. M., Rubenfeld, G. D., van der Poll, T., Vincent, J.-L., & Angus, D. C. (2016). The Third International Consensus Definitions for Sepsis and Septic Shock (Sepsis-3). *JAMA*, 315(8), 801–810. <https://doi.org/10.1001/jama.2016.0287>

- Sinurat, S., Perangin-angin, I. H., & Lombu, J. C. S. (2019). Hubungan Response Time Perawat Dengan Tingkat Kepuasan Pasien BPJS di Instalasi Gawat Darurat. *Jurnal Penelitian Keperawatan*, 5(1). <https://doi.org/10.32660/jurnal.v5i1.330>
- Stokes, P., Keheila, M., Alsyouf, M., Gilbert, Z., Hajiha, M., Amasyali, A., Belle, J., Groegler, J., & Baldwin, D. D. (2021). Does qSOFA score predict ICU admission and outcomes in patients with obstructed infected ureteral stones? *Can J Urol*, 28(5), 10841–10847.
- Supardi, S., & Rustika. (2021). *Buku Ajar Metodologi Riset Keperawatan* (T. Ismail (ed.)). Trans Info Media.
- Tameru, R. P., Suprapto, R., Setijanto, E., Kedokteran, F., Maret, U. S., Anestesi, D., Moewardi, R. S., Kedokteran, F., & Maret, U. S. (2022). Prediksi Mortalitas dan Lama Rawat Inap Pasien Sepsis di Instalasi Perawatan Intensif dengan Kriteria SIRS dan Skor qSOFA. *Smart Medical Journal*, 5(1), 22–28. <https://doi.org/https://dx.doi.org/10.13057/smj.v5i1.40216>
- Taneja, V. (2018). Sex Hormones Determine Immune Response. *Frontiers in Immunology*, 9(1931), 1–5. <https://doi.org/10.3389/fimmu.2018.01931>
- Thomas-Rüddel, D. O., Fröhlich, H., Schwarzkopf, D., Bloos, F., & Riessen, R. (2024). Sepsis and underlying comorbidities in intensive care unit patients: Analysis of the cause of death by different clinicians—a pilot study. *Medizinische Klinik - Intensivmedizin und Notfallmedizin*, 119(2), 123–128. <https://doi.org/10.1007/s00063-023-01037-4>
- Tong, L., Zhu, S., Lei, G., Chen, X., & Zhang, X. (2021). The Relationship Between the National Early Warning Score (NEWS) and Critical Care Unit Admission in Emergency Department : A Cross- Sectional Study. *Annals of Case Reports*, 06(06), 1–8. <https://doi.org/10.29011/2574-7754.100721>
- Usman, O. A., Usman, A. A., & Ward, M. A. (2018). Comparison of SIRS, qSOFA, and NEWS for the early identification of sepsis in the Emergency Department. *American Journal of Emergency Medicine*, 37(8), 1490–1497. <https://doi.org/10.1016/j.ajem.2018.10.058>
- Vivianni, A., & Farhanah, N. (2016). Faktor - Faktor Prediktor Mortalitas Sepsis Dan Syok Sepsis Di ICU RSUP Dr Kariadi. *Jurnal Kedokteran Diponegoro (Diponegoro Medical Journal)*, 5(4), 504–517. <https://doi.org/10.14710/dmj.v5i4.14246>
- Wahyuni, D. F., Nurzak, A. N., Yunus, A., Baharuddin, N., & Intang, S. N. (2021). Pola Pengobatan Covid-19 pada Pasien Komorbid di RSUD dr. La Palaloi. *Jurnal Sains dan Kesehatan*, 4(5), 452–458. <https://doi.org/10.25026/jsk.v4i5.1158>

- Wang, L., Ma, X., Zhou, G., Gao, S., Pan, W., Chen, J., Su, L., He, H., Long, Y., Yin, Z., Shu, T., Zhou, X., Liu, Y., Kang, Y., Yan, J., Chen, E., Xiong, B., Qin, B., Qian, K., ... (China-NCCQC), C. N. C. C. Q. C. C. G. (2024). SOFA in sepsis: with or without GCS. *European Journal of Medical Research*, 29(1), 296. <https://doi.org/10.1186/s40001-024-01849-w>
- Wheatley, I. (2018). Respiratory rate 5: using this vital sign to detect deterioration. *Nursing Times [online]*, 114(10), 45–46. <https://www.nursingtimes.net/clinical-archive/respiratory-clinical-archive/respiratory-rate-5-using-this-vital-sign-to-detect-deterioration-10-09-2018/>
- WHO. (2017). *Clinical Criteria for the Determination of Death. WHO technical expert consultation*. Geneva, Switzerland, WHO Headquarters: World Health Organization; 22-23 September 2014. World Health Organization. <https://iris.who.int/handle/10665/254737>
- WHO. (2020). *Global Report on The Epidemiology and Burden of Sepsis Current Evidence , Identifying Gaps and Future Directions* (World Health Organization (ed.)).
- WHO. (2023). *Sepsis*. <https://www.who.int/news-room/fact-sheets/detail/sepsis>
- Wibisono, E., Hadi, U., Vitanata, M., Rusli, M., Eka, B., Pudy, T., & Leo, M. (2022). National early warning score (NEWS) 2 predicts hospital mortality from COVID-19 patients. *Annals of Medicine and Surgery*, 76(6), 1–4. <https://doi.org/10.1016/j.amsu.2022.103462>
- Wilfong, E. M., Lovly, C. M., Gillaspie, E. A., Huang, L.-C., Shyr, Y., Casey, J. D., Rini, B. I., & Semler, M. W. (2020). Severity of illness scores at presentation predict ICU admission and mortality in COVID-19. *Journal of Emergency and Critical Care Medicine*, 5, 1–8. <https://doi.org/doi:10.21037/jeccm-20-92>
- Yuliana, H., Duhitatrissari, F. P., & Kusumawati, S. (2023). Penggunaan Rapid Emergency Medicine Score (REMS) Terhadap Lama Rawat Inap dan Tingkat Mortalitas Pada Pasien COVID-19 di RSI Universitas Islam Malang. *Jurnal Kedokteran Komunitas*, 11(1), 1–10. <https://jim.unisma.ac.id/index.php/jkkfk/article/view/20347#>
- Zhou, H., Lan, T., & Guo, S. (2020). Prognostic Prediction Value of qSOFA, SOFA, and Admission Lactate in Septic Patients with Community-Acquired Pneumonia in Emergency Department. *Emergency Medicine International*, 2020(7979353), 1–11. <https://doi.org/10.1155/2020/7979353>