

## DAFTAR PUSTAKA

- Abidin, Z., Khaeriah, U., Pratama, M., & Baits, M. (2019). Tyrosinase Inhibitor Activity Measurement of Crude and Purified Extract of Moringa Leaves (*Moringa oleifera* L.). In *Indonesian Journal of Pharmaceutical Science and Technology Journal Homepage* (Issue 1). <http://jurnal.unpad.ac.id/ijpst/>
- Ahmed Hasan, I., & Kh Ibrahim Al-Kayally, K. (2023). Evaluation of Efficacy and Safety of Combined Therapy of Melasma by using Azelic, Glycolic and Kojic Acid (Unitone and Neotone). *Diyala Journal of Medicine*, 24(1), 217–224. <https://doi.org/10.26505/DJM.24017360307>
- Al Huda, B. H., Susanti, H., & Sugihartini, N. (2020). Purification effect on Organoleptic Profile, Yield, Total Phenol and Total Flavonoids from 96% Ethanol Extract of Moringa (*Moringa oleifera*. L) leaves. *Jurnal Farmasi Indonesia*, 17(2).
- Apriani, A. (2022). Edukasi Bahaya Paparan Logam Berat Pada Krim Pemutih Wajah. *Jurnal Pengabdian Masyarakat Kesosi*, 5(1), 1–6.
- Assegaf, A., Mukid, M. A., & Hoyyi, A. (2019). Analisis Kesehatan Bank Menggunakan Local Mean K-Nearest Neighbor dan Multi Local Means K-Harmonic Nearest Neighbor. 8(3), 343–355. <http://ejournal3.undip.ac.id/index.php/gaussian>
- Baumann Leslie. (2009). *Cosmetic Dermatology Principle and Practice* (Saghari Sogol & Weisberg Edmund, Eds.; 2nd ed.). The McGraw-Hill Companies, Inc.
- Cecilia, ", Eskilsson, S., & Bjorklund, E. (2000). Analytical-scale microwave-assisted extraction. In *Journal of Chromatography A* (Vol. 902). [www.elsevier.com/locate/chroma](http://www.elsevier.com/locate/chroma)
- Cestari TF, D. L. B. JC. (2014). Acquired hyperpigmentations. *An Bras Dermatol*, 89(1), 11–25.
- Chandra, S., Khan, S., Avula, B., Lata, H., Yang, M. H., Elsohly, M. A., & Khan, I. A. (2014). Assessment of total phenolic and flavonoid content, antioxidant properties, and yield of aeroponically and conventionally grown leafy vegetables and fruit crops: A comparative study. *Evidence-Based Complementary and Alternative Medicine*, 2014. <https://doi.org/10.1155/2014/253875>
- Chen, T. T. , Z. Z. H. , Wang, Z. W. , Chen, Z. L. , Ma, H. , & Yan, J. K. (2021). Effects of ultrasound modification at different frequency modes on physicochemical, structural, functional, and biological properties of citrus pectin. *Food Hydrocolloids*, 113.

- Corani, A. (2015). *Photochemistry of eumelanin precursors: role of excited state proton transfer for UV photoprotection*. Division of Chemical Physics, Lund University.
- Daba, M. (2016). Miracle Tree: A Review on Multi-purposes of *Moringa oleifera* and Its Implication for Climate Change Mitigation. *Journal of Earth Science & Climatic Change*, 7(8). <https://doi.org/10.4172/2157-7617.1000366>
- Departemen Kesehatan Republik Indonesia. (2000). *PARAMETER STANDAR UMUM EKSTRAK TUMBUHAN OBAT* (1st ed.).
- D'Mello, S. A. N., Finlay, G. J., Baguley, B. C., & Askarian-Amiri, M. E. (2016). Signaling pathways in melanogenesis. In *International Journal of Molecular Sciences* (Vol. 17, Issue 7). MDPI AG. <https://doi.org/10.3390/ijms17071144>
- Dubale, S., Kebebe, D., Zeynudin, A., Abdissa, N., & Suleman, S. (2023). Phytochemical Screening and Antimicrobial Activity Evaluation of Selected Medicinal Plants in Ethiopia. *Journal of Experimental Pharmacology*, 15, 51–62. <https://doi.org/10.2147/JEP.S379805>
- El Gengaihi, S. (2014). Antioxidant Activity of Phenolic Compounds from Different Grape Wastes. *Journal of Food Processing & Technology*, 05(02). <https://doi.org/10.4172/2157-7110.1000296>
- Fan, M., Zhang, G., Hu, X., Xu, X., & Gong, D. (2017). Quercetin as a tyrosinase inhibitor: Inhibitory activity, conformational change and mechanism. *Food Research International*, 100, 226–233. <https://doi.org/10.1016/j.foodres.2017.07.010>
- Ferreira, I., Videira, S., Lima Moura, D. F., & Magina, S. (2013). Mechanisms regulating melanogenesis: Mecanismos reguladores da melanogênese. In *An Bras Dermatol* (Vol. 88, Issue 1).
- Furi, M., Tinggi, S., Farmasi, I., Dona, R., Aryani, F., & Umar, R. U. (2022). Uji INHIBITOR ENZIM TIROSINASE EKSTRAK DAN FRAKSI DAUN KEDABU (*Sonneratia ovata* Backer) SECARA IN-VITRO. *Jurnal Ilmiah Manuntung*, 8(2), 201–214. <https://doi.org/10.51352/jim.v7i2>
- Gallarate, M., & Trotta, M. (2004). Photostability of naturally occurring whitening agents in cosmetic microemulsions. *Article in Journal of Cosmetic Science*, 55(2), 139–148. <https://www.researchgate.net/publication/8573466>
- Goldfeder, M., Kanteev, M., Adir, N., & Fishman, A. (2013). Influencing the monophenolase/diphenolase activity ratio in tyrosinase. *Biochimica et Biophysica Acta - Proteins and Proteomics*, 1834(3), 629–633. <https://doi.org/10.1016/j.bbapap.2012.12.021>

- Gonzaga Da Cunha, M., Paula, A., & Urzedo, S. (2022). Melasma: A Review about Pathophysiology and Treatment. *Pigmentation Disorders-Etiology and Recent Advances in Treatments*. [www.intechopen.com](http://www.intechopen.com)
- Hakim, A. R., & Rina Saputri. (2020). Narrative Review: Optimasi Etanol sebagai Pelarut Senyawa Flavonoid dan Fenolik: Narrative Review: Optimization of Ethanol as a Solvent for Flavonoids and Phenolic Compounds. *Jurnal Surya Medika (JSM)*, 6(1), 177–180.
- Hashim, F. J., Vichitphan, S., Han, J., & Vichitphan, K. (2021). Alternative Approach for Specific Tyrosinase Inhibitor Screening: Uncompetitive Inhibition of Tyrosinase by *Moringa oleifera*. *Molecules (Basel, Switzerland)*, 26(15). <https://doi.org/10.3390/molecules26154576>
- Hendra Sarosa, A., Kurnia Dewi, L., Ellya Asyikaputri, D., Rayhan, H., Nurhadianty, V., Ode Cakra Nirwan, W., Hapsari, S., & Indra Bayu, A. (2023). PERUBAHAN KADAR AIR BAHAN DAUN JERUK PURUT TERHADAP EKSTRAK DAUN. In *Jurnal Teknik Kimia* (Vol. 18, Issue 1).
- Hendriyani, I., Nurbaety, B., Fitriana, Y., & Apriani, E. T. (2023). Analisis Kandungan Hidrokuinon dalam Krim Wajah yang Beredar di Klinik Kecantikan di Kota Mataram. *Jurnal Ilmu Kefarmasian*, 4(1).
- Hidayat, S., Ummas Genisa, M., & Haryati Yuliany, E. (2016). *THE UTILIZATION OF MORINGA LEAVES EXTRACT (Moringa oleifera Lamk.) AS THE TYROSINASE INHIBITOR OF HUMAN PIGMENTATION*.
- Hindritiani, R., Nazlia, F., Octavia, N., Rizqandaru, T., Puspitosari, D., & Ruchiatan, K. (2023). A Split-Face Comparative Study in Efficacy and Safety between the Combination of 4% Niacinamide and 4% Kojic Acid Cream versus 4% Hydroquinone Cream for Epidermal Melasma. *Berkala Ilmu Kesehatan Kulit Dan Kelamin*, 35(2), 93–99. <https://doi.org/10.20473/bikk.v35.2.2023.93-99>
- Honigman, A. , & R. M. (2022). Differential diagnosis of melasma and hyperpigmentation. *Dermatological Reviews*, 4(1), 30–37. <https://doi.org/https://doi.org/10.1002/der2.144>
- Iqbal, E., Salim, K. A., & Lim, L. B. L. (2015). Phytochemical screening, total phenolics and antioxidant activities of bark and leaf extracts of *Goniothalamus velutinus* (Airy Shaw) from Brunei Darussalam. *Journal of King Saud University - Science*, 27(3), 224–232. <https://doi.org/10.1016/j.jksus.2015.02.003>
- James, D. W. , B. G. T. , E. M. D. , N. M. I. (2016). *Andrews' Diseases of the Skin* (12th ed.). Elsevier.
- Kalangi, S. J. (2013). HISTOFISIOLOGI KULIT. *Jurnal Biomedik*, 5(3), S12-20. <https://doi.org/https://doi.org/10.35790/jbm.5.3.2013.4344>

- Kashaninejad, M., Blanco, B., Benito-Román, O., Beltrán, S., Niknam, S. M., & Sanz, M. T. (2021). Maximizing the freeze-dried extract yield by considering the solvent retention index: Extraction kinetics and characterization of *Moringa oleifera* leaves extracts. *Food and Bioprocess Processing*, *130*, 132–142. <https://doi.org/10.1016/j.fbp.2021.09.008>
- Khunchalee, J., & Surapat, V. (2023). Study of Free radical Scavenging, Total Phenolic Contents, and Tyrosinase Inhibition Activity of Crude Extract from *Moringa oleifera* Lam. *Creative Science*, *15*(1), 241942. <https://doi.org/10.55674/cs.v15i1.241942>
- Kolarsick, P. A. J., Kolarsick, M. A., & Goodwin, C. (2011). Anatomy and Physiology of the Skin. *Journal of the Dermatology Nurses' Association*, *3*(4), 203–213. <https://doi.org/10.1097/JDN.0b013e3182274a98>
- Krisnadi, A. D. (2015). Kelor, Super Nutrisi, Gerakan Swadaya Masyarakat Penanaman dan Pemanfaatan Tanaman Kelor Dalam rangka mendukung Gerakan Nasional Sadar Gizi. *Jurnal Kesehatan Masyarakat*.
- Laksmiani, N. P. L., Widiantara, I. W. A., Adnyani, K. D., & Pawarrangan, A. B. S. (2020). OPTIMASI METODE EKSTRAKSI KUERSETIN DARI DAUN KELOR (*Moringa oleifera* L.). *Jurnal Kimia*, *19*. <https://doi.org/10.24843/jchem.2020.v14.i01.p04>
- Laksmiani, N. P. L., Widiantara, I. W. A., & Pawarrangan, A. B. S. (2022). Potency of moringa (*Moringa oleifera* L.) leaves extract containing quercetin as a depigmentation agent inhibiting the tyrosinase enzyme using in-silico and in-vitro assay. *Pharmacia*, *69*(1), 85–92. <https://doi.org/10.3897/PHARMACIA.69.E73132>
- Leone, A., Spada, A., Battezzati, A., Schiraldi, A., Aristil, J., & Bertoli, S. (2015). Cultivation, genetic, ethnopharmacology, phytochemistry and pharmacology of *Moringa oleifera* leaves: An overview. *International Journal of Molecular Sciences*, *16*(6), 12791–12835. <https://doi.org/10.3390/ijms160612791>
- Lu, Y., Tonissen, K. F., & Di Trapani, G. (2021). Modulating skin colour: Role of the thioredoxin and glutathione systems in regulating melanogenesis. In *Bioscience Reports* (Vol. 41, Issue 5). Portland Press Ltd. <https://doi.org/10.1042/BSR20210427>
- Mahardani, O. T., & Yuanita, L. (2021). Efek metode pengolahan dan penyimpanan terhadap kadar senyawa fenolik dan aktivitas antioksidan. *UNESA Journal of Chemistry*, *10*(1), 64–78.
- Martini Frederic, Nath Judi, & Bartholomew Edwin. (2012). *Fundamentals of Anatomy and Physiology* (9th ed.).

- McKnight, G. , S. J. , & H. R. (2022). Physiology of the skin. *Surgery (Oxford)*, 40(1), 8–12. <https://doi.org/https://doi.org/10.1016/j.mpsur.2021.11.005>
- Mehganathan P, & Rosli NA. (2022). A Review on extraction of bioactive Compunds from *Moringa oleifera* Leaves: Their Principle, Advantages, and Disadvantages. *Med Aromat Plants*, 11(430).
- Minarti, M., Ariani, N., Ernawati, T., & Darmawan, A. (2021). Aktivitas Penghambatan Radikal Bebas Difenil Pikril Hidrazil (DPPH) Ekstrak Daun *Macaranga magna* Turrill. *Proceeding of Mulawarman Pharmaceuticals Conferences*, 14, 37–43. <https://doi.org/10.25026/mpc.v14i1.568>
- Mirah Meigaria, K., Wayan Mudianta, I., & Wayan Martiningsih, N. (2016). SKRINING FITOKIMIA DAN UJI AKTIVITAS ANTIOKSIDAN EKSTRAK ASETON DAUN KELOR (*MORINGA OLEIFERA*). *Jurnal Wahana Matematika Dan Sains*, 10(2).
- Miyazawa, M. , & Tamura, N. (2007). Inhibitory compound of tyrosinase activity from the sprout of *Polygonum hydropiper* L.(Benitade). *Biological and Pharmaceutical Bulletin*, 30(3), 595–597.
- Muddathir, A. M., Yamauchi, K., Batubara, I., Mohieldin, E. A. M., & Mitsunaga, T. (2017). Anti-tyrosinase, total phenolic content and antioxidant activity of selected Sudanese medicinal plants. *South African Journal of Botany*, 109, 9–15. <https://doi.org/10.1016/j.sajb.2016.12.013>
- Ningsi, S., Rauf, A., & Husna, A. (2020). AKTIVITAS EKSTRAK ETANOL DAUN KELOR (*Moringa oleifera* Lam.) SEBAGAI PENGHAMBAT ENZIM TIROSINASE. *Jurnal Farmasi FKIK*, 8(1).
- Novriana, A. (2022). *OPTIMASI EKSTRAKSI DAUN Morus cathayana* Hemsl. MENGGUNAKAN METODE ULTRASONIC ASSISTED EXTRACTION DAN PENENTUAN KADAR FENOLIK TOTALNYA.
- Ogbechie-Godec, O. A., & Elbuluk, N. (2017). Melasma: an Up-to-Date Comprehensive Review. In *Dermatology and Therapy* (Vol. 7, Issue 3, pp. 305–318). Springer Healthcare. <https://doi.org/10.1007/s13555-017-0194-1>
- Oktaviana, M., & Wydya Yenny, S. (2019). Perkembangan Penggunaan Kosmeseutikal Herbal Pada Terapi Melasma. In *Jurnal Kesehatan Andalas* (Vol. 8, Issue 3). <http://jurnal.fk.unand.ac.id>
- Pardede, A., Manjang, Y., Efdi, M., Pendidikan Kimia, J., Universitas, F., Kalimantan, I., & Banjarmasin, M. (2013). SKRINING FITOKIMIA EKSTRAK METANOL DARI KULIT BATANG MANGGIS SKRINING FITOKIMIA EKSTRAK METANOL DARI KULIT BATANG MANGGIS ( *Garci ni a cymosa* ) )

(*Phytochemical Screenings Methanol Extract From Bark of Manggis (Garcinia cymosa)*) (Vol. 60, Issue 60).

- Passeron, T., & Picardo, M. (2018). Melasma, a photoaging disorder. In *Pigment Cell and Melanoma Research* (Vol. 31, Issue 4, pp. 461–465). Blackwell Publishing Ltd. <https://doi.org/10.1111/pcmr.12684>
- P.E. Grimes., S. I. R. N. D. K. (2019). New Oral and Topical Approaches for the Treatment of Melasma. *International Journal of Women's Dermatology*, 5, 30–36.
- Prasetya, W., & Yastanto, A. J. (2023). Evaluasi Waktu Pengeringan pada Metode Freeze Drying terhadap Karakteristik Kacang Tanah, Bawang Putih dan Tomat Menggunakan Alat Labconco FreeZone 2.5 L. *Indonesian Journal of Laboratory*, 1(2), 100–105.
- Prasetyo, B. F. , P. R. M. , & N. A. V. (2021). Potensi Antioksidan Menggunakan Metode DPPH Ekstrak Beras Hitam (*Oryza Sativa L Indica*) dan Penghambatan Tirosinase. *Jurnal Health Sains*, 2(9), 1132–111140. <https://doi.org/10.46799/jhs.v2i9.281>
- Pratiwi, D., Nisa, D. Q., Martia, E., Wulanbirru, P., & Andini, S. D. (2021). Isolasi Senyawa Kumarin pada Tanaman. *Syntax Idea*, 3(7), 1576. <https://doi.org/10.36418/syntax-idea.v3i7.1375>
- Pulungan A, Soesanti F, Tridjaja B, & Batubara J. (2021). *Vitamin D insufficiency and its contributing factors in primary school-aged children in Indonesia, a sun-rich country*.
- Putra, I. W. D. P., Dharmayudha, A. A. G. O., & Sudimartini, L. M. (2016). Identifikasi Senyawa Kimia Ekstrak Etanol Daun Kelor (*Moringa oleifera L*) di Bali (IDENTIFICATION OF CHEMICAL COMPOUNDS ETHANOL EXTRACT LEAF MORINGA (*MORINGA OLEIFERA L*) IN BALI). *Indonesia Medicus Veterinus Oktober*, 5(5), 464–473.
- Putri, W. E., Kurniawati, Y., Djauhari, T., Kesehatan, F., Nahdlatul, U., Surabaya, U., Departemen, B. /, Kulit, I. K., Kelamin, D., Unsri, F. K., & Rsupmh, /. (2018). DEPIGMENTING AGENT MELANOTOKSIK PADA PENGOBATAN MELASMA. *Medical and Health Science Journal*, 2(2), 23–31.
- Putu, N., Cipta, A., Jelantik, R., & Cahyaningsih, E. (2022). Potensi antioksidan bunga telang (*Clitoria ternatea L.*) sebagai penghambat hiperpigmentasi akibat paparan sinar ultraviolet. *Jurnal Ilmiah Farmasi (Scientific Journal of Pharmacy)*, 18(1), 45–54. <http://journal.uui.ac.id/index.php/JIF>
- Rakhmawati, I., & Fentami, N. A. (2018). UJI AKTIVITAS PENGHAMBAT ENZIM TIROSINASE DARI FRAKSI ETIL ASETAT DAUN SUKUN (*Artocarpus altilis* (Park.) Fosberg). *Jurnal Insan Farmasi Indonesia*, 1(2), 268–273.

- Rodríguez-Pérez, C., Quirantes-Piné, R., Fernández-Gutiérrez, A., & Segura-Carretero, A. (2015). Optimization of extraction method to obtain a phenolic compounds-rich extract from *Moringa oleifera* Lam leaves. *Industrial Crops and Products*, *66*, 246–254. <https://doi.org/10.1016/j.indcrop.2015.01.002>
- Sangi, M. S., Momuat, L. I., & Kumaunang, M. (2012). Uji Toksisitas dan Skrining Fitokimia Tepung Gabah Pelepa Aren (*Arenga pinnata* 1). *Jurnal Ilmiah Sains*, *12*(2), 127–134.
- Sarma, N., Chakraborty, S., Poojary, S. A., Rathi, S., Kumaran, S., Nirmal, B., & Joseph, B. (2017). Evidence-based Review, Grade of Recommendation, and Suggested Treatment Recommendations for Melasma. *Indian Dermatology Online Journal*, *8*(6), 406. [https://journals.lww.com/idoj/fulltext/2017/08060/evidence\\_based\\_review\\_grade\\_of\\_recommendation,.2.aspx#](https://journals.lww.com/idoj/fulltext/2017/08060/evidence_based_review_grade_of_recommendation,.2.aspx#)
- Shen, L., Pang, S., Zhong, M., Sun, Y., Qayum, A., Liu, Y., Rashid, A., Xu, B., Liang, Q., Ma, H., & Ren, X. (2023). A comprehensive review of ultrasonic assisted extraction (UAE) for bioactive components: Principles, advantages, equipment, and combined technologies. In *Ultrasonics Sonochemistry* (Vol. 101). Elsevier B.V. <https://doi.org/10.1016/j.ultsonch.2023.106646>
- Sheth, V. M., & Pandya, A. G. (2011). Melasma: A comprehensive update: Part i. In *Journal of the American Academy of Dermatology* (Vol. 65, Issue 4, pp. 689–697). Mosby Inc. <https://doi.org/10.1016/j.jaad.2010.12.046>
- Singh, M., Singh, S., & Verma, D. (2020). Morphological and Pharmacognostical Evaluation of *Moringa oleifera* Lam. (Moringaceae): A Plant with High Medicinal Value in Tropical and Subtropical Parts of the World. *Pharmacognosy Reviews*, *14*(28), 138–145. <https://doi.org/10.5530/phrev.2020.14.17>
- Slominski, A., Zmijewski, M. A., & Pawelek, J. (2012). L-tyrosine and L-dihydroxyphenylalanine as hormone-like regulators of melanocyte functions. In *Pigment Cell and Melanoma Research* (Vol. 25, Issue 1, pp. 14–27). <https://doi.org/10.1111/j.1755-148X.2011.00898.x>
- Suryaningsih, B. E., & S. H. (2016). Biologi Melanosit. *Majalah Dermato-Veneorologi Indonesia*, *43*(2), 78–82. <https://www.researchgate.net/publication/336362498>
- Syafarina, M., & Taufiqurrahman, I. (2017). PERBEDAAN TOTAL FLAVONOID ANTARA TAHAPAN PENGERINGAN ALAMI DAN BUATAN PADA EKSTRAK DAUN BINJAI (*Mangifera caesia*) (Issue 1).
- Syafrida, M., D. S., & I. M. (2018). Pengaruh suhu pengeringan terhadap kadar air, kadar flavonoid dan aktivitas antioksidan daun dan umbi rumput teki (*Cyperus rotundus* L.). *Bioma: Berkala Ilmiah Biologi*, *20*(1), 44–50.

- Syamsiah, Hiola Siti Fatmah, Jumadi Oslan, & Mu'nisa Andi. (2016). *Tumbuhan Obat Tradisional: Etnis Lokal Sulawesi Barat* (1st ed.). Alauddin University Press.
- Tetti Mukhriani. (2014). EKSTRAKSI, PEMISAHAN SENYAWA, DAN IDENTIFIKASI SENYAWA AKTIF. *Jurnal Kesehatan*, 7(2).
- Tria Setianingsih, S. (2020). PENYERAPAN INFORMASI MASYARAKAT TERHADAP MEDIA INFORMASI DINAS KOMINFO KOTA BATAM STUDI KASUS PEMBUATAN KARTU PENCARI KERJA ONLINE. *Journal of Applied Multimedia and Networking (JAMN)*, 4(1). <http://jurnal.polibatam.ac.id/index.php/JAMN>
- Tutik, T. , D. N. A. , & E. V. (2018). *Identifikasi Dan Perbandingan Aktivitas Antioksidan Ekstrak Daun Kelor Pada Variasi Pelarut Dengan Metode Dpph*. 1(2).
- Vergara-Jimenez, M., Almatrafi, M. M., & Fernandez, M. L. (2017). Bioactive components in Moringa oleifera leaves protect against chronic disease. In *Antioxidants* (Vol. 6, Issue 4). MDPI. <https://doi.org/10.3390/antiox6040091>
- Vongsak, B. , Sithisarn, P. , Mangmool, S. , Thongpraditchote, S. , Wongkrajang, Y. , & Gritsanapan, W. (2013). Maximizing total phenolics, total flavonoids contents and antioxidant activity of Moringa oleifera leaf extract by the appropriate extraction method. *Industrial Crops and Products*, 44, 566–571. <https://doi.org/https://doi.org/10.1016/j.indcrop.2012.09.021>
- Wang, H., Provan, G. J., & Helliwell, K. (2004). Determination of rosmarinic acid and caffeic acid in aromatic herbs by HPLC. *Food Chemistry*, 87(2), 307–311. <https://doi.org/10.1016/j.foodchem.2003.12.029>
- Wang, R. F., Ko, D., Friedman, B. J., Lim, H. W., Mohammad, T. F., & Ozog, D. (2023). Disorders of hyperpigmentation. Part II. Review of management and treatment options for hyperpigmentation Correction. *Journal of the American Academy of Dermatology*, 88(2), 271–288.
- Ward, W. H. , & Farma, J. M. (2017). Cutaneous melanoma: etiology and therapy [Internet]. In *Cutaneous Melanoma: Etiology and Therapy*. Codon Publications. <https://doi.org/10.15586/codon.cutaneoumelanoma>.
- Waseem, M., Majeed, Y., Nadeem, T., Naqvi, L. H., Khalid, M. A., Sajjad, M. M., Sultan, M., Khan, M. U., Khayrullin, M., Shariati, M. A., & Lorenzo, J. M. (2023). Conventional and advanced extraction methods of some bioactive compounds with health benefits of food and plant waste: A comprehensive review. In *Food Frontiers* (Vol. 4, Issue 4, pp. 1681–1701). John Wiley and Sons Inc. <https://doi.org/10.1002/fft2.296>
- Widyasari, E. M., Sriyani, M. E., Daruwati, I., Halimah, I., & Nuraeni, W. (2019). KARAKTERISTIK FISIKOKIMIA SENYAWA BERTANDA <sup>99m</sup>Tc-



- KUERSETIN. *Jurnal Sains Dan Teknologi Nuklir Indonesia*, 20(1), 9. <https://doi.org/10.17146/jstni.2019.1.1.4108>
- Yerena-Prieto, B. J., Gonzalez-Gonzalez, M., Vázquez-Espinosa, M., González-Deperedo, A. V., García-Alvarado, M. Á., Palma, M., Rodríguez-Jimenes, G. D. C., & Barbero, G. F. (2022). Optimization of an Ultrasound-Assisted Extraction Method Applied to the Extraction of Flavonoids from Moringa Leaves (*Moringa oleifera* Lam.). *Agronomy*, 12(2). <https://doi.org/10.3390/agronomy12020261>
- Yustisi, A. J., Meinar, A., Rantisari, D., & Sadli, A. (2022). Uji Aktivitas Antibakteri Fraksi Polar Dan Non Polar Daun Kelor Tangkai Merah (*Moringa Oleifera* L.) Terhadap *Propionibacterium Acnes*. *INHEALTH: INDONESIAN HEALTH JOURNAL*, 1(1), 11–21.
- Zhang, L. , Zhou, C. , Wang, B. , Yagoub, A. E. G. A. , Ma, H. , Zhang, X., & and Wu, M. (2017). Study of ultrasonic cavitation during extraction of the peanut oil at varying frequencies. *Ultrasonics Sonochemistry*, 37, 106–113. <https://doi.org/https://doi.org/10.1016/j.ultsonch.2016.12.034>
- Zhang, Q. W., Lin, L. G., & Ye, W. C. (2018). Techniques for extraction and isolation of natural products: A comprehensive review. In *Chinese Medicine (United Kingdom)* (Vol. 13, Issue 1). BioMed Central Ltd. <https://doi.org/10.1186/s13020-018-0177-x>
- Zolghadri, S., Bahrami, A., Hassan Khan, M. T., Munoz-Munoz, J., Garcia-Molina, F., Garcia-Canovas, F., & Saboury, A. A. (2019). A comprehensive review on tyrosinase inhibitors. In *Journal of Enzyme Inhibition and Medicinal Chemistry* (Vol. 34, Issue 1, pp. 279–309). Taylor and Francis Ltd. <https://doi.org/10.1080/14756366.2018.1545767>