

DAFTAR PUSTAKA

- American Heart Association (2023) *High Blood Pressure*. Available at: <https://www.heart.org/en/health-topics/high-blood-pressure/why-high-blood-pressure-is-a-silent-killer/know-your-risk-factors-for-high-blood-pressure> (Accessed: 5 March 2023).
- Amponsah-Offeh, M. *et al.* (2023) ‘Oxidative Stress, Antioxidants and Hypertension.’, *Antioxidants (Basel, Switzerland)*, 12(2). Available at: <https://doi.org/10.3390/antiox12020281>.
- Angassa, D., Solomon, S. and Seid, A. (2022) ‘Factors associated with dyslipidemia and its prevalence among Awash wine factory employees, Addis Ababa, Ethiopia: a cross-sectional study’, *BMC Cardiovascular Disorders*, 22(1), p. 22. Available at: <https://doi.org/10.1186/s12872-022-02465-4>.
- Anies (2017) *Buku ajar kedokteran dan kesehatan: Penyakit degeneratif: mencegah dan mengatasi penyakit degeneratif dengan perilaku dan pola hidup modern yang sehat*. Yogyakarta: Ar-Ruzz Media.
- Ariyanti, R. and Besral, B. (2019) ‘Dyslipidemia Associated with Hypertension Increases the Risks for Coronary Heart Disease: A Case-Control Study in Harapan Kita Hospital, National Cardiovascular Center, Jakarta.’, *Journal of lipids*, 2019, p. 2517013. Available at: <https://doi.org/10.1155/2019/2517013>.
- Asemu, M.M. *et al.* (2021) ‘Prevalence and risk factors of hypertension among adults: A community based study in Addis Ababa, Ethiopia.’, *PloS one*, 16(4), p. e0248934. Available at: <https://doi.org/10.1371/journal.pone.0248934>.
- Barbini, N. (2017) ‘Occupational Risk Factors for Arterial Hypertension in Workers of High Speed Railway Line in Italy’, *Archives of Clinical Hypertension*, 3, pp. 1–4. Available at: <https://doi.org/10.17352/ach.000011>.
- Bays, H.E. *et al.* (2010) ‘Long-term up to 24-month efficacy and safety of concomitant prescription omega-3-acid ethyl esters and simvastatin in hypertriglyceridemic patients’, *Current Medical Research and Opinion*, 26(4), pp. 907–915. Available at: <https://doi.org/10.1185/03007991003645318>.
- Beaney, T. *et al.* (2020) ‘May Measurement Month 2019: The Global Blood Pressure Screening Campaign of the International Society of Hypertension.’, *Hypertension (Dallas, Tex. : 1979)*, 76(2), pp. 333–341. Available at: <https://doi.org/10.1161/HYPERTENSIONAHA.120.14874>.

- Berawi, K. *et al.* (2018) ‘Dyslipidemia Incidents Between General Obesity and Central Obesity of Employees with Obesity at Universitas Lampung’, *Biomedical and Pharmacology Journal*, 11, pp. 201–207. Available at: <https://doi.org/10.13005/bpj/1364>.
- Borghi, C., Urso, R. and Cicero, A.F. (2017) ‘Renin–angiotensin system at the crossroad of hypertension and hypercholesterolemia’, *Nutrition, Metabolism and Cardiovascular Diseases*, 27(2), pp. 115–120. Available at: <https://doi.org/https://doi.org/10.1016/j.numecd.2016.07.013>.
- BPS (2022) *Jumlah Penduduk Menurut Provinsi di Indonesia Title*. Available at: <https://sulut.bps.go.id/indicator/12/958/1/jumlah-penduduk-menurut-provinsi-di-indonesia.html>.
- Brugnera, A. *et al.* (2022) ‘Psychological covariates of blood pressure among patients with hypertension and metabolic syndrome.’, *Health psychology : official journal of the Division of Health Psychology, American Psychological Association*, 41(12), pp. 946–954. Available at: <https://doi.org/10.1037/hea0001205>.
- Buford, T.W. (2016) ‘Hypertension and aging.’, *Ageing research reviews*, 26, pp. 96–111. Available at: <https://doi.org/10.1016/j.arr.2016.01.007>.
- Cahill, P.A. and Redmond, E.M. (2016) ‘Vascular endothelium - Gatekeeper of vessel health.’, *Atherosclerosis*, 248, pp. 97–109. Available at: <https://doi.org/10.1016/j.atherosclerosis.2016.03.007>.
- Capurso, N.A. and Petrakis, I. (2016) ‘Dyslipidemia associated with heavy alcohol use.’, *The American journal on addictions*, 25(3), pp. 188–190. Available at: <https://doi.org/10.1111/ajad.12347>.
- Carlson, W. (2016) ‘Mengatasi hipertensi’, *Bandung: Nuansa Cendikia* [Preprint].
- Catapano, A.L. *et al.* (2016) ‘2016 ESC/EAS Guidelines for the Management of Dyslipidaemias.’, *European heart journal*, 37(39), pp. 2999–3058. Available at: <https://doi.org/10.1093/eurheartj/ehw272>.
- CDC (2021) *High Blood Pressure, Division for Heart Disease and Stroke Prevention*. Available at: <https://www.cdc.gov/bloodpressure/about.htm>.
- CDC (2023a) *Hypertension, Division for Heart Disease and Stroke Prevention*. Available at: <https://www.cdc.gov/nchs/fastats/hypertension.htm> (Accessed: 5 March 2024).
- CDC (2023b) *Know Your Risk for High Cholesterol, Division for Heart Disease and Stroke Prevention*. Available at: https://www.cdc.gov/cholesterol/risk_factors.htm (Accessed: 14 March 2024).

- Cheng, W. *et al.* (2022) ‘Age-related changes in the risk of high blood pressure.’, *Frontiers in cardiovascular medicine*, 9, p. 939103. Available at: <https://doi.org/10.3389/fcvm.2022.939103>.
- Cho, S. *et al.* (2020) ‘Associations between age and dyslipidemia are differed by education level: The Cardiovascular and Metabolic Diseases Etiology Research Center (CMERC) cohort’, *Lipids in Health and Disease*, 19. Available at: <https://doi.org/10.1186/s12944-020-1189-y>.
- Ciptaningtyas, R. (2012) ‘Should Indonesia concern on Prehypertension among Young Adults ? Penelitian Klinis Haruskah Indonesia Peduli pada Prahipertensi di kalangan Dewasa Muda ?’, 33(4), pp. 217–224.
- Corraini, P. *et al.* (2017) ‘Effect modification, interaction and mediation: an overview of theoretical insights for clinical investigators.’, *Clinical epidemiology*, 9, pp. 331–338. Available at: <https://doi.org/10.2147/CLEP.S129728>.
- Dai, B. *et al.* (2022) ‘The prevalence of hypertension and its associated risk factors among older adults in Ghana.’, *Frontiers in cardiovascular medicine*, 9, p. 990616. Available at: <https://doi.org/10.3389/fcvm.2022.990616>.
- Dalal, J.J. *et al.* (2012) ‘LIPITENSION: Interplay between dyslipidemia and hypertension.’, *Indian journal of endocrinology and metabolism*, 16(2), pp. 240–245. Available at: <https://doi.org/10.4103/2230-8210.93742>.
- Debora, C. *et al.* (2023) ‘Risk Factors for Hypertension Among Adults Living in A Rural Area, Minahasa’, *Jurnal Keperawatan Indonesia*, 26(1 SE-Articles), pp. 36–45. Available at: <https://doi.org/10.7454/jki.v26i1.2527>.
- Deng, G., Li, Y. and Cheng, W. (2022) ‘Association of Lipid Levels With the Prevalence of Hypertension in Chinese Women: A Cross-Sectional Study Based on 32 Health Check Centers.’, *Frontiers in endocrinology*, 13, p. 904237. Available at: <https://doi.org/10.3389/fendo.2022.904237>.
- Ding, P. and VanderWeele, T.J. (2016) ‘Sensitivity Analysis Without Assumptions’, *Epidemiology*, 27(3). Available at: https://journals.lww.com/epidem/fulltext/2016/05000/sensitivity_analysis_without_assumptions.11.aspx.
- Drożdż, D., Drożdż, M. and Wójcik, M. (2023) ‘Endothelial dysfunction as a factor leading to arterial hypertension.’, *Pediatric nephrology (Berlin, Germany)*, 38(9), pp. 2973–2985. Available at: <https://doi.org/10.1007/s00467-022-05802-z>.
- Dzaraly, D. *et al.* (2011) ‘Patterns of Communicable and Non-Communicable Diseases in Pilgrims during Hajj’, *Research Journal of Pharmacy and*

Technology, 7.

- Ewunie, T.M. *et al.* (2022) ‘Physical inactivity and its association with hypertension among adults in Ethiopia: A systematic review and meta-analysis’, *Heliyon*, 8(12), p. e12023. Available at: <https://doi.org/https://doi.org/10.1016/j.heliyon.2022.e12023>.
- Filgueiras, M. de S. *et al.* (2019) ‘FAMILY HISTORY IS ASSOCIATED WITH THE PRESENCE OF DYSLIPIDEMIA IN PRE-SCHOOL CHILDREN.’, *Revista paulista de pediatria : orgao oficial da Sociedade de Pediatria de Sao Paulo*, 37(1), pp. 41–48. Available at: <https://doi.org/10.1590/1984-0462/2019;37;1;00005>.
- Florian, J.P. and Pawelczyk, J.A. (2010) ‘Sympathetic and haemodynamic responses to lipids in healthy human ageing.’, *Experimental physiology*, 95(4), pp. 486–497. Available at: <https://doi.org/10.1113/expphysiol.2009.050997>.
- Freeman, A.M., Acevedo, L.A. and Pennings, N. (2024) ‘Insulin Resistance.’, in. Treasure Island (FL).
- Gaster, T. *et al.* (2023) ‘Quantifying the impact of unmeasured confounding in observational studies with the E value.’, *BMJ medicine*, 2(1), p. e000366. Available at: <https://doi.org/10.1136/bmjmed-2022-000366>.
- Gebreegziabiher, G. *et al.* (2021) ‘Prevalence of dyslipidemia and associated risk factors among adult residents of Mekelle City, Northern Ethiopia.’, *PloS one*, 16(2), p. e0243103. Available at: <https://doi.org/10.1371/journal.pone.0243103>.
- Global Health Observatory (2023) *Noncommunicable diseases: risk factors*, World Health Organization. Geneva. Available at: <https://www.who.int/data/gho/data/themes/topics/topic-details/GHO/ncd-risk-factor>.
- Kho, W.F., Cheah, W.L. and Hazmi, H. (2018) ‘Elevated blood pressure and its predictors among secondary school students in Sarawak: a cross-sectional study.’, *Central European journal of public health*, 26(1), pp. 16–21. Available at: <https://doi.org/10.21101/cejph.a5186>.
- Grillo, A. *et al.* (2019) ‘Sodium Intake and Hypertension.’, *Nutrients*, 11(9). Available at: <https://doi.org/10.3390/nu11091970>.
- Gui, J. *et al.* (2024) ‘Obesity-and lipid-related indices as a risk factor of hypertension in mid-aged and elderly Chinese: a cross-sectional study’, *BMC Geriatrics*, 24(1), p. 77. Available at: <https://doi.org/10.1186/s12877-023-04650-2>.

- Haile, K. and Timerga, A. (2020) ‘Dyslipidemia and Its Associated Risk Factors Among Adult Type-2 Diabetic Patients at Jimma University Medical Center, Jimma, Southwest Ethiopia.’, *Diabetes, metabolic syndrome and obesity: targets and therapy*, 13, pp. 4589–4597. Available at: <https://doi.org/10.2147/DMSO.S283171>.
- Harahap, W.G. and Nurwahyuni, A. (2019) ‘Factors Related to the Incidence of Hypertension Among Prospective Pilgrims in Medan, Indonesia During Embarkation Period 2016’, *KnE Life Sciences*, 4(10 SE-Articles). Available at: <https://doi.org/10.18502/cls.v4i10.3728>.
- Huff, T., Boyd, B. and Jialal, I. (2024) ‘Physiology, Cholesterol.’, in. Treasure Island (FL).
- Husain, K., Ansari, R.A. and Ferder, L. (2014) ‘Alcohol-induced hypertension: Mechanism and prevention.’, *World journal of cardiology*, 6(5), pp. 245–252. Available at: <https://doi.org/10.4330/wjc.v6.i5.245>.
- Hutagaluh, M.S. (2019) *Panduan Lengkap Stroke: Mencegah, Mengobati dan Menyembuhkan*. Nusamedia. Available at: <https://books.google.co.id/books?id=UmVcEAAAQBAJ>.
- Imig, J.D. (2023) ‘Bioactive lipids in hypertension.’, *Advances in pharmacology (San Diego, Calif.)*, 97, pp. 1–35. Available at: <https://doi.org/10.1016/bs.apha.2023.01.001>.
- Iqbal, A.M. and Jamal, S.F. (2024) ‘Essential Hypertension.’, in. Treasure Island (FL).
- Israel, E. et al. (2022) ‘Central Obesity and Associated Factors Among Urban Adults in Dire Dawa Administrative City, Eastern Ethiopia.’, *Diabetes, metabolic syndrome and obesity: targets and therapy*, 15, pp. 601–614. Available at: <https://doi.org/10.2147/DMSO.S348098>.
- Jain, Rajesh et al. (2019) ‘Diabetes & dyslipidaemia goals in management of diabetes’, *Journal of Diabetes, Metabolic Disorders & Control*, 6, pp. 99–102. Available at: <https://doi.org/10.15406/jdmdc.2019.06.00189>.
- Ji, H. et al. (2020) ‘Sex Differences in Blood Pressure Trajectories Over the Life Course’, *JAMA Cardiology*, 5(3), pp. 255–262. Available at: <https://doi.org/10.1001/jamacardio.2019.5306>.
- JNC 7 (2004) ‘The Seventh Report of the Joint National Committee on Prevention, Detection, Evaluation, and Treatment of High Blood Pressure’.
- Kavey, R.-E.W. (2023) ‘Combined dyslipidemia in children and adolescents’, *Endotext [Internet]* [Preprint].

- KC, K. *et al.* (2023) ‘Family history of hypertension and its relation to other variables in hypertensive patients: a cross-sectional study from a tertiary care hospital’, *IJS Global Health*, 6(5). Available at: https://journals.lww.com/ijsglobal/fulltext/2023/09010/family_history_of_hypertension_and_its_relation_to.1.aspx.
- Kemenag (2023) ‘Keputusan Menteri Agama Republik Indonesia Nomor 189 Tahun 2023 Tentang Kuota haji Indonesia Tahun 1444 Hijriah/2023 Masehi’, *Kementerian Agama RI* [Preprint].
- Kemenkes (2019) *Fakto Risiko Penyebab Hipertensi*. Available at: <https://p2ptm.kemkes.go.id/infographic-p2ptm/hipertensi-penyakit-jantung-%09dan-pembuluh-darah/faktor-risiko-penyebab-hipertensi> (Accessed: 8 March 2024).
- Kemenkes (2021) *Peraturan Menteri Kesehatan Nomor 9 Tahun 2021 tentang Petunjuk Teknis Penyelenggaraan Kesehatan Haji di Arab Saudi*. Available at: <https://peraturan.bpk.go.id/Details/169663/permenkes-no-9-tahun-2021>.
- Kemenkes (2022) *Modul Pelatihan Tenaga Kesehatan haji Kloter (TKHK)*. Kementerian Kesehatan RI. Available at: https://siakpel.kemkes.go.id/upload/akreditasi_kurikulum/modul-3-35353335-3333-4731-b231-343033383433.pdf (Accessed: 16 March 2024).
- Kemenkes RI (2022) *Profil Kesehatan Indonesia 2021*, Pusdatin.Kemenkes.Go.Id.
- Kemenkes RI (2023a) *Cara Mengatasi Hipertensi*. Available at: <https://ayosehat.kemkes.go.id/cara-mengatasi-hipertensi#:~:text=Cara,mencegah Hipertensi&text=Menjaga berat badan ideal dengan,garam%2C lemak jenuh dan kolesterol>. (Accessed: 21 March 2024).
- Kemenkes RI (2023b) *Profil kesehatan indonesia 2022*. Jakarta: Kemenkes RI.
- Kholifah, S.H., Budiwanto, S. and Katmawanti, S. (2020) ‘Hubungan antara Sosioekonomi , Obesitas dan Riwayat Diabetes Melitus (DM) dengan Kejadian Hipertensi di Wilayah Puskesmas Janti Kecamatan Sukun Kota Malang’, *JPPKMI*, 1(9), pp. 157–165.
- Khonde Kumbu, R. *et al.* (2023) ‘Job stress, a source of hypertension among workers in Sub-Saharan Africa: a scoping review.’, *BMC public health*, 23(1), p. 2316. Available at: <https://doi.org/10.1186/s12889-023-17248-5>.
- Kliegman, R.M. *et al.* (2007) *Nelson textbook of pediatrics e-book*. Elsevier Health Sciences.
- Li, A. *et al.* (2021) ‘The interaction on hypertension between family history and

- diabetes and other risk factors.', *Scientific reports*, 11(1), p. 4716. Available at: <https://doi.org/10.1038/s41598-021-83589-z>.
- Li, G. *et al.* (2017) 'The association between smoking and blood pressure in men: a cross-sectional study', *BMC Public Health*, 17(1), p. 797. Available at: <https://doi.org/10.1186/s12889-017-4802-x>.
- Li, J. and Powdthavee, N. (2015) 'Does more education lead to better health habits? Evidence from the school reforms in Australia.', *Social science & medicine* (1982), 127, pp. 83–91. Available at: <https://doi.org/10.1016/j.socscimed.2014.07.021>.
- Lim, S.S. *et al.* (2012) 'A comparative risk assessment of burden of disease and injury attributable to 67 risk factors and risk factor clusters in 21 regions, 1990-2010: a systematic analysis for the Global Burden of Disease Study 2010.', *Lancet (London, England)*, 380(9859), pp. 2224–2260. Available at: [https://doi.org/10.1016/S0140-6736\(12\)61766-8](https://doi.org/10.1016/S0140-6736(12)61766-8).
- Lindemann, E.A. *et al.* (2017) 'Representation of Social History Factors Across Age Groups: A Topic Analysis of Free-Text Social Documentation.', *AMIA ... Annual Symposium proceedings. AMIA Symposium*, 2017, pp. 1169–1178.
- Liu, L.-Y. *et al.* (2023) 'Epidemic trends of dyslipidemia in young adults: a real-world study including more than 20,000 samples.', *Lipids in health and disease*, 22(1), p. 108. Available at: <https://doi.org/10.1186/s12944-023-01876-2>.
- Lu, X. *et al.* (2019) 'The Association Between Perceived Stress and Hypertension Among Asian Americans: Does Social Support and Social Network Make a Difference?', *Journal of community health*, 44(3), pp. 451–462. Available at: <https://doi.org/10.1007/s10900-018-00612-7>.
- Lusno, M.F.D. *et al.* (2017) 'Association between smoking and hypertension as a disease burden in Sidoarjo : a case-control study', pp. 9–16.
- Malta, D.C. *et al.* (2023) 'Arterial hypertension and associated factors: National Health Survey, 2019.', *Revista de saude publica*, 56, p. 122. Available at: <https://doi.org/10.11606/s1518-8787.2022056004177>.
- Mancini, G.B.J. *et al.* (2011) 'Diagnosis, prevention, and management of statin adverse effects and intolerance: proceedings of a Canadian Working Group Consensus Conference.', *The Canadian journal of cardiology*, 27(5), pp. 635–662. Available at: <https://doi.org/10.1016/j.cjca.2011.05.007>.
- Mashuri, Y.A., Ng, N. and Santosa, A. (2022) 'Socioeconomic disparities in the burden of hypertension among Indonesian adults - a multilevel analysis.', *Global health action*, 15(1), p. 2129131. Available at:

- [https://doi.org/10.1080/16549716.2022.2129131.](https://doi.org/10.1080/16549716.2022.2129131)
- Masriadi (2021) *Epidemiologi Penyakit Menular*. Trans Info Media.
- Mathew, T.K., Zubair, M. and Tadi, P. (2024) ‘Blood Glucose Monitoring.’, in. Treasure Island (FL).
- Mensah, G.A. (2019) ‘Commentary: Hypertension Phenotypes: The Many Faces of a Silent Killer.’, *Ethnicity & disease*. United States, pp. 545–548. Available at: <https://doi.org/10.18865/ed.29.4.545>.
- El Meouchy, P. et al. (2022) ‘Hypertension Related to Obesity: Pathogenesis, Characteristics and Factors for Control.’, *International journal of molecular sciences*, 23(20). Available at: <https://doi.org/10.3390/ijms232012305>.
- Mills, K.T., Stefanescu, A. and He, J. (2020) ‘The global epidemiology of hypertension.’, *Nature reviews. Nephrology*, 16(4), pp. 223–237. Available at: <https://doi.org/10.1038/s41581-019-0244-2>.
- Mollace, R., Maiuolo, J. and Mollace, V. (2024) ‘The Role of Endothelial Dysfunction in the Connection Between Gut Microbiota, Vascular Injury, and Arterial Hypertension BT - Gut Microbiome, Microbial Metabolites and Cardiometabolic Risk’, in M. Federici and R. Menghini (eds). Cham: Springer International Publishing, pp. 461–496. Available at: https://doi.org/10.1007/978-3-031-35064-1_21.
- Mosca, S. et al. (2022) ‘Dyslipidemia Diagnosis and Treatment: Risk Stratification in Children and Adolescents.’, *Journal of nutrition and metabolism*, 2022, p. 4782344. Available at: <https://doi.org/10.1155/2022/4782344>.
- NCD Risk Factor Collaboration (2021) ‘Worldwide trends in hypertension prevalence and progress in treatment and control from 1990 to 2019: a pooled analysis of 1201 population-representative studies with 104 million participants.’, *Lancet (London, England)*, 398(10304), pp. 957–980. Available at: [https://doi.org/10.1016/S0140-6736\(21\)01330-1](https://doi.org/10.1016/S0140-6736(21)01330-1).
- NCEP ATP III (2001) *ATP III Guidelines At-A-Glance Quick Desk Reference*.
- Nickenig, G. (2004) ‘Should angiotensin II receptor blockers and statins be combined?’, *Circulation*, 110(8), pp. 1013–1020. Available at: <https://doi.org/10.1161/01.CIR.0000139857.85424.45>.
- Notoatmojo, S. (2018) ‘Metodelogi Penelitian Kesehatan (Vol. 7, Issue 2)’.
- Nurrahmani, U. (2015) *Stop! Diabetes, Hipertensi, Kolesterol Tinggi dan Jantung Koroner*. Yogyakarta: Istana Media.
- Nuttall, F.Q. (2015) ‘Body Mass Index: Obesity, BMI, and Health: A Critical Review.’, *Nutrition today*, 50(3), pp. 117–128. Available at:

- [https://doi.org/10.1097/NT.0000000000000092.](https://doi.org/10.1097/NT.0000000000000092)
- Ohishi, M. (2018) ‘Hypertension with diabetes mellitus: physiology and pathology.’, *Hypertension research: official journal of the Japanese Society of Hypertension*, 41(6), pp. 389–393. Available at: <https://doi.org/10.1038/s41440-018-0034-4>.
- Oktamianti, P. et al. (2022) ‘District-Level Inequalities in Hypertension among Adults in Indonesia: A Cross-Sectional Analysis by Sex and Age Group.’, *International journal of environmental research and public health*, 19(20). Available at: <https://doi.org/10.3390/ijerph192013268>.
- Opoku, S. et al. (2019) ‘Prevalence and risk factors for dyslipidemia among adults in rural and urban China: findings from the China National Stroke Screening and prevention project (CNSSPP)’, *BMC Public Health*, 19(1), p. 1500. Available at: <https://doi.org/10.1186/s12889-019-7827-5>.
- Ostchega, Y. et al. (2020) ‘Hypertension Prevalence Among Adults Aged 18 and Over: United States, 2017-2018.’, *NCHS data brief*, (364), pp. 1–8.
- Otsuka, T. et al. (2016) ‘Dyslipidemia and the Risk of Developing Hypertension in a Working-Age Male Population.’, *Journal of the American Heart Association*, 5(3), p. e003053. Available at: <https://doi.org/10.1161/JAHA.115.003053>.
- Pappan, N. and Rehman, A. (2024) ‘Dyslipidemia.’, in. Treasure Island (FL): StatPearls Publishing.
- Peng, X. et al. (2023) ‘Stage 1 Hypertension and the 10-Year and Lifetime Risk of Cardiovascular Disease: A Prospective Real-World Study.’, *Journal of the American Heart Association*, 12(7), p. e028762. Available at: <https://doi.org/10.1161/JAHA.122.028762>.
- PERKENI (2021) ‘Pedoman Pengelolaan dan Pencegahan Diabetes Melitus Tipe 2 Dewasa di Indonesia 2021’, *Global Initiative for Asthma*, p. 46. Available at: www.ginasthma.org.
- Permenkes (2016) *Peraturan Menteri Kesehatan Nomor 62 Tahun 2016 tentang Penyelenggaraan Kesehatan Haji*.
- Poznyak, A. V et al. (2021) ‘Renin-Angiotensin System in Pathogenesis of Atherosclerosis and Treatment of CVD’, *International Journal of Molecular Sciences*. Available at: <https://doi.org/10.3390/ijms22136702>.
- Princewel, F. et al. (2019) ‘Prevalence and risk factors associated with hypertension among adults in a rural setting: the case of Ombe, Cameroon.’, *The Pan African medical journal*, 34, p. 147. Available at: <https://doi.org/10.11604/pamj.2019.34.147.17518>.

Puskes Haji (2018) *Petunjuk Teknis Pemeriksaan dan Pembinaan Kesehatan Haji*. Kemenkes RI.

Puskes Haji (2019) *Petunjuk Teknis (Juknis) Operasionalisasi Siskohatkes bagi Petugas Kesehatan Haji di Kabupaten/Kota dan Embarkasi*. Kementerian Kesehatan RI.

Qin, Z. et al. (2022) ‘Association of socioeconomic status with hypertension prevalence and control in Nanjing: a cross-sectional study’, *BMC Public Health*, 22(1), p. 423. Available at: <https://doi.org/10.1186/s12889-022-12799-5>.

Rader, D.J. and Kathiresan, S. (2018) ‘Disorders of Lipoprotein Metabolism’, in J.L. Jameson et al. (eds) *Harrison’s Principles of Internal Medicine*, 20e. New York, NY: McGraw-Hill Education. Available at: <http://accessmedicine.mhmedical.com/content.aspx?aid=1183992782>.

Rahman, M. et al. (2015) ‘Association of socioeconomic status with diagnosis, treatment and control of hypertension in diabetic hypertensive individuals in Bangladesh: a population-based cross-sectional study’, *JRSM Open*, 6(10), p. 2054270415608118. Available at: <https://doi.org/10.1177/2054270415608118>.

Ranasinghe, P. et al. (2015) ‘The influence of family history of hypertension on disease prevalence and associated metabolic risk factors among Sri Lankan adults.’, *BMC public health*, 15, p. 576. Available at: <https://doi.org/10.1186/s12889-015-1927-7>.

Rao Ch, S. and Subash Y, E. (2013) ‘The effect of chronic tobacco smoking and chewing on the lipid profile.’, *Journal of clinical and diagnostic research : JCDR*, 7(1), pp. 31–34. Available at: <https://doi.org/10.7860/JCDR/2012/5086.2663>.

Riskesdas (2013) *Riset Kesehatan Dasar*. Jakarta: 1. Riskesdas. Riset Kesehatan Dasar. Jakarta: Badan Penelitian Dan Pengembangan Kesehatan Departemen Kesehatan Republik Indonesia.

Riskesdas (2018) *Riset Kesehatan Dasar*. Jakarta: Badan Penelitian Dan Pengembangan Kesehatan Departemen Kesehatan Republik Indonesia.

Rivara, M.B. (2020) ‘Hypertension in Older Adolescents and Young Adults BT - Pediatric Hypertension’, in J.T. Flynn, J.R. Ingelfinger, and T. Brady (eds). Cham: Springer International Publishing, pp. 1–17. Available at: https://doi.org/10.1007/978-3-319-31420-4_52-2.

Rothman, K.J. (2012) *Epidemiology: An Introduction*. OUP USA. Available at: https://books.google.co.id/books?id=tKs7adtH-_IC.

- Sabbatini, A.R. and Kararigas, G. (2020) ‘Estrogen-related mechanisms in sex differences of hypertension and target organ damage.’, *Biology of sex differences*, 11(1), p. 31. Available at: <https://doi.org/10.1186/s13293-020-00306-7>.
- Saeed, A., Dave L. Dixon, PharmD, F. and Eugene Yang, MD, F. (2020) ‘Racial Disparities in Hypertension Prevalence and Management: A Crisis Control?’, *American College of Cardiology* [Preprint].
- Sangrós, F.J. et al. (2018) ‘Association of General and Abdominal Obesity With Hypertension, Dyslipidemia and Prediabetes in the PREDAPS Study’, *Revista Española de Cardiología (English Edition)*, 71(3), pp. 170–177. Available at: <https://doi.org/10.1016/j.rec.2017.04.035>.
- Saudubray, J.-M., Berghe, G. and Walter, J.H. (2012) *Inborn metabolic diseases*. Springer.
- Sharma, A. et al. (2020) ‘Diabetes and cardiovascular disease: inter-relation of risk factors and treatment’, *Future Journal of Pharmaceutical Sciences*, 6(1), p. 130. Available at: <https://doi.org/10.1186/s43094-020-00151-w>.
- Sheth, J. et al. (2015) ‘The association of dyslipidemia and obesity with glycated hemoglobin’, *Clinical Diabetes and Endocrinology*, 1(1), p. 6. Available at: <https://doi.org/10.1186/s40842-015-0004-6>.
- Shimizu, Y. et al. (2017) ‘Association between high-density lipoprotein-cholesterol and hypertension in relation to circulating CD34-positive cell levels.’, *Journal of physiological anthropology*, 36(1), p. 26. Available at: <https://doi.org/10.1186/s40101-017-0143-9>.
- da Silva, A.A. et al. (2020) ‘Role of Hyperinsulinemia and Insulin Resistance in Hypertension: Metabolic Syndrome Revisited’, *Canadian Journal of Cardiology*, 36(5), pp. 671–682. Available at: <https://doi.org/10.1016/j.cjca.2020.02.066>.
- Singh, S., Shankar, R. and Singh, G.P. (2017) ‘Prevalence and Associated Risk Factors of Hypertension: A Cross-Sectional Study in Urban Varanasi.’, *International journal of hypertension*, 2017, p. 5491838. Available at: <https://doi.org/10.1155/2017/5491838>.
- Siskohatkes (2022) *Siskohatkes 2022, Kementrian Kesehatan RI*. Available at: <https://siskohatkes.kemkes.go.id/Portal/Home> (Accessed: 11 March 2024).
- Siswosudarmo, R. (2015) *Pendekatan Praktis Penelitian Epidemiologi Klinis dan Aplikasi SPSS untuk Analisis Statistika*. Yogyakarta: Departemen Obstetrika dan Ginekologi Fakultas Kedokteran UGM-RS Sardjito.

- Stone, N.J. *et al.* (2014) ‘2013 ACC/AHA guideline on the treatment of blood cholesterol to reduce atherosclerotic cardiovascular risk in adults: a report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines.’, *Circulation*, 129(25 Suppl 2), pp. S1-45. Available at: <https://doi.org/10.1161/01.cir.0000437738.63853.7a>.
- Sudaryo, M.K. (2023) ‘Faktor Determinan Hipertensi pada Jemaah Haji Usia Lebih Dari 40 Tahun di Provinsi DKI Jakarta Tahun 2022’, 7(2), pp. 111–116.
- Suherman (2018) *Hipertensi Esensial : Aspek Neurobehaviour dan Genetika*. Syiah Kuala University Press.
- Sun, K. *et al.* (2022) ‘Association of education levels with the risk of hypertension and hypertension control: a nationwide cohort study in Chinese adults.’, *Journal of epidemiology and community health*, 76(5), pp. 451–457. Available at: <https://doi.org/10.1136/jech-2021-217006>.
- Suvila, K. *et al.* (2020) ‘Age of Hypertension Onset: Overview of Research and How to Apply in Practice.’, *Current hypertension reports*, 22(9), p. 68. Available at: <https://doi.org/10.1007/s11906-020-01071-z>.
- Sylvia, P. and Lorraine, M.W. (2006) *Patofisiologi konsep klinis proses-proses penyakit Edisi 6*, Jakarta: EGC.
- Taddei, C. *et al.* (2020) ‘Repositioning of the global epicentre of non-optimal cholesterol’, *Nature*, 582(7810), pp. 73–77. Available at: <https://doi.org/10.1038/s41586-020-2338-1>.
- Tang, N. *et al.* (2022) ‘The effects of the interaction between BMI and dyslipidemia on hypertension in adults’, *Scientific Reports*, 12(1), p. 927. Available at: <https://doi.org/10.1038/s41598-022-04968-8>.
- Tripepi, G. *et al.* (2010) ‘Stratification for Confounding – Part 1: The Mantel-Haenszel Formula’, *Nephron Clinical Practice*, 116(4), pp. c317–c321. Available at: <https://doi.org/10.1159/000319590>.
- Ukoha-Kalu, B.O. *et al.* (2023) ‘Effectiveness of educational interventions on hypertensive patients’ self-management behaviours: an umbrella review protocol.’, *BMJ open*, 13(8), p. e073682. Available at: <https://doi.org/10.1136/bmjopen-2023-073682>.
- Unger, T. *et al.* (2020) ‘2020 International Society of Hypertension Global Hypertension Practice Guidelines.’, *Hypertension*, 75(6), pp. 1334–1357. Available at: <https://doi.org/10.1161/HYPERTENSIONAHA.120.15026>.
- Vaucher, J. *et al.* (2014) ‘Population and economic impact of the 2013 ACC/AHA guidelines compared with European guidelines to prevent cardiovascular disease.’, *European heart journal*, 35(15), pp. 958–959. Available at:

- [https://doi.org/10.1093/eurheartj/ehu064.](https://doi.org/10.1093/eurheartj/ehu064)
- De Venecia, T., Lu, M. and Figueredo, V.M. (2016) ‘Hypertension in young adults.’, *Postgraduate medicine*, 128(2), pp. 201–207. Available at: <https://doi.org/10.1080/00325481.2016.1147927>.
- Wang, X., Elston, R.C. and Zhu, X. (2010) ‘The meaning of interaction.’, *Human heredity*, 70(4), pp. 269–277. Available at: <https://doi.org/10.1159/000321967>.
- Wang, Y.-J. et al. (2020) ‘Dietary Sodium Intake and Risk of Cardiovascular Disease: A Systematic Review and Dose-Response Meta-Analysis.’, *Nutrients*, 12(10). Available at: <https://doi.org/10.3390/nu12102934>.
- Wazir, M. et al. (2023) ‘Lipid Disorders and Cardiovascular Risk: A Comprehensive Analysis of Current Perspectives.’, *Cureus*, 15(12), p. e51395. Available at: <https://doi.org/10.7759/cureus.51395>.
- WHO (2008) ‘Waist Circumference and Waist-Hip Ratio Report of a WHO Expert Consultation’, (December), pp. 8–11.
- WHO (2023a) *Global report on hypertension*. Edited by World Health Organization.
- WHO (2023b) *Hypertension, WHO*. Available at: <https://www.who.int/health-topics/hypertension> (Accessed: 4 March 2024).
- World Heart Federation (2022) *CHOLESTEROL*. Available at: <https://world-heart-federation.org/what-we-do/cholesterol/> (Accessed: 14 March 2024).
- Wu, C.-Y. et al. (2015) ‘High Blood Pressure and All-Cause and Cardiovascular Disease Mortalities in Community-Dwelling Older Adults.’, *Medicine*, 94(47), p. e2160. Available at: <https://doi.org/10.1097/MD.0000000000002160>.
- Wyszyńska, J. et al. (2023) ‘Association and Risk Factors for Hypertension and Dyslipidemia in Young Adults from Poland.’, *International journal of environmental research and public health*, 20(2). Available at: <https://doi.org/10.3390/ijerph20020982>.
- Xie, H. et al. (2022) ‘The relationship between lipid risk score and new-onset hypertension in a prospective cohort study’, *Frontiers in Endocrinology*, 13. Available at: <https://doi.org/10.3389/fendo.2022.916951>.
- Yang, G. et al. (2015) ‘Prevalence and Correlates of Prehypertension and Hypertension among Adults in Northeastern China: A Cross-Sectional Study.’, *International journal of environmental research and public health*, 13(1), p. 82. Available at: <https://doi.org/10.3390/ijerph13010082>.

- Yatabe, M.S. *et al.* (2010) ‘Salt sensitivity is associated with insulin resistance, sympathetic overactivity, and decreased suppression of circulating renin activity in lean patients with essential hypertension.’, *The American journal of clinical nutrition*, 92(1), pp. 77–82. Available at: <https://doi.org/10.3945/ajcn.2009.29028>.
- Yeom, H. *et al.* (2018) ‘Triglyceride to high density lipoprotein cholesterol ratio among adolescents is associated with adult hypertension: the Kangwha study.’, *Lipids in health and disease*, 17(1), p. 212. Available at: <https://doi.org/10.1186/s12944-018-0861-y>.
- Yezli, S. *et al.* (2021) ‘Prevalence of Diabetes and Hypertension among Hajj Pilgrims: A Systematic Review.’, *International journal of environmental research and public health*, 18(3). Available at: <https://doi.org/10.3390/ijerph18031155>.
- Yi, Q., Hu, H. and Zeng, Q. (2023) ‘Association of triglycerides to high density lipoprotein cholesterol ratio with hypertension in Chinese adults: a cross-sectional study.’, *Clinical and experimental hypertension (New York, N.Y. : 1993)*, 45(1), p. 2195996. Available at: <https://doi.org/10.1080/10641963.2023.2195996>.
- Yudin, R. *et al.* (2022) ‘Risk of Dyslipidemia in Obese Young Adult Subjects as Measured by Various Obesity Indices’, *Journal of Endocrinology and Metabolism; Vol. 12, No. 3, Jun 2022 [Preprint]*.
- Zare, M.G. *et al.* (2023) ‘Prevalence and risk factors of pre-hypertension and hypertension among adults in Southeastern Iran: Findings from the baseline survey of the Zahedan adult cohort study’, *PLOS ONE*, 18(12), p. e0295270. Available at: <https://doi.org/10.1371/journal.pone.0295270>.
- Zhang, H. *et al.* (2020) ‘Predictors of the Prevalence of Dyslipidemia and Influencing Factors for Young Health Examination Cohort: A Cross-Sectional Survey.’, *Frontiers in public health*, 8, p. 400. Available at: <https://doi.org/10.3389/fpubh.2020.00400>.
- Zhang, Yingyi *et al.* (2021) ‘Distribution of risk factors of hypertension patients in different age groups in Tianjin.’, *BMC public health*, 21(1), p. 247. Available at: <https://doi.org/10.1186/s12889-021-10250-9>.
- Zhou, B. *et al.* (2021) ‘Global epidemiology, health burden and effective interventions for elevated blood pressure and hypertension.’, *Nature reviews. Cardiology*, 18(11), pp. 785–802. Available at: <https://doi.org/10.1038/s41569-021-00559-8>.
- Zhu, Y. and Wang, Z. (2024) ‘Association between joint physical activity and healthy dietary patterns and hypertension in US adults: cross-sectional

- NHANES study.', *BMC public health*, 24(1), p. 855. Available at: <https://doi.org/10.1186/s12889-024-18346-8>.
- Zschocke, J. (2017) 'Disorders of the Biosynthesis and Breakdown of Complex Molecules BT - Inherited Metabolic Diseases: A Clinical Approach', in G.F. Hoffmann, J. Zschocke, and W.L. Nyhan (eds). Berlin, Heidelberg: Springer Berlin Heidelberg, pp. 9–12. Available at: https://doi.org/10.1007/978-3-662-49410-3_2.