

DAFTAR PUSTAKA

- Airlangga, B. B., Tirtayasa, K., Purnawati, S., & Sutjana, I. D. P. (2021). Hubungan Depresi, Ansietas dan Stres terhadap Nyeri Leher pada Mahasiswa Angkatan 2016 Program Studi Sarjana Kedokteran dan Profesi Dokter Universitas Udayana. *Jurnal Medika Udayana*, 10(2). <https://doi.org/10.24843.MU.2021.V10.i2.P12>
- Al-Ghamdi, S., Shubair, M. M., Angawi, K., Al-Zahrani, J., Khormi, A. A. M., Alshammari, R. F., Alshammari, N. S., Aldahash, R., Otayf, B. Y., Al-Zahrani, H. S., Aleshaiwi, M. S., & Aldossari, K. K. (2022). Combined' Neck/Back Pain and Psychological Distress/Morbidity Among the Saudi Population: A Cross-Sectional Study. *Frontiers in Psychology*, 13. <https://doi.org/10.3389/fpsyg.2022.870600>
- AlOmar, R. S., AlShamlan, N. A., Alawashiz, S., Badawood, Y., Ghwoudi, B. A., & Abugad, H. (2021). Musculoskeletal symptoms and their associated risk factors among Saudi office workers: a cross-sectional study. *BMC Musculoskeletal Disorders*, 22(1), 763. <https://doi.org/10.1186/s12891-021-04652-4>
- Anekstein, Y., Blecher, R., Smorgick, Y., & Mirovsky, Y. (2012). What is the Best Way to Apply the Spurling Test for Cervical Radiculopathy? *Clinical Orthopaedics & Related Research*, 470(9), 2566–2572. <https://doi.org/10.1007/s11999-012-2492-3>
- Anugra, M. P., Zainudin, Z., Ambarsarie, R., & Suryani, U. H. (2023). Hubungan Durasi Duduk saat Pembelajaran Jarak Jauh selama Pandemi Covid -19 Terhadap Nyeri Leher serta Neck Disability Index Pada Mahasiswa Fakultas Kedokteran dan Ilmu Kesehatan Universitas Bengkulu. *Malahayati Nursing Journal*, 5(4), 1096–1104. <https://doi.org/10.33024/mnj.v5i4.8497>
- Aprianto, B., Hidayatulloh, A. F., Zuchri, F. N., Seviana, I., & Amalia, R. (2021). FAKTOR RISIKO PENYEBAB MUSCULOSKELETAL DISORDERS (MSDs) PADA PEKERJA: A SYSTEMATIC REVIEW. *Jurnal Kesehatan Tambusai*, 2(2), 16–25.
- Ayu, N. D., Nur'aini, N., & Carwadi, C. (2024). HUBUNGAN ANTARA FAKTOR INDIVIDU DAN PEKERJAAN DENGAN KELUHAN NYERI LEHER PADA PEKERJA DI PT.BUKAKA TEKNIK UTAMA TBK. CILEUNGSI UNIT BOARDING BRIDGE TAHUN 2023. *Jurnal Ilmiah Kesehatan dan Kebidanan*, 13(1).
- Binder, A. I. (2008). Neck pain. *BMJ Clinical Evidence*, 2008(1103). <http://www.ncbi.nlm.nih.gov/pubmed/19445809>

- Blozik, E., Laptinskaya, D., Herrmann-Lingen, C., Schaefer, H., Kochen, M. M., Himmel, W., & Scherer, M. (2009). Depression and anxiety as major determinants of neck pain: a cross-sectional study in general practice. *BMC Musculoskeletal Disorders*, 10(1), 13. <https://doi.org/10.1186/1471-2474-10-13>
- BPS. (2023). *Keadaan Pekerja di Indonesia*. Badan Pusat Statistik.
- Brachial_plexus.jpg. (2009). Dalam *Wikipedia*.
- Cagnie, B., Danneels, L., Van Tiggelen, D., De Loose, V., & Cambier, D. (2007). Individual and work related risk factors for neck pain among office workers: a cross sectional study. *European Spine Journal*, 16(5), 679–686. <https://doi.org/10.1007/s00586-006-0269-7>
- CCOHS. (2020). *Office Ergonomics - Stretching - At the Workstation*. Canadian Centre for Occupational Health and Safety.
- Cheung, J., Kajaks, T., & MacDermid Joy C. (2013). The Relationship Between Neck Pain and Physical Activity. *The Open Orthopaedics Journal*, 7, 521–529.
- Childress, M. A., & Stuek, S. J. (2020). Neck Pain: Initial Evaluation and Management. *American Family Physician*, 102(3), 150–156.
- Cohen, S. P. (2015). Epidemiology, Diagnosis, and Treatment of Neck Pain. *Mayo Clinic Proceedings*, 90(2), 284–299. <https://doi.org/10.1016/j.mayocp.2014.09.008>
- Daher, A., & Halperin, O. (2021). Association between Psychological Stress and Neck Pain among College Students during the Coronavirus Disease of 2019 Pandemic: A Questionnaire-Based Cross-Sectional Study. *Healthcare*, 9(11), 1526. <https://doi.org/10.3390/healthcare9111526>
- Darivemula, S. B., Goswami, K., Gupta, S. K., Salve, H., Singh, U., & Goswami, A. K. (2016). Work-related Neck Pain Among Desk Job Workers of Tertiary Care Hospital in New Delhi, India: Burden and Determinants. *Indian journal of community medicine : official publication of Indian Association of Preventive & Social Medicine*, 41(1), 50–54. <https://doi.org/10.4103/0970-0218.170967>
- Darmawan, D., Abdullah, A., Kasimbara, R. P., & Deo Fau, Y. (2022). Prevalensi Nyeri Leher Terkait Kinerja dan Faktor Resikonya Pada Pegawai di RS Mitra Keluarga Surabaya. *Jurnal Keperawatan Muhammadiyah*, 7(1).
- Degen, R. M., MacDermid, J. C., Grewal, R., Drosdowech, D. S., Faber, K. J., & Athwal, G. S. (2016). Prevalence of Symptoms of Depression, Anxiety, and Posttraumatic Stress Disorder in Workers With Upper Extremity Complaints. *Journal of Orthopaedic & Sports Physical Therapy*, 46(7), 590–595. <https://doi.org/10.2519/jospt.2016.6265>

- Devi, T., Purba, I., & Lestari, M. (2017). RISK FACTORS OF MUSCULOSKELETAL DISORDERS (MSDs) COMPLAINTS ON RICE TRANSPORTATION ACTIVITIES AT PT. BUYUNG POETRA PANGAN PEGAYUT OGAN ILIR. *Jurnal Ilmu Kesehatan Masyarakat*, 8(2), 125–134. <https://doi.org/10.26553/jikm.2016.8.2.125-134>
- Dina, Z. R., Purwadi, D. A., & Supartono, B. (2022). Efek Postur, Lama Duduk dan Ukuran Laptop Terhadap Nyeri Leher Selama Pembelajaran Daring. *Majalah Kedokteran Andalas*, 45(3), 256–269.
- Dong, H., Zhang, Q., Liu, G., & Shao, T. (2020). Prevalence of neck/shoulder pain among public hospital workers in China and its associated factors: a cross-sectional study. *Scientific Reports*, 10(1). <https://doi.org/10.1038/s41598-020-69382-4>
- Dzakpasu, F. Q. S., Carver, A., Brakenridge, C. J., Cicuttini, F., Urquhart, D. M., Owen, N., & Dunstan, D. W. (2021). Musculoskeletal pain and sedentary behaviour in occupational and non-occupational settings: a systematic review with meta-analysis. *International Journal of Behavioral Nutrition and Physical Activity*, 18(1), 159. <https://doi.org/10.1186/s12966-021-01191-y>
- Ehsani, F., Mosallanezhad, Z., & Vahedi, G. (2017). The Prevalence, Risk Factors and Consequences of Neck Pain in Office Employees. *Middle East Journal of Rehabilitation and Health*, 4(2). <https://doi.org/10.5812/mejrh.42031>
- Elbinoune, I., Amine, B., Shyen, S., Gueddari, S., Abouqal, R., & Hajjaj-Hassouni, N. (2016). Chronic neck pain and anxiety-depression: prevalence and associated risk factors. *Pan African Medical Journal*, 24. <https://doi.org/10.11604/pamj.2016.24.89.8831>
- Fanavoll, R. (2012). *Association Between Work Stress, Physical Exercise, and Chronic Shoulder/Neck Pain: the HUNT Study*. Norwegian University of Science and Technology.
- Ghaie, K., & Anand, M. (2024). Association between Kinesiophobia, Anxiety, and Chronic Neck Pain among Computer Programmers in Bangalore. *Journal of Health and Allied Sciences NU*, 14(02), 169–173. <https://doi.org/10.1055/s-0043-1770072>
- Hall, A. M., Kamper, S. J., Maher, C. G., Latimer, J., Ferreira, M. L., & Nicholas, M. K. (2011). Symptoms of depression and stress mediate the effect of pain on disability. *Pain*, 152(5), 1044–1051. <https://doi.org/10.1016/j.pain.2011.01.014>
- Irmayani, I., Ginting, R., Parinduri, A., Samura, J., Ginting, L., & Sari, D. (2023). Factors Associated With Neck and Shoulder Pain Complaints In Computer Using Office Stafin Primary Health Center Deli Serdang. *JURNAL*

- KEBIDANAN KESTRA (JKK), 6(1), 61–66.*
<https://doi.org/10.35451/jkk.v6i1.1923>
- Ishaq, I., Mehta, P., Skinner, I. W., Bagg, M. K., Bier, J., & Verhagen, A. P. (2023). Treatment Classifications and Interventions for Neck Pain: A Scoping Review. *Journal of Clinical Epidemiology, 159*, 1–9.
<https://doi.org/10.1016/j.jclinepi.2023.04.010>
- Jehaman, I., Suparno, S., Tantangan, R., & Harahap, F. R. (2022). The Effect Of Mc Kenzie Exercise And Neck Stabilization Exercise On Neck Pain On Garments. *JURNAL KEPERAWATAN DAN FISIOTERAPI (JKF), 4(2)*, 299–306.
<https://doi.org/10.35451/jkf.v4i2.967>
- Jun, D., Johnston, V., McPhail, S. M., & O'Leary, S. (2021). A Longitudinal Evaluation of Risk Factors and Interactions for the Development of Nonspecific Neck Pain in Office Workers in Two Cultures. *Human Factors: The Journal of the Human Factors and Ergonomics Society, 63*(4), 663–683.
<https://doi.org/10.1177/0018720820904231>
- Kaiser, J. T., Reddy, V., Launico, M. V., & Lugo-Pico, J. G. (2023). *Anatomy, Head and Neck: Cervical Vertebrae*. Treasure Island (FL): StatPearls Publishing.
- Kazeminasab, S., Nejadghaderi, S. A., Amiri, P., Pourfathi, H., Araj-Khodaei, M., Sullman, M. J. M., Kolahi, A. A., & Safiri, S. (2022). Neck pain: global epidemiology, trends and risk factors. Dalam *BMC Musculoskeletal Disorders* (Vol. 23, Nomor 1). BioMed Central Ltd. <https://doi.org/10.1186/s12891-021-04957-4>
- Kimura, T., Tsuda, Y., Uchida, S., & Eboshida, A. (2006). Association of perceived stress and stiff neck/shoulder with health status: multiple regression models by gender. *Hiroshima journal of medical sciences, 55*(4), 101–107.
- Kinanthi, M. R., Listiyandini, R. A., Amaliah, U. S., Ramadhan, R., & Farhan, M. (2020). Adaptasi Alat Ukur DASS-21 Versi Indonesia pada Populasi Mahasiswa. Dalam *Seminar Nasional Psikologi dan Call for Paper Universitas Mercubuana Yogyakarta*. <https://doi.org/10.24854/jpu553>
- Krøll, L. S., Hammarlund, C. S., Westergaard, M. L., Nielsen, T., Sloth, L. B., Jensen, R. H., & Gard, G. (2017). Level of physical activity, well-being, stress and self-rated health in persons with migraine and co-existing tension-type headache and neck pain. *The Journal of Headache and Pain, 18*(1), 46.
<https://doi.org/10.1186/s10194-017-0753-y>
- Kwak, J., Kim, H. K., Kim, T., Jang, S.-H., Lee, K. H., Kim, M. J., Park, S.-B., & Han, S. H. (2012). The Prevalence and Characteristics of Depression in Work-related Musculoskeletal Disease. *Annals of Rehabilitation Medicine, 36*(6), 836. <https://doi.org/10.5535/arm.2012.36.6.836>

- Lerner, D., Rogers, W. H., Chang, H., Rodday, A. M., Greenhill, A., Villagra, V. G., Antetomaso, J. R., Patel, A. A., & Vo, L. (2015). The Health Care and Productivity Costs of Back and Neck Pain in A Multi-Employer Sample of Utility Industry Employees. *Journal of Occupational and Environmental Medicine*, 57(1), 32–43.
- Lestari, A. I., & Palipi, R. (2020). Better early prevention: Dental student's awareness of musculoskeletal disorders. *Systematic Reviews in Pharmacy*, 11(3), 941–945.
- Li, X., Yang, X., Sun, X., Xue, Q., Ma, X., & Liu, J. (2021). Associations of musculoskeletal disorders with occupational stress and mental health among coal miners in Xinjiang, China: a cross-sectional study. *BMC Public Health*, 21(1), 1327. <https://doi.org/10.1186/s12889-021-11379-3>
- Liu, F., Fang, T., Zhou, F., Zhao, M., Chen, M., You, J., Jin, Y., Xie, J., & Liu, Z. (2018). Association of Depression/Anxiety Symptoms with Neck Pain: A Systematic Review and Meta-Analysis of Literature in China. *Pain Research and Management*, 2018, 1–9. <https://doi.org/10.1155/2018/3259431>
- Main, C., Sullivan, M., & Watson, P. (2008). *Pain management: practical applications of the biopsychosocial perspective in clinical and occupational setting* (2nd ed.). Churchill livingstone.
- Maksuk, M., Shobur, S., Mardiani, M., & Elisa, E. (2022). The effect of workplace stretching exercise to reduce musculoskeletal complaints in weavers. *International Journal of Health Science and Technology*, 3(3), 1–9.
- Malińska, M., Bugajska, J., & Bartużi, P. (2021). Occupational and non-occupational risk factors for neck and lower back pain among computer workers: a cross-sectional study. *International Journal of Occupational Safety and Ergonomics*, 27(4), 1108–1115. <https://doi.org/10.1080/10803548.2021.1899650>
- Marras, W. S., Lavender, S. A., Leurgans, S. E., Fathallah, F. A., Ferguson, S. A., Gary Allread, W., & Rajulu, S. L. (1995). Biomechanical risk factors for occupationally related low back disorders. *Ergonomics*, 38(2), 377–410. <https://doi.org/10.1080/00140139508925111>
- McCaffery, M., & Beebe, A. (1989). *Pain: Clinical Manual for Nursing Practice*. Mosby.
- Medin-Ceylan, C., Korkmaz, M. D., Sahbaz, T., & Cigdem Karacay, B. (2023). Risk factors of neck disability in computer-using office workers: a cross-sectional study. *International Journal of Occupational Safety and Ergonomics*, 29(1), 44–49. <https://doi.org/10.1080/10803548.2021.2021712>
- Micheletti, J. K., Bláfoss, R., Sundstrup, E., Bay, H., Pastre, C. M., & Andersen, L. L. (2019). Association between lifestyle and musculoskeletal pain: cross-

- sectional study among 10,000 adults from the general working population. *BMC Musculoskeletal Disorders*, 20(1), 609. <https://doi.org/10.1186/s12891-019-3002-5>
- Nadhifah, N., Irianto, I., & Ahsaniyah, A. B. (2019). ANALYSIS RISK FACTORS FOR NECK PAIN COMPLAINTS IN PRODUCTION WORKERS AT PT MARUKI INTERNATIONAL INDONESIA. *Nusantara Medical Science Journal*, 4(1), 7. <https://doi.org/10.20956/nmsj.v4i1.6590>
- Najwa, V. A., Siswoaribowo, A., & Setyorini, D. (2022). Stres Akademik dengan Nyeri Leher dan Bahu pada Mahasiswa Tingkat Akhir di Stikes Karya Husada Kediri. *Seminar Publikasi Ilmiah Kesehatan Nasional*, 1(1), 251–257.
- Naraswari, N. W. K., Wibawa, A., Saraswati, P. A. S., & Wahyuni, N. (2024). Durasi Penggunaan Komputer dengan Risiko Terjadinya Non-Specific Neck Pain pada Pegawai Kantoran. *Majalah Ilmiah Fisioterapi Indonesia*, 12(1), 105–110.
- National Health Service. (t.t.). *How to improve your strength and flexibility*.
- National Institute of Mental Health. (t.t.). *What is depression?* National Institute of Mental Health.
- Nunes, A., Espanha, M., Teles, J., Petersen, K., Arendt-Nielsen, L., & Carnide, F. (2021). Neck pain prevalence and associated occupational factors in Portuguese office workers. *International Journal of Industrial Ergonomics*, 85. <https://doi.org/10.1016/j.ergon.2021.103172>
- Okezue, O. C., Anamezie, T. H., John, J. N., & John, D. O. (2020). Work-Related Musculoskeletal Disorders among Office Workers in Higher Education Institutions: A Cross-Sectional Study. *Ethiopian Journal of Health Sciences*, 30(5). <https://doi.org/10.4314/ejhs.v30i5.10>
- Pramesti, R., Djojosugito, M. A., & Kurniasari, F. (2024). Hubungan Postur Kerja dan Durasi Kerja terhadap Keluhan Neck Pain pada Pekerja di Kantor Diskominfo Sumedang Tahun 2023. *Bandung Conference Series: Medical Science*, 4(1), 14–20.
- Pratama, I., Pristianto, A., & Komalasari, D. R. (2022). Faktor Risiko Neck Arm Pain pada Mahasiswa Selama Pembelajaran Online di Masa Pandemi COVID-19. *Jurnal Fisioterapi dan Rehabilitasi*, 6(2), 142–150.
- Putra, A. I. Y. D., Wardana, I. N. G., Yuliana, Y., & Muliani, M. (2021). Prevalensi dan Derajat Nyeri Leher Akibat Penggunaan Telepon Genggam pada Mahasiswa PSSKPD FK UNUD Berumur 18-23 Tahun. *Jurnal Medika Udayana*, 10(10), 15–21.

- Putra, I. P. M., Nugraha, M. H. S., Tianing, N. W., & Primayanti, I. D. A. I. D. (2020). Uji Validitas dan Reliabilitas Adaptasi Lintas Budaya Kuesioner Neck Disability Index Versi Indonesia pada Mechanical Neck Pain. *Majalah Ilmiah Fisioterapi Indonesia*, 6(3).
- Rahman, A. S. A., Muis, M., & Thamrin, Y. (2021). FAKTOR YANG BERHUBUNGAN DENGAN KELUHAN NYERI LEHER PADA KARYAWAN PT. ANGKASA PURA. *Hasanuddin Journal of Public Health*, 2(3), 266–280. <https://doi.org/10.30597/hjph.v2i3.13683>
- Remesz, O. (2007). Scheme of muscles of neck. Dalam *Wikipedia*.
- Scarabottolo, C. C., Pinto, R. Z., Oliveira, C. B., Zanuto, E. F., Cardoso, J. R., & Christofaro, D. G. D. (2017). Back and neck pain prevalence and their association with physical inactivity domains in adolescents. *European Spine Journal*, 26(9), 2274–2280. <https://doi.org/10.1007/s00586-017-5144-1>
- Setiawati, S., Friska, D., & Ichsan, S. (2018). Posisi Kepala dan Faktor Risiko Lain yang Berhubungan dengan Kejadian Nyeri Tengkuk Akut pada Pengemudi Taksi. *eJKI*, 6(1), 39–44.
- Setyowati, S., Widjasena, B., & Jayanti, S. (2017). HUBUNGAN BEBAN KERJA, POSTUR DAN DURASI JAM KERJA DENGAN KELUHAN NYERI LEHER PADA PORTER DI PELABUHAN PENYEBERANGAN FERRY MERAK-BANTEN. *JURNAL KESEHATAN MASYARAKAT*, 5(5), 356–368. <http://ejournal3.undip.ac.id/index.php/jkm>
- Shahidi, B., Curran-Everett, D., & Maluf, K. S. (2015). Psychosocial, Physical, and Neurophysiological Risk Factors for Chronic Neck Pain: A Prospective Inception Cohort Study. *The Journal of Pain*, 16(12), 1288–1299. <https://doi.org/10.1016/j.jpain.2015.09.002>
- Silverstein, B., & Evanoff, B. (2011). Musculoskeletal Disorders. Dalam B. S. Levy, D. H. Wegman, S. L. Baron, & R. K. Sokas (Ed.), *Occupational and Environmental Health: Recognizing and Preventing Disease and Injury* (6 ed., hlm. 335–365). Oxford University Press, Inc.
- Sitthipornvorakul, E., Janwantanakul, P., Purepong, N., Pensri, P., & van der Beek, A. J. (2011). The association between physical activity and neck and low back pain: a systematic review. *European Spine Journal*, 20(5), 677–689. <https://doi.org/10.1007/s00586-010-1630-4>
- Teoli, D., Rocha Cabrero, F., Smith, T., & Ghassemzadeh, S. (2024). *Lhermitte Sign*.
- Thorp, A. A., Kingwell, B. A., Owen, N., & Dunstan, D. W. (2014). Breaking up workplace sitting time with intermittent standing bouts improves fatigue and musculoskeletal discomfort in overweight/obese office workers. *Occupational*

- and Environmental Medicine, 71(11), 765–771.*
<https://doi.org/10.1136/oemed-2014-102348>
- Tuerah, J. B., Rumampuk, J. F., & Lintong, F. (2020). Pengaruh Olahraga Step-up Terhadap Massa Otot Pada Wanita Dewasa Muda . *eBiomedik*, 8(1), 106–111.
- Undang-undang (UU) Nomor 13 Tahun 2003 tentang Ketenagakerjaan (2003).
- U.S. Bureau of Labor Statistics. (2023). *Occupational Requirements Survey: Sitting and standing*. www.bls.gov/ors
- Vaghela, N., & Parekh, S. (2017). Prevalence of the musculoskeletal disorder among school teachers. *National Journal of Physiology, Pharmacy and Pharmacology*, 1. <https://doi.org/10.5455/njppp.2018.8.0830218082017>
- Verhagen, A. P., Brown, H., Hancock, M., & Anderson, D. (2023). Test procedures and positive diagnostic criteria of the upper limb tension tests differ: a systematic review of the DiTA database. *Brazilian Journal of Physical Therapy*, 27(6), 100558. <https://doi.org/10.1016/j.bjpt.2023.100558>
- Viswanatha, P. A., & Adiatmika, I. P. G. (2020). HUBUNGAN RUTINITAS OLAHRAGA DENGAN GANGGUAN MUSKULOSKELETAL PADA PEGAWAI FAKULTAS KEDOKTERAN UNIVERSITAS UDAYANA. *Jurnal Medika Udayana*, 9(2), 36–39.
- Waongenngarm, P., Rajaratnam, B. S., & Janwantanakul, P. (2016). Internal Oblique and Transversus Abdominis Muscle Fatigue Induced by Slumped Sitting Posture after 1 Hour of Sitting in Office Workers. *Safety and Health at Work*, 7(1), 49–54. <https://doi.org/10.1016/j.shaw.2015.08.001>
- Waongenngarm, P., van der Beek, A. J., Akkarakittichoke, N., & Janwantanakul, P. (2020). Perceived musculoskeletal discomfort and its association with postural shifts during 4-h prolonged sitting in office workers. *Applied Ergonomics*, 89, 103225. <https://doi.org/10.1016/j.apergo.2020.103225>
- Waongenngarm, P., van der Beek, A. J., Akkarakittichoke, N., & Janwantanakul, P. (2021). Effects of an active break and postural shift intervention on preventing neck and low-back pain among high-risk office workers: a 3-arm cluster-randomized controlled trial. *Scandinavian Journal of Work, Environment & Health*, 47(4), 306–317. <https://doi.org/10.5271/sjweh.3949>
- Whitney, E., & Munakomi, S. (2024). *Hoffmann Sign*.
- Wijayati, E. W. (2020). Risiko Postur Kerja Terhadap Keluhan Subyektif Nyeri Leher pada Pekerja Industri Kerajinan Kulit. *Jurnal JUMANTIK*, 5(1), 56–64.
- Wodajeneh, S. N., Azene, D. K., Abebe, B. B., Sileyew, K. J., & Dadi, G. T. (2022). Ergonomic risk factors analysis in remote workplace. *Theoretical Issues in*

Ergonomics Science, 24(6), 681–697.
<https://doi.org/10.1080/1463922X.2022.2135788>

World Health Organization. (2023a, Februari 21). *Stress*. World Health Organization.

World Health Organization. (2023b, September 27). *Anxiety disorders*. World Health Organization.

Wu, A.-M., Cross, M., Elliott, J. M., Culbreth, G. T., Cousin, E., Haile, L. M., Steinmetz, J. D., Hagins, H., Kopec, J. A., Brooks, P. M., Woolf, A. D., Kopansky-Giles, D. R., Walton, D. M., Treleaven, J. M., Dreinhoefer, K. E., Betteridge, N., Abbasifard, M., Abbasi-Kangevari, Z., Addo, I. Y., ... March, L. M. (2024). Global, regional, and national burden of neck pain, 1990–2020, and projections to 2050: a systematic analysis of the Global Burden of Disease Study 2021. *The Lancet Rheumatology*, 6(3), e142–e155. [https://doi.org/10.1016/S2665-9913\(23\)00321-1](https://doi.org/10.1016/S2665-9913(23)00321-1)

Wurm, M., Flink, I., Tillfors, M., & Boersma, K. (2017). External and internal social factors as risk factors for the development of back/neck pain in Swedish adolescents. *10th Congress of the European Pain Federation (EFIC 2017), Pain in Europe, Copenhagen, Denmark, September 6-9, 2017*.

Xie, Y., Jun, D., Thomas, L., Coombes, B. K., & Johnston, V. (2020). Comparing Central Pain Processing in Individuals With Non-Traumatic Neck Pain and Healthy Individuals: A Systematic Review and Meta-Analysis. *The Journal of Pain*, 21(11–12), 1101–1124. <https://doi.org/10.1016/j.jpain.2020.02.007>

Yang, H., Haldeman, S., Nakata, A., Choi, B., Delp, L., & Baker, D. (2015). Work-Related Risk Factors for Neck Pain in the US Working Population. *Spine*, 40(3), 184–192. <https://doi.org/10.1097/BRS.0000000000000700>

Yani, F., Anniza, M., & Priyanka, K. (2020). Hubungan Masa Kerja Dan Lama Kerja Dengan Nyeri Leher Pada Pembatik Di Sentra Batik Giriloyo. *Jurnal Ergonomi Indonesia (The Indonesian Journal of Ergonomic)*, 6(1), 31. <https://doi.org/10.24843/jei.2020.v06.i01.p04>