

## DAFTAR PUSTAKA

- Adhiksana, A., Kimia, J. T., & Samarinda, P. N. (2017). Perbandingan Metode Konvensional Ekstraksi Pektin Dari Kulit Buah Pisang Dengan Metode Ultrasonik. In *Journal of Research and Technology* (Vol. 3, Issue 2).
- Ahmad, T., Masoodi, E. A., Rather, S. A., Wani, S. M., & Guli, A. (2019). Supercritical Fluid Extraction: A Review. *J. Biol. Chem. Chron*, 5(1), 114–122.
- Alvarez-Rivera, G., Bueno, M., Ballesteros-Vivas, D., Mendiola, J. A., & Ibañez, E. (2019). Pressurized liquid extraction. In *Liquid-Phase Extraction* (pp. 375–398). Elsevier. <https://doi.org/10.1016/B978-0-12-816911-7.00013-X>
- Andrestian, M. D., Damanik, M. R. M., Anwar, F., & Yuliana, N. D. (2019). Effects of Torbangun Leaves (*Coleus amboinicus* Lour) Extract on Blood Glucose and Super Oxide Dismutase Activity in Hyperglycemic Rats. *Jurnal Gizi Dan Pangan*, 14(3), 149–156. <https://doi.org/10.25182/jgp.2019.14.3.149-156>
- Arumugam, G., Swamy, M. K., & Sinniah, U. R. (2016). *Plectranthus amboinicus* (Lour.) Spreng: Botanical, Phytochemical, Pharmacological and Nutritional Significance. In *Molecules* (Vol. 21, Issue 4). MDPI AG. <https://doi.org/10.3390/molecules21040369>
- Chalif, C., & Alauhdin, M. (2024). Analisis Pengaruh Massa Sampel, Volume Pelarut, dan Waktu Sonikasi pada Ekstraksi Bawang Merah (*Allium ascalonicum* L.) terhadap Kandungan Quercetin. *Indonesian Journal of Mathematics and Natural Sciences*, 47(1).
- Clarkson, C., Maharaj, V. J., Crouch, N. R., Grace, O. M., Pillay, P., Matsabisa, M. G., Bhagwandin, N., Smith, P. J., & Folb, P. I. (2004). In vitro antiplasmodial activity of medicinal plants native to or naturalised in South Africa. *Journal of Ethnopharmacology*, 92(2–3), 177–191. <https://doi.org/10.1016/j.jep.2004.02.011>
- Direktorat Pakan. (2016). *Petunjuk Teknis Budidaya Artemia*. Direktorat Jenderal Perikanan Budidaya Kementerian Kelautan dan Perikanan.
- Dumitrascu, M. (2011). *Artemia salina*. In *Balneo-Research Journal* (Vol. 2). <http://brineshrimp.wordpress.com/>
- El-Hawary, S. S., El-Sofany, R. H., Abdel-Monem, A. R., Ashour, R. S., & Sleem, A. A. (2012). Polyphenolics content and biological activity of *Plectranthus amboinicus* (Lour.) spreng growing in Egypt (Lamiaceae). *Pharmacognosy Journal*, 4(32), 45–54. <https://doi.org/10.5530/pj.2012.32.9>
- Gurning, K. (2020). Determination antioxidant activities methanol extracts of bangun-bangun (*Coleus amboinicus* L.) Leaves with DPPH method Article history. *Jurnal Pendidikan Kimia*, 12(2), 62–69. <https://doi.org/10.24114/jpkim.v12i2.19397>
- Hamidi, M. R., Jovanova, B., & Panovska, K. (2014). Toxicological evaluation of the plant products using Brine Shrimp (*Artemia salina* L.) model. In *Macedonian pharmaceutical bulletin* (Vol. 60, Issue 1).

- Handayani, H., & Heppy Sriherfyna, F. (2016). *Antioxidant Extraction of Soursop Leaf with Ultrasonic Bath (Study of Material: Solvent Ratio and Extraction Time)* (Vol. 4, Issue 1).
- Hao, J., Wang, Z., Jia, Y., Sun, L., Fu, Z., Zhao, M., Li, Y., Yuan, N., Cong, B., Zhao, L., & Ge, G. (2023). Optimization of ultrasonic-assisted extraction of flavonoids from *Lactuca indica* L. cv. Mengzao and their antioxidant properties. *Frontiers in Nutrition*, 10. <https://doi.org/10.3389/fnut.2023.1065662>
- Hujjastunaini, N., Ardiansyah, Indah, B., Afritri, E., & Widyastuti, R. (2021). *Buku Referensi Ekstraksi* (N. Lestansingih, Ed.). FMIPA Institut Agama Islam Negeri Palangkaraya.
- Hullatti, K. K., & Bhattacharjee, P. (2011). Pharmacognostical evaluation of different parts of *Coleus amboinicus* Lour., Lamiaceae. *Pharmacognosy Journal*, 3(24), 39–44. <https://doi.org/10.5530/pj.2011.24.8>
- Isdiyanti, S. I., Kurniasari, L., Maharani, F., Kimia, J. T., Teknik, F., Wahid, U., Semarang, H., & Menoreh Tengah, J. (2021). Ekstraksi Flavonoid Dari Daun Kersen (*Muntinga calabura* L) Menggunakan Pelarut Etanol Dengan Metode Mae (Microwave Assisted Extraction) Dan Uae (Ultrasonic Assisted Extraction). *Inovasi Teknik Kimia*, 6(2), 105–109.
- Iwansyah, A. C., Damanik, R. M., Kustiyah, L., & Hanafi, M. (2019). The Ethyl Acetate Fraction of Torbangun (*Coleus amboinicus* L.) Leaves Increasing Milk Production with Up-Regulated Genes Expression of Prolactin Receptor. *Journal of Tropical Life Science*, 9(2), 147–154. <https://doi.org/10.11594/jtls.09.02.03>
- Julianto, T. S. (2019). *Fitokimia Tinjauan Metabolit Sekunder dan Skrining Fitokimia*.
- Junaidi, L. (2019). *Teknologi Ekstraksi Bahan Aktif Alami*. Penerbit IPB Press.
- Khan, M. C. P. I. (2013). *Current trends in coleus aromaticus: an important medicinal plant*.
- Kristanti, A. N. (2008). *Buku Ajar Fitokimia*. Airlangga University Press.
- Kristina, C. V. M., Yusasrini, N. L. A., & Yusa, N. M. (2022). Pengaruh Waktu Ekstraksi dengan Menggunakan Metode Ultrasonic Assisted Extraction (UAE) terhadap Aktivitas Antioksidan Ekstrak Daun Duwet (*Syzigium cumini*). *Jurnal Ilmu Dan Teknologi Pangan*, 11(1), 13–21.
- Kumar, K., Srivastav, S., & Sharanagat, V. S. (2021). Ultrasound assisted extraction (UAE) of bioactive compounds from fruit and vegetable processing by-products: A review. *Ultrasonics Sonochemistry*, 70. <https://doi.org/10.1016/j.ultsonch.2020.105325>
- Kurniawan, H., & Ropiqa, M. (2021). Uji Toksisitas Ekstrak Etanol Daun Ekor Kucing (*Acalypha hispida* Burm.f.) Dengan Metode Brine Shrimp Lethality Test (BSLT). *Journal Syifa Sciences and Clinical Research*, 3(2). <http://ejournal.ung.ac.id/index.php/jssc>,E-
- Kurniawidjaja, L. M., Lestari, F., Tejamaya, M., & Ramdhan, D. H. (2021). *Konsep Dasar Toksikologi Industri*. Fakultas Kesehatan Masyarakat Universitas Indonesia. [www.fkm.ui.ac.id](http://www.fkm.ui.ac.id)

- Laila, F., Fardiaz, D., Yuliana, N. D., Damanik, M. R. M., & Nur Annisa Dewi, F. (2020). Methanol Extract of *Coleus amboinicus* (Lour) Exhibited Antiproliferative Activity and Induced Programmed Cell Death in Colon Cancer Cell WiDr. *International Journal of Food Science*, 2020. <https://doi.org/10.1155/2020/9068326>
- Leba, M. A. U. (2017). *Buku Ajar: Ekstraksi dan Real Kromatografi*. Deepublish.
- Maharani, M., Rina Bintari, Y., & Novita Wulandari, D. (2022). Pengaruh Variasi Pelarut Metode Ultrasonic Assisted Extraction Terhadap Rendemen Dan Total Flavonoid Dari Serai Dapur (*Cymbopogon Citratus*). *Jurnal Bio Komplementer Medicine* 9, 2, 1–8.
- Maria Ulfa, A., & Delima, M. (2020). Uji Toksisitas Ekstrak Etanol Daun Jambu Biji Australia (*Psidium Guajava* L) Dengan Metode Bslt (Brine Shrimp Lethality Test). In *JFL Jurnal Farmasi Lampung* (Vol. 9, Issue 1).
- Meles, D. K. (2010). *Peran Uji Praklinik dalam Bidang Farmakologi*. Pusat Penerbitan dan Percetakan Unair (AUP).
- Naibaho, P. N. E., Lenny, S., & Marpaung, L. (2021). Isolation of Flavonoid Compounds from Bangun-bangun Leaves (*Plectranthus amboinicus* (Lour.) Spreng.). *Journal of Chemical Natural Resources*, 03(01), 67–76.
- Najib, A. (2018). *Ekstraksi Senyawa Bahan Alam*. Deepublish Publisher.
- Noviyanty, A., Salingkat, A. C., & Syamsiar. (2019). Pengaruh Rasio Pelarut terhadap Ekstraksi dari Kulit Buah Naga Merah (*Hylocereus polyzhiurus*). *Kovalen*, 5(3), 280–289.
- Nugroho, A. (2017). *Buku Ajar: Teknologi Bahan Alam*. Lambung Mangkurat University Press.
- Nurafifah, F., Luqman Chuah, A., & Puteri Farah Wahida, M. A. (2018). Drying of *Plectranthus amboinicus* (lour) spreng leaves by using oven dryer. *Engineering in Agriculture, Environment and Food*, 11(4), 239–244. <https://doi.org/10.1016/j.eaef.2018.08.002>
- Oktaria, D., & Pandapotan Marpaung, M. (2023). Penetapan Kadar Flavonoid Total Dan Aktivitas Antioksidan Ekstrak Akar Nipah (*Nypa Fruticans* Wurmb) Dengan Metode Spektrofotometri Uv-Vis. In *Lantanida Journal* (Vol. 11, Issue 1).
- Paramasivam, D., Balasubramanian, B., Park, S., Alagappan, P., Kaul, T., Liu, W., & Pachiappan, P. (2020). Phytochemical profiling and biological activity of *Plectranthus amboinicus* (Lour.) mediated by various solvent extracts against *Aedes aegypti* larvae and toxicity evaluation. *Asian Pacific Journal of Tropical Medicine*, 13(11), 494–502. <https://doi.org/10.4103/1995-7645.295360>
- Pradana, D. L. C., Yusmaini, H., & Harfiani, E. (2023). Lethal Concentration Of *Saussurea Costus* With Brine Shrimp Lethality Test Method. *Jurnal Ilmiah Ibnu Sina (JIIS): Ilmu Farmasi Dan Kesehatan*, 8(1), 59–68. <https://doi.org/10.36387/jiis.v8i1.1156>
- Pradono, J., Sampurno, O. D., Halim, F., Widowati, L., Imaningsih, N., Handayani, S., Isnawati, A., Delima, Lestari, C. W., Rooslamati, I., Karyana, M., Rahami, Dewi, R. M., Lisdawati, V., & Setyawati, V. (2019). *Bunga Rampai Uji Klinik*. Lembaga Penerbit Badan Penelitian dan Pengembangan Kesehatan.

- Pratiwi, S. R., Roanisca, O., & Nurhadini, D. (n.d.). *Stannum : Jurnal Sains dan Terapan Kimia*, 5 (2) (2023) 75-82 *Stannum : Jurnal Sains dan Terapan Kimia Total Phenolic and Flavonoid Test of Gleichenia linearis Leaf Extract as Antioxidant Using Microwave Assisted Extraction Uji Total Fenolik dan Flavonoid Ekstrak Daun Resam (Gleichenia linearis) Sebagai Antioksidan Menggunakan Metode Microwave Assisted Extraction.*  
<https://doi.org/10.33019/jstk.v5i2.4318>
- Puspawati, G. A. K. D., Wahyuni, Y. A. T., & Putra, I. N. K. (2021). *Pengaruh Jenis Pelarut pada Metode Microwave Assisted Extraction (MAE) terhadap Karakteristik Ekstrak Daun Singkong (Manihot utilissima Pohl.)*.
- R. Hamidi, M., Jovanova, B., & Kadifkova Panovska, T. (2014). Toxicological evaluation of the plant products using Brine Shrimp (*Artemia salina* L.) model. *Macedonian Pharmaceutical Bulletin*, 60(01), 9–18.  
<https://doi.org/10.33320/maced.pharm.bull.2014.60.01.002>
- Rahmawati, R., Astuti, P., & Wahyuono, S. (2021). Review: Profil Fitokimia dan Multipotensi dari *Coleus amboinicus* (Lour.). *JPSCR: Journal of Pharmaceutical Science and Clinical Research*, 6(2), 158.  
<https://doi.org/10.20961/jpscr.v6i2.47436>
- Rinawati, R., Gustami Pangesti, G., & Gede Ratna Juliasih, N. L. (2020). Review: Green Analytical Chemistry: Pemanfaatan Supercritical Fluid Extraction (sfe) Dan Microwave-assisted Extraction (mae) Sebagai Metode Ekstraksi Senyawa Diterpena Pada Minyak Biji Kopi Shangrai. *Analit: Analytical and Environmental Chemistry*, 5(1), 24–33.  
<https://doi.org/10.23960/aec.v5.i1.2020.p24-33>
- Runtuwene, M. R., & Abidjulu, J. (2018). Analisis Kandungan Fitokimia Dan Uji Toksisitas Dari Hasil Partisi Daun Liwas Dengan Metode Brine Shrimp Lethality Test. In *Pharmaconjournal Ilmiah Farmasi-Unsrat* (Vol. 7, Issue 3).
- Setzer, W. N., Monzote, L., Scherbakov, A. M., Scull, R., Gutiérrez, Y. I., Satyal, P., Cos, P., Shchekotikhin, A. E., & Gille, L. (2020). Pharmacological Assessment of the Carvacrol Chemotype Essential Oil From *Plectranthus amboinicus* Growing in Cuba. *Chemical Compositions and Biological Activities of Essential Oils-Original Article Natural Product Communications*, 15(10), 1–12.
- Shubha, J. R., & Bhatt, P. (2015). *Plectranthus amboinicus* leaves stimulate growth of probiotic *L. plantarum*: Evidence for ethnobotanical use in diarrhea. *Journal of Ethnopharmacology*, 166, 220–227.  
<https://doi.org/10.1016/j.jep.2015.02.055>
- Sirait, S. M., Hanafi, Irawan, C., Sulistiawaty, L., & Setyawati, S. R. (2020). Toxicity Test with BSLT (Brine Shrimp Lethality Test) Method on Methanol, Ethyl Acetate Extract, Hexane on Seeds and Rind of Matoa extract (*Pometia pinnata*). *Oriental Journal Of Chemistry*, 36(6), 1143–1147.  
<https://doi.org/10.13005/ojc/360618>
- Sulaiman, C. T., Deepak, M., & Balachandran, I. (2018). Spectrophotometric and tandem mass spectroscopic analysis of Indian borage (*Plectranthus amboinicus* (Lour.) Spreng.) for its polyphenolics characterization. *Beni-Suef*

- University Journal of Basic and Applied Sciences*, 7(4), 471–473.  
<https://doi.org/10.1016/j.bjbas.2018.04.004>
- Sulistyowati, Yuliani, & Bashri, A. (2018). *Identifikasi Struktur Sekretori yang Berpotensi Menghasilkan Minyak Atsiri pada Genus Coleus. Identification of Potential Secretory Structures Producing Essential Oil in the Genus Coleus.* <http://ejournal.unesa.ac.id/index.php/lenterabio>
- Sumihe, G., Runtuwene, Max. R., & Rorong, J. A. (2014). Analisis Fitokimia Dan Penentuan Nilai Lc50 Ekstrak Metanol Daun Liwas. *Jurnal Ilmiah Sains*, 14(2), 125–128.
- Swamy, M. K., Arumugam, G., Kaur, R., Ghasemzadeh, A., Yusoff, M. M., & Sinniah, U. R. (2017). GC-MS Based Metabolite Profiling, Antioxidant and Antimicrobial Properties of Different Solvent Extracts of Malaysian *Plectranthus amboinicus* Leaves. *Evidence-Based Complementary and Alternative Medicine*, 2017. <https://doi.org/10.1155/2017/1517683>
- To'bungan, N., Jati, W. N., & Zahida, F. (2021). Toksisitas Akut Ekstrak Etanol Batang Rumput Knop (*Hyptis capitata* Jacq.) dengan Metode Brine Shrimp Lethality Test (BSLT). *Biota: Jurnal Ilmiah Ilmu-Ilmu Hayati*, 52–57. <https://doi.org/10.24002/biota.v6i1.3577>
- Trisna Meyana Putra, I. G. N., & Widi Astuti, N. M. (2023). Review: Studi Kandungan Fitokimia, Aktivitas Antioksidan, dan Toksisitas Ciplukan (*Physalis angulata* L.). *COMSERVA: Jurnal Penelitian Dan Pengabdian Masyarakat*, 3(06), 2168–2179. <https://doi.org/10.59141/comserva.v3i06.1014>
- USDA. (2023). *Germplasm Resources Information Network (GRIN Taxonomy)*. National Germplasm Resources Laboratory.
- Vifta, R. L., & Advistasari, Y. D. (2018). Skrining Fitokimia, Karakterisasi, dan Penentuan Kadar Flavonoid Total Ekstrak dan Fraksi-Fraksi Buah Parijoto (*Medinilla speciosa* B.) Pytochemical Screening, Characterization, and Determination of Total Flavonoids Extracts and Fractions of Parijoto Fruit (*Medinilla speciosa* B.). *Prosiding Seminar Nasional Unimus*, 1.
- Wahyu Ningdyah, A., Hairil Alimuddin, A., & Jayuska, A. (2015). Uji Toksisitas Dengan Metode Bslt (Brine Shrimp Lethality Test) Terhadap Hasil Fraksinasi Ekstrak Kulit Buah Tampoi (*Baccaurea Macrocarpa*). 4(1), 75–83.
- Wen, C. J. Z. H. Z. C. S. D. M. Z. Y. D., Zhang, J., Zhang, H., Dzah, C. S., Zandile, M., & Duan, Y. (2018). Advances in ultrasound assisted extraction of bioactive compounds from cash crops – A review. *Ultrasonics Sonochemistry*, 48.
- Wibowo, S. B. S., Utomo, B. S. B., Suryaningrum, D., & Syamdidi. (2014). *Artemia Untuk Pakan Ikan dan Udang*. Penebar Swadaya.
- Widayanti, E., Mar'ah Qonita, J., Ikayanti, R., & Sabila, N. (2023). Pengaruh Metode Pengeringan terhadap Kadar Flavonoid Total pada Daun Jinten (*Coleus amboinicus* Lour). *Indonesian Journal of Pharmaceutical Education*, 3(2). <https://doi.org/10.37311/ijpe.v3i2.19787>
- Wijayanti, P. A., Kunarto, B., Ery Pratiwi, I., & Rohadi, I. (2018). Total Fenolik, Flavonoid, Antosianin. Dan Aktivitas Antioksidan Oleoresin Fuli Pala (*Myristica Fragrans* Houtt) Yang Diekstrak Menggunakan Metode Solid

- Liquid Microwave Assisted Extraction Total Phenolic, Flavonoids, Anthocyanins and Antioxidant Activity of Nutmeg Fuli Oleoresin (*Myristica fragrans* Houtt) Extracted Using Solid Liquid Microwave Assisted Extraction Method. In *JTPHP VOLUME* (Vol. 13, Issue 1). <http://journals.usm.ac.id/index.php/jtphp/index>
- Zain, M. S. C., Jakariah, N. A., Yeoh, J. X., Lee, S. Y., & Shaari, K. (2020). Ultrasound-assisted extraction of polyphenolic contents and acid hydrolysis of flavonoid glycosides from oil palm (*Elaeis guineensis* jacq.) leaf: Optimization and correlation with free radical scavenging activity. *Processes*, 8(12), 1–22. <https://doi.org/10.3390/pr8121540>
- Zulkifli, Runtuwene, M. R. J., & Abidjulu, J. (2018). Analisis Kandungan Fitokimia dan Uji Toksisitas Dari Hasil Partisi Daun Liwas Dengan Metode Brine Shrimp Lethality Test. *Jurnal Ilmiah Farmasi*, 7(3).