

## DAFTAR PUSTAKA

- Anggraini, R., Jayuska, A., & Alimuddin, A. H. (2018). Isolasi Dan Karakterisasi Minyak Atsiri Lada Hitam (*Piper Nigrum* L.) Asal Sajingan Kalimantan Barat. *Jurnal Kimia Khatulistiwa*, 7(4), 124–133.
- Ariyani, F., Eka Setiawan, L., & Edi Soetaredjo, F. (2017). *Ekstraksi Minyak Atsiri Dari Tanaman Sereh Dengan Menggunakan Pelarut Metanol, Aseton, Dan N-Heksana*.
- Arvelina, F. (2012). Analisis Kualitatif Dan Kuantitatif Narkotika Jenis Kristal Metamfetamina (Shabu) Menggunakan GC-MS. Politeknik Negeri Bandung. *Politeknik Negeri Bandung*, 1(April), 20–23.
- Aryani Leksonowati, W. dan D. R. (2017). INDUKSI BIAK KALUS DAN BIAK SUSPENSI SEL *Aquilaria malaccensis* Lam. [Induction of Callus Culture and Cell Suspension Culture of *Aquilaria malaccensis* Lam.] . *Berita Biologi*, 16(1), 1–11. <https://doi.org/http://dx.doi.org/10.14203/beritabiologi.v16i1.2687>
- Beale, D. J., Morrison, P. D., Karpe, A. V., & Dunn, M. S. (2017). Chemometric analysis of lavender essential oils using targeted and untargeted GC-MS acquired data for the rapid identification and characterization of oil quality. *Molecules*, 22(8). <https://doi.org/10.3390/molecules22081339>
- Daoud Tajeldeinn Ahmaed, Fakhr Aldeen Yahia Osman, Ali Mohamed Masaad, & Saiful Nizam Tajuddin. (2022). Phytochemical Screening and Characterization of Agarwood (*Aquilaria malaccensis*) Chips Wood Grade as Incense Headspace Volatile Compounds by GC-MS.Ms.Q.TOF, SPME. *Omdurman Journal of Pharmaceutical Sciences*, 2(2), 85–104. <https://doi.org/10.52981/ojps.v2i2.2206>
- Defiza, D., Az Zahra, A., Supandi, S., & Aldrat, H. (2023). Pengaruh Pretreatment Microwave Terhadap Rendemen dan Profil Kimiawi Minyak Gaharu *Aquilaria* Sp. *Jurnal Farmasi Higea*, 15(2), 114. <https://doi.org/10.52689/higea.v15i2.555>
- Hashim, Y. Z. H. Y., Kerr, P. G., Abbas, P., & Mohd Salleh, H. (2016). *Aquilaria* spp. (agarwood) as source of health beneficial compounds: A review of traditional use,

- phytochemistry and pharmacology. *Journal of Ethnopharmacology*, 189, 331–360. <https://doi.org/10.1016/j.jep.2016.06.055>
- Herina, M., & Yulita, S. (2020). Analisis Mutu Minyak Atsiri Biji Buah Kapulaga Lokal (*Amomum Cardamomum*) Berasal Dari Pulau Jawa dan Bali. *Inovasi*, 22(2), 74–80.
- Jailani, A., Sulaeman, R., & Sribudiani, E. (2015). Karakteristik Minyak Atsiri Daun Kayu Manis (*Cinnamomum burmanii* (Nees & Th. Nees)). *Jom Faperta UR*, 2(2), 1–12.
- Kamal, B. S., Kamal, F., & Lantela, D. E. (2018). Cannabis and the Anxiety of Fragmentation—A Systems Approach for Finding an Anxiolytic Cannabis Chemotype. *Frontiers in Neuroscience*, 12(October). <https://doi.org/10.3389/fnins.2018.00730>
- Khasanah, L. U. (2015). Pengaruh Perlakuan Pendahuluan terhadap Karakteristik Mutu Minyak Atsiri Daun Jeruk Purut (*Citrus hystrix* DC). *Jurnal Aplikasi Teknologi Pangan*, 04(02), 48–55. <https://doi.org/10.17728/jatp.2015.10>
- Lee, S. Y., & Mohamed, R. (2016). *The Origin and Domestication of Aquilaria, an Important Agarwood-Producing Genus*. 1–20. [https://doi.org/10.1007/978-981-10-0833-7\\_1](https://doi.org/10.1007/978-981-10-0833-7_1)
- Ma, S., Huang, M., Fu, Y., Qiao, M., & Li, Y. (2023). How Closely Does Induced Agarwood's Biological Activity Resemble That of Wild Agarwood? *Molecules*, 28(7). <https://doi.org/10.3390/molecules28072922>
- Mierza, V., Ravelliani, A., Al Bara, B., Marisah, & Sa'diyyah, N. (2023). Isolasi Senyawa Limonen Pada Minyak Atsiri Menggunakan Metode Uji Hidrodestilasi, Destilasi Uap dan Destilasi Air-Uap. *Jurnal Farmasetis*, 12(1), 15–20.
- Miyoshi, T., Ito, M., Kitayama, T., Isomori, S., & Yamashita, F. (2013). Sedative effects of inhaled benzylacetone and structural features contributing to its activity. *Biological and Pharmaceutical Bulletin*, 36(9), 1474–1481. <https://doi.org/10.1248/bpb.b13-00250>

- Rofiqi, F. (2012). *Definisi, Instrumentasi, Prinsip Kerja, dan Metode Analisis Gas Chromatography Mass Spectrometry*. 2012, 5–12.
- Samadi, M., Abidin, Z. Z., Yunus, R., Awang Biak, D. R., Yoshida, H., & Lok, E. H. (2017). Assessing the kinetic model of hydro-distillation and chemical composition of *Aquilaria malaccensis* leaves essential oil. *Chinese Journal of Chemical Engineering*, 25(2), 216–222. <https://doi.org/10.1016/j.cjche.2016.09.006>
- Shivanand, P., Arbie, N. F., Krishnamoorthy, S., & Ahmad, N. (2022). Agarwood—The Fragrant Molecules of a Wounded Tree. *Molecules*, 27(11), 1–23. <https://doi.org/10.3390/molecules27113386>
- Surjanto, Batubara, R., Hanum, T. I., & Pulungan, W. (2019). Phytochemical and antioxidant activity of gaharu leaf tea (*Aquilaria malaccensis* Lamk) as raw material of tea from middle Tapanuli Regency, North Sumatera Province. *IOP Conference Series: Earth and Environmental Science*, 260(1), 1–7. <https://doi.org/10.1088/1755-1315/260/1/012101>
- Susilo, A., Kalima, T., Santoso, E., Kehutanan, K., Penelitian, B., Kehutanan, P., Penelitian, P., Konservasi, P., & Rehabilitasi, D. (2014). *Panduan Lapangan Pengenalan Jenis Pohon Penghasil Gaharu Aquilaria spp. di Indonesia Oleh: Bekerja sama dengan International Tropical Timber Organization (ITTO)-CITES Phase II Project Bogor-Indonesia, 2014*.
- Wang, M. R., Li, W., Luo, S., Zhao, X., Ma, C. H., & Liu, S. X. (2018). GC-MS study of the chemical components of different *aquilaria sinensis* (lour.) gilgorgans and agarwood from different asian countries. *Molecules*, 23(9). <https://doi.org/10.3390/molecules23092168>
- Wang, Y., Hussain, M., Jiang, Z., Wang, Z., Gao, J., Ye, F., Mao, R., & Li, H. (2021). *Aquilaria* species (Thymelaeaceae) distribution, volatile and non-volatile phytochemicals, pharmacological uses, agarwood grading system, and induction methods. *Molecules*, 26(24). <https://doi.org/10.3390/molecules26247708>

- Yanti, R., Wulandari, P., Pranoto, Y., & Cahyanto, M. N. (2017). Karakterisasi, Identifikasi dan Uji Aktivitas Anti Jamur Minyak Atsiri Daun Jeruk Purut (*Citrus hystrix*) terhadap *Aspergillus*. *Jurnal Teknologi Pertanian*, 8(2), 8–15.
- Zhang, Z., Xiang-Zhao, M., Ran, J., Gao, M., Li, N. X., Ma, Y., Sun, Y., & Li, Y. (2022). *Fusarium oxysporum* infection-induced formation of agarwood (FOIFA): A rapid and efficient method for inducing the production of high quality agarwood. *PLoS ONE*, 17(11 November), 1–15. <https://doi.org/10.1371/journal.pone.0277136>
- Zomorodian, K., Saharkhiz, J., Pakshir, K., Immeripour, Z., & Sadatsharifi, A. (2018). The composition, antibiofilm and antimicrobial activities of essential oil of *Ferula assa-foetida* oleo-gum-resin. *Biocatalysis and Agricultural Biotechnology*, 14, 300–304. <https://doi.org/10.1016/j.bcab.2018.03.014>
- Zulnely, G., & Kusmiati, E. (2015). *Prospek Eucaliptus citriodora sebagai minyak atsiri potensial*. 1, 120–126. <https://doi.org/10.13057/psnmbi/m010120>