

DAFTAR PUSTAKA

- Alberti, K. G. M. M., Zimmet, P., & Shaw, J. (2006). Metabolic syndrome—a new world-wide definition. A Consensus Statement from the International Diabetes Federation. *Diabetic Medicine*, 23(5), 469–480. <https://doi.org/10.1111/j.1464-5491.2006.01858.x>
- American College of Sports Medicine. (2022). *American College of Sports Medicine's guidelines for exercise testing and prescription* (11th ed.). Wolters Kluwer Health.
- Andrastea, K. D. P., Karmaya, I. N. M., & Wardana, I. N. G. (2018). Hubungan indeks massa tubuh dengan tingkat kebugaran kardiovaskular pada mahasiswa Program Studi Pendidikan Dokter, Fakultas Kedokteran Universitas Udayana usia 18-21 tahun. *Bali Anatomy Journal*, 1(2), 30–34. <https://doi.org/10.36675/baj.v1i2.16>
- Bennett, H., Parfitt, G., Davison, K., & Eston, R. (2016). Validity of Submaximal Step Tests to Estimate Maximal Oxygen Uptake in Healthy Adults. *Sports Medicine*, 46(5), 737–750. <https://doi.org/10.1007/s40279-015-0445-1>
- Bertoli, S., Leone, A., Krakauer, N. Y., Bedogni, G., Vanzulli, A., Redaelli, V. I., De Amicis, R., Vignati, L., Krakauer, J. C., & Battezzati, A. (2017). Association of Body Shape Index (ABSI) with cardio-metabolic risk factors: A cross-sectional study of 6081 Caucasian adults. *PLOS ONE*, 12(9), e0185013. <https://doi.org/10.1371/journal.pone.0185013>
- Bickley, L., & Szilagyi, P. (2017). *Bates' Guide to Physical Examination and History Taking* (12th Edition). Wolters Kluwer.
- Blüher, M., & Laufs, U. (2019). New concepts for body shape-related cardiovascular risk: role of fat distribution and adipose tissue function. *European Heart Journal*, 40(34), 2856–2858. <https://doi.org/10.1093/eurheartj/ehz411>
- Bryantara, O. F. (2017). Factors That are Associated to Physical Fitness (VO₂ Max) of Football Athletes. *Jurnal Berkala Epidemiologi*, 4(2), 237. <https://doi.org/10.20473/jbe.v4i2.2016.237-249>
- Bull, F. C., Maslin, T. S., & Armstrong, T. (2009). Global Physical Activity Questionnaire (GPAQ): Nine Country Reliability and Validity Study. *Journal of Physical Activity and Health*, 6(6), 790–804. <https://doi.org/10.1123/jpah.6.6.790>
- Buttar, K., Saboo, N., & Kacker, S. (2019). A review: Maximal oxygen uptake (VO₂ max) and its estimation methods. *International Journal of Physical Education, Sport and Health*, 24–32.
- Casadei, K., & Kiel, J. (2022). *Anthropometric Measurement*. StatPearls Publishing. <https://www.ncbi.nlm.nih.gov/books/NBK537315/>
- Center for Disease Control and Prevention (CDC). (2020). *National Health and Nutrition Examination Survey (NHANES) Anthropometry Procedures Manual*. <https://www.cdc.gov/nchs/data/nhanes/2019-2020/manuals/2020->

Anthropometry-Procedures-Manual-508.pdf

- Chen, K. K., Wee, S.-L., Pang, B. W. J., Lau, L. K., Jabbar, K. A., Seah, W. T., & Ng, T. P. (2021). Relationship between BMI with percentage body fat and obesity in Singaporean adults – The Yishun Study. *BMC Public Health*, 21(1), 1030. <https://doi.org/10.1186/s12889-021-11070-7>
- Cheung, Y. B. (2014). “A Body Shape Index” in Middle-Age and Older Indonesian Population: Scaling Exponents and Association with Incident Hypertension. *PLoS ONE*, 9(1), e85421. <https://doi.org/10.1371/journal.pone.0085421>
- Cleland, C. L., Hunter, R. F., Kee, F., Cupples, M. E., Sallis, J. F., & Tully, M. A. (2014). Validity of the Global Physical Activity Questionnaire (GPAQ) in assessing levels and change in moderate-vigorous physical activity and sedentary behaviour. *BMC Public Health*, 14(1), 1255. <https://doi.org/10.1186/1471-2458-14-1255>
- Dahlan, M. (2014). *Statistik Untuk Kedokteran dan Kesehatan* (6th ed). Salemba Medika.
- Dhana, K., Koolhas, C., Schoufour, J., Rivadeneira, F., Hofman, A., Kavousi, M., & Franco, O. H. (2016). Association of anthropometric measures with fat and fat-free mass in the elderly: The Rotterdam study. *Maturitas*, 88, 96–100. <https://doi.org/10.1016/j.maturitas.2016.03.018>
- Dourado, V. Z., Nishiaka, R. K., Simões, M. S. M. P., Lauria, V. T., Tanni, S. E., Godoy, I., Gagliardi, A. R. T., Romiti, M., & Arantes, R. L. (2021). Classification of cardiorespiratory fitness using the six-minute walk test in adults: Comparison with cardiopulmonary exercise testing. *Pulmonology*, 27(6), 500–508. <https://doi.org/10.1016/j.pulmoe.2021.03.006>
- Dugas, M.-O., Paradis-Deschênes, P., Simard, L., Chevrette, T., Blackburn, P., & Lavallière, M. (2023). Comparison of VO₂max Estimations for Maximal and Submaximal Exercise Tests in Apparently Healthy Adults. *Sports*, 11(12), 235. <https://doi.org/10.3390/sports11120235>
- Dyrstad, S. M., Edvardsen, E., Hansen, B. H., & Anderssen, S. A. (2019). Waist circumference thresholds and cardiorespiratory fitness. *Journal of Sport and Health Science*, 8(1), 17–22. <https://doi.org/10.1016/j.jshs.2017.03.011>
- Fang, H., Berg, E., Cheng, X., & Shen, W. (2018). How to best assess abdominal obesity. *Current Opinion in Clinical Nutrition & Metabolic Care*, 21(5), 360–365. <https://doi.org/10.1097/MCO.0000000000000485>
- FAO, UNICEF, & WHO. (2021). *Asia and the Pacific Regional Overview of Food Security and Nutrition*. FAO. <https://doi.org/10.4060/cb2895en>
- Febriyanti, N., Adiputra, I., & Sutadarma, I. (2015). *Hubungan Indeks Massa Tubuh dan Aktivitas Fisik Terhadap Daya Tahan Kardiovaskular Pada Mahasiswa Fakultas Kedokteran Universitas Udayana*.
- Ganse, B., & Degens, H. (2021). Current Insights in the Age-related Decline in Sports

- Performance of the Older Athlete. *International Journal of Sports Medicine*, 42(10), 879–888. <https://doi.org/10.1055/a-1480-7730>
- Gantarialdha, N. (2021). Hubungan Indeks Massa Tubuh Terhadap Ketahanan Kardiorespirasi Dinyatakan dalam VO₂ max. *Jurnal Medika Hutama*, 2, 1162–1167. <https://jurnalmedikahutama.com/index.php/JMH/article/view/242>
- Green, S., O'Connor, E., Kiely, C., O'Shea, D., & Egaña, M. (2018). Effect of obesity on oxygen uptake and cardiovascular dynamics during whole-body and leg exercise in adult males and females. *Physiological Reports*, 6(9), e13705. <https://doi.org/10.14814/phy2.13705>
- Guazzi, M., Arena, R., Halle, M., Piepoli, M. F., Myers, J., & Lavie, C. J. (2018). 2016 focused update: clinical recommendations for cardiopulmonary exercise testing data assessment in specific patient populations. *European Heart Journal*, 39(14), 1144–1161. <https://doi.org/10.1093/eurheartj/ehw180>
- Guyton, A. C. . H. J. E. (2014). *Buku Ajar Fisiologi Kedokteran* (12th ed.). EGC.
- Handoko, A., Prasetyo, A., Wulandari, P., Sofiana, K. D., Firdaus, J., & Pertiwi, K. A. (2021). The Relationship Between Body Mass Index and Student Body Ability Index of Medical Faculty Jember University. *Journal of Agromedicine and Medical Sciences*, 7(3), 147. <https://doi.org/10.19184/ams.v7i3.23785>
- Harbuwono, D. S., Tahapary, D. L., Tarigan, T. J. E., & Yunir, E. (2020). New proposed cut-off of waist circumference for central obesity as risk factor for diabetes mellitus: Evidence from the Indonesian Basic National Health Survey. *PLOS ONE*, 15(11), e0242417. <https://doi.org/10.1371/journal.pone.0242417>
- Hassel, E., Stensvold, D., Halvorsen, T., Wisløff, U., Langhammer, A., & Steinshamn, S. (2015). Association between pulmonary function and peak oxygen uptake in elderly: the Generation 100 study. *Respiratory Research*, 16(1), 156. <https://doi.org/10.1186/s12931-015-0317-0>
- Haznawati, N. D., Probosari, E., & Fitrianti, D. Y. (2019). Hubungan Indikator Obesitas dengan Kapasitas Vital Paru pada Remaja Akhir. *Journal of Nutrition College*, 8(2), 95. <https://doi.org/10.14710/jnc.v8i2.23820>
- Hoehn, A. M., Mullenbach, M. J., & Fountaine, C. J. (2015). Actual Versus Predicted Cardiovascular Demands in Submaximal Cycle Ergometer Testing. *International Journal of Exercise Science*, 8(1), 4–10.
- Huldani, Asnawati, Auliadina, D., Amilia, F. R., Nuarti, N., & Jayanti, R. (2019). Abdominal Circumference, Body Fat Percent, and VO₂ Max in Pilgrims of Hulu Sungai Tengah Regency. *Journal of Physics: Conference Series*, 1374(1), 012058. <https://doi.org/10.1088/1742-6596/1374/1/012058>
- Jalili, M., Nazem, F., Sazvar, A., & Ranjbar, K. (2018). Prediction of Maximal Oxygen Uptake by Six-Minute Walk Test and Body Mass Index in Healthy Boys. *The Journal of Pediatrics*, 200, 155–159. <https://doi.org/10.1016/j.jpeds.2018.04.026>
- Jamnick, N. A., By, S., Pettitt, C. D., & Pettitt, R. W. (2016). Comparison of the YMCA

- and a Custom Submaximal Exercise Test for Determining V' O₂max. *Medicine & Science in Sports & Exercise*, 48(2), 254–259. <https://doi.org/10.1249/MSS.0000000000000763>
- Jayanti, R., Huldani, & Asnawati. (2019). Hubungan Persen Lemak Tubuh dengan Kapasitas Oksigen Maksimal pada alon Jemaah Haji. *Homeostasis*, 2(1), 87–92.
- Kemenkes RI. (2013). *Laporan Hasil Riset Kesehatan Dasar (Riskesdas) Indonesia Tahun 2013*. Badan Penelitian dan Pengembangan Kesehatan, 2013.
- Kemenkes RI. (2018). *Laporan Hasil Riset Kesehatan Dasar (Riskesdas) Indonesia Tahun 2018*. Badan Penelitian dan Pengembangan Kesehatan, 2018.
- Kemenkes RI. (2023). *Survei Kesehatan Indonesia (SKI) 2023 Dalam Angka*. Badan Kebijakan Pembangunan Kesehatan. <https://www.kemkes.go.id/id/survei-kesehatan-indonesia-ski-2023>
- Kenney, W. L., Wilmore, J. H., & Costill, D. L. (2015). *Physiology of Sport and Exercise* (6th ed.). Human Kinetics.
- Khairunnisa, S., Fiana, D. N., Ismunandar, H., & Berawi, K. N. (2023). Hubungan Indeks Massa Tubuh terhadap Volume Oksigen Maksimal (VO₂max) Mahasiswa Tingkat Pertama Fakultas Kedokteran Universitas Lampung. *Medical Profession Journal of Lampung*, 13(1), 28–34. <https://doi.org/10.53089/medula.v13i1.610>
- Khan, Z., Assir, M. K., Shafiq, M., Chaudhary, A.-G., & Jabeen, A. (2016). High prevalence of preobesity and obesity among medical students of Lahore and its relation with dietary habits and physical activity. *Indian Journal of Endocrinology and Metabolism*, 20(2), 206. <https://doi.org/10.4103/2230-8210.176357>
- Kind, S., Brighenti-Zogg, S., Mundwiler, J., Schüpbach, U., Leuppi, J. D., Miedinger, D., & Dieterle, T. (2019). Factors Associated with Cardiorespiratory Fitness in a Swiss Working Population. *Journal of Sports Medicine*, 2019, 1–8. <https://doi.org/10.1155/2019/5317961>
- Kisner, C., Borstad, J., & Colby, L. A. (2023). *Therapeutic Exercise: Foundations and Techniques* (8th ed.). F. A. Davis Company.
- Kohzuki, M., Cho, C., Takahashi, R., & Harada, T. (2018). Importance of Physical Activity and VO₂max: *Asian Journal of Human Services*, 15(0), 85–92. <https://doi.org/10.14391/ajhs.15.85>
- Krakauer, N. Y., & Krakauer, J. C. (2012). A New Body Shape Index Predicts Mortality Hazard Independently of Body Mass Index. *PLoS ONE*, 7(7), e39504. <https://doi.org/10.1371/journal.pone.0039504>
- Krakauer, N. Y., & Krakauer, J. C. (2014). Dynamic Association of Mortality Hazard with Body Shape. *PLoS ONE*, 9(2), e88793. <https://doi.org/10.1371/journal.pone.0088793>
- Leduc-Gaudet, J.-P., Hussain, S. N. A., Barreiro, E., & Gouspillou, G. (2021). Mitochondrial Dynamics and Mitophagy in Skeletal Muscle Health and Aging.

- International Journal of Molecular Sciences*, 22(15), 8179.
<https://doi.org/10.3390/ijms22158179>
- Lee, J., & Zhang, X. L. (2021). Physiological determinants of VO_{2max} and the methods to evaluate it: A critical review. *Science & Sports*, 36(4), 259–271.
<https://doi.org/10.1016/j.scispo.2020.11.006>
- Mahayuni, D. M. D., Puspa Negara, A. A. G. A., Tianing, N. W., & Widnyana, M. (2023). Aktivitas Fisik dan Kualitas Tidur Dengan Nilai VO₂ Max pada Remaja Putri. *Majalah Ilmiah Fisioterapi Indonesia*, 11(1), 48.
<https://doi.org/10.24843/MIFI.2023.v11.i01.p09>
- Maksum, A., Kristiyanto, A., & Akbar, R. (2022). *Laporan Nasional Sport Development Index Tahun 2021: Olahraga Untuk Investasi Pembangunan Manusia*. <https://www.researchgate.net/publication/359443662>
- Mckinney, J., Lithwick, D. J., Morrison, B., Nazzari, H., Isserow, S. H., Heilbron, B., & Krahn, A. D. (2016). *The health benefits of physical activity and cardiorespiratory fitness*. 58, 131–137.
- Murat, S., & Şaşak, G. (2021). Anthropometric Parameter That Best Predicts the Relationship Between Obesity and Osteoporosis in Kidney Transplant Recipients. *Turkish Journal of Osteoporosis*, 27(1), 8–13.
<https://doi.org/10.4274/tod.galenos.2020.18942>
- Mutohir, T. and and and, Lutan, R., Maksum, A., Kristiyanto, A., & Akbar, R. (2022). *Laporan Nasional Sport Development Index Tahun 2021: Olahraga Untuk Investasi Pembangunan Manusia*. Kementerian Pemuda dan Olahraga RI.
- Nagayama, D., Watanabe, Y., Yamaguchi, T., Suzuki, K., Saiki, A., Fujishiro, K., & Shirai, K. (2022). Issue of Waist Circumference for the Diagnosis of Metabolic Syndrome Regarding Arterial Stiffness: Possible Utility of a Body Shape Index in Middle-Aged Nonobese Japanese Urban Residents Receiving Health Screening. *Obesity Facts*, 15(2), 160–169. <https://doi.org/10.1159/000520418>
- Notoatmodjo, S. (2018). *Metodologi Penelitian Kesehatan*. Rineka Cipta.
- Nugraha, A. W., Sartono, A., Handarsari, E., Studi, P. D., & Fakultas Ilmu Keperawatan dan Kesehatan, G. (2019). *Konsumsi Fast Food dan Kuantitas Tidur Sebagai Faktor Risiko Obesitas Siswa SMA Institut Indonesia Semarang* (Vol. 8). <http://jurnal.unimus.ac.id>
- Nurhayati, T., Goenawan, H., Farenia, R., Rasjad, A. S., & Purba, A. (2019). Fakultas Kedokteran Universitas Padjadjaran. In *Jurnal Ilmu Faal Olahraga* (Vol. 21, Issue 1).
- Panuganti, K. K., Nguyen, M., & Kshirsagar, R. K. (2024). Obesity. In *StatPearls - NCBI Bookshelf*. StatPearls Publishing.
<https://www.ncbi.nlm.nih.gov/books/NBK459357/>
- Pereira, T. C., & Cazarin, C. B. B. (2022). *Anthropometric Assessment Methods for Adults and Older People* (pp. 293–305). <https://doi.org/10.1007/978-1-0716->

2345-9_18

- Powell, T. A., Mysliwiec, V., Brock, M. S., & Morris, M. J. (2022). OSA and cardiorespiratory fitness: a review. *Journal of Clinical Sleep Medicine*, 18(1), 279–288. <https://doi.org/10.5664/jcsm.9628>
- Purnell, J. (2023). *Definitions, Classification, and Epidemiology of Obesity*. (K. Feingold, B. Anawalt, & M. Blackman (eds.)). South Dartmouth (MA): MDText.com. <https://www.ncbi.nlm.nih.gov/books/NBK279167/>
- Raghubeer, G., Hartz, J., Lubans, D. R., Takken, T., Wiltz, J. L., Mietus-Snyder, M., Perak, A. M., Baker-Smith, C., Pietris, N., & Edwards, N. M. (2020). Cardiorespiratory Fitness in Youth: An Important Marker of Health: A Scientific Statement From the American Heart Association. *Circulation*, 142(7). <https://doi.org/10.1161/CIR.0000000000000866>
- Rikawiantari, N. M., Wibawa, A., Adiamika, I. P. G., & Adiputra, I. N. (2022). Lingkar Pinggang dengan Tingkat Konsumsi Oksigen Maksimal pada Mahasiswa Fisioterapi Fakultas Kedokteran Univeristas Udayana. *Majalah Ilmiah Fisioterapi Indonesia*, 10(2), 74. <https://doi.org/10.24843/MIFI.2022.v10.i02.p03>
- Roberts, S. (2019). Åstrand-Rhyming and YMCA: A Compare and Contrast Literature Review of Two Submaximal Cycle Ergometer Tests. *Williams Honors College, Honors Research Projects*.
- S, S., Kothari, R., Mittal, G., Gopani, M., A, P., Bokariya, P., Vemparala, S. S., Tamrakar, S., S, A., & A, B. (2023). Exploring the Relationship Between the Indices of Body Composition With Grip Strength Performance and Peak VO₂. *Cureus*. <https://doi.org/10.7759/cureus.40874>
- Sardjoko, S. (2019). *Pembangunan Gizi Indonesia*. Kementerian PPN/Bappenas.
- Sherwood, L. (2016). *Human Physiology: From Cells To Systems* (9th ed.). Cengage Learning.
- Shin, J. Y., & Ha, C. H. (2016). Relationships between blood pressure and health and fitness-related variables in obese women. *Journal of Physical Therapy Science*, 28(10), 2933–2937. <https://doi.org/10.1589/jpts.28.2933>
- Sugondo, S. (2017). Obesitas. In S. Setiati, I. Alwi, A. Sudoyo, M. Simadibrata, B. Setiyohadi, & A. Syam (Eds.), *Buku ajar: ilmu penyakit dalam* (6th ed.). Interna Publishing.
- Sumardiyono, S., Pamungkasari, E. P., Mahendra, A. G., Utomo, O. S., Mahajana, D., Cahyadi, W. R., & Ulfia, M. (2018). Hubungan Lingkar Pinggang dan Lingkar Panggul dengan Tekanan Darah pada Pasien Program Pengelolaan Penyakit Kronis (Prolanis). *Smart Medical Journal*, 1(1), 26. <https://doi.org/10.13057/smj.v1i1.24504>
- Ten Hoor, G. A., Plasqui, G., Schols, A. M. W. J., & Kok, G. (2018). A Benefit of Being Heavier Is Being Strong: a Cross-Sectional Study in Young Adults. *Sports Medicine - Open*, 4(1), 12. <https://doi.org/10.1186/s40798-018-0125-4>

- Teresa, S., Widodo, S., & Winarni, T. I. (2018). Hubungan Body Mass Index dan Persentase Lemak Tubuh dengan Volume Oksigen Maksimal pada Dewasa Muda. *Jurnal Kedokteran Diponegoro*, 72, 840–853.
- Thomas, E., & Madhavikutty, G. (2019). Prevalence and Determinants of Overweight and Obesity among Medical Students. *National Journal of Physiology, Pharmacy and Pharmacology*, 0, 1. <https://doi.org/10.5455/njppp.2020.10.1035506112019>
- Umapathi, K. K., & Nguyen, H. (2023). Cardiopulmonary Fitness. In *StatPearls [Internet]*. StatPearls Publishing. <https://www.ncbi.nlm.nih.gov/books/NBK560729/>
- Vesco, K. K., Marshall, N. E., Baetscher, E., Leo, M. C., Rooney, W., Francisco, M., Baker, E., King, J. C., Catalano, P., Frias, A. E., & Purnell, J. Q. (2022). Changes in Visceral and Ectopic Adipose Tissue Stores Across Pregnancy and Their Relationship to Gestational Weight Gain. *The Journal of Nutrition*, 152(4), 1130–1137. <https://doi.org/10.1093/jn/nxac010>
- Vijaykumar, N., P, V., Jadhav, S., K, B., & Badiger, S. (2021). Influence of body fat, lean body mass, and body mass index levels on maximal oxygen consumption using submaximal exercise in young adults: An observational study. *National Journal of Physiology, Pharmacy and Pharmacology*, 0, 1. <https://doi.org/10.5455/njppp.2021.11.01042202108022021>
- WHO. (2022). *Obesity and Overweight*. <https://www.who.int/news-room/factsheets/detail/obesity-and-overweight>
- Widiastuti, I. A. E., Priyambodo, S., & Buanayuda, G. W. (2018). Korelasi Pengukuran Antropometrik dengan Kebugaran Kardiorespirasi pada Mahasiswa Fakultas Kedokteran Universitas Mataram. *Unram Medical Journal*, 7(4), 19. <https://doi.org/10.29303/jku.v7i4.311>
- Winata, B. J., Sidharta, V. M., Hananta, L., Vetylly, & Prastowo, N. A. (2022). Body Mass Index, a Body Shape Index, and Waist-to-Height Ratio in Predicting Elevated Blood Pressure. *Althea Medical Journal*, 9(1), 19–23. <https://doi.org/10.15850/amj.v9n1.2291>
- World Health Organization. (2000). *The Asia-Pacific perspective: Redefining obesity and its treatment*. Health Communications Australia. <https://iris.who.int/handle/10665/206936>
- World Health Organization. (2008). *Waist circumference and waist-hip ratio: report of a WHO expert consultation*. <https://www.who.int/publications/i/item/9789241501491>
- World Health Organization. (2019). *Global Physical Activity questionnaire: GPAQ Version 2.0*. World Health Organization.
- World Health Organization. (2020). *Obesity*. <https://www.who.int/topics/obesity/en/>
- Xiao, Y. Q., Liu, Y., Zheng, S. L., Yang, Y., Fan, C., Ye, Y. L., & Zhang, J. H. (2016). Relationship between hypertension and body mass index, waist circumference and

- waisthip ratio in middle-aged and elderly residents. *Chinese Journal of Epidemiology*, 37(09). <https://doi.org/10.3760/cma.j.issn.0254-6450.2016.09.008>
- Yuniah, B., Feriandi, Y., & Yulianto, F. A. (2023). Proporsi Konsumsi Junk Food dan Status Gizi Berlebih di Mahasiswa Kedokteran. *Jurnal Riset Kedokteran*, 69–74. <https://doi.org/10.29313/jrk.v3i2.2878>
- Zhou, N. (2021). Assessment of aerobic exercise capacity in obesity, which expression of oxygen uptake is the best? *Sports Medicine and Health Science*, 3(3), 138–147. <https://doi.org/10.1016/j.smhs.2021.01.001>
- Zierle-Ghosh, A., & Jan, A. (2023). *Physiology, Body Mass Index*. StatPearls Publishing. <https://www.ncbi.nlm.nih.gov/books/NBK535456/>